



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000116087 ONE TIME PURCHASE OF PUMPS FOR HARVEY & BRIDGE
CITY WASTEWATER TREATMENT PLANTS.**

Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

30-Mar-2016 11:34:02 AM



Bid Number 50 - 116087

One time purchase of pumps for Harvey & Bridge City Wastewater Treatment Plants.

APRIL 14, 2016 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Donna Reamey
Dreamey@Jeffparish.net
504-364-2684**

**SPECIFICATIONS FOR SELF-PRIMING CHOPPER PUMPS
(SPECS FOR LINE ITEM 0010)**

FOR JEFFERSON PARISH DEPARTMENT OF SEWERAGE

HARVEY WASTEWATER TREATMENT PLANT

PART 1. GENERAL

The Vendor shall furnish two 4-inch horizontal, self-priming centrifugal chopper pump(s) and all appurtenances as specified. The pumps shall be specifically designed to chop and pump waste solids at heavy consistencies. Materials shall be macerated and conditioned by the pump as an integral part of the pumping action. The pump must have demonstrated the ability to chop through and pump high concentrations of solids such as plastics, heavy rags, grease, hair balls, wood, paper products, and stringy materials without plugging, both in tests and field applications. The pump shall be designed to retain adequate liquid in the casing to insure re-priming without suction, discharge check valves, and a dry suction pipe.

1.2 QUALITY ASSURANCE

The contractor or supplier shall submit manufacturer's standard warranty for equipment to be furnished in accordance with this section. The warranty for workmanship and materials shall be manufacturer's standard for 1 year from startup, not to exceed 18 months from factory shipment.

PART 2 PRODUCTS

2.1 APPROVED MANUFACTURER

- A. Pump shall be Model SP4C-089 as manufactured by Vaughan Co., Inc. These units are replacements that must fit into existing piping and controls.
- B. The equipment on this project shall be manufactured in the United States.
- C. An extensive parts inventory shall be maintained by the manufacturer such that all pump parts are available during the life expectancy of the pump.

2.2 PUMP CONSTRUCTION

- A. **Housing:** Shall include 125 lb. flanged inlet and discharge flanges, an oversized cleanout, and mounting feet. The housing shall be ductile cast iron with all water passages to be smooth, and free of blowholes and imperfections for good flow characteristics.
- B. **Casing and Back Pull-Out Plate:** The pump casing shall be of volute design, spiraling outward to the 125 lb. flanged centerline discharge. Back pull-out design shall incorporate jacking bolts for accurate adjustment of impeller-to-cutter bar clearance, and shall allow for removal of pump components without requiring disconnection of casing from inlet or discharge piping. Casing and back plate shall be ductile cast iron with all water passages to

be smooth, and free of blowholes and imperfections for good flow characteristics. A pressure tap shall be included on or near the discharge flange. Back plate shall include a replaceable Rockwell C 60 steel cutter adjustable for 0.005-0.015 inch clearance to cut against the rotating impeller pump out vanes for removing fiber and debris. Casing shall be a separate parts component of the housing.

C. **Impeller:** Shall be semi-open type with pump out vanes to reduce seal area pressure. Chopping/maceration of materials shall be accomplished by the action of the cupped and sharpened leading edges of the impeller blades moving across the cutter bar at the intake openings, with a maximum set clearance between the impeller and cutter bar of 0.015-0.025 inches cold. Impeller shall be cast alloy steel heat treated to minimum Rockwell C 60 Hardness, and dynamically balanced. The impeller shall be threaded to the shaft, shall have no axial adjustments, and no set screws. Pumps with open type impellers or impellers without pump out vanes on the back plate will not be accepted.

D. **Cutter Nose:** Designed to cut stringy materials and prevent binding using two opposing cutter edges that cut against the inside of the cutter bar fingers. The cutter nose shall be cast steel, heat treated to minimum Rockwell C 60 Hardness.

E. **Cutter Bar:** Shall be recessed into the pump bowl, and shall extend diametrically across entire pump suction opening. Cutter bar shall be alloy steel and heat treated to minimum 60 Rockwell C Hardness.

F. **Upper Cutter:** Shall be threaded into the back plate behind the impeller, designed to cut against the pump-out vanes and the impeller hub, reducing and removing stringy materials from the mechanical seal area. Upper cutter shall be cast steel and heat treated to minimum 60 Rockwell C Hardness. The upper cutter shall be a replaceable item and be separate from the casing back plate.

G. **Pump Shafting:** Shall be heat treated alloy steel.

H. **Bearings:** Shall be oil bath lubricated with ISO Gr. 100 turbine oil and site glass indication. Shaft thrust in both directions shall be taken up by a double-row angular contact ball bearing. A single-row radial bearing shall also be provided. B10 bearing life shall be minimum 100,000 hours.

I. **Back Pull-Out Bearing Housing:** Shall be ductile cast iron, and machined with piloted bearing fits for concentricity of all components. Back pull-out design shall incorporate jacking bolts for accurate adjustment of impeller-to-cutter bar clearance, and shall allow for removal of pump components without requiring disconnection of housing from inlet or discharge piping. Viton® double lip seals riding on a stainless steel shaft sleeve shall provide sealing at the drive end of the bearing housing.

J. **Mechanical Seal:** Mechanical seal shall be cartridge type with silicon carbide (or tungsten carbide) faces. Seal shall be positively driven by set screws. Elastomers shall be Viton. This cartridge seal shall be pre-assembled, and pre-tested so that no seal settings or adjustments are required from the installer. Any springs used to push the seal faces together must be shielded from the fluid to be pumped. The cartridge shall also include a 17-4PH, heat-treated seal sleeve and a CF8M stainless steel seal gland.

K. **Stainless Steel Nameplates:** Shall be attached to the pump and drive motor giving the manufacturer's model and serial number, rated capacity, head, speed, and all pertinent data.

2.3. SURFACE PREPARATION

The pump unit shall be degreased and coated with Tnemec Series 27WB epoxy paint.

SPECIFICATIONS FOR SELF-PRIMING CHOPPER PUMP PACKAGES

(SPECS FOR LINE ITEM 0020)

FOR JEFFERSON PARISH DEPARTMENT OF SEWERAGE

BRIDGE CITY WASTEWATER TREATMENT PLANT

PART 1. GENERAL

The Vendor shall furnish two horizontal, self-priming centrifugal chopper pump packages and all appurtenances as specified. The pumps shall be specifically designed to chop and pump waste solids at heavy consistencies. Materials shall be macerated and conditioned by the pump as an integral part of the pumping action. The pumps must have the ability to chop through and pump high concentrations of solids such as plastics, heavy rags, grease, hair balls, wood, paper products, and stringy materials without plugging, both in tests and field applications. The pumps shall be designed to retain adequate liquid in the casing to insure re-priming without suction, discharge check valves, and a dry suction pipe.

1.2 QUALITY ASSURANCE

The contractor or supplier shall submit manufacturer's standard warranty for equipment to be furnished in accordance with this section. The warranty for workmanship and materials shall be manufacturer's standard for 1 year from startup, not to exceed 18 months from factory shipment.

PART 2. PRODUCTS

2.1 MANUFACTURER

- A. Pump shall be Model SP4C-089 as manufactured by Vaughan Co., Inc., or approved equal.
- B. Pumps sized to pass a specific solid size without chopping will not be accepted. Acceptable substitutions for the equipment specified herein would be the use of a non-clog type pump in conjunction with a dual shaft in-line grinder ahead of the pump. The Contractor shall supply all drawings, controls, wiring, and piping modifications required for installation of proposed substituted equipment. Only pumps manufactured in the USA will be considered.

2.2 SERVICE CONDITIONS

The pumps specified are sized using the following design flow criteria:

GPM: 400

TDH: 45 feet

HP: 10

RPM: 1750

2.3 PUMP CONSTRUCTION

A. **Housing:** Shall include 125 lb. flanged inlet and discharge flanges, an oversized cleanout, and mounting feet. The housing shall be ductile cast iron with all water passages to be smooth, and free of blowholes and imperfections, for good flow characteristics.

B. **Casing and Back Pull-Out Plate:** The pump casing shall be of volute design, spiraling outward to the 125 lb. flanged centerline discharge. Back pull-out design shall incorporate jacking bolts for accurate adjustment of impeller-to-cutter bar clearance, and shall allow for removal of pump components without requiring disconnection of casing from inlet or discharge piping. Casing and back plate shall be ductile cast iron with all water passages to be smooth, and free of blowholes and imperfections for good flow characteristics. A pressure tap shall be included on or near the discharge flange. The back plate shall include a replaceable Rockwell C 60 steel cutter adjustable for 0.005-0.015 inch clearance to cut against the rotating impeller pump out vanes, for removing fiber and debris. Casing shall be a separate parts component of the housing.

C. **Impeller:** Shall be semi-open type with pump out vanes to reduce seal area pressure. Chopping/maceration of materials shall be accomplished by the action of the cupped and sharpened leading edges of the impeller blades moving across the cutter bar at the intake openings, with a maximum set clearance between the impeller and cutter bar of 0.015-0.025 inches cold. Impeller shall be cast alloy steel, heat treated to minimum Rockwell C 60 Hardness, and dynamically balanced. The impeller shall be threaded to the shaft, shall have no axial adjustments, and no set screws.

D. **Cutter Nose:** Must be designed to cut stringy materials and prevent binding, using two opposing cutter edges that cut against the inside of the cutter bar fingers. The cutter nose shall be cast steel and heat treated to minimum Rockwell C 60 Hardness.

E. **Cutter Bar:** Shall be recessed into the pump bowl, and shall extend diametrically across the entire pump suction opening. Cutter bar shall be alloy steel and heat treated to minimum 60 Rockwell C Hardness.

F. **Upper Cutter:** Shall be threaded into the back plate behind the impeller, designed to cut against the pump-out vanes and the impeller hub, reducing and removing stringy materials from the mechanical seal area. Upper cutter shall be cast steel and heat treated to minimum 60 Rockwell C Hardness.

G. **Pump Shafting:** Shall be heat treated alloy steel.

H. **Bearings:** Shall be oil bath lubricated with ISO Gr. 100 turbine oil and site glass indication. Shaft thrust in both directions shall be taken up by a double-row angular contact ball bearing. A single-row radial bearing shall also be provided. B10 bearing life shall be minimum 100,000 hours.

I. **Back Pull-Out Bearing Housing:** Shall be ductile cast iron, and machined with piloted bearing fits for concentricity of all components. Back pull-out design shall incorporate jacking bolts for accurate adjustment of impeller-to-cutter bar clearance, and shall allow for removal of pump components without requiring disconnection of housing from inlet or discharge piping. Viton® double lip seals riding on a stainless steel shaft sleeve shall provide sealing at the drive end of the bearing housing.

J. **Mechanical Seal:** Mechanical seal shall be cartridge type with silicon carbide (or tungsten carbide) faces. Seal shall be positively driven by set screws. Elastomers shall be Viton. This cartridge seal shall be pre-assembled, and pre-tested so that no seal settings or adjustments are required from the installer. Any springs used to push the seal faces together must be shielded from the fluid to be pumped. The cartridge shall also include a 17-4PH, heat-treated seal sleeve and a CF8M stainless steel seal gland.

K. **Shaft Coupling:** Bearing housing and motor stool design is to provide accurate, self-aligning mounting for a C-flanged electric motor. Pump and motor coupling shall be T.B. Woods Sureflex elastomeric type.

L. **Stainless Steel Nameplate:** A Stainless Steel Pump Nameplate shall be furnished, showing Model and Serial Number of the pump.

2.4. MOTOR REQUIREMENTS

Drive motor shall be:

10 HP

1750 RPM

230 volts

3 phase

60 hertz

1.15 service factor

C-flange mounted

TEFC enclosure

2.5. Baseplate

Pump and motor assembly shall be mounted on a sturdy fabricated baseplate of Type 316 Stainless Steel construction.

2.6. SURFACE PREPARATION

The pump unit shall be degreased and coated with acrylic epoxy paint.

DATE: 3/30/2016

INVITATION TO BID
THIS IS NOT AN ORDER

BID NO.: 50-00116087

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

Page: 1

BUYER: DREAMEY@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 4/14/2016 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Please note requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13 , 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicted on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 3/30/2016

Page: 5

BID NO.: 50-00116087

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED 0 %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF December 1, 2016.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

6-8 weeks ARO

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) NA

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Delta Process Equipment

ADDRESS: 3017 21st Street, Suite 209

CITY, STATE: Metairie, LA ZIP: 70002

TELEPHONE: (504) 833-7867 FAX: (504) 833-1755

EMAIL ADDRESS: gcarbine@deltaprocess.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 47,916.00

AUTHORIZED
SIGNATURE: Geary Carbine

Geary Carbine

TITLE: Sales Rep

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116087

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	EA	<p>ONE TIME PURCHASE:</p> <p>0010 - Vaughn Chopper Pumps, Model No. SP4C, 4-inch self-priming centrifugal pump. Domestic only.</p> <p>Please bid according to the requested make and model number as these units are replacements with existing piping and controls</p> <p>Note: Purchase of pumps only</p> <p>SEE ATTACHED SPECIFICATIONS</p>	\$9,214.00	\$18,428.00
2	2.00	EA	<p>0020 - 4 inch Vaughan Self Priming Chopper Pump, Model SP4C, mount on direct drive Type 316SS base coupled to a 10-HP, TEFC, Three Phase, electric motor. Domestic only.</p> <p>NOTE: Purchase of pump packages only</p> <p>SEE ATTACHED SPECIFICATIONS</p>	\$14,744.00	\$29,488.00

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

SECRETARY-TREASURER

DATE

➤ Note: See attached for our Signed Resolution


CORPORATE RESOLUTION

Excerpt from the minute of meeting of the Board of Directors of DXP ACQUISITIONS, INCORPORATED, DBA: Delta Process Equipment.

At the meeting of Directors of DXP ACQUISITIONS, INCORPORATED, DBA: Delta Process Equipment, a quorum being there present, on motion duly made and seconded. It was:

Resolved that GEARY CARBINE, be and is hereby appointed, constituted and designated as agent and attorney-in fact of the corporation with full power and authority to act on behalf of this corporation in all negotiations, bidding, concerns and transactions with any and all Parishes in the State of Louisiana and/or any of its agencies, departments, employees or agents, including but not limited to, the execution of all bids, papers, documents, affidavits, bonds, sureties, contracts and acts and to receive and receipt therefore all purchase orders and notices issued pursuant to the provisions of any such bid or contract, this corporation hereby ratifying, approving, confirming, and accepting each and every such act performed by said agent and Attorney-In Fact.

I hereby certify the forgoing to be
A true and correct copy of an
Excerpt of the minutes of the
Above dated meeting of the board
Of directors of said corporation,
And the same has not been revoked or rescinded.


Mac McConnell, Secretary – Treasurer

10-6-08
Date

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant **MUST** select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Jefferson

BEFORE ME, the undersigned authority, personally came and appeared: _____
Geary Carbine, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Sales Rep / Agent of DXP dba Delta Process Equipment (Entity),
the party who submitted a bid in response to Bid Number 50-116087, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Geary Carbine

Signature of Affiant

Geary Carbine

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 6th DAY OF April, 2016.

R. Scott Buhrer


Notary Public

R. Scott Buhrer

Printed Name of Notary

17493

Notary/Bar Roll Number



My commission expires At Death.

R. SCOTT BUHRER
NOTARY PUBLIC
Parish of Jefferson, State of Louisiana
Louisiana Notary Public Number 1259
Louisiana State Bar Roll Number 17493
My Commission is for Life.

[Print](#)

Notary Search - Detail

Name: MR. R. SCOTT BUHRER
Address: 3017 21ST STREET, STE. 110
METAIRIE, LA 70002
Phone: (504) 833-5112
Phone 2: (504) 443-4093
Notary ID Number: 1259
Parish: JEFFERSON with STATEWIDE JURISDICTION
Agency: N/A
Notary Type: Attorney
Bar Roll #: 17493
Status: Active
Commission Date: 02/26/2008
Oath Date: 02/18/2008
Surety Expiration Date: Not Required
Annual Report Current: Not Applicable

Notary Events

Parish Change Previous Parish: ORLEANS Previous Commission Date: 10/08/1987

Deceased, Inactivated, Leave of Absence, Pre-Assessment Registration, Pre-Assessment Taken, Resigned, Retirement, and Revoked events are not available prior to February 11, 2012.

[Back to Search Results](#)[New Search](#)