

09/14/2016 15:37 Jefferson Parish Purchasing

(FAX)5043642093

P.007/010

DATE: 9/14/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00117804

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MCamardell

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2-3 WEEKS ARO

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: CED d b a I C ELECTRIC SUPPLY	
SIGNATURE: (Must be signed here) <u>Sean Radosti</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>SEAN RADOSTI</u>	
ADDRESS: <u>3321 WESTBANK EXPRESSWAY</u>	
CITY, STATE: <u>HARVEY LA</u>	ZIP: <u>70056</u>
TELEPHONE: <u>504 341-4281</u>	FAX: <u>504 340 3400</u>
EMAIL ADDRESS: <u>SRADOSTI@CED-IC-ELECTRIC.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 29,348.04

DATE: 9/14/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00117804

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			QUNATITY OF VARIOUS ELECTRICAL EQUIPMENT		
1	1.00	EA	0001 - Blower, oil-less regenerative, 1-1/2 HP, TEFC motor, 115/230 volt, FPZ model D13767 (K04-MS) (0696270)	\$ 952.67	\$ 952.67
2	6.00	EA	0002 - Fuse, dual element, time delay, 70 amp, 250 volt, Gould no. TR70R (0866250)	\$ 14.71	\$ 88.26
3	200.00	EA	0003 - Connector, female, sta-con, 22-18 wire range, insulated, T & B no. 18RAD18377 (0870400)	\$ 0.56	\$ 112.00
4	50.00	EA	0004 - Lug, wire connector, 1 hole, no. 2 cable size, 1/4 in stud size, Thomas and Betts no. 60116 (0870730)	\$ 8.17	\$ 408.50
5	75.00	ST	0005 - Clamp, channel pipe, for 3/4 in rigid electrical conduit, with bolt and nut, 2 pieces equals 1 set, Unistrut, stainless steel, type 304, McMaster-Carr no. 3230T66 (0878940)	\$ 2.03	\$ 152.25
6	250.00	EA	0006 - Spring, channel, 1/4-20, Unistrut no. P10061420 (0879000)	\$ 0.98	\$ 245.00
7	18.00	EA	0007 - Tubing, heat shrink, 1/2 inch diameter x 36 inch long each, ICO-Rally no. H1M6-1/2 or equal (0384760)	\$ 4.14	\$ 66.24
8	12.00	EA	0008 - Breaker, circuit, 150 amperes, 600 volt, 3 pole, with lugs, new in factory box, Westinghouse no. HMCP150U4C (0841680) PART # WITH LUGS HAS A "C" ON END OF IT.	QUOTING T-B # CPO5000A SEE ATTACHED SPEC SHEET \$ 620.53	\$ 7,446.36
9	6.00	EA	0009 - Breaker, circuit, 30 amperes, 277/480 volt, 3 pole, with lugs,	\$ 397.87	\$ 2,387.22

DATE: 9/14/2016

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00117804

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	16.00	EA	new in factory box, Westinghouse no. GMCP030H1C (0841860)	# 443.69	# 7,099.04
11	36.00	EA	0010 - Kit, contact, size 2, Westinghouse no. 373B331G12 or Hoyt Brand (0853320)	# 8.49	# 305.64
12	4.00	EA	0011 - Contact block, Idec no. BST-010, normally open, for Idec no. ASD320N switch (0853490)	# 382.22	# 1,528.88
13	18.00	EA	0012 - Relay, triplexor alternator, 120 volt, 3 pump led's, 1 power led, Sta-con Brand no. 009-120-23 (0858010)	# 184.44	# 3,319.92
14	2.00	EA	0013 - Relay, adjustable 13-52 amps, 3 phase, 50/60HZ, Siemens no. 48BTF3S00 - OBSOLETE Quartz Replacement (0858230) # 30881334FW2 SEE ATTACHED SPEC SHEET	# 379.78	# 759.56
15	36.00	EA	0014 - Starter, size 1, 120 volt, 7-1/2 inches high x 3-1/2 inches wide x 4-1/2 inches deep. new in factory box, equals must be same dimensions, Allen Bradley No. 509-BOD (0861010)	# 63.50	# 2,286.00
16	300.00	EA	0015 - Timer, 1 second to 10 minute range, 120 VAC, Idec no. RTE-P1AF20 (0862020)	# 0.41	# 123.00
17	1.00	EA	0016 - Fork, Sta-con, 22-18 wire range No. 10 hole, insulated, T & B no. 18RA10F (0870550)	# 471.02	# 471.02
18	16.00	EA	0017 - Switch, safety, 200 amp, 120/240 volt, 3 pole, fusible, type 3R enclosure, with hub G.E. No. TG4324RH (0874040)	# 5.02	# 80.32
			0018 - Nipple, offset, 2 inch, T & B no. 1185		

DATE: 9/14/2016

Page: 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00117804

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
19	100.00	EA	(0878510) 0019 - Clamp, channel pipe, for 1/2 inch rigid electrical conduit, with bolt and nut, Unistrut no. P-1111 (0878930)	\$.77	\$ 77.00
20	12.00	EA	0020 - Nipple, aluminum conduit, 1-1/2 inch x 2 inch long (0881880)	\$ 5.33	\$ 63.96
21	3.00	EA	0021 - Motor electric, 3 HP, 3 Phase, 213T Frame, 230/460VAC, 1200RPM, TEFC, Worldwide no. WWVE3-12-213T (0891060)	\$ 458.40	\$ 1,375.20

9/27/2016

www-public.tnb.com/ps/fulltilt/index.cgi?part=CPO5000A

Thomas & Betts

A Member of the ABB Group

My TNB Stuff

[Brands](#) | [Products](#) | [Markets](#) | [Solutions](#) | [Resources](#) | [Support](#) | [Company](#) | [Catalog](#)
[Catalog](#)
[Home](#) | [Fittings](#) | [Commercial Fittings](#) |
[Add to My TNB Stuff](#)

PRINT

Thin-Wall Heat-Shrinkable Tubing

T&B Catalog Number: CPO500-0-A
 UPC Number: 78621083504
 Status: Active

Description:

Thin-Wall Heat-Shrinkable Tubing for Cable Range 6 - 1 AWG, Expanded Diameter 1/2 inch, Length 4 feet, rated for 600 Volt, 125 degrees C. Material: Cross-linked polyolefin - Non-lined, Black

ROHS

SUBMITTAL
PACKAGE**Where To Buy**

Enter Zip Code:

Enter Quantity:

GO

Features

- Flame-retardant, cross-linked polyolefin.
- Meets UL 224, 125°C; CSA 22.2 No. 198.1, 125°C; MIL-DTL-23053/5 Class 1&2; AMS 3636 & 3637; DEF STAN 59-97, Issue 3, Type 2a

General

Style	CPO Series Non-Lined
Color	Black
Temperature Range	-55°C - 135°C
Shrink Ratio	2:1

Dimension Information

Length (feet)	4
Minimum Expanded I.D. (inches)	0.5
Maximum Recovered I.D. (inches)	0.25
Nominal Recovered Wall (inches)	0.025
Cable Range	6 - 1 AWG

Specifications

Shrink Temperature	120°C
--------------------	-------

Packaging

Order Multiple	25
Inner Package	25
Outer Package	250
Package Height	8.5
Package Length	30.5
Package Width	11
T&B Sold in UOM	Each
T&B Weight Per UOM	8.25 lbs. per 100

Application Support

 Specifications	Click Here
 Overview	Click Here

Notes

- Order multiple is for 4 ft sticks is 25 sticks. Order multiple for reels is 1 reel. When ordering standard package, order by package not feet.
- UL Recognized File Number E137759 and CSA Certified. Clear material not UL Recognized.
- Larger diameters available upon special request; consult Customer Service.

Certifications

RoHS Compliance	Yes Generate Compliance Certificate
-----------------	-------------------------------------



Certifications**HOME**
[Global Site](#)
[Report Issue](#)
LOGIN
[T&B Access \(Dist. only\)](#)
[Suppliers](#)
[MyTNB](#)
RESOURCES
[Catalog PDFs](#)
[End User Toolkit](#)
[Solution Set Brochures](#)
[Vertical Market Brochures](#)
[Where To Buy](#)
SUPPORT
[Contact Us](#)
[Global Locations](#)
[Product Support](#)
[Tool Services](#)
[Legal/Privacy](#)
COMPANY
[About Us](#)
[Careers](#)
[Employees](#)
[News](#)

© 2016 Thomas & Betts Corporation

Overload Relays

Solid State ESP200, Class 48, 958 and 958L

General




Features	Benefits
▪ Trip Classes - 5, 10, 20, or 30 Selectable by DIP-switches	▪ Field changeable reduces time and inventory. Suitable for light, normal and heavy starting conditions
▪ Phase Loss Protection - Trips in less than 3 Seconds	▪ Protects motor burn out and minimizes motor heating up
▪ Phase Unbalance - Trips based on Trip Class selected	▪ Minimizes temperature rise of the motor on a asymmetrical three-phase-system
▪ Ground Fault - Trips 60% of Motor Current	▪ Provides optimum system protection of motors against high-resistance short-circuits or ground faults due to moisture, condensation, damage of insulation or any other reason
▪ Trip Indicator - Visible	▪ Save time, faster to identify overload Trip
▪ Ambient Insensitive	▪ Prevents nuisance tripping
▪ No Heaters Required	▪ Saves cost and eliminates time for installation of heaters
▪ Self-Powered - No outside source required	▪ Reduce cost for external power supply
▪ FLA dial with wide Adjustment - 4:1 ratio	▪ Provides wide range, reduces inventory
▪ Self Protected in short circuit condition (when used with proper fuses or motor starter protector)	▪ Unlike bimetal overloads, this eliminates replacement of the overload heaters after short circuit
▪ Test Button - Tests Electronics	▪ Tests the complete electronic functions including the trip mechanism. Increases up time
▪ Thermal Memory	▪ Prevents re-starting motor when it is still hot
▪ Conformally coated circuit board	▪ Resists against environmental conditions
▪ 1 NO and 1NC Contacts Standard. B600, R300	▪ Makes it easier for user to wire local contacts
▪ Operating Temperature: -25 °C - 65 °C	▪ Wide operating temperature range prevents nuisance tripping with temperature changes
▪ Repeat Accuracy <1%.	▪ For more precise settings and reduced nuisance tripping
▪ Removable Terminal Block	▪ Terminal Block can be removed without removing wires. Saves time for replacements
▪ Automatic reset	▪ Auto. Reset is 3 minutes after tripping, allowing motor to cool down before re-start. If Manual Reset is selected, overload can be reset immediately
▪ Remote reset	▪ As an alternative to the mechanical RESET options, an electrical remote RESET can be used by applying 24 V DC to terminals A3 and A4
▪ DIN Rail Mounted	▪ Reduces installation time
▪ Touch - Safe Terminals	▪ Protects against accidental touching of live circuits
▪ UL listed CSA certified	▪ Third party approval standard

Overload Relays

Solid State Class 48, ESP200 and 3RB20

Selection



3-Phase, 48ATC3S00

Ordering Information

- ▶ For CT's see Accessories page 17-51.
- ▶ Dimensions see page 17-122.
- ▶ To retrofit or direct mount to a contactor, order 49ASMP1, 2, or 3 separately. See Retrofit Plates below.
- ▶ For remote mounting of frame size A order 49ASMS1 terminals separately, see page 17-97.

Solid State—Class 48

Current Adjustment Range	Phase	Frame Size	Catalog Number	MRPD/MCFB	List Price \$
0.25-1	3	"A"	48ATA3S00	3UB81134AB2	
0.75-3.4	3	"A"	48ATB3S00	3UB81134BB2	
3-12	3	"A1"	48ATC3S00	3UB81234CW2	
6.6-22	3	"A1"	48ATD3S00	3UB81234DW2	
10-40	3	"A1"	48ATE3S00	3UB81234EW2	
* 13-52	3	"B"	48BTF3S00	3UB81334FW2	*
25-100	3	"B"	48BTG3S00	3UB81334GW2	
50-200	3	"B"	48BTH3S00	3UB81334HW2	
100-300	3	"A1" Ⓞ	48ATJ3S00	3UB81234JW2	
133-400	3	"A1" Ⓞ	48ATK3S00	3UB81234KW2	
200-600	3	"A1" Ⓞ	48ATL3S00	3UB81234LW2	
250-750	3	"A1" Ⓞ	48ATM3S00	3UB81234MW2	
400-1220	3	"A1" Ⓞ	48ATN3S00	3UB81234NW2	
0.25-1	1	"A"	48ATA1S00	3UB88134AB2	
0.75-3.4	1	"A"	48ATB1S00	3UB88134BB2	
3-12	1	"A1"	48ATC1S00	3UB88234CW2	
5.5-22	1	"A1"	48ATD1S00	3UB88234DW2	

Solid State—3RB206ⓄⓄ, 3-Phase, Manual/Auto Reset

For Contactor Size	Setting Range: Amps	Class 18 Catalog Number	List Price \$	Class 20 Catalog Number	List Price \$
5	55 - 250	3RB2066-1GC2		3RB2066-2GC2	
6	160 - 630	3RB2066-1MC2		3RB2066-2MC2	

Retrofit Plates for Contactors, Class 48

Replacement for Starter Sizes	ESP200 Overload Frame Size	Retrofit Plate Suffix	Plate Kit Separate	Price Adder \$
Size 00-1 1/4	A or A1	1P	49ASMP1	
Size 2, 2 1/2	B	2P	49ASMP2	
Size 3, 3 1/2	B	3P	49ASMP3	
Size 4	B	4P	49ASMP3	

Ambient Compensated Bimetal—Open Type Class 48 Single Phase, 3-Phase (Panel Mount Only)

Poles	Amp Rating	Auxiliary Contacts	Contact Rating	Catalog Number	List Price \$
1	25 50 100 180	1 NC 1 NC 1 NC 1 NC	5A (B600) & 5A (P300)	48DA18AA4 48GA18AA4 48HA18AA4 48JA18AA4	
3	30 30 60 60 100 180	1 NC 1 NO/NC 1 NC 1 NO/NC 3 NC 3 NC	10A (AG00) & 5A (P300) 5A (B600) & 5A (P300)	48DC38AA4 48DC39AA4 48GC38AA4 48GC39AA4 48HA38AA4 48JA38AA4	

Ⓞ To determine frame size of replacement solid state overload, refer to retrofit plates table above.

Ⓞ Requires use of 300:5 Current Transformers-3 of 97CT008.

Ⓞ Product Category: IEC.

Ⓞ Requires use of 400:5 Current Transformers-3 of 97CT008.

Ⓞ Requires use of 1200:5 Current Transformers-3 of 97CT012.

Ⓞ Overload has busbar connections.

Ⓞ Requires use of 750:5 Current Transformers-3 of 97CT009.

Ⓞ Requires use of 400:5 Current Transformers-3 of 97CT006.



doc09326220160928103337

9/28/2016 10:36 AM

Adobe Acrobat D...

196 KB

28181

Form W-9 (Rev. January 2003) Department of the Treasury Internal Revenue Service	Request for Taxpayer Identification Number and Certification	Give form to the requester. Do not send to the IRS.
Name CONSOLIDATED ELECTRICAL DISTRIBUTORS, INC.		
Business name, if different from above I.C. ELECTRIC SUPPLY		
Check appropriate box: <input type="checkbox"/> Individual <input type="checkbox"/> Sole proprietor <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Other <input type="checkbox"/> <input checked="" type="checkbox"/> Exempt from backup withholding		
Address (number, street, and apt. or suite no.) 31355 VIA COLINAS		Requester's name and address (optional) JEFFERSON PARISH ACCT DEPT PO BOX 9 GRETN, LA 50064
City, state, and ZIP code WESTLAKE VILLAGE, CA 91362-3915		
List account number(s) here (optional)		
Part I Taxpayer Identification Number (TIN)		
Enter your TIN in the appropriate box. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see How to get a TIN on page 3. Note: If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.		
Social security number		Employer identification number 77-0559191
or		
Part II Certification		
Under penalties of perjury, I certify that:		
1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and		
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and		
3. I am a U.S. person (including a U.S. resident alien).		
Certification instructions: You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. (See the instructions on page 4.)		
Sign Here	Signature of U.S. person <i>Andre Nolas</i>	Date 12/27/07
Purpose of Form		
A person who is required to file an information return with the IRS, must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.		
U.S. person. Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:		
1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),		
2. Certify that you are not subject to backup withholding, or		
3. Claim exemption from backup withholding if you are a U.S. exempt payee.		
Note: If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.		
Foreign person. If you are a foreign person, use the appropriate Form W-8 (see Pub. 515, Withholding of Tax on Nonresident Aliens and Foreign Entities).		
Nonresident alien who becomes a resident alien. Generally, only a nonresident alien individual may use the terms		
of a tax treaty to reduce or eliminate U.S. tax on certain types of income. However, most tax treaties contain a provision known as a "saving clause." Exceptions specified in the saving clause may permit an exemption from tax to continue for certain types of income even after the recipient has otherwise become a U.S. resident alien for tax purposes.		
If you are a U.S. resident alien who is relying on an exception contained in the saving clause of a tax treaty to claim an exemption from U.S. tax on certain types of income, you must attach a statement that specifies the following five items:		
1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.		
2. The treaty article addressing the income.		
3. The article number (or location) in the tax treaty that contains the saving clause and its exceptions.		
4. The type and amount of income that qualifies for the exemption from tax.		
5. Sufficient facts to justify the exemption from tax under the terms of the treaty article.		