

BID REJECTION FORM

Bid number: 50-00124461

Vendor Name: All Truck Parts & Equipment Co. LLC

Reasons for

Rejections: Did not provide Warranty Information.

REVIEWED BY:

Buyer Name: Misty Annard Date: 11/2/2018

Chief Buyer: [Signature] Date: 11/5/18



Bid Number 50-00124461

**ONE (1) YEAR CONTRACT FOR MODEL YEAR 2019 HEAVY DUTY
VEHICLES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET
MANAGEMENT**

BID DUE: NOVEMBER 1, 2018 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

July 2018

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- ✓ • For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- ✓ • Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- ✓ • **Proof of insurance in the form of a current certificate evidencing coverages is required with bid submission.** Bidders must read the insurance requirements attachment included in each bid package for specific instructions. Upon contract execution, successful bidder must produce final insurance certificates in accordance with Jefferson Parish insurance requirements.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

Joseph S. Yenni Building – 1221 Elmwood Park Blvd., Ste. 404, Jefferson, LA 70123
Office 504.364.2678
General Government Bldg. – 200 Derbigny St – Suite 4400 - Gretna, LA 70053
Office 504.364.2678
Email: Purchasing@jeffparish.net Website: www.jeffparish.net

ONE (1) YEAR CONTRACT FOR MODEL YEAR 2019 HEAVY DUTY VEHICLES FOR JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT

✓ Louisiana State Dealer's License:

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealers License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. Failure to submit this copy shall result in bid rejection.

Order Placement and Delivery of New Vehicles:

Upon order placement approved by Fleet Management, the successful vendor shall deliver vehicles within 220 days of order placement. All vehicles shall be delivered with 4 sets of keys.

Color of Vehicles (Exterior and Interior):

Exterior: Vehicles must be delivered in either white or red as specified by Fleet Management upon order placement.

Interior: Jefferson Parish will accept any available interior color; however this will be subject to approval by Jefferson Parish Fleet Management.

Servicing of Vehicles:

Successful vendor must pick up and/or deliver vehicles for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Fleet Management Department. The vehicles will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121.

Brand Names:

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required with bid submission. Failure to provide this documentation will result in bid rejection.

Pricing:

All pricing shall be firm until end of the 2019 model year or until contract expiration whichever is later. All pricing for dealer options must be invoiced at manufacturer's cost. Bidders must submit complete manufacturer's cost list with bid submission. Failure to submit will result in bid rejection. The Parish of Jefferson will accept and require Mid-Year model (2020) at 2019 model bid pricing.

Vehicle Warranty Information:

All new vehicles must be delivered complete with standard factory warranty. Warranty period (years/mileage) must be provided with bid submission. Failure to submit will result in bid rejection.

Vehicle Manuals:

Upon delivery of new vehicles, the successful vendor must provide (2) sets of manuals as indicated by each appropriate line item. Electronic copies of these manuals may be supplied at the successful vendor's cost.

Safety Specifications for All Vehicles:

Must meet or exceed all federal and state safety standards.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

See Page 1 for Conflicts of Interest Statement

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

DATE: 10/17/2018

BID NO.: 50-00124461

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 11/01/2018 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED 2 %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF Nov 1st 2019

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

220 DAYS From Date of Order

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: All Truck Parts & Equipment Co. LLC

ADDRESS: 15959 Florida Blvd.

CITY, STATE: Baton Rouge, LA ZIP: 70819

TELEPHONE: (225) 275-0222 FAX: (225) 275-0275

EMAIL ADDRESS: rhettt@all-truck.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 1,045,047.⁰⁰

AUTHORIZED SIGNATURE: [Signature]

Willie Duwan

Printed Name

TITLE: Sarkeman

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124461

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	10.00	EA	<p>ONE (1) YEAR CONTRACT FOR MODEL YEAR 2019 HEAVY DUTY VEHICLES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - 2019 52,000 GVWR HEAVY DUTY CAB AND CHASSIS</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> GVW: 52,000 LBS. <input checked="" type="checkbox"/> CA 108 IN. <input checked="" type="checkbox"/> ENGINE-DIESEL-12.8 380 HD OR EQUAL <input checked="" type="checkbox"/> HP 380 MIN TORQUE 1350 LB. FT. <input checked="" type="checkbox"/> C.I.D. 12.8L <input checked="" type="checkbox"/> AIR FILER-DRY TYPE PAPER ELEMENT <input checked="" type="checkbox"/> SINGLE EXHAUST-HORIZONTAL MUFFLER WITH VERTICAL STACK. <input checked="" type="checkbox"/> 12 VOLT STARTER <input checked="" type="checkbox"/> OIL FILTER FULL FLOW <input checked="" type="checkbox"/> FUEL/WATER SEPARATOR <input checked="" type="checkbox"/> **AUTOMATIC TRANSMISSION** <input checked="" type="checkbox"/> REAR AXLE ROCKWELL RT 40-145 40,000 LBS. <input checked="" type="checkbox"/> TOP SPEED: 60 MPH <input checked="" type="checkbox"/> FRONT AXLE: 12,000 LBS. <input checked="" type="checkbox"/> FRONT SUSPENSION: 12,000 LBS. <input checked="" type="checkbox"/> REAR SUSPENSION: 40,000 LBS. HENDRICKSON <input checked="" type="checkbox"/> BRAKES - FULL AIR <input checked="" type="checkbox"/> FRONT CAM - 16.5 IN X 7.0 IN. <i>16.5 X 5</i> <input checked="" type="checkbox"/> AIR COMPRESSOR - MIN 13.2 CFM <input checked="" type="checkbox"/> AIR DRYER BENDIX AD - 9 HEATED <input checked="" type="checkbox"/> AUTOMATIC SLACK ADJUSTERS <input checked="" type="checkbox"/> AUTOMATIC MOISTURE ADJUSTER ON WET TANK <input checked="" type="checkbox"/> FRAME: 30.0SM 110,000 PSI DOUBLE CHANNEL BOLTED. <input checked="" type="checkbox"/> DUAL AIR HORNS <input checked="" type="checkbox"/> HOOD AND FENDER ASSEMBLY TILT TYPE <input checked="" type="checkbox"/> INTEGRAL POWER STEERING <input checked="" type="checkbox"/> PINTLE HITCH-HOLLAND PHT 760 PINTLE <input checked="" type="checkbox"/> HITCH PROVIDED WITH FULL REINFORCEMENT TO TRUCK MOUNTED AT PROPER HEIGHT TO MATCH TRAILER. <input checked="" type="checkbox"/> TOW HOOKS - HEAVY DUTY REAR TWO HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. <input checked="" type="checkbox"/> ELECTRICAL - ALTERNATOR 90 AMPS <input checked="" type="checkbox"/> BATTERIES MIN. NO.2 TOTAL CCA 1850 <input checked="" type="checkbox"/> EMERGENCY FLASHERS <input checked="" type="checkbox"/> 5 CAB LIGHTS <input checked="" type="checkbox"/> HALOGEN HEADLIGHTS <input checked="" type="checkbox"/> TURN SIGNAL - STANDARD <input checked="" type="checkbox"/> TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN <input checked="" type="checkbox"/> TWO REVERSE LIGHTS <input checked="" type="checkbox"/> BACK-UP ALARM-ELECTRIC CIRCUIT PROTECTORS <input checked="" type="checkbox"/> REAR CLEARANCE LIGHTS TRIO BAR <input checked="" type="checkbox"/> FUEL TANK - IN STEP TYPE 45 GAL CAPACITY <input checked="" type="checkbox"/> TIRES - 11 R22.5 HIGHWAY TREAD FRONT MUD <input checked="" type="checkbox"/> REAR WITH SPARE. <input checked="" type="checkbox"/> CAB STANDARD TRIM <input checked="" type="checkbox"/> SUN VISOR - LEFT AND RIGHT <input checked="" type="checkbox"/> VINYL FLOOR COVERINGS - NO CARPET <input checked="" type="checkbox"/> SEAT IN VINYL - MID BACK DRIVERS WITH 	<p><i>\$104,505.00</i></p>	<p><i>\$1,045,047.00</i></p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124461

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
2	20.00	EA	<ul style="list-style-type: none"> ✓ TWO MAN PASSENGER SEAT SAFETY BELTS. ✓ RADIO - AM/FM ✓ INSTRUMENTATION - AIR CLEANER ✓ RESTRICTION INDICATOR ✓ PARKING BRAKE CONTROL DASH MOUNTED ✓ SPEEDOMETER MPH/KMH WITH ODOMETER ✓ WARNING LIGHTS: AMPS, FUEL WARNING LIGHT ✓ WATER IN FUEL LIGHT, LOW OIL PRESSURE, ✓ LOW COOLANT LEVEL, HIGH COOLANT TEMP ✓ BUZZERS: AIR PRESSURE ✓ GAUGES: VOLTOMETER OR AMMETER, OIL ✓ PRESSURE, WATER TEMPERATURE, FUEL, AIR ✓ PRESSURE. ✓ TACHOMETER ✓ CAB EXTERIOR: WEST COAST MIRRORS ✓ 7 IN X 16 IN WITH 5 IN ROUND CONVEX ✓ MIRROR MOUNTED BELOW ✓ WINDSHIELD - TINTED ✓ WINDSHEILD WIPERS - 2 SPEED INTERMITTENT ✓ WITH WASHER ✓ WHEELS 22.5 X 8.25 10 HOLE STEEL DISC. ✓ ISO HUB PILOT MOUNTED ✓ TRAILER PACKAGE WITH AIR AND ELECTRIC ✓ CONNECTION (7 PIN TRAILER PLUG) TO REAR ✓ OF FRAME SERVICE ABILITY - VEHICLE TO BE ✓ DELIVERED COMPLETELY SERVICED AND IN ✓ READY TO WORK CONDITION. ✓ AC FACTORY INSTALLED ✓ 2 SERVICE MANUALS ✓ 2 PARTS MANUALS ✓ 2 WIRING DIAGRAMS ✓ IF MFG. STILL PROVIDES, IF NO MANUAL OR ✓ DIAGRAM - CD'S WILL BE ACCEPTED ✓ 2 UNIT OVERHAUL MANUALS ✓ 4 SETS OF KEYS ✓ ALL STANDARD FACTORY EQUIPMENT. <p>0002 - 2019 25,000 LB/29,000 LBS. CAB AND CHASSIS</p> <p>GVW: 25,000 LBS. CA: 108 IN. ENGINE: 6.7 LITER V8 DIESEL H.P: 220 AT 2300 RPM 8 CYLINGER TURBO & AIR TO AIR AFTER COOLER MIN TORQUE: 520 FT. LBS. AIR FILTER: DRY TYPE PAPER ELEMENT HORIZONTAL MUFFLER WITH VERTICAL STACK. 12 V STARTER OIL FILTERS: FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER ENGINE COOLANT FILTER/CONDITIONER TRANSMISSION: FORD 6R140 6 SPEED **AUTOMATIC TRANSMISSION** REAR AXLE: SINGLE SPEED FRONT SUSPENSION: 8,000 LBS. CAPACITY REAR SUSPENSION: 15,500 LBS. CAPACITY AUXILLIARY SPRINGS: 4,500 LBS BRAKES: FULL AIR, AIR PARKING BRAKES</p>	N/A	N/A

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124461

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SPRING SET TYPE WITH DASH MOUNTED CTRL AIR COMPRESSOR: MIN. 12 CFM AIR DRYER: BENDIX-WESTINGHOUSE AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT: SPICER U-JOINTS 1610 H.D. FRAME: SINGLE CHANNEL FRAME 14.2 MIN SECTION MODULUS 12.64 SM HORN: SINGLE ONLY AVAILABLE HOOD AND FENDER ASSEMBLY - TILT TYPE INTEGRAL POWER STEERING FACTORY INSTALLED AIR CONDITIONING ELECTRICAL: ALTERNATOR - 85 AMPS BATTERIES: MIN. NO. 2 TOTAL CCA 1800 EMERGENCY FLASHERS CAB LIGHTS - 5 HEAD LIGHT - HALOGEN TURN SIGNALS - STANDARD TAIL LIGHTS - TWO WITH INTEGAL STOP-RUN REVERSE LIGHT - 2 BACK-UP CAMERA CIRCUIT PROTECTORS FUEL TANK - STEP TYPE - MIN. 45 GALLON TIRES - 10R22.5 HIGHWAY TREAT FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR VINYL FLOOR COVERING - NO CARPET HEATER SUN VISORS - LEFT AND RIGHTS SEAT BELTS RADIO - AM/FM INSTRUMENT PANEL: AIR CLEANER RESTRICTION INDICATOR MOUNTED ON DASH PARKING BRAKE CONTROL - DASH MOUNTED SPEEDOMETER MPH/KHM WITH ODOMETER WARNING LIGHTS: LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT TEMPERATURE FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT BUZZER: LOW AIR PRESSURE GAUGES: VOLTMETER OR AMPMETER OIL PRESSURE TEMPERATURE FUEL AIR PRESSURE TACHOMETER WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS - 22.5 X 7.5 HOLE 10 STEEL DISC. ISO HUB PILOT MOUNTED ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS W WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124461

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	10.00	EA	DIAGRAM - CD'S WILL BE ACCEPTED 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS. 0003 - 2019 33,000 LB/37,000 LB. CAB AND CHASSIS GVW: 33,000 LBS. CA 84 INCH ENGINE - 6.7L V8 TURBO CHARGE H.P.-250 AT 2300 RPM TURBO WITH AIR AFTER COOLER MIN TORQUE - 660 LBS. AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - VERTICAL WITH RAIN CAP 12 VOLT STARTER OIL FILTER - FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER ENGINE COOLANT FILTER/CONDITIONER WATER CONDITIONER NOT REQUIRED TRANSMISSION - FORD 6R140 6 SPEED **AUTOMATIC TRANSMISSION** AUTOMATIC WITH PTO PROVISION REAR AXLE - 12,000 LB. GVW FRONT SUSPENSION - 12,000 LB. CAPACITY REAR SUSPENSION - 21,000 LB. CAPACITY AUXILLARY SPRINGS - 4,500 LBS. BRAKES - FULL AIR FRONT CAM - 15 IN X 4 IN. REAR CAM - 16.5 IN X 7 IN. AIR PARKING BRAKES - SPRING SET TYPE WITH DASH MOUNTED CONTROL. AIR COMPRESSOR - MIN. 15.5 CFM AIR DYRER - BENDIX - WESTINGHOUSE AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT - SPICER U-JOINTS 1610 H.D. SPICER 1710 - MERITOR 12T FRAME - 14.18 SM AND 120,000 PSI 15.48 SECTION MODULAR 120,000 PSI HORN - DUAL AIR HOOD & FENDER ASSEMBLY - TILT TYPE ELECTRICAL - ALTERNATOR - 13 AMPS BATTERIES - MIN NO. 2 TOTAL CCA 1800 EMERGENCY FLASHERS FIVE CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNALS - STANDARD TWO RESERVE LIGHTS CIRCUIT PROTECTORS FUEL TANK - LH STEP TYPE - 50 GALLON ALUMINUM - STEEL TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR - HEATER LEFT AND RIGHT SUN VISORS	N/A	N/A
4	.00		1610 H.D. SPICER 1710 - MERITOR 12T FRAME - 14.18 SM AND 120,000 PSI 15.48 SECTION MODULAR 120,000 PSI HORN - DUAL AIR HOOD & FENDER ASSEMBLY - TILT TYPE ELECTRICAL - ALTERNATOR - 13 AMPS BATTERIES - MIN NO. 2 TOTAL CCA 1800 EMERGENCY FLASHERS FIVE CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNALS - STANDARD TWO RESERVE LIGHTS CIRCUIT PROTECTORS FUEL TANK - LH STEP TYPE - 50 GALLON ALUMINUM - STEEL TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR - HEATER LEFT AND RIGHT SUN VISORS	N/A	N/A

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124461

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
5	15.00	EA	<p>VINYL FLOOR COVERING - NO CARPET SEATS IN VINYL, MID-BACK DRIVERS WITH TWO PASSENGER SEAT BELTS RADIO - AM/FM INSTRUMENTATION - AIR CLEANING WARNING LIGHT ON DASH RESTRICTION INDICATOR AND PARKING BRAKE, CONTROL DASH MOUNTED, SPEEDOMETER MPH/ KMH WITH ODOMETER. TURN SIGNAL SWITCH, BACK-UP CAMERA, WARNING LIGHT, LOW OIL PRESSURE, LOW COOLANT LEVEL, HIGH COOLANT TEMPERATURE, FUEL WARNING LIGHT, WATER IN FUEL WARNING LIGHT. BUZZER: LOW AIR PRESSURE GAUGES - VOLTMETER OR AMPMETER OIL PRESSURE, TEMPERATURE, FUEL, AIR PRESSURE, TACHOMETER CAB EXTERIOR - WEST COAST MIRRORS 7 IN. X 16 IN. WITH 8 IN. ROUND CONVEX MIRROR MOUNTED BELOW. WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER. WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED SEVEN WIRE TRAILER CONNECTORS IN REAR OF TRUCK. BRAKE CONTROLLERS MOUNTED IN TRUCK TO CONTROL TRAILERS WITH ELECTRICAL BRAKES. PINTLE HOOL - HOLLAND PH-T125A 30,000 LB. GROSS TRAILER WEIGHT 6,000 LB. VERTICAL SPRING LOADED PIVOT MOUNTED TO FRAME. AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES, IF NO MANUAL OR DIAGRAM, CD'S WILL BE ACCEPTED. 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT SERVICE ABILITY - TRUCK TO BE DELIVERED COMPLETELY SERVICED AND IN READY TO WORK CONDITION. ALL SAFETY AND FEDERAL STANDARDS.</p> <p>0004 - 2019 52,00 GVWR CAB AND CHASSIS GVW: 52,000 LBS.</p> <p>CA 108 IN. ENGINE: MINIMUM STANDARD ENGINE C.I.D. - 9 LITERS H.P. - 300 MIN. TORQUE - 860 LBS. FT. TORQUE AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - HORIZONTAL MUFFLER VERTICAL STACK 12 VOLT STARTER OIL FLOW - FULL FLOW FUEL/WATER SEPARATOR</p>	<p><i>n/a</i></p>	<p><i>n/a</i></p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124461

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ENGINE OIL COOLER FILTER/CONDITIONER TRANSMISSION -AUTOMATIC ALLISON WITH PTO NEW WORLD CURRENT YEAR MODEL MD35600 6 SPEED REAR AXLE - ROCKWELL RT 40-145 STEEL 40,000 LBS. TOP SPEED: 60 MPH FRONT AXLE - 12,000 LB. CAPACITY REAR SUSPENTION - 40,000 LB HENDRICKSON SUSPENSION BRAKES - FULL AIR FRONT CAM - 16.5 IN X 5.0 IN. REAR CAM - 16.5 IN X 7 IN. AIR PARKING BRAKES, SPRINT SET TYPE WITH DASH MOUNTED CONTROL AIR COMPRESSOR - MIN. 13.2 CFM WATER COOLED. AIR DRYER - BENDIX - WESTINGHOUSE AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT - SPICER - U-JOINTS 1710 H.D. FRAM - 13.72 SM 110,000 PSI DOUBLE CHANNEL BOLTED. DUEL AIR HORN HOOD AND FENDER ASSEMBLY - TILT TYPE INTEGRAL POWER STEERING PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REIFORCE ELEMENTS TO TRUCK FRAM AND MOUNTED AT PROPER HEIGHT TO MATCH TRAILER. TOW HOOKS - HEAVY DUTY REAR TOW HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ELECTRICAL - ALTERNATOR - 90 AMPS BATTERIES - MIN. NO. 2 TOTAL CCA 1850 EMERGENCY FLASHERS FIVE CAB LIGHTS HALOGEN HEALIGHTS TURN SIGNAL - STANDARD TAIL LIGHTS -TWO WITH INTEGRAL STOP/TURN TWO REVERS LIGHTS BACK-UP ALARM - CAMERA TYPE CIRCUIT PROTECTORS REAR CLEARENCE LIGHT TRIO BAR FUEL TANK - LH STEP TYPE - 45 GALLON TIRES - 11 R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDAR TRIM CAB INTERIOR - HEATER SUN VISORS - LEFT AND RIGHT VINYL FLOOR COVERINGS - NO CARPET SEAT IN VINYL - MID-BACK DRIVERS WITH TWO PASSENGERS. SEAT BELTS RADIO - AM/FM INSTRUMENTATION - AIR CLEANER RESTRICTION INDICATOR PARKING BRAKE CONTROL DASH MOUNTED SPEEDOMETER MPH/KMH WITH ODOMETER WARNING LIGHTS:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124461

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
6	25.00	EA	<p>AMPS FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT LEVER BUZZER: AIR PRESSURE GAUGES - VOLTMETER OR AMPMETER OIL PRESSURE TEMPERATURE FUEL AIR PRESSURE TACHOMETER CAB EXTERIOR - WEST COAST MIRRORS 7 IN X 16 IN. WITH 5 IN. ROUND COMPLES MIRRORS MOUNTED BELOW. WINDSHIELD TINTED WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER. WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED. TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME. SERVICEABILITY - VEHICLE TO BE IN READY TO WORK CONDITION. AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES, IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTABLE 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT.</p> <p>0005 - OPTIONS SEE PRICING SECTION IN SPECIFICATIONS</p> <p>*DO NOT BID THIS LINE ITEM: THIS WILL BE USED FOR INVOICING AND PAYMENT PURPOSES FOR OPTIONS TO VEHICLES. ALL OPTIONS SHALL BE INVOICED PER THE MANUFACTURE'S COST LIST WHICH MUST BE INCLUDED IN THE BID SUBMISSION.*</p>	<p><i>N/A</i></p>	<p><i>N/A</i></p>


CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
All Truck Parts & Equip. Co. LLC
INCORPORATED.

AT THE MEETING OF DIRECTORS OF All Truck Parts & Equip. Co. LLC
INCORPORATED, DULY NOTICED AND HELD ON October 30, 2018,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Willie Duncan, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.



SECRETARY-TREASURER

10-31-2018

DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF East Baton Rouge

BEFORE ME, the undersigned authority, personally came and appeared: _____
Milton Colotta Jr., (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Agent of All Truck Parts Equip. Co. (Entity),
the party who submitted a bid in response to Bid Number 50-00124461, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Milton Pulotta Jr

Signature of Affiant

Milton Pulotta Jr

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 1 DAY OF Nov, 2018.

Marsha Evans

Notary Public

Printed Name of Notary



Notary/Bar Roll Number

My commission expires "Lifetime".

Print

Notary Search - Detail

Name: MS. MARSHA EVANS
Address: 7479 SAGE MEADOW DR.
DENHAM SPRINGS, LA 70726

Phone: (225) 788-5013
Phone 2: (225) 788-5013

Notary ID Number: 69211

Parish: LIVINGSTON with authority in the following parishes:
ASCENSION, EAST BATON ROUGE, EAST FELICIANA, IBERVILLE, POINTE COUPEE, WEST BATON ROUGE, WEST FELICIANA, ST. HELENA,
TANGIPAHOA

Agency: N/A
Notary Type: Non Attorney
Status: Active

Commission Date: 03/28/2016
Oath Date: 03/02/2016
Surety Expiration Date: 01/26/2019
Annual Report Current: Yes

Notary Events

Suspension From: 02/20/2017 To: 02/20/2018
Parish Change Previous Parish: EAST FELICIANA Previous Commission Date: 03/28/2016
Name Change Previous Name: MARSHA ANN EVANS Previous Commission Date: 01/23/2004
Suspension From: 03/22/2016 To: 03/28/2016

Deceased, Inactivated, Leave of Absence, Pre-Assessment Registration, Pre-Assessment Taken, Resigned, Retirement, and Revoked events are not available prior to February 11, 2012.

[Back to Search Results](#) [New Search](#)

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability, Workmen's Compensation Insurance and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office with the concurrence of the Director of Risk Management.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

Prepared for:
Misty Carmardelle
Jefferson Parish Purchasing Dept
200 Derbigney St
Baton Rouge, LA 70053
Phone: 504-364-2683

Prepared by:
Rhett Fulton
ALL TRUCK PARTS &
EQUIPMENT CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 225-275-0222

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-18T	WESTERN STAR 4700 PRL-18T (EFF:04/14/18)			STD
Data Version				
DRL-027	SPECPRO21 DATA RELEASE VER 027			N/C
Vehicle Configuration				
001-451	4700 SET-BACK FRONT AXLE CHASSIS	9,215	6,630	\$163,165.00
004-220	2020 MODEL YEAR SPECIFIED			N/C
002-004	SET BACK AXLE - TRUCK			STD
019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10	\$633.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-011	CONSTRUCTION SERVICE			STD
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-003	DRY BULK COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			



Prepared for:
Misty Carmardelle
Jefferson Parish Purchasing Dept
200 Derbigney St
Baton Rouge, LA 70053
Phone: 504-364-2683

Prepared by:
Rhett Fulton
ALL TRUCK PARTS &
EQUIPMENT CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs			
Truck Service				
AA3-004	END DUMP BODY			STD
Engine				
101-2X3	DETROIT DD13 12.8L 380 HP @ 1625 RPM, 1900 GOV RPM, 1450 LB/FT @ 975 RPM			(\$100.00)
Electronic Parameters				
79A-065	65 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79G-006	5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND SERVICE BRAKE OVERRIDE			N/C
79M-002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED			N/C
79T-001	PTO MODE RPM INCREMENT - 25 RPM			N/C
79W-001	ONE REMOTE PTO SPEED			N/C
79X-005	PTO SPEED 1 SETTING - 900 RPM			N/C
80D-001	SOFT CRUISE CONTROL ENABLED			N/C
Engine Equipment				
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			STD
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			\$106.00
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
133-004	ONE PIECE VALVE COVER			STD
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-216	(3) DTNA GENUINE, AGM STARTING AND CYCLING, MIN 2190CCA, 570RC, THREADED STUD BATTERIES			STD
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB			STD



Prepared for:
Misty Carmardelle
Jefferson Parish Purchasing Dept
200 Derbigney St
Baton Rouge, LA 70053
Phone: 504-364-2683

Prepared by:
Rhett Fulton
ALL TRUCK PARTS &
EQUIPMENT CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-006	PLASTIC BATTERY BOX COVER			STD
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE			STD
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-002	JACOBS COMPRESSION BRAKE			STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			STD
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			STD
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD			STD
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR			STD
118-001	FULL FLOW OIL FILTER			STD
266-057	1500 SQUARE INCH ALUMINUM RADIATOR			STD
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER			STD
166-005	PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER			STD
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			STD
134-001	ALUMINUM FLYWHEEL HOUSING			STD
155-075	MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH			STD

Transmission

342-1M1	ALLISON 4000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	170	50	\$20,420.00
---------	--	-----	----	-------------

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			N/C
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigney St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			N/C
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED	15		N/C
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			N/C

Front Axle and Equipment

400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE	-190		(\$1,492.00)
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	-10		\$214.00
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			STD
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
406-001	STANDARD KING PIN BUSHINGS			STD
536-050	TRW THP-60 POWER STEERING	-40		N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-003	SYNTHETIC 50W FRONT AXLE LUBE			STD

Front Suspension

620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	-188		(\$70.00)
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			N/C
410-001	FRONT SHOCK ABSORBERS			N/C

Rear Axle and Equipment



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
420-075	RT-40-160P 40,000# R-SERIES TANDEM REAR AXLE		400	\$4,165.00
421-342	3.42 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES			STD
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			STD
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES			STD
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			STD
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			\$252.00
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-019	ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			STD
440-006	REAR OIL SEALS			STD
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			STD
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			\$94.00
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			STD

Rear Suspension

622-241	HENDRICKSON HN402 @40,000# REAR SUSPENSION		150	\$2,571.00
621-035	HENDRICKSON HN 400/460 - 9.56 INCH RIDE HEIGHT			N/C
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			N/C
624-009	54 INCH AXLE SPACING		10	N/C
628-010	HENDRICKSON HN, HAULMAAX AND ULTIMAAX SERIES STEEL BEAMS WITH BAR PIN			N/C
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS			N/C
439-002	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)			N/C

Brake System

490-100	WABCO 4S/4M ABS			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD



Prepared for:
Misty Carmardelle
Jefferson Parish Purchasing Dept
200 Derbigny St
Baton Rouge, LA 70053
Phone: 504-364-2683

Prepared by:
Rhett Fulton
ALL TRUCK PARTS &
EQUIPMENT CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
479-015	AIR DRYER FRAME MOUNTED			STD
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			STD
Trailer Connections				
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			N/C
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			N/C
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C
Wheelbase & Frame				
545-445	4450MM (175 INCH) WHEELBASE			N/C
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	110	-30	STD
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	118	345	\$1,005.00
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 111.69 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 108.69 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 268.31			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 111.69 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 57.34 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 66.06 in			N/C
553-001	SQUARE END OF FRAME			STD
587-003	REAR TOW HOOKS		10	\$69.00
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER			STD
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-1E5	14 INCH PAINTED STEEL BUMPER			STD
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
44Z-002	EXTERIOR HARNESES WRAPPED IN ABRASION TAPE			STD
Fuel Tanks				
204-150	50 GALLON/189 LITER ALUMINUM FUEL TANK - LH	-5		(\$132.00)
218-001	23 INCH DIAMETER FUEL TANK(S)			N/C
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
221-001	FUEL COOLER			STD
Tires				
093-2G9	BRIDGESTONE ECOPIA R268 11R22.5 14 PLY RADIAL FRONT TIRES	12		(\$198.00)
094-1RW	BRIDGESTONE M726ELA 11R22.5 14 PLY RADIAL REAR TIRES		152	(\$520.00)
Hubs				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels				
502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26		(\$192.00)



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		104	STD
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-1A8	110 INCH BBC STEEL CONVENTIONAL CAB			STD
82A-023	WESTERN STAR PAINTED ALUMINUM CAB SKIRT			STD
650-044	AIR CAB MOUNTS WITH CHECK VALVE			STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-001	FRONT FENDERS			STD
678-034	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST			STD
646-008	STATIONARY BRIGHT FINISH GRILLE			STD
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			STD
640-008	GALVANEALD STEEL SEVERE SERVICE CAB			STD
644-004	FIBERGLASS HOOD			STD
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			STD
726-001	SINGLE ELECTRIC HORN			STD
728-002	DUAL HORN SHIELDS			STD
657-1AG	DOORS AND IGNITION KEYED THE SAME			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-031	SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS			\$25.00
302-001	(5) AMBER MARKER LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-007	DUAL WEST COAST STAINLESS STEEL MIRRORS			STD
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-1AC	LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS			STD
74A-001	RH DOWN VIEW MIRROR			STD
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-046	17.5X35 INCH TINTED REAR WINDOW			STD
661-006	TINTED DOOR GLASS			STD



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-002	2-PIECE TINTED CURVED GASKET MOUNTED WINDSHIELD			STD
659-025	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL			STD
Cab Interior				
707-1D0	GRAY VINYL BASE INTERIOR			STD
70K-005	BLACK HARD TRIM			STD
706-049	BASE LEFT HAND DOOR TRIM			STD
708-049	BASE RIGHT HAND DOOR TRIM			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-007	DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
694-009	PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR			STD
693-025	LH AND RH DOOR MAP POCKETS			STD
741-015	(2) COAT HOOKS ON BACKWALL OF CAB			STD
742-026	(1) CUP HOLDER MOUNTED IN BOTTOM CENTER OF DASH			(\$22.00)
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER			STD
700-023	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER			STD
701-010	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-FILTER			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			STD
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			STD
702-002	BINARY CONTROL, R-134A			STD
739-001	CAB INSULATION			STD
285-019	AUTOMATIC SELF-RESET CIRCUIT BREAKER IN MAIN DASH POWER DISTRIBUTION BOX AND CIRCUIT BREAKER/FUSE IN AUXILIARY POWER DISTRIBUTION BOXES			STD



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
324-075	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS			STD
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT			STD
760-038	NATIONAL 2 MAN TOOL/BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			\$177.00
758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER			STD
761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER			STD
763-006	3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS			N/C
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-005	2-SPOKE 20 INCH (500MM) BLACK STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

185-002	NON-ADJUSTABLE SUSPENDED PEDALS			STD
870-004	STAR GAUGES WITH BLACK BEZELS			STD
732-001	BLACK DRIVER INSTRUMENT PANEL			STD
734-001	BLACK CENTER INSTRUMENT PANEL			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			STD
149-012	CRUISE CONTROL SWITCHES IN THE CENTER PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-001	WARNING LAMP/LIGHT BAR DISPLAY, NON-DATA LINKED			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD



Prepared for:
Misty Carmardelle
Jefferson Parish Purchasing Dept
200 Derbigny St
Baton Rouge, LA 70053
Phone: 504-364-2683

Prepared by:
Rhett Fulton
ALL TRUCK PARTS &
EQUIPMENT CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
845-011	FUEL FILTER RESTRICTION INDICATOR			STD
148-085	EMISSIONS LIMITED IDLE ADJUST			STD
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-114	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10		\$236.00
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO			N/C
750-004	(4) RADIO SPEAKERS IN CAB			N/C
748-026	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE			STD
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM			STD
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-1B4	VT-HU CONNECTIVITY PLATFORM HARDWARE			STD
8D1-002	2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS) FOR VT-HU CONNECTIVITY PLATFORM			STD
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
482-001	BW TRACTOR PROTECTION VALVE			N/C
883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
836-001	2 INCH VOLTMETER			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-015	CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH			STD
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-032	VSM NON CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITHOUT BRAKE OVERRIDE			STD
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER			STD
Design				
065-000	PAINT: ONE SOLID COLOR			STD
Color				
980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC			STD



Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS & EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Data Code	Description	Weight Front	Weight Rear	Retail Price
96J-001	CAB INTERIOR PAINTED SAME AS CAB COLOR			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
.964-993	BUMPER PAINTED SAME AS CHASSIS			STD

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
---------	---	--	--	-----

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$190,406.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	9273 lbs	7831 lbs	17104 lbs
Total Weight ⁺	9273 lbs	7831 lbs	17104 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PMU-017	2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR	\$350.00
RD1-002	2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS)	N/C



Prepared for:
Misty Carmardelle
Jefferson Parish Purchasing Dept
200 Derbigny St
Baton Rouge, LA 70053
Phone: 504-364-2683

Prepared by:
Rhett Fulton
ALL TRUCK PARTS &
EQUIPMENT CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 225-275-0222

RAQ-020	MODEL YEAR 2020 WST ESCALATOR - \$1,000	\$1,000.00
P73-2WS	STANDARD DESTINATION CHARGE	\$2,100.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

License No. N - 2018 - 00147
DPS Code: NBAW

2018 - 2020

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

All Truck Parts & Equipment Co., LLC
15959 Florida Boulevard
Baton Rouge, LA 70819
Scott Leon Culotta, Dealer-Operator

is duly licensed as a
New Motor Vehicle Dealer
of the following make or makes
Western Star Trucks


For the period ending May 31, 2020, unless license is sooner revoked.

In Witness whereof, **LOUISIANA MOTOR VEHICLE COMMISSION**, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

Dated June 1, 2018
Signed, Sealed and Attested



Executive Director



Chairman

(To be prominently displayed in place of business)



LOUISIANA MOTOR VEHICLE COMMISSION

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

Print or type
See Specific Instructions on page 2.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. ALL TRUCK PARTS & EQUIPMENT CO LLC	
2 Business name/disregarded entity name, if different from above	
3 Check appropriate box for federal tax classification; check only one of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. <input type="checkbox"/> Other (see instructions) ▶ _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____ <i>(Applies to accounts maintained outside the U.S.)</i>
5 Address (number, street, and apt. or suite no.) 15959 FLORIDA BLVD	Requester's name and address (optional)
6 City, state, and ZIP code BATON ROUGE LA 70819	
7 List account number(s) here (optional)	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Social security number										
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%; border: 1px solid black; height: 20px;"></td> <td style="width: 25%; border: 1px solid black; height: 20px;"></td> <td style="width: 25%; border: 1px solid black; height: 20px;"></td> <td style="width: 25%; border: 1px solid black; height: 20px;"></td> </tr> </table>										
or										
Employer identification number										
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">7</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">2</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">-</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">0</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">6</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">2</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">6</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">3</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">0</td> <td style="width: 12.5%; border: 1px solid black; height: 20px; text-align: center;">8</td> </tr> </table>	7	2	-	0	6	2	6	3	0	8
7	2	-	0	6	2	6	3	0	8	

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here Signature of U.S. person ▶	Date ▶ 04-20-2018
--	--------------------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
 - Form 1099-C (canceled debt)
 - Form 1099-A (acquisition or abandonment of secured property)
- Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.
- If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.*
- By signing the filled-out form, you:
- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
 - Certify that you are not subject to backup withholding, or
 - Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
 - Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

Prepared for:
 Misty Carmardelle
 Jefferson Parish Purchasing Dept
 200 Derbigny St
 Baton Rouge, LA 70053
 Phone: 504-364-2683

Prepared by:
 Rhett Fulton
 ALL TRUCK PARTS &
 EQUIPMENT CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 225-275-0222

Q U O T A T I O N

4700 SET-BACK FRONT AXLE CHASSIS

SET BACK AXLE - TRUCK	12,000# DUAL TAPERLEAF FRONT SUSPENSION
DETROIT DD13 12.8L 380 HP @ 1625 RPM, 1900 GOV RPM, 1450 LB/FT @ 975 RPM	110 INCH BBC STEEL CONVENTIONAL CAB
ALLISON 4000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	4450MM (175 INCH) WHEELBASE
RT-40-160P 40,000# R-SERIES TANDEM REAR AXLE	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
HENDRICKSON HN402 @40,000# REAR SUSPENSION	1600MM (63 INCH) REAR FRAME OVERHANG
DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

		PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (10)	\$ 104,757	\$	1,047,570
EXTENDED WARRANTY		\$ 0	\$	0
DEALER INSTALLED OPTIONS		\$ 0	\$	0
CUSTOMER PRICE BEFORE TAX		\$ 104,757	\$	1,047,570

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(252)	\$	(2,523)
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
--------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$ 104,505	\$	1,045,047
-------------	------------------	------------	----	-----------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.



Prepared for:
Misty Carmardelle
Jefferson Parish Purchasing Dept
200 Derbigney St
Baton Rouge, LA 70053
Phone: 504-364-2683

Prepared by:
Rhett Fulton
ALL TRUCK PARTS &
EQUIPMENT CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 225-275-0222




SERIOUS TRUCKS



10 REASONS WHY



Serious trucks.



POWER CHOICES

There is no one-size-fits-all solution. So we build each truck one at a time, just how you need it.

Detroit™ and Cummins® engine options from 260HP/660 lb-ft to 600HP/2050 lb-ft

Detroit Series 60® Tier III for 100% off-road applications

Rugged cooling systems from 1250 to 1875 square inches

Only OEM-offered copper brass radiators, with bolted tanks for easier repair in the field



RIDE QUALITY

Your work is rough enough. Your ride shouldn't have to be, so we made sure it isn't.

Threaded spring pins provide greater steering response and overall handling

Rubber bump stops provide an improved ride over rugged terrain

Double door seals help maximize the efficiency of the HVAC system and provide a quieter ride

Generous insulation in cab walls and under floor mat greatly increases both thermal and acoustic performance

Floor mats are nearly an inch thick, which reduces road noise and increases driver comfort

Convex, non-glare gauges improve readability for added safety and reduced driver fatigue

DRIVER COMFORT

Our cab is a great place to spend the day. Designed for overall driver comfort, you'll find more space and features in one truck than you might have thought possible.

90.55 cubic feet inside the cab with comfortable seats and more legroom

More space between the clutch pedal and side wall for increased foot room

Suspended brake and clutch pedals increase safety by preventing objects from becoming lodged behind them

Large door openings to make getting in and out easier

Increased space between the seat and steering wheel for comfort

Over two feet of space between seats

True walkthrough design with flat floor transition to sleeper



INCREDIBLE DURABILITY

We don't believe in disposable trucks. Never have. That's why we only use components that meet our standards.

Galvanized steel cab with a 17-stage e-coat process for long-lasting corrosion resistance

Severe service cab option with extra gussets and reinforcements for added safety


Forged steel door hinges for greater strength and increased longevity

Wiring standoffs suspend wiring away from frame for long life and easy servicing

L-brackets to prevent fuel tanks from dropping

Ribbed fuel tank straps to prevent tank roll

Marine grade switches protect from water and salt, which can create shorts



BODY-BUILDER FRIENDLY

We make trucks with body-builder specific options designed to reduce installation time and ensure years of trouble-free operation.

Wiring raceway and bolt-in pass-through plate in the Western Star 4700™ eliminate unnecessary drilling and ease electrical routing

In-cab power distribution module isolates truck from the body wiring in the Western Star 4700

Point-to-point wiring to speed body electrical hookup

50mm grid system on Western Star 4700 frame rails for faster, more accurate installations

Comprehensive and easy-to-use body-builder book to speed and simplify body additions

LIGHTWEIGHT OPTIONS

Heavy duty doesn't have to be heavy. And you can spec a Western Star® truck to be one of the lightest out there.

Honeycomb sleeper walls offer strength and insulation while creating some of the lightest offerings on the market

Largest range of sleeper options in the industry to create your own space

Optional 3.2M RBM single frame rails offer excellent strength with substantial weight savings



EASIER SERVICEABILITY

Keeping your trucks up and running is important, so we make them easy to work on – even out in the field.

90-degree hood tilt for easier serviceability

In-dash electrical panels with plug-in fuses and manual reset circuit breakers for quick access


Blower motor located in the cab for greater uptime and easier repair

Point-to-point wiring for greater dependability

Color-coded and laser-etched wiring for fast circuit tracing

Copper brass radiator with bolted steel tanks for easy repair in the field

Grille bars are individually replaceable for reduced maintenance cost



RUGGED FRAMES

To build a strong truck, you need a strong foundation. The frame of your Western Star is custom built for your truck to stand up to your application.

Grade 8 nut and bolt fasteners instead of huckbolts for easier servicing

Custom piercing per serial number to eliminate unnecessary holes

Frames are shot peened to increase strength after piercing

Wiring standoffs to reduce wear

Multiple bolted crossmember options for greater customization and easier replacement

Tapered end of frame with recessed bolt heads to reduce trailer damage

Up to 3 liners, with 4 on the 6900, to spec the frame for your application

Optional 3.2M RBM single frame rails offer excellent strength with substantial weight savings

Continuous front frame extensions for strength and durability





FACTORY CUSTOMIZATION

With over 3,600 options, we can build the exact truck you want, exactly how you want it to look.


Factory-installed and warranted twin steer and all-wheel drive

Only OEM to offer a Tier III engine for 100% off-road use

Exclusively handbuilt in Portland, Oregon, to each customer's exact specifications

TufTrac® and AirLiner® proprietary suspensions

Planetary axles available



DEALER NETWORK

A truck is a big investment. So we have a big network to support it for you. No matter where work takes you, there will be a Western Star dealer ready to help.

More than 250 dealers worldwide, many open 24/7

7 Parts Distribution Centers worldwide with over 98% fill rate

More than 800 Detroit Diesel and 3500 Cummins service centers in North America

45 Petro Service Points in the United States



For the Western Star Dealer
nearest you, call 1-866-850-STAR

WS/MC-B-437 Specifications subject to change without notice.
Western Star Truck Sales, Inc. is registered to ISO 9001:2000 and ISO 14001:2004.
Copyright ©2011 Daimler Trucks North America LLC. All rights reserved. Western Star Truck Sales, Inc. is a subsidiary of Daimler Trucks North America LLC, a Daimler Company.

WESTERN STAR TRUCKS



WESTERN STAR

MUNICIPAL

4700	4800	4900
SF SB	SF SB	SF SB
	TS	XD TS



Serious trucks.™


THE END OF COMPROMISE HAS BEEN ACHIEVED.



You don't want the almost right truck. You want the right truck. Which is just another way to say a Western Star®. It's designed to flat out work, every single day. No excuses. No complaints. That's because this is the work truck that was built to be a work truck. And we have a whole family of them that can be customized to do whatever you need.

In fact, a Star is so well-built, it's going to keep running long after the others stop. And the low cost of operation you get over the life of your Western Star truck makes it a true long-term investment. That's how we've been doing it since we built our first one over 40 years ago. With this kind of value, no wonder Stars are the trucks real pros turn to.





Body builder friendly.

We make trucks with the body builder-specific options that are designed to reduce installation time and ensure years of trouble-free operation. Plus, since we build each truck to your specifications, anything is possible. Pre-punched frame rails, front frame extensions, point-to-point power distribution, ample room between the seats to install controls – the list goes on. Just ask your dealer.




A NICE PLACE TO CALL WORK.

The cab of the Western Star is built to make the job easier and more comfortable. Large, waterproof switches that let you work with gloves on. A quiet, insulated cab that's easy to get in and out of. Greater visibility. More leg room. More storage. More space between seats. Your drivers might feel spoiled. Almost.

WIRING MADE EASY.

Our 4700 features a number of body builder-friendly features that make connections easier. Like in-cab wiring and interface connectors. A bolt-in pass-through plate in the cab floor to eliminate unnecessary drilling. And a dedicated floor channel with an easy-to-remove top that provides plenty of room to run your own wiring. Like we said, easy.



SET FORWARD OR SET BACK. YOUR CHOICE.

Whichever model you need, with Western Star, you decide on front axle placement. Specify set back (SB) front axles for maximum maneuverability or choose set forward (SF) to maximize bridge law formulas.



LET IT SNOW.

When you're operating a plow, you don't want snow getting into your engine. In-cab controlled snow doors with optional underhood air cleaners keep snow out in the harshest conditions, so you can stay working.



All hail the steel cab.

No aluminum or rivets here. Our galvanized steel cabs are built to keep you safe. Extra gussets and reinforcements, bonded instead of riveted, precision welded for strength, then dipped and protected with a 17-stage e-coat process for long-lasting corrosion resistance and a superior paint finish. And for extreme-duty applications, Western Star also offers a severe service cab option with additional reinforcements to withstand anything you can throw at it.



READY, WILLING AND MORE THAN ABLE.

Western Star® trucks are built to perform, with the high-quality components that stand up to the challenge of hard work. Sure, you can buy a less expensive truck. But that only costs you in the long run.

The answer is yes.


The question, well, you'll have to supply that. With thousands of options and a work force dedicated to hand building the truck you need, Western Star delivers true factory customization all backed by a single factory warranty. If there's something you need, just ask.



Close enough just isn't good enough.

When it comes to choosing an engine, close enough should never enter the conversation. So for municipal applications, we offer a variety of engines with horsepower and torque ratings to match your job. Getting what you want has never been easier.

ENGINE	HORSEPOWER	TORQUE
DETROIT™ DD13®	350-470	1250-1650lb.-ft.
DETROIT™ DD15® TC	455-505	1550-1750lb.-ft.
DETROIT™ DD16®	475-600	1850-2050lb.-ft.
CUMMINS ISL	260-380	720-1250lb.-ft.
CUMMINS ISX15	400-600	1450-2050lb.-ft.



DETROIT DD13

DEMAND POWER AND EFFICIENCY.

Detroit™ engines are engineered to deliver the excellent power and fuel economy you depend on while still meeting today's efficiency requirements. That's why each engine we build is 2013 OBD (OBD13) Certified and compliant with 2014 Greenhouse Gas (GHG14) regulations. So you can count on a powerplant that will run clean and strong for many miles to come.



EASY MAINTENANCE. GREATER UPTIME.

We engineer our trucks to be simple to work on. From changing air filters or replacing fuses to accessing major components, a Star is made to keep you on the road and running.




ALL CONDITIONS ARE WORKING CONDITIONS.

A Western Star truck is built to perform no matter how hot or how cold. So you'll find options like heated windshields, arctic wiper blades and access hatches in the hood to keep you running even when the conditions are less than ideal.




4700

SF SET FORWARD AXLE




SB SET BACK AXLE




4800


SF SET FORWARD AXLE



SB SET BACK AXLE




TS TWIN STEER, SF SB




4900


SF SET FORWARD AXLE




SB SET BACK AXLE



XD EXTREME DUTY



TS TWIN STEER



For the Western Star Dealer nearest you, call 1-866-850-STAR | WESTERNSTAR.COM

WS/MC-B-399. Specifications are subject to change without notice. Western Star Truck Sales, Inc. is registered to ISO 9001:2008 and ISO 14001:2004. Copyright © 2013 Daimler Trucks North America LLC. All rights reserved. Western Star Truck Sales, Inc. is a subsidiary of Daimler Trucks North America LLC, a Daimler company.