



February 21, 2017

Pointe Coupee Parish School Board  
337 Napoleon Street  
New Roads, LA 70760

ATTN: Andrew Duhe

Dear Mr. Duhe:

Coogan & Coogan, Inc.'s proposal to the Pointe Coupee Parish School Board for the "purchase, delivery and installation of video display signs" is shown below, as described in your original "Request for Bids for School LED Video Boards with School Logo.

Type: Full Color LED Boards (optec, hyoco, ect.) with School Logo

Size: 4' X 8'

Height: 6' sign pole from grade level

Warranty: 5 years or better comprehensive warranty

\*\*\*Installation included\*\*\*

\*\*\*Electrical done by other\*\*\*

Bid Price: Eighty-Six Thousand Nine Hundred Eighty-Five and No/100 Dollars.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jerry Coogan", is written over the typed name.

Jerry Coogan  
President  
Coogan & Coogan, Inc.

# Bid Information for Pointe Coupee Parish

Location	Contact	Ground Surface	Installation
<p><b>STEM Magnet Academy</b>  <b>8434 Pointe Coupee Rd, Hwy 420</b>  <b>Morganza, LA 70760</b></p>	<p>Andrew Duhe,            Supervisor of            Operations            321 Napoleon Street            P. O. Drawer 579            New Roads, LA 70760            (225) 718-7970            OR            Karen Armand            (225) 618-4860</p>	<p>Soil Approximate            Distance from            School Building:            200 feet</p>	<p><b>Post/Pole:</b>            5" diameter x 15'            high steel pole /            aluminum cover;  <b>Footer/Foundation:</b>            2' diameter x 5' deep            concrete; Minimum            of 5' below grade            and 10' above grade;            The contractor is            responsible for            removing all debris            and soil.</p>
<p><b>Rosenwald Elementary School</b>  <b>1100 New Roads Street</b>  <b>New Roads, LA 70760</b></p>	<p>Andrew Duhe,            Supervisor of            Operations            321 Napoleon Street            P. O. Drawer 579            New Roads, LA 70760            (225) 718-7970            OR            Karen Armand            (225) 618-4860</p>	<p>Soil Approximate            Distance from            School Building:            100 feet</p>	<p><b>Post/Pole:</b>            5" diameter x 15'            high steel pole /            aluminum cover;  <b>Footer/Foundation:</b>            2' diameter x 5' deep            concrete; Minimum            of 5' below grade            and 10' above grade;            The contractor is            responsible for            removing all debris            and soil.</p>

<p><b>Rougon Elementary School</b>  <b>13258 LA Highway 416 Rougon,</b>  <b>LA 70773</b></p>	<p>Andrew Duhe,  Supervisor of  Operations  321 Napoleon Street  P. O. Drawer 579  New Roads, LA 70760  (225) 718-7970  OR  Karen Armand  (225) 618-4860</p>	<p>Soil Approximate  Distance from  School Building:  100 feet</p>	<p><b>Post/Pole:</b>  5" diameter x 15'  high steel pole /  aluminum cover;  <b>Footer/Foundation:</b>  2' diameter x 5' deep  concrete; Minimum  of 5' below grade  and 10' above grade;  The contractor is  responsible for  removing all debris  and soil.</p>
<p><b>Upper Pointe Coupee  Elementary School</b>  <b>4739 LA Hwy 419 West  Batchelor, LA 70715</b></p>	<p>Andrew Duhe,  Supervisor of  Operations  321 Napoleon Street  P. O. Drawer 579  New Roads, LA 70760  (225) 718-7970  OR  Karen Armand  (225) 618-4860</p>	<p>Soil Approximate  Distance from  School Building:  100 feet</p>	<p><b>Post/Pole:</b>  5" diameter x 15'  high steel pole /  aluminum cover;  <b>Footer/Foundation:</b>  2' diameter x 5' deep  concrete; Minimum  of 5' below grade  and 10' above grade;  The contractor is  responsible for  removing all debris  and soil.</p>

<p><b>Valverda Elementary School</b>  <b>1653 Valverda Road Maringouin,</b>  <b>LA 70757</b></p>	<p>Andrew Duhe,  Supervisor of  Operations  321 Napoleon Street  P. O. Drawer 579  New Roads, LA 70760  (225) 718-7970  OR  Karen Armand  (225) 618-4860</p>	<p>Soil Approximate  Distance from  School Building:  60 feet</p>	<p><b>Post/Pole:</b>  5" diameter x 15'  high steel pole /  aluminum cover;  <b>Footer/Foundation:</b>  2' diameter x 5' deep  concrete; Minimum  of 5' below grade  and 10' above grade;  The contractor is  responsible for  removing all debris  and soil.</p>
--	--	---	---



# School Board System

## Display Specifications

**\*\* OPTEC, HYOCO DISPLAYS or COMPARABLE \*\***

**Active Viewing Area:** 3' 1-13/16" x 7' 4-13/16";

Two-Sided; **School Logo Cabinet:** 18" x 96"; Two-

Sided; **Viewing Angle:** Extra wide 160 degree

horizontal viewing angle; **Color Capability:** Full

Color with 281 trillion colors; **To Withstand**

**Minimum Wind Gust:** 130+ mph; **Video Capability:**

60 frames per second refresh rate; **Physical Pitch:**

20mm Physical Pitch with 32 x 112 Matrix;

**Brightness:** > = 10,000 nits (100 levels of brightness

control); **Max Lines:** 4 lines of text at 5.03"

minimum character height.

**\*\* OPTEC, HYOCO DISPLAYS or COMPARABLE \*\***

**Active Viewing Area:** 3' 1-13/16" x 7' 4-13/16";

Two-Sided; **School Logo Cabinet:** 18" x 96"; Two-

Sided; **Viewing Angle:** Extra wide 160 degree

horizontal viewing angle; **Color Capability:** Full

Color with 281 trillion colors; **To Withstand**

**Minimum Wind Gust:** 130+ mph; **Video Capability:**

60 frames per second refresh rate; **Physical Pitch:**

20mm Physical Pitch with 32 x 112 Matrix;

**Brightness:** > = 10,000 nits (100 levels of brightness

control); **Max Lines:** 4 lines of text at 5.03"

minimum character height.



**\*\* OPTEC, HYOCO DISPLAYS or COMPARABLE \*\***

**Active Viewing Area:** 3' 1-13/16" x 7' 4-13/16";  
**Two-Sided; School Logo Cabinet:** 18" x 96"; Two-Sided; **Viewing Angle:** Extra wide 160 degree horizontal viewing angle; **Color Capability:** Full color with 281 trillion colors; **To Withstand Minimum Wind Gust:** 130+ mph; **Video Capability:** 60 frames per second refresh rate; **Physical Pitch:** 20mm Physical Pitch with 32 x 112 Matrix; **Brightness:** > = 10,000 nits (100 levels of brightness control); **Max Lines:** 4 lines of text at 5.03" minimum character height.

**\*\* OPTEC, HYOCO DISPLAYS or COMPARABLE \*\***

**Active Viewing Area:** 3' 1-13/16" x 7' 4-13/16";  
**Two-Sided; School Logo Cabinet:** 18" x 96"; Two-Sided; **Viewing Angle:** Extra wide 160 degree horizontal viewing angle; **Color Capability:** Full color with 281 trillion colors; **To Withstand Minimum Wind Gust:** 130+ mph; **Video Capability:** 60 frames per second refresh rate; **Physical Pitch:** 20mm Physical Pitch with 32 x 112 Matrix; **Brightness:** > = 10,000 nits (100 levels of brightness control); **Max Lines:** 4 lines of text at 5.03" minimum character height.

**\*\* OPTEC, HYOCO DISPLAYS or COMPARABLE \*\***

**Active Viewing Area:** 3' 1-13/16" x 7' 4-13/16";

**Two-Sided;** **School Logo Cabinet:** 18" x 96"; Two-

Sided; **Viewing Angle:** Extra wide 160 degree

horizontal viewing angle; **Color Capability:** Full

Color with 281 trillion colors; **To Withstand**

**Minimum Wind Gust:** 130+ mph; **Video Capability:**

60 frames per second refresh rate; **Physical Pitch:**

20mm Physical Pitch with 32 x 112 Matrix;

**Brightness:** > = 10,000 nits (100 levels of brightness

control); **Max Lines:** 4 lines of text at 5.03"

minimum character height.

