

DATE: 4/13/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00119561

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SFOLSE

Bids will be received until 11:00 AM, 4/19/2017 via fax: 504-364-2693 or via online at www.jeffparishbids.net.

This site is free for all Jefferson Parish vendors. For additional information on registration or use of this free site, please see the text box highlighting electronic procurement.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well as in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office as appropriate and a written response will be provided as soon as possible.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year warranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

DATE: 4/13/2017

BID NO.: 50-00119561

Page: 3

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 4/13/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00119561

JEFFERSON PARISHPURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10 WORKING

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

10 Working

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

10 Working

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 72-0991128

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>Economical Janitorial AND Paper Supplies LLC</u>	
SIGNATURE: <u>Steve Migliore</u>	TITLE: <u>President</u>
(Must be signed here)	
PRINT OR TYPE NAME: <u>Steve Migliore</u>	
ADDRESS: <u>P.O. Box 23607</u>	
CITY, STATE: <u>New Orleans, LA</u>	ZIP: <u>70183-3607</u>
TELEPHONE: <u>(504) 464-7166 ext 3110</u>	FAX: <u>(504) 465-9563</u>
EMAIL ADDRESS: <u>Steve @ economicaljanitorial.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 7760.88

DATE: 4/13/2017

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119561

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	48.00	EA	STOCK SUPPLIES FOR THE JEFFERSON PARISH PUBLIC WORKS CENTRAL WAREHOUSE 0010 CLAMP, CABLE, 3/8 IN, HOT DIPPED GALVANIZED, MEETS SPEC. FF-C-450, TYPE 1 CLASS 1, CROSBY #G-450 SK# 00-0271340	NB	NB
2	1.00	EA	0020 WELDING TIG ACCESSORY KIT, MILLER #PX-AK-3 SK# 00-0305850	NB	NB
3	200.00	LB	0030 ROD, WELDING, 3/32 IN DIAMETER, LINCOLN JETWELD TYPE LH-70, IN 50 LB CAN SK# 00-0307090	NB	NB
4	24.00	EA	0040 ADAPTER, HYDRANT, 1-1/2 INCH MALE NATIONAL STANDARD THREAD X 2-1/2 INCH FEMALE NEW ORLEANS SEWERAGE AND WATER BOARD THREAD, BRASS OR ALUMINUM EXTRUSION ANODIZED, #FMP25S15N SK# 00-038009P	NB	NB
5	6.00	EA	0050 TARPULIN, 13 FT X 9 FT FINISHED SIZE, REINFORCED NYLON MESH MATERIAL, 15.5 MIL THICK, BRASS GROMMETS, ARMORLON #ATG-2, POLYETHYLENE IS NOT ACCEPTABLE SK# 00-0480210	NB	NB
6	24.00	BX	0060 TOWELS, BLUE SHOP, TRACEL FABRIC, SIZE IS 9-3/4 IN X 16-3/4 IN, 50 PER POP-UP BOX, KIMBERLY CLARK NO. 33570 SK# 00-0483520	13.32	319.68
7	48.00	EA	0070 VISOR, FACESHIELD, CLEAR, JACKSON #3005375 SK# 00-048406A	Kimberly Clark 33570 PK 100 (must purchase 5 cases, PK 5/100) NB	NB
8	30.00	EA	0080 CARTRIDGE, RESPIRATOR, HI-EFFIENCY FOR ASBESTOS, STYLE P100, MSA #B14922, BOX OF TEN #B15175, MUST BE THIS BRAND TO FIT EXISTING MSA BRAND RESPIRATORS IN FIELD SK# 00-0484100	NB	NB
9	48.00	EA	0090 FLOOR SEALER & FINISH, GALLON BETCO UNTOUCHABLE WITH SRT #BC-60604	13.80	662.40
				Betco 60604	

DATE: 4/13/2017

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119561

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	288.00	EA	SK# 00-0484650 0100 HE LAUNDRY DETERGENT, 50 OZ. BOTTLE CP-49558 AJAX DUAL ACTION. 6/50 OZ PER CASE SK# 00-048484A	4.20	1209.60
11	240.00	PK	0110 SQWINCHER DRINK MIX, CITRUS COOLER FLAVOR, 16 PACKS OF DRY POWDER PER CASE, EACH PACK MAKES 2-1/2 GALLONS, 2 YEAR EXPIRATION DATE FROM DATE OF MANUFACTURE SK# 00-0485990	2.91	698.40
12	4.00	EA	0120 HOSE FITTING, CAMLOCK, 6 INCH, TYPE DP DUST PLUG, ALUMINUM, DIXON #600-DP-AL SK# 00-0486630	NB	NB
13	6,000.00	LF	0130 ROPE, NYLON, DOUBLE BRAIDED, SOLID, WHITE, (#8) 1/4 IN DIAMETER, 500 FT SPOOL	NB	NB
14	.00		1325# AVERAGE TENSILE STRENGTH, WORK LOAD 180#, TWISTED IS NOT ACCEPTABLE, CONTINENTAL WESTERN #105060 SK# 00-0487530	NB	NB
15	40.00	BALE	0140 PAD, OIL ABSORBANT, 17 IN WIDE BY 19 IN LONG BY 3/8 IN THICK, ERGON E-100, BALE OF 100 SK# 00-0491200	10.58	423.20
16	16.00	EA	0150 RAINCOAT, FULL LENGTH, XXX-LARGE, YELLOW MATERIAL IS PVC/NYLON/PVC, SEAMS ARE DOUBLE STITCHED AND TAPED, MEETS ASTM D6413, NEESE #35SC SK# 00-058028F	37.30	596.80
17	144.00	PR	0160 GLOVE, GREEN NITRILE, SIZE MEDIUM 8 TO 8.5, FLOCK LINED, DIAMOND GRIP, 16 GAUGE, 13 IN LONG, BOSS STYLE #1UH0027 SK# 00-058042A	.99	142.56
18	60.00	EA	0170 DISC, GRINDING, 4-1/2 INCH DIAMETER X 1/4 THICK X 7/8 INCH ARBOR, TYPE 27, MASONRY/BRICK GRINDING ONLY, MAX RPM 13200, IVY CLASSIC 41256 OR EQUAL	NB	NB

DATE: 4/13/2017

Page: 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119561

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
19	6.00	EA	SK# 00-0588670 0180 SHOVEL, IRRIGATING, 47 IN WOOD HANDLE, SIZE 2, 4-1/2 IN LIFT, 9 IN X 11-1/2 IN BLADE, DOMESTIC, AMES #1259700 SK# 00-0589710	NB	NB
20	48.00	EA	0190 TROWEL, BRICK, 9 IN LONG X 4-3/4 IN WIDE, TEMPERED SPRING STEEL BLADE, MALLEABLE IRON SHANK RIVETED TO HICKORY HANDLE, DOMESTIC, OSBORNE #180 SK# 00-0591000	NB	NB
21	48.00	EA	0200 WRENCH, PIPE, 10 IN, STRAIGHT, 1-1/2 IN CAPACITY, DOMESTIC, MODEL #10, RIGID #31010 SK# 00-0591900	NB	NB
22	36.00	EA	0210 SPRAYER, GARDEN, COMPRESSED AIR. PLASTIC, ONE GALLON CAPACITY, CHAPIN #2601 SK# 00-0596340	20.30 RLF-1971	730.80
23	48.00	EA	0220 BRUSH, WIRE, STAINLESS STEEL TOOTH BRUSH, 3 ROWS OF STAINLESS STEEL BRISTLES ARE EMBEDDED IN A 7-7/8 IN LONG WOOD HANDLE, SNAP-ON #AC5A, FED SPEC HB176C SK# 00-0597010	1.07 Wilson L407324	51.36
24	16.00	EA	0230 BRUSH, WIRE, CRIMPED CUP, 2-3/4 INCH DIAMETER, .011 INCH WIRE, SNAP-ON #AC345 OR EQUAL SK# 00-0597380	NB	NB
25	1.00	EA	0240 SOCKET, DEEP, CHROME, 1-7/16 IN, INDUSTRIAL, 6 POINT, 3/4 IN DRIVE, MEETS FED. SPEC. #GGG-W-641E, DOMESTIC, PROTO #5546HL SK# 00-0602300	NB	NB
26	6.00	EA	0250 ADAPTER, DRIVE, 3/8 IN DR FEMALE X 1/2 IN MALE, CHROME, MEETS FEDERAL SPEC #GGG-W-641E, ARMSTRONG #11-952, GRAINGER #5MP88 SK# 00-0602840	NB	NB
27	4.00	EA	0260 TORCH, PROPANE, BRASS PENCIL FLAME TIP, ADJUSTABLE FLAME, BERZOMATIC	NB	NB

DATE: 4/13/2017

Page: 8

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119561

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
28	576.00	EA	MODEL #4L2317J SK# 00-0632810 0270 FIRE ANT BAIT POWDER, 1 LB CONTAINER 0.05 PERCENT DELTAMETHRIN, ZEP BRAND SK# 00-0956610	5.08 Hi-Yield FH32058 1#	2926.08



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**


Other Changes Continued:

- For all advertised bids, corporate resolutions and/or written evidence of signature authority must be included with bid submission.
- Effective June 1, 2017, bidders may no longer send bid responses via facsimile, as some bid solicitations may provide. Vendors responding to bid solicitations may only submit via USPS, courier service, hand delivery or via online by registering free of charge at www.jeffparishbids.net. For more information, please contact the Purchasing Department or visit jeffparish.net.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must continue producing final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.


General Government Bldg. - 200 Derbigny St - Suite 4400 - Gretna, LA 70053
Office 504.364.2678 - Fax 504.364.2693
Email: Purchasing@jeffparish.net Website: www.jeffparish.net



Kimberly Clark Prep* Kimtex* Wipers

Item# KC-33570

#6




Kimtech Prep* Kimtex* Wipers in a Pop-up* box format. Designed for wiping tasks where low lint or use of chemicals are required. Engineered for critical applications involving solvents, inks, and paints. Acid, base and solvent resistant. Perfect for use with lubricants, oil and grease. Polypropylene construction. Applications include: furniture finishing, engine assembly/repair, pre-packaging wipe down, LCD panel assembly, appliance assembly, printing, and glass or window cleaning.

Color: Blue

Size: 8.8" x 16.8"

Sold By: the Case (5 Boxes of 100 Sheets)





49

- FULL CATALOG
- Beverage Supply
- Chemicals
- Cleaning Equipment
- Cleaning Supplies
- Facility Maintenance
- Food Service
- Hospitality
- Industrial Packaging
- Linens
- Mattings
- Miscellaneous
- Office Supplies
- Paper
- Receptacles / Trash
- Rest Room
- Safety
- Skin Care
- Tools & Hardware

Online • Phone • Fax Orders

Betco® Untouchable® w/SRT™ Technology - Gal.



[Specification Sheet](#)

[SDS Sheet](#)

ITEM # BC-60604

A low odor, black heel mark resistant floor finish that is an exceptional choice for those who want the highest gloss and wear with the least amount of labor.

Non-scuffing, durable, detergent resistant and maintains its high gloss with minimal burnishing, a real labor saver. Suitable for use on all floors; this finish performs exceptionally well with either spray buffing or high speed buffing. Excellent leveling and low odor makes it easy to apply.

Gal., 4/cs

Manufacturers Item #60604

SAFETY DATA SHEET



Untouchable

#9

Section 1. Identification

GHS product identifier : Untouchable
Other means of identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details : Betco Corporation
1001 Brown Avenue
Toledo, OH 43607
www.betco.com
888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec 800-424-9300 (24 Hour)

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Other means of identification : Not available.

CAS number/other identifiers

CAS number : Not applicable.
Product code : 606

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
tris(2-butoxyethyl) phosphate	≥3 - <5	78-51-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
phosphorus oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. < 1 hour (breakthrough time); disposable vinyl
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 8. Exposure controls/personal protection

Personal protective equipment (Pictograms) :



Section 9. Physical and chemical properties

Appearance

Physical state	: Liquid.
Color	: White.
Odor	: Characteristic.
Odor threshold	: Not available.
pH	: 8.1 to 8.8
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: >150°C (>302°F) [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.03
Solubility	: Partially soluble in the following materials: cold water.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
tris(2-butoxyethyl) phosphate	LD50 Oral	Rat	3 g/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
tris(2-butoxyethyl) phosphate	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal.
Routes of entry not anticipated: Inhalation.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Section 11. Toxicological information

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	100000 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
tris(2-butoxyethyl) phosphate	Acute LC50 11200 µg/l Fresh water	Fish - Pimephales promelas	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
tris(2-butoxyethyl) phosphate	3.75	5.8	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) PAIR:** Agral 90; tris(2-butoxyethyl) phosphate; (2-methoxymethylethoxy) propanol; octamethylcyclotetrasiloxane
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
TSCA 8(c) calls for record of SAR: tris(2-butoxyethyl) phosphate
 Not determined.
Clean Water Act (CWA) 307: tetraamminezinc(2+) carbonate
Clean Water Act (CWA) 311: ammonia; potassium hydroxide

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Section 15. Regulatory information

Clean Air Act Section 602 : Not listed
Class I Substances

Clean Air Act Section 602 : Not listed
Class II Substances

DEA List I Chemicals : Not listed
(Precursor Chemicals)

DEA List II Chemicals : Not listed
(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
tris(2-butoxyethyl) phosphate	≥3 - <5	No.	No.	No.	Yes.	No.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	2-(2-ethoxyethoxy)ethanol	111-90-0	≥5 - <10
Supplier notification	2-(2-ethoxyethoxy)ethanol	111-90-0	≥5 - <10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : The following components are listed: GLYCOL ETHERS

Pennsylvania : The following components are listed: GLYCOL ETHERS

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 15. Regulatory information


International lists

National inventory

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.

Section 16. Other information


Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
Not classified.	

History

Date of printing	: 3/11/2015.
Date of issue/Date of revision	: 3/11/2015.

Section 16. Other information

Date of previous issue : No previous validation.

Version : 0.01

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

References : Not available.

☒ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.




Economical
Janitorial & Paper Supplies, LLC

Ajax Advanced Dual Action HE Clean Laundry Detergent

#10

Item# PBC-49558CT



This liquid detergent attacks dirt and soils to provide a renewed freshness. Special detergents lift water-based and oil-based soils from fabrics while deodorizing your clothes. Low-sudsing formula rinses away cleanly without leaving behind any residue. Laundry detergent is designed for use in traditional and high-efficiency washers.

Fragrance: Fresh
Sold By: the Case (6 - 50 fl oz. Bottles)

AJAX

#10

SAFETY DATA SHEET

Issuing Date 23-Apr-2015

Revision Date 23-Apr-2015

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Ajax LQD Dual Action

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Laundry, Detergent

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Phoenix Brands LLC

Supplier Address 2855 North Franklin Road, #7
Indianapolis
Indiana
46219
US

Supplier Phone Number Phone:1-651-632-8955
Contact Phone00-1-317-357-5715

Supplier Email mhueber@phoenixbrands.com

Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

Emergency Overview



The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Light blue

Physical State Viscous liquid Liquid

Odor Pleasant

Precautionary Statements - Prevention

Obtain special instructions before use

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

5.69049% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May cause slight eye irritation

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Sodium carborate	497-19-8	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact

Wash with soap and water.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed



Most Important Symptoms and Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Physical/Chemical Reaction Properties No data available.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.



7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required.

Skin and Body Protection No special protective equipment required.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Viscous liquid, Liquid	Odor	Pleasant
Appearance	Light blue	Odor Threshold	No information available
Color	No information available		
Property	Values	Remarks	Method
pH	11.2	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		

Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Soluble in water	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	None known
Oxidizing Properties	No data available	

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY**Reactivity**

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate	= 4090 mg/kg (Rat)	-	= 2300 mg/m ³ (Rat) 2 h



497-19-8

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation May cause eye irritation.

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity No known effect based on information supplied.

Target Organ Effects None known.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)
67.97 mg/l

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium carbonate 497-19-8	120h EC50: = 242 mg/L (Nitzschia)	96h LC50: = 300 mg/L (Lepomis macrochirus) 96h LC50: 310 - 1220 mg/L (Pimephales promelas)		48h EC50: = 265 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.



13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

Chemical Name	California Hazardous Waste
Sodium carbonate 497-19-8	Corrosive

14. TRANSPORT INFORMATION

DOT
Proper Shipping Name
Hazard Class

NOT REGULATED
NON REGULATED
N/A

TDG
Not regulated

MEX
Not regulated

ICAO
Not regulated

IATA
Proper Shipping Name
Hazard Class

Not regulated
NON REGULATED
N/A

IMDG/IMO
Hazard Class

Not regulated
N/A

RID
Not regulated

ADR
Not regulated

ADN
Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA
DSL

Complies
All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations



SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

International Regulations**Canada****WHMIS Hazard Class**

Non-controlled

16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 1	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 23-Apr-2015
Revision Date 23-Apr-2015
Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination



with any other materials or in any process, unless specified in the text


End of Safety Data Sheet

Economical
Janitorial & Paper Supplies, LLC

Sqwincher Powder Pack Sports Drink Mix

Item# SQ-016021-OR

#//



Flavor: Orange
Physical Form: Powder
Sold By: the Case (Pk 16/2.5 Gal.)



#15

O-P-LIGHT-B

Item No.	Correct Acadiana Label #	Usage	Product Type	Length	Size	Units/Case	Qty/Field	Assessment
Oil Only Pads								
O-P-L100-B	L100	Oil Only	Pads	5	15"x17"	100	78	9.4
O-P-EP100-B	EP100	Oil Only	Pads	7	15"x17"	100	60	13.6
O-P-P100-B	P100	Oil Only	Pads	9	15"x17"	100	48	17.8
Oil Only Rolls								
O-R-LR144	LR144	Oil Only	Rolls	13	38"x144"	1	26	24.4
O-R-ER144	ER144	Oil Only	Rolls	16	38"x144"	1	22	30
O-R-R144	R144	Oil Only	Rolls	22	38"x144"	1	20	41.3
Universal Pads								
O-P-UQEP100-B	UQEP100	Universal	Pads	7	15"x17"	100	60	13
O-P-UQP100-B	UQP100	Universal	Pads	9	15"x17"	100	48	16.8
O-P-UQL200-B	UQL200	Universal	Pads	11	15"x17"	200	36	20.6
O-P-CGL200-B	CGL200	Hazmat	Pads	13	15"x17"	200	36	24.4
Universal Rolls								
O-R-UQLR144	UQLR144	Universal	Rolls	13	38"x144"	1	26	24.4
O-R-UQER144	UQER144	Universal	Rolls	16	38"x144"	1	22	30
O-R-UQER-SPLIT	UQER-SPLIT	Universal	Rolls	18	30"x150"	2	27	34
O-R-UQR144	UQR144	Universal	Rolls	22	38"x144"	1	20	41.3
O-R-UQR144-CAMO	UQR144-CAMO	Universal Camo	Rolls	22	38"x144"	1	20	41.3
Misc Absorbents								
O-B-B510	B510	Oil Only	Boom	22	5"x10'	4	20	26
O-B-B810	B810	Oil Only	Boom	34	8"x10'	4	16	40
O-PIL-PIL1818	PIL1818	Oil Only	Pillows	25	18"x18"	16	16	28.75
O-PIL-PIL1824	PIL1824	Oil Only	Pillows	20	18"x24"	10	16	22.5
O-S-PS4	PS4	Oil Only	Socks	7.2	3"x10'	4	42	7.5
O-S-PS12	PS12	Oil Only	Socks	9.6	3"x4'	12	42	9
O-B-UQB510	UQB510	Universal	Universal Boom	24	5"x10'	4	20	26
O-R-RM19	RM19	Oil Only	Railmat	38	19"x100'	2	12	45
O-R-RM57	RM57	Oil Only	Railmat	57	57"x100'	1	6	68
95 gal drum								
30 gal drum								
WSOCK440		Oil Only	Socks	32	3"x4'	40	16	30

#15 *


*



Johnson Wilshire Full Length Raincoat with Hood Snaps

Item# JW-35SC

#16



This lightweight industrial full length raincoat is made from tough, lightweight layered PVC-Nylon-PVC material that stays flexible from temperatures of 30 below to 120 degrees. This raincoat features include stitched and taped seams, non conductive snap front closure and collar snaps for the optional rain hood. Recommended for use by public works departments, agriculture, industrial and basic construction applications. Available in sizes Small to 6X Large.

Size: 3X Large

Color: Yellow

Material: PVC / Nylon / PVC

Minimum Length: 48" Long

Sold By: the Each




UNSUPPORTED

Nitrile Gloves

Used for: Food Processing, Chemical Processing, Printing,
Machine Operations, Maintenance


#17

JW-93518





1723

Sizes: 7, 8, 9, 10, 11
Green Unlined Nitrile, 22 Mil,
18", Embossed Grip



A9350

Sizes: 7, 8, 9, 10, 11
Green Unlined Nitrile, 11 Mil,
13", Embossed Grip




9351

Sizes: 7, 8, 9, 10, 11
Green Flock Lined Nitrile, 15 Mil,
13", Embossed Grip

ALSO AVAILABLE

9454 Green Flock Lined Nitrile, 22 Mil, 15", Embossed Grip

9452 Green Unlined Nitrile, 15 Mil, 13", Embossed Grip



R. L. Flomaster Standard Industrial Tank Sprayer with an Adjustable Nozzle

Item# RLF-1971

#22



Funnel-top sprayer with Buna oil-resistant rubber seals. All-polyethylene flow control and discharge. Ideal for masonry, pest control, carpet cleaning, waterproofing and degreasing applications. Disperses herbicides, insecticides, stain removers, cleaning agents and chemicals; not recommended for use as a paint sprayer. Translucent white polyethylene tank equipped with poly pump handle, reinforced hose, and Buna seals.

Material: Polyethylene
Color: Translucent White
Capacity: 1 Gallon
Sold By: the Each




800.325.1051 1-877.947.7117

The Best Overall Value In Cleaning



Select from
these quality
brands




#23

All Categories > Cleaning > Brushes, Scrubs & Scrapers > Detail Brushes > Item # L407324

Item # L407324, Detail Brushes

Available in three fibers with a plastic handle. Brass fibers are static free, nylon fibers are chemical resilient and add extra durability and stainless fibers are great for resistance to corrosion and high temperature.



Specifications

Wilen Item Name	STEEL DETAIL BRUSH
Brand	Wilen
Stock Item	YES
Handle	9 in Plastic
Bristle Trim	1/2 in Steel
Bristle Color	Grey
Pack Case	24
Case Weight	1.00 lb
Case Cube	0.094



Industrial

Total Quality Cleaning Process

Commercial

Unit of Measure

Each

Hi-Yield®


#28

HIY- FH32058



32058

UPC Number 7 32221 32058 1



32059

UPC Number 7 32221 32059 8

Multi-Use Dust

- For Indoor/Outdoor Residential Use Only
- Controls Many Different Insect Pests
- Effective Knockdown and Long-Lasting Control of Listed Pests

Always Read and Follow Label Directions



230 FM 87 • BONHAM, TEXAS 75418 • Visit Us At: www.fertilome.com

**VOLUNTARY PURCHASING GROUPS, INC.****Safety Data Sheet
Hi-Yield Multi-Use Dust****SECTION 1: Identification**

Product identifier

Product name Hi-Yield Multi-Use Dust

Product number 32058; 32059

Other means of identification

EPA Reg. No. 7401-452

Recommended use of the chemical and restrictions on use

Insecticide

Supplier's details

Name Voluntary Purchasing Groups, Inc.
Address 230 FM 87
Bonham, TX 75418
USA

Telephone 855-270-4776

Emergency phone number(s)

In the event of a medical or chemical emergency contact ChemTel, Inc.
North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

SECTION 2: Hazard identification**Classification of the substance or mixture****GHS classification in accordance with OSHA (29 CFR 1910.1200)**

- Acute toxicity, oral (chapter 3.1), Cat. 3
- Acute toxicity, inhalation (chapter 3.1), Cat. 3

GHS label elements, including precautionary statements**Pictogram**

Safety Data Sheet

Hi-Yield Multi-Use Dust

H301	Toxic if swallowed
H331	Toxic if inhaled

Precautionary statement(s)

P264	Wash off thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301+P310	IF SWALLOWED: Call a physician or poison control center immediately.
P330	Rinse mouth.
P501	Dispose of contents/container in accordance with local/national regulations.

Other hazards which do not result in classification

No other hazards known

SECTION 3: Composition/information on ingredients

Mixtures

Hazardous components

1. Deltamethrin

Concentration	0.05 %
EC no.	258-256-6
CAS no.	52918-63-5
Index no.	607-319-00-X

- Acute toxicity (chapter 3.1), Cat. 3
- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 1
- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 1

H301	Toxic if swallowed
H331	Toxic if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice	When possible, have the product container or label with you when calling a poison control enter or doctor or going for treatment.
If inhaled	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
In case of eye contact	Hold eye open and rinse slowly and gently with water for 15-20

Safety Data Sheet

Hi-Yield Multi-Use Dust

If swallowed

Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms/effects, acute and delayed

Not expected to present a significant hazard under anticipated conditions of normal use.

Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Specific hazards arising from the chemical

No data available.

Special protective actions for fire-fighters

Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate unnecessary personnel.

Environmental precautions

Prevent entry to sewers and public waters.

Methods and materials for containment and cleaning up

Store away from other materials.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well ventilated place away from : children. Keep container closed when not in use.

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 52918-63-5 (EC: 258-256-6)

Safety Data Sheet

Hi-Yield Multi-Use Dust

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Chemical goggles or safety glasses.

Skin protection

Wear protective gloves.

Body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory protection

Wear approved mask.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form	White Powder
Odor	Very faint chalk-like odor
Odor threshold	No data available.
pH	No data available.
Melting point/freezing point	No data available.
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	No data available.
Solubility(ies)	No data available.
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

SECTION 10: Stability and reactivity

Reactivity

No data available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

Not established.

Safety Data Sheet

Hi-Yield Multi-Use Dust

Incompatible materials

strong acids. Strong bases.

Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

deltamethrin:

Acute oral toxicity LD₅₀(rat) > 5,050 mg/kg

Acute inhalation toxicity LC₅₀(rat) > 26.1 mg/l

Exposure time: 4 h

Determined in the form of dust.

LC₅₀(rat) > 100 mg/l

Exposure time: 1 h

Determined in the form of dust.

Extrapolated from the 4 hr LC₅₀.

Acute dermal toxicity LD₅₀(rabbit) > 2,020 mg/kg

No skin irritation(rabbit)

No eye irritation(rabbit)

Non-sensitizing(guinea pig)

Skin corrosion/irritation

May be harmful if absorbed through skin.

Reproductive toxicity

Not classified

SECTION 12: Ecological information

Toxicity

LC₅₀ fish 1 | 0.0005 mg/l 48 h; *Salmo gairdneri* (*Oncorhynchus mykiss*)

EC₅₀ Daphnia 1 | 0.000113 mg/l (24 h; *Daphnia magna*; Locomotor effect)

LC₅₀ fish 2 | 0.001 mg/l (48 h; *Gambusia affinis*)

EC₅₀ Daphnia 2 | 0.000031 mg/l (48 h; *Daphnia magna*; Locomotor effect)

Persistence and degradability

Deltamethrin:

not rapidly biodegradable

Bioaccumulative potential

Not established.

Mobility in soil

Deltamethrin:

Safety Data Sheet

Hi-Yield Multi-Use Dust

Other adverse effects

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13: Disposal considerations

Disposal of the product

Dispose in a safe manner in accordance with local/national regulations.

Other disposal recommendations

Avoid release to the environment.

SECTION 14: Transport information

DOT (US)

In accordance with DOT

No dangerous good in sense of transport regulations

IMDG

UN number 3077

Class 9

Packaging group III

Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(DELTAMETHRIN MIXTURE)

IATA

UN number 3077

Class 9

Packaging group III

Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(DELTAMETHRIN MIXTURE)

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

EPA/FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Hazard Statements

May be harmful if absorbed through skin.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.


Signal Word

CAUTION

Safety Data Sheet
Hi-Yield Multi-Use Dust

Hi-Yield Multi-Use Dust	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

NFPA Rating



SECTION 16: Other information

No data available.