

DATE: 5/14/2018

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00123128

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: BASIC SUPPLY, LLC

BUYER: CGASPER

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2-3 WEEKS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

\_\_\_\_\_

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

\_\_\_\_\_

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: <b>BASIC SUPPLY, LLC</b>	
SIGNATURE: (Must be signed here)	TITLE: <b>MANAGER</b>
PRINT OR TYPE NAME: <b>JOHN ATKINSON</b>	
ADDRESS: <b>PO BOX 63066</b>	
CITY, STATE: <b>LAFAYETTE, LA</b>	ZIP: <b>70596</b>
TELEPHONE: ( ) <b>337-769-0122</b>	FAX: ( ) <b>337-247-7699</b>
EMAIL ADDRESS: <b>charlotte@basicsupply.com</b>	

TOTAL PRICE OF ALL BID ITEMS: \$ 7636.50

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123128

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STARTER AND VARIOUS OTHER ELECTRICAL SUPPLIES AT THE EAST BANK WAREHOUSE FOR JEFFERSON PARISH SEWERAGE DEPARTMENT.		
1	12.00	EA	0001 - Starter, size 3, 3 pole, 120 volt coil, new in factory box,  Furnas/Siemens no. 14HUG32AA (0861700)	520.00	6240.00
2	4.00	EA	0002 - Breaker, circuit, 15 amp, 120/240 vac, 1 pole, Square D No. QO115  (0840450)	5.25	21.00
3	9.00	EA	0003 - Kit, contact, size 3, Furnas no. 75HF14 or Hoyt Brand  (0851980) 75HF14-REPLACEMENT	130.00	1170.00
4	200.00	EA	0004 - Connector, female, stay-con, 12-10 wire range, insulated,  T & B No. 10RC2577 (0870300)	0.27	54.00
5	24.00	EA	0005 - Connector, sealtite, straight, 1-1/4 inch, Appleton No. ST125  (087719E) TOPAZ 474S	5.25	126.00
6	50.00	EA	0006 - Receptacle, duplex, ivory, 15 amps, 125 VAC, Leviton no. 5320-I (0880630)  270V	0.51	25.50

**75HF14-REPLACEMENT  
SIEMENS-FURNAS CONTROLS  
STARTER ACCESSORIES  
SIZE IEC H; 1 POLE; USED ON  
CONTACTOR/STARTER SIZE 3;  
INCLUDES STATIONARY; MOVABLE  
CONTACT; CONTACT SPRING;  
MOUNTING SCREW**



**Cooper Wiring 270V Straight Blade Duplex Receptacle, 125 V, 15 A, 2 Poles, 3 W, 14 - 12 AWG, Screw Connection**

**Built-in wire stripper for number 14 wire. Built-in wire looper for pre-looping conductors. Screw-catch feature eliminates need to hand-thread screw and possible cross-threading. Double wipe ground contacts. Split circuit break-off tab. Side wire terminals accept up to number 10 solid or stranded wire. Push-in terminals accept number 14 solid wire only. 15 amp/125 volt. UL Listed, NOM certified, meets CSA requirements.**

# Straight Liquidtight Connectors

## with Insulated Throat - Malleable Iron

### Features

- Liquidtight, raintight, oiltight
- Tapered threaded male hub NPT
- Insulated throat protects conductors from abrasion damage
- Compact slim diameter with small turning radius
- Zinc electro plated for excellent durability



### Applications

- To secure, ground and seal liquidtight conduit to a box or enclosure
- UL listed liquidtight flexible metal conduit fittings are suitable for use in the following hazardous locations under: NEC 501-4(b), 502-4(a), (2)503-3(a) Class 1 Div.2, Class II Div.1 and 2, Class III Div.1 and 2 and are suitable for grounding in sizes 3/8" through 1-1/2" under NEC 351-1




### Standard Material

- Malleable iron
- Steel locknut

### Standard Finish

- Zinc plated



UL listed liquidtight flexible metal conduit fittings are suitable for use in the following hazardous locations under: NEC 501-4(b), 502-4(a), (2)503-3(a) Class 1 Div. 2, Class II Div. 1 and 2, Class III Div. 1 and 2 are suitable for grounding in sizes 3/8" through 1-1/2" under NEC 351-1

Catalog Number	UPC	Conduit Size	Unit Carton	Ship Case	Weight/Case	Inches	
						A	B
<b>470S</b>	14430	<b>3/8" 1/2" KO</b>	20	200	31	1.18	1.72
<b>471S</b>	14440	<b>1/2"</b>	20	200	33	1.36	1.73
<b>472S</b>	14450	<b>3/4"</b>	10	100	25	1.61	1.81
<b>473S</b>	14460	<b>1"</b>	5	50	18	1.89	1.85
<b>474S</b>	33620	<b>1-1/4"</b>	5	50	28	2.39	2.05
<b>475S</b>	33630	<b>1-1/2"</b>	2	20	15	2.62	2.38
<b>476S</b>	33640	<b>2"</b>	2	20	22	3.24	2.49
<b>477S</b>	33650	<b>2-1/2"</b>	---	1	2	3.89	3.21
<b>478S</b>	33660	<b>3"</b>	---	1	3	4.74	3.37
<b>479S</b>	33670	<b>3-1/2"</b>	---	1	4	5.31	3.40
<b>480S</b>	33680	<b>4"</b>	---	1	5	5.82	3.66
<b>480SA*</b>	85294	<b>5"</b>	---	1	10	6.06	4.63
<b>480SB*</b>	85324	<b>6"</b>	---	1	13	7.75	4.94

\*480SA and 480SB not UL listed