

DATE: 7/09/2019

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00127291

## JEFFERSON PARISH

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

### DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

3-5 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1 RECEIVED  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

### \*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\*

FIRM NAME:	
<u>T.W.S. GAS AND SUPPLY</u>	
SIGNATURE:	TITLE:
(Must be signed here) <u>Jimmy Gibbs</u>	<u>SALES</u>
PRINT OR TYPE NAME:	
<u>JIMMY GIBBS</u>	
ADDRESS:	
<u>111 BURAS DR.</u>	
CITY, STATE:	ZIP:
<u>BELLE CHASSE, LA.</u>	<u>70037</u>
TELEPHONE:	FAX:
<u>504 392-2400</u>	<u>504 392-1500</u>
EMAIL ADDRESS:	
<u>JIMMY.GIBBS@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 1760.54

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00127291

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	8.00	EA	Purchase of stock items for westbank warehouse  0010 - TARPAULIN, 7 FT X 9 FT, MESH POLYPROPYLENE, FINISHED, 3/4 BASKET WEAVE  20 THICK, TENSILE 440/365, 7 - 1/2 IN #2 PURE BRASS GROMMETS EVERY 12 IN CORNER TO CORNER ON 7 FT SIDES, HUMPHRYS #GORILLA SK# 00-0480110 BRIAN BOUDREAUX, JEFFERSON PARISH 1500 RIVER PARK BLVD BRIDGE CITY, LA 70094 504-349-5156	N/B	—
2	24.00	EA	0020 - NOZZLE, FIRE HOSE, 1 IN X 8 IN, 100 PSI, DOMESTIC SATIN BRASS, NPSH  THREAD, DIXON #BN10, GRAINGER #6ANV5 SK# 00-0482030	21.43	514.32
3	36.00	EA	0030 - FLUID, QUICK STARTING, FOR GASOLINE AND DIESEL ENGINES, 11 OUNCE AEROSOL CAN,  GUNK THRUST PART #M38-15 SK# 00-0485030	2.26	81.36
4	12.00	EA	0040 - TWINE, NYLON, #18, 1/16 IN DIA., 550 FT PER ROLL, 165 LB TEST, DURALINE  BRAND #00090 SK# 00-0490080	N/B	—
5	20.00	EA	0050 - FUNNEL, PLASTIC, SIXTY-FOUR OUNCE CAPACITY, NAPA-BALKAMP #720-1104 PLEWS 75-070 SK# 00-0584070	3.59	71.80
6	15.00	EA	0060 - FLASHLIGHT, PENLIGHT, 3VDC, MUST BE POWERED BY TWO "AA" BATTERIES, FULTON MAG-LITE M2A016 #20, MSC #54015151 SK# 00-0588210	8.55	128.25
7	15.00	EA	0070 - RULE, TAPE, OUTSIDE DIAMETER, 6 FT LONG WITH 16 THS & 100 THS INCH,  LUFKIN #W606PD SK# 00-0590510	13.35	200.25
8	100.00	EA	0080 - BLADE, SAWSALL, 6 IN LONG X 24 TEETH PER INCH, 5 PER PACK, DEWALT	7.08	708.00
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					



Buy it by phone!

Fax 1.800.579.2533  
Phone 1.800.678.6577



Capacity indicates what the funnel will hold when the outlet is blocked



Galvanized Steel Funnel

Capacity Vol.	Height	Dia.	Tip Diam	Material
12 in	9 1/2 in	1 in		Galvanized Steel
11 1/2 in	10 in	1 1/4 in		Galvanized Steel




Capacity Vol.	Height	Dia.	Tip Diam	Material
12	5 1/2 in	4 1/2 in	1/2 in	Tin
12	6 1/2 in	5 3/4 in	1/2 in	Tin
12	7 1/2 in	6 1/2 in	3/4 in	Tin
12	9 in	8 in	1 in	Tin



Galvanized Steel Funnel

Qty	Height	Dia.	Tip Diam	Material
	7 in	7 in	3/4 in	Galvanized Steel
	8 in	8 in	3/4 in	Galvanized Steel
	8 3/4 in	9 3/4 in	3/4 in	Galvanized Steel



Galvanized Steel Funnel

Height	Dia.	Tip Diam	Material
14 in	9 in	1 1/4 in	Galvanized Steel

Prefix: 570

## Plastic Funnels

### Features:

- Safe for all petroleum products, complete with handy storage hanging tabs
- Capacity indicates what the funnel will hold when the outlet is blocked

Type: Economy Utility Funnel

Resistance: Oil; Gasoline

Catalog Number	Capacity Vol.	Dia.	Overall Length	Tip Diam	Material
75-060	8 oz	4 1/2 in	5 in	1/2 in	Plastic
75-062	16 oz	6 in	5 1/2 in	3/4 in	Plastic
75-064	48 oz	8 in	7 in	1 in	Plastic

### Features:

- All purpose utility funnel
- Extra long neck to reach out of the way spots

Type: Super Funnel

Catalog Number	Dia.	Overall Length	Tip Diam	Material
75-068	5 in	18 in	1/2 in	Plastic

### Features:

- Capacity indicates what the funnel will hold when the outlet is blocked

Includes: Fine Mesh Strainer Screen; Handy Hanging Tab

Type: Polyethylene Plastic Funnel

Resistance: Corrosion

Catalog Number	Capacity Vol.	Dia.	Overall Length	Tip Diam	Material
75-070	2 qt	7 in	9 in	1 in	Polyethylene
75-072	6 qt	9 in	11 in	1 1/2 in	Polyethylene

### Features:

- Multi-purpose funnel with detachable flexible spout

Type: Two-Piece Funnel

Catalog Number	Dia.	Overall Length	Hose Length	Tip Diam	Material	Handle Type
75-074	6 in	15 in	12 in	3/4 in	Plastic	Easy-Grip

Prefix: 250

## GOLDENROD

## Galvanized Filler Cans

Tip Length: 12 in


Tip Type: Flexible

Tip Material: Metal

Material: Metal

Handle Type: D-Handle

Catalog Number	Capacity Vol.	Quantity
355	2 qt	6 per carton



Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com





Buy it online!  
www.orsnasco.com

Prefix: 459

## MAG-LITE®

### Mag-Lite® Standard Flashlights

#### Features:

- High-intensity adjustable light beam (Spot to Flood)
- Recessed, pushbutton, self-cleaning, 3-position switch
- Rugged, machined aluminum construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Spare lamp safely secured inside the tailcap

Batt. Size: D

Head Diam: 2 1/4 in

Bulb Type: Krypton

Body Material: Aluminum

Coating: Hard Anodize

Resistance: Water; Shock

Barrel Diam: 1 9/16 in

Run Time: 10 h

Catalog Number	No. of Batteries	Color	Voltage
<b>18,000 lm/ft2 Light Intensity</b>			
S2D016	2	Black	3 VDC
S2D036	2	Red	3 VDC
S2D116	2	Blue	3 VDC
<b>22,000 lm/ft2 Light Intensity</b>			
S3D016	3	Black	4.5 VDC
S3D036	3	Red	4.5 VDC
S3D116	3	Blue	4.5 VDC
<b>24,000 lm/ft2 Light Intensity</b>			
S4D016	4	Black	6 VDC
S4D036	4	Red	6 VDC
<b>28,000 lm/ft2 Light Intensity</b>			
S5D016	5	Black	7.5 VDC
S5D036	5	Red	7.5 VDC
<b>30,000 lm/ft2 Light Intensity</b>			
S6D016	6	Black	9 VDC
S6D036	6	Red	9 VDC

Prefix: 459

### Mini Maglite® AAA Flashlights

#### Features:

- High-intensity light beam
- Twist focus, spot-to-flood
- Innovative extended key lead
- Spare lamp
- High-strength aluminum alloy case
- O-ring
- Vented tailcap

No. of Batteries: 2

Battery Type: Alkaline

Light Intensity: 1,200 lm/ft2

Voltage: 3 VDC

Bulb Type: Incandescent

Body Material: Aluminum

Coating: Hard Anodize

Resistance: Water Resistant

Includes: Flashlight; Batteries

Catalog Number	Color	Barrel Diam	Head Diam	Run Time	Includes
M3A012	Black	1/2 in	3/4 in	3 h	Presentation Box; Pocket Clip
M3A016	Black	1/2 in	3/4 in	3 h	Pocket Clip
M3A032	Red	1/2 in	3/4 in	3 h	Presentation Box; Pocket Clip
M3A036	Red	1/2 in	3/4 in	3 h	Pocket Clip
M3A112	Blue	1/2 in	3/4 in	3 h	Presentation Box; Pocket Clip
M3A116	Blue	1/2 in	3/4 in	3 h	Pocket Clip
M3A49L	Black	1/2 in	3/4 in	3 h	Presentation Box; Classic Swiss Army Knife

Prefix: 459

### Mini Maglite® AA Flashlights

#### Features:

- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood
- Patented candle mode
- Spare lamp
- O-ring sealed for water resistance
- Vented tailcap

No. of Batteries: 2

Battery Type: Alkaline

Head Diam: 1 in

Light Intensity: 2,200 lm/ft2

Voltage: 3 VDC

Bulb Type: Incandescent

Body Material: Aluminum

Coating: Hard Anodize

Resistance: Water Resistant

Includes: Flashlight; Batteries

Run Time: 6 h

Catalog Number	Color	Barrel Diam	Includes
M2A016	Black	23/32 in	
M2A01C	Black	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A01H	Black	23/32 in	Polypropylene Belt Holster
M2A01L	Black	23/32 in	Presentation Box; Pocket Clip
M2A026	Camo	23/32 in	
M2A02C	Camo	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A02H	Camo	23/32 in	Polypropylene Belt Holster
M2A036	Red	23/32 in	
M2A03C	Red	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A03H	Red	23/32 in	Polypropylene Belt Holster
M2A03L	Red	23/32 in	Presentation Box
M2A116	Blue	23/32 in	
M2A11C	Blue	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A11H	Blue	23/32 in	Polypropylene Belt Holster
M2A11L	Blue	23/32 in	Presentation Box
M2A49L	Black	23/32 in	Presentation Box; Classic Swiss Army Knife

Prefix: 459

### Replacement Mag-Lite® Rechargeable Flashlights

#### Features:

- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood
- Patented candle mode
- Spare lamp
- High-strength aluminum alloy case
- O-ring sealed for water resistance
- Vented tailcap

Catalog Number

ARXX014



DATE: 7/09/2019

Page: 6

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00127291

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	4.00	EA	#DW4813, GRAINGER # 4TF69 SK# 00-0592440  0090 - SOCKET, STANDARD, 12 POINT, CHROME, 1-5/16 IN X 3/4 IN DR, PROTO #J5542, JHWH-1242 SK# 00-0601770  <b>Gas And Supply</b> <b>Jimmy Gibbs</b> <b>Phone 504-392-2400</b> <b>Fax 504-392-1500</b> <b>jimmy.gibbs@gasandsupply.com</b>	14.14	56.56