



Bid Number 50 - 115784

Two year contract for a supply of Heavy Duty Industrial Rainwear for all divisions of the Jefferson Parish Dept. of Public Works.

MARCH 29, 2016 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Donna Reamey
Dreamey@Jeffparish.net
504-364-2684**

A two year contract for a supply of Heavy Duty Industrial Rainwear for all divisions of the Jefferson Parish Department of Public Works.

All items are to be of domestic United States of America manufacture only. Imported items will not be accepted as equal to that which is specified herein.

VENDORS BIDDING ON PRODUCT OTHER THAN SPECIFIED MUST INCLUDE BRAND AND PART NUMBER FOR EACH ITEM ON THEIR BID FORM. THE SPECIFICATIONS FOR THEIR BID PRODUCTS MUST BE SUBMITTED WITHIN 10 DAYS FROM THE BID OPENING DATE. FAILURE TO DO SO WILL RESULT IN BID REJECTION.

The quantities of items shown on the proposal form and representative quantities estimated for usage over a Two (2) year period. However, actual usage may be more or less, dependent upon need.

Rainwear which is delivered in defective condition, I.E. leaking, poor construction, loose threading, etc. will be picked up and replaced by the vendor at no additional cost to the Parish.

All rain suits will be constructed from materials that are flame retardant, mildew resistant, non-conductive, tear and abrasion resistant, and flexible in cold weather. All rain suits will be 100% waterproof. All rain suits will be domestically manufactured.

The following technical specifications describe the Series 300 and Series 500 rainwear, as manufacturer by Neese Industries, Inc. Gonzales, LA.

Series 300 Rainwear

(Bid Item Nos. 0010 thru 0220)

1. Materials:

A. 100% polyvinylchloride (PVC) coated nylon. PVC is extruded on inside surface and outside surface.

B. Denier and Fiber: 210 Denier, type 66

C. Thread count: 17 x 17 plus or minus 1

D. Thread type: 50 D cord

E. Weave Type: SCRIM

F. Weight (OZ/SQ yd): Total 9.0
Fabric: 1.5 Coating: Min 1.5

G. Thickness: 10.5 Mill or .0105 in.

H. Coating Adhesion: 5 x 5

I. Color: Yellow

2. General Properties:

A. Hardware: All snaps, buttons, and buckles are to be non-conductive, non corrosive and intrinsically safe.
Material shall be high impact nylon I.E. Delrin.

B. Seams: All seams are to be dielectrically welded.

3. Specific Properties:

A. Flame retardant: Material must be flame retardant per NFPA 701. Material must self-extinguish within 2 seconds after removing ignition source and char average length cannot exceed 4.5 inches.

B. Chemical Resistance: Material must have excellent resistance to inorganic and organic acids, salts, and alkalis.

C. Temperature Spectrum: Material must maintain flexibility within the -25 degrees Fahrenheit to 150 degrees Fahrenheit range.

D. Hydrostatic Resistance: Material must have hydrostatic resistance of equal to or greater than 80 PSI per federal standard 191 method 5512 (Mullen)

E. Material Strength:

Tensile strength: 80 PSI x 75 PSI per federal standard 199 method (5100)

Tongue tear: 30 PSI x 35 psi per federal standard 191 5134.1 (Mullen)

4. Jacket Description: All jackets must include the following:

A. 30 inch length

B. 2-1/2 inch storm fly front

C. Batwing Sleeve Construction

D. Hood has to be permanently attached. Also, hood must be oversized to accommodate protective headgear and have drawstring closure.

5. Pants Description:

All overalls must include the following:

- A. Standard style pants, fly front with drawstring waist
- B. Bib style overall, fly front with 1-1/2 inch width elastic suspender

Series 500 Rainwear

(Bid Items Nos. 0230 thru 0340)

1. Material:

- A. 100 percent polyvinyl chloride coated polyester
- B. Weave type: Circular knit
- C. Weight (oz. /sq. /yd.): Total 10.0
Fabric 8.0 coating: Min. 2.0
- D. Thickness: 12 mill. or 0.012 inch.

E. Color: yellow

2. General Properties:

- A. Hardware: All snaps, buttons and buckles are to be non-conductive. Non-corrosive and intrinsically safe. Material shall be high impact nylon I.E. Delrin
- B. Seams: all seams are to be dielectrically welded.

3. Specific Properties:

- A. Flame Retardant: Material must be flame retardant per NFPA 701 material must self-extinguish within 2 seconds after removing ignition source and average char length cannot exceed 4.5 inches.
- B. Chemical Resistant: Material must have excellent resistance to alcohols and have good resistance to inorganic and organic acids, salts, and alkalis.
- C. Temperature Spectrum: Material must maintain flexibility within the -20 degrees Fahrenheit to 150 degrees Fahrenheit range.
- D. Hydrostatic Resistant: Material must have hydrostatic resistance of equal to or greater than 85 psi – per federal psi - per federal standard 191 method 5512 (Mullen)

E. Material Strength: Tensile strength 90 PSI x 40 PSI per federal standard 199

method (5100)

4. Jacket Description: All jackets must include the following:

A. 30 inch length

B. 2-1/2 inch storm fly front

C. Batwing sleeve construction

D. Permanently attached hood. Hood must be oversized to accommodate protective head gear and have draw-string closure.

5. Pants Description: All overalls must include the following:

A. Bib style overall, fly front with 1-1/2 inch width elastic suspenders

Tough, lightweight protection in a coating of PVC/Nylon/PVC which will not crack or peel in temperatures of -30 degrees to 120 degrees F. Total weight of 9 oz. /sq. yd. with thickness of 12 mills, double-stitched and taped seams. Flame retardant fabric resists abrasion, aging, sunlight, tears and snags.

Note: item 0350 - No. 35 /Neese 35P is not flame retardant.

All garments must be void of holes including pin holes, tears, wrinkles, blisters, blemishes, material delamination and any other defects that reduce chemical and foul weather protection. Each garment **must be packaged** in a separate polyester bag.

DATE: 3/08/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00115784

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DREAMEY@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 3/29/2016 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS
THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Please note requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10,12,13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicted on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 3/31/2018

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

STOCK to 6 WEEKS ARO

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: ORION RIGGING & SUPPLY

ADDRESS: 2910 LAUSAT ST.

CITY, STATE: METairie, LA ZIP: 70001

TELEPHONE: (504) 833-6666 FAX: (504) 836-0497

EMAIL ADDRESS: MIKE@ORIONRIGGING.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 58,694.98

AUTHORIZED SIGNATURE: Mike Massicot

MIKE MASSICOT

Printed Name

TITLE: GENERAL MANAGER

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00115784

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>TWO YEAR CONTRACT FOR A SUPPLY OF HEAVY DUTY INDUSTRIAL RAINWEAR FOR ALL DIVISIONS OF THE JEFFERSON PARISH DEPT. OF PUBLIC WORKS.</p> <p>Technical data and literature are a requirement of bid submission.</p> <p>Vendors will be required to submit complete rainsuits for evaluation purposes, upon request, within ten (10) working days of such request.</p>		
1	185.00	EA	0010 - Jacket With Hood Series 300 Neese 36AJ, Size: XXL	20.52	3,796.20
2	79.00	EA	0020 - Jacket with hood, Series 300, Neese 36AJ, Size: XXXL	22.55	1,781.45
3	21.00	EA	0030 - Jacket with hood, Series 300, Neese 36AJ, Size: 4XL	22.55	473.55
4	32.00	EA	0040 - Jacket with hood, Series 300, Neese 36AJ, Size: 5XL	22.55	721.60
5	172.00	EA	0050 - Pants, standard style, draw string waist, Series 300, Neese 35DTF, Size: Small	15.43	2,653.96
6	30.00	EA	0060 - Pants, standard style, draw string waist, Series 300, Neese 35DTF, Size: Medium	15.43	462.90
7	173.00	EA	0070 - Pants, standard style, draw string waist, Series 300, Neese 35DTF, Size: Large	15.43	2,669.39
8	173.00	EA	0080 - Pants, standard style, draw string waist, Series 300, Neese 35DTF, Size: XLarge	15.43	2,669.39
9	50.00	EA	0090 - Pants, standard style, draw string waist, series 300, Neese 35DTF, Size: XXL	15.43	771.50

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00115784

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	100.00	EA	0100 - Pants, standard style, draw string waist, series 300, <u>Neese 35DTF</u> , Size: XXXL	17,00	1,700.00
11	1.00	EA	0110 - Pants, standard style (elastic waist), Series 300, <u>Neese 35ETF</u> Size: Small	15,43	15,43
12	1.00	EA	0120 - Pants, standard style (elastic waist), series 300, <u>Neese 35ETF</u> Size: Medium	15,43	15,43
13	1.00	EA	0130 - Pants, standard style (elastic waist), series 300, <u>Neese 35ETF</u> Size: Large	15,43	15,43
14	1.00	EA	0140 - Pants, standard style (elastic waist), series 300, <u>Neese 35ETF</u> Size: XLarge	15,43	15,43
15	1.00	EA	0150 - Pants, standard style (elastic waist) series 300, <u>Neese 35ETF</u> , Size: XXLarge	15,43	15,43
16	1.00	EA	0160 - Pants, standard style (elastic waist) series 300, <u>Neese 35ETF</u> , Size: XXXLarge	17,00	17,00
17	1.00	EA	0170 - Pants, bib style overall, series 300, <u>Neese 35BTF</u> , Size: Small	15,43	15,43
18	1.00	EA	0180 - Pants, bib style overall, series 300, <u>Neese 35BTF</u> , Size: Medium	15,43	15,43
19	1.00	EA	0190 - Pants, bib style overall, series 300, <u>Neese 35BTF</u> , Size: Large	15,43	15,43
20	1.00	EA	0200 - Pants, bib style overall, series 300, <u>Neese 35BTF</u> ,	15,43	15,43

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00115784

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
21	1.00	EA	Size: XLarge 0210 - Pants, bib style overall, series 300, Neese 35BTF,	15.43	15.43
22	1.00	EA	Size: XXLLarge 0220 - Pants, bib style overall, series 300, Neese 35BTF,	17.00	17.00
23	30.00	EA	Size: XXXLarge 0230 - Jacket with hood, Series 500, Neese 236AJ, <i>QUOTING NEESE 96 AJ GREEN</i>	27.16	814.80
24	1.00	EA	Size: Small 0240 - Jacket with hood, Series 500, Neese 236AJ, <i>NEESE 96 AJ GREEN</i>	27.16	27.16
25	60.00	EA	Size: Medium 0250 - Jacket with hood, Series 500, Neese 236AJ, <i>NEESE 96 AJ GREEN</i>	27.16	1,629.60
26	1.00	EA	Size: Large 0260 - Jacket with hood, series 500, Neese 236AJ, <i>NEESE 96 AJ GREEN</i>	27.16	27.16
27	170.00	EA	Size: XLarge 0270 - Jacket with hood, series 500, Neese No. 236AJ, <i>NEESE 96 AJ GREEN</i>	27.16	4,617.20
28	1.00	EA	Size: XXLLarge 0280 - Jacket with hood, series 500, Neese No. 236AJ, <i>NEESE 96 AJ GREEN</i>	29.88	29.88
29	1.00	EA	Size: XXXLarge 0290 - Pants, bib style overall, series 500, Neese No. 236BTF, <i>NEESE 96 BTF GREEN</i>	21.57	21.57
30	1.00	EA	Size: Small 0300 - Pants, bib style overall, series 500, Neese 236BTF, <i>NEESE 96 BTF GREEN</i>	21.57	21.57
			Size: Medium		

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
31	1.00	EA	0310 - Pants, bib style overall, series 500, Neese 236BTF <i>NEESE 96 BTF GREEN</i> Size: Large	21.57	21.57
32	1.00	EA	0320 - Pants, bib style overall, series 500, Neese 236BTF <i>NEESE 96 BTF GREEN</i> Size: XLarge	21.57	21.57
33	1.00	EA	0330 - Pants, bib style overall, series 500, Neese No. 236BTF, <i>NEESE 96 BTF GREEN</i> Size: XXLarge	21.57	21.57
34	1.00	EA	0340 - Pants, bib style overall, series 500, Neese No. 236BTF <i>NEESE 96 BTF GREEN</i> Size: XXXLarge	23.74	23.74
35	35.00	EA	0350 - Poncho, attached hood, Universal No. 35, <u>NEESE 35P</u> NOTE: NOT FLAME RETARDANT	21.47	751.45
36	61.00	EA	0360 - Utility Rain Coat, 14 oz./sq.yd. Exterior, Neese 445SC, (961SC) Neoprene <i>Quoting - NEESE 45SC w/o HOOD</i> Interior with detachable hood and stand up corduroy collar. 100 percent water proof with vulcanized 48 inch length and chrome plated snap fasteners, yellow in color, (Lab Safety and Supply Model No. 7E-17826) NEO/NYL/NEO DBL stitch seam Size: Small	46.26	2,821.86
37	61.00	EA	0370 - Utility Rain Coat, 14 oz./sq.yd. Exterior, Neese 445SC, (961SC) Neoprene <i>NEESE 45SC w/o HOOD</i> Interior with detachable hood and stand up corduroy collar. 100 percent waterproof with vulcanized seams, 48 inch length and chrome plated snap fasteners, yellow in color, (Lab safety and supply Model No. 7E-17826) NEO/NYL/NEO DBL stitch seam Size: Medium	46.26	2,821.86
38	61.00	EA	0380 - Utility Rain Coat, 14 oz./sq.yd. Exterior, Neese 445SC, (961SC) Neoprene <i>NEESE 45SC w/o HOOD</i> Interior with detachable hood and	46.26	2,821.86

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00115784

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			stand up corduroy collar.100 percent waterproof with vulcanized seams, 48in. length and chrome plated snap fasteners, yellow in color, (Lab Safety and Supply Model No. 7E-17826) NEO/NYL/NEO DBL stitck seam Size: Large		
39	200.00	EA	0390 - Utility Rain Coat, 14 oz./sq.yd. Exterior, Neese 445SC, (961SC) Neoprene <i>NEESE 45 SC W/O HOOD</i>	46.26	9,252.00
			Interior with detachable hood and stand up corduroy collar.100 percent waterproof with vulcanized seams, 48in. length and chrome plated snap fasteners, yellow in color, (Lab Safety and Supply Model No. 7E-17826) NEO/NYL/NEO DBL stitck seam Size: XLarge		
40	92.00	EA	0400 - Utility Rain Coat, 14 oz./sq.yd. exterior, NEESE 445 SC, (961SC) neoprene <i>NEESE 45 SC W/O HOOD</i>	46.26	4,255.92
			interior with detachable hood and stand up corduroy collar, 100 percent water-proof with vulcanized seams, 48 inch length and chrome plated snap fasteners, yellow in color, (Lab Safety & Supply Model No. 7E-17826) NEO/NYL/NEO DBL stitck seam Size: XXXLarge		
41	93.00	EA	0410 - Utility Rain Coat, 14 oz./sq.yd. exterior, NEESE 445 SC, (961SC) neoprene <i>NEESE 45 SC W/O HOOD</i>	50.95	4,738.35
			interior with detachable hood and stand up corduroy collar, 100 percent water-proof with vulcanized seams, 48 inch length and chrome plated snap fasteners, yellow in color, (Lab Safety & Supply Model No. 7E-17826) NEO/NYL/NEO DBL stitck seam Size: XXXLarge		
42	630.00	EA	0420 - Hood, detachable, for Item Nos. 0370 and 0400 (Lab Safety & Supply <i>NEESE 45 HO</i> Item No. 7E-17827) Neese No. 445HO	6.60	4,158.00
43	4.00	EA	0430 - Full length rain coat with detachable hood	5.85	23.40
			Nasco 3500 CY - Neese 1650C Size: Small		
44	4.00	EA	0440 - Full length rain coat with detachable hood	5.85	23.40



CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Orion Rigging & Supply
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Orion Rigging & Supply
INCORPORATED, DULY NOTICED AND HELD ON 3/25/2016,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT MIRE MASSICOT, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

George Mayne
SECRETARY-TREASURER

3/25/16
DATE

36 AJ
Garment Specifications – Neese Industries, Inc.

General

The jacket is to be a minimum of 30” long with adjustments for various sizes. The fabric is a double-coated PVC on a 210-denier nylon.

Colors available: Safety Yellow, Black, Green, White, & Orange
(Florescent Orange available on special request for additional 15%)

Features/specs

- 1) Snap front closure
- 2) Storm Flap 3” Wide and 19” Long
- 3) Raglan shoulder
- 4) Attached hood with drawstring

Stitching

All seams are heat sealed to insure liquid proof seal.

Fabric Specifications

Fabric weight:	8.0 oz/sq.yd (+/- .05)
Thickness:	.30mm
Coating:	PVC
Base fabric:	Nylon
Denier:	210
Mullen Hydrostatic:	140 + PSI
Fire Retardant:	NFPA 701, MVSS 302, CPAI 84, ANSI 1910.369

35 BTF
Garment Specifications – Neese Industries, Inc.

General

The bib style trousers with fly are made from a double-coated PVC on a 210 denier nylon.

Colors available: Yellow, Black, Green, Orange, White

Features/specs

- 1) Elastic suspenders 36" long and 1 ¼" wide. The elastic is a combination of 70% rubber and 30% polyester (2 gauge rubber and 1/150 textured polyester)
- 2) Non-conductive snap closures that fastens suspenders onto garment
- 3) Safety fly with snap closure

Stitching

All stitching, except hems and take-up tabs, are to be double needle stitched. All seams in the garment, except hems, are to be sealed on the coated side of the fabric with a clear 7/8" wide PVC tape making the garment 100% waterproof.

Fabric Specifications

Fabric weight:	8.0 oz/sq.yd (+/- .05)
Coating:	PVC
Base fabric:	Nylon
Denier:	210
Mullen Hydrostatic:	140 + PSI
Tear:	20 x 25
Tensile:	95 x 70
Fire Retardant:	NFPA 701

35 P
Garment Specifications – Neese Industries, Inc.

General

The poncho is to be 42” in length. The fabric is a double-coated PVC on a 210 denier nylon.

Colors available: Yellow, Black, Green, Orange

Features/specs

- 1) Attached hood with drawstring
- 2) Snaps on sides for closure
- 3) Patch pocket with flap on front chest

Stitching

All stitching, except hems and pockets, are to be double needle stitched. All seams in the garment, except hems and pocket, are sealed on the coated side of the fabric with a clear 7/8" wide PVC tape making the garment 100% waterproof.

Fabric Specifications

Fabric weight:	8.0 oz/sq.yd (+/- .05)
Coating:	PVC
Base fabric:	Nylon
Denier:	210
Mullen Hydrostatic:	140 + PSI
Tear:	20 x 25
Tensile:	95 x 70
Fire Retardant:	NFPA 701

1650C
Garment Specifications - Neese Industries, Inc.

General

The coat is to be a minimum of 48" long with adjustments for various sizes. The garment is constructed with a single-ply PVC coated polyester.

Colors available: Yellow and Black

Features

- 1) Detachable hood with drawstring
- 2) Raglan shoulder design
- 3) Snap front closure with storm flap
- 4) Slash pockets
- 5) Underarm vents
- 6) Vented back
- 7) Take up snaps on sleeves

Seams

All seams are electronically welded together making the garment 100% waterproof. There will be no raw edges on any hem of the garment.

Fabric Specifications

Fabric weight (Total):	5.8 +/- .10 oz/sq.yd
Coating:	Polyvinyl chloride
Base Fabric:	Polyester
Thickness:	15 mils - .35mm
Flame Retardancy:	Federal Test Method Standard 191A Method 5903.1

45 SC
Garment Specifications – Neese Industries, Inc.

General

The coat length is to be a minimum of 48” long with adjustments for various sizes.
The fabric is a Neoprene on a 210 denier nylon.

Colors available: Safety Yellow, Green, & Orange

Features/specs

- 1) Snap front
- 2) Storm flap
- 3) Snaps on Collar for Detachable Hood
- 4) Raglan shoulder design to allow for easy movement

Stitching

All stitching, except hems, are to be double needle stitched. All seams in the garment, except hems, are to be sealed on the coated side of the fabric with a clear 7/8" wide PVC tape making the garment 100% waterproof.

Fabric Specifications

Fabric weight:	12.8 oz/sq.yd (+/- .05)
Thickness:	.34mm
Coating:	Neoprene
Base fabric:	Nylon
Denier:	210
Mullen Hydrostatic:	178
Tear:	16.5
Tensile:	109

45 HO
Garment Specifications – Neese Industries, Inc.

General

The hood is used to attach onto a jacket (SJ) or coat (SC). The fabric is a Neoprene on a 210 denier nylon.

Colors available: Safety Yellow, Green, & Orange

Features/specs

- 1) Hood with drawstring for closure
- 2) Snaps on base to jacket or coat collar

Stitching

All stitching, except hems, are to be double needle stitched. All seams in the garment, except hems, are to be sealed on the coated side of the fabric with a clear 7/8" wide PVC tape making the garment 100% waterproof.

Fabric Specifications

Fabric weight:	12.8 oz/sq.yd (+/- .05)
Thickness:	.34mm
Coating:	Neoprene
Base fabric:	Nylon
Denier:	210
Mullen Hydrostatic:	178
Tear:	16.5
Tensile:	109

96 AJ
Garment Specifications – Neese Industries, Inc.

General

The jacket is to be a minimum of 30” long with adjustments for various sizes. The fabric is PVC on knit polyester.

Colors available: Green, Olive Drab, & Red

Features/specs

- 1) Snap front closure
- 2) Storm Flap
- 3) Batwing shoulder design
- 4) Attached hood with drawstring

Stitching

All seams are double welded heat sealed to insure liquid proof seal. The unfinished hems are single lock stitched.

Fabric Specifications

Fabric weight:	13 oz/sq.yd (+/- .05)
Thickness:	.40mm
Coating:	PVC
Base fabric:	Polyester Knit
Tear:	10 x 6
Tensile:	100 x 60
Mullen Hydrostatic:	100
Fire Retardant:	FTMS 191A

96 BT
Garment Specifications – Neese Industries, Inc.

General

The bib style trousers with fly are made from PVC on knit polyester.

Colors available: Green, Olive Drab, & Red

Features/specs

- 1) Elastic suspenders 36" long and 1 ¼" wide. The elastic is a combination of 70% rubber and 30% polyester (2 gauge rubber and 1/150 textured polyester)
- 2) Non-conductive snap closures that fastens suspenders onto garment

Stitching

All seams are double welded heat sealed to insure liquid proof seal. The unfinished hems are single lock stitched.

Fabric Specifications

Fabric weight:	13 oz/sq.yd (+/- .05)
Thickness:	.40mm
Coating:	PVC
Base fabric:	Polyester Knit
Tear:	10 x 6
Tensile:	100 x 60
Mullen Hydrostatic:	100
Fire Retardant:	FTMS 191A