

DATE: 9/13/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00120978

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>7-10 DAYS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>CRAWFORD ELECTRIC SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Roni Spurlock</u>	TITLE: <u>Operation Mgr.</u>
PRINT OR TYPE NAME: <u>LONI SPURLOCK</u>	
ADDRESS: <u>200 L + A ROAD</u>	
CITY, STATE: <u>METairie, LA</u>	ZIP: <u>70001</u>
TELEPHONE: <u>(504) 731-0480</u>	FAX: <u>(504) 731-0490</u>
EMAIL ADDRESS: <u>JLEBLARC AT CESCO LTP. COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 5920.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	160.00	FT	<p>WIRING NEEDED FOR THE JEFFERSON PARISH EB PARKS & RECREATION DEPARTMENT</p> <p>0010 PRRT 350-04 Type W 350 MCM S.O. Cord Copper conductors 4 wire or equal</p> <p>Cut 2 pieces 1 piece 100 foot long 1 piece 60 foot long</p> <p>Contact: Roy Blum (504) 736-6999 ext. 126</p>	37.00 FT	5920.00

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.


ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

FOB DELIVERED

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq, and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.



Type W 4 & 5 Conductors 90°C 600/2000V

Part Number	AWG Size	No. of Conductors	Conductor Strand	Nominal Insulation Thickness		Nominal Overall Diameter		Net. Weight lbs./M	Current Amps*
				inches	mm	inches	mm		
8-04 TYPEW	8	4	133	0.060	2.41	0.97	24.6	656	52
6-04 TYPEW	6	4	259	0.060	1.52	1.11	28.3	908	69
4-04 TYPEW	4	4	259	0.060	1.52	1.26	32.1	1262	91
2-04 TYPEW	2	4	259	0.060	1.52	1.47	36.3	1759	121
1-04 TYPEW	1	4	259	0.080	2.03	1.71	43.4	2322	141
1/0-04 TYPEW	1/0	4	266	0.080	2.03	1.78	45.2	2721	164
2/0-04 TYPEW	2/0	4	342	0.080	2.03	1.89	48.0	3293	189
3/0-04 TYPEW	3/0	4	418	0.080	2.03	2.02	51.4	3849	219
4/0-04 TYPEW	4/0	4	532	0.080	2.03	2.22	56.3	4765	252
250-04 TYPEW	250	4	627	0.095	2.41	2.61	66.2	5579	281
350-04 TYPEW	350	4	888	0.095	2.41	2.92	74.2	7329	346
500-04 TYPEW	500	4	1221	0.095	2.41	3.34	84.8	9896	428
8-05 TYPEW	8	5	133	0.060	1.52	1.07	27.2	776	52
6-05 TYPEW	6	5	259	0.060	1.52	1.24	31.5	1024	69
4-05 TYPEW	4	5	259	0.060	1.52	1.36	35.2	1432	91
2-05 TYPEW	2	5	259	0.060	1.52	1.56	39.8	2051	121
1-05 TYPEW	1	5	259	0.060	1.52	1.85	47.1	2665	141
1/0-05 TYPEW	1/0	5	266	0.080	2.03	1.98	50.4	3406	164
2/0-05 TYPEW	2/0	5	342	0.080	2.03	2.13	54.1	3596	189
3/0-05 TYPEW	3/0	5	418	0.080	2.03	2.27	57.6	4728	219
4/0-05 TYPEW	4/0	5	532	0.080	2.03	2.46	62.6	5512	252

All values are nominal and subject to correction

* Ampacity - Free air measured. Based on continuous duty at 90°C conductor temperature per 2011 NEC Table 400.5(A)(2)

Application: Type W is for use in heavy duty power systems as power supply cable such as: AC systems (grounded and ungrounded); mobile and portable electrical equipment; motor and battery leads. 4 conductor constructions are for three phase systems with one conductor being used as a ground. 5 conductor constructions are for three phase systems where one conductor is used as a neutral and one conductor being used as a ground. Type W is for applications up to 2000 volts and temperatures from -40°C to +90°C.

Conductors: Flexible strand soft drawn tin coated copper conductor per B-172 and ICEA S-75-381/NEMA WC58

Separator: Tape separator between conductor and insulation.

Insulation: Ethylene-propylene rubber (EPR) per ICEA S-75-381

Reinforcement: Single faced rubber filled binder tape over insulation.

Jacket: Black heavy duty CPE thermoset compound per ICEA S-75-381.

Standards:
 MSHA Approved
 UL 44
 NEMA WC-58
 NEMA WC-70
 ICEA S-75-381
 ICEA S-95-658
 ASTM B 172
 ASTM B 33
 Sunlight Resistant
 C(UL) FT1 & FT4