

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 10/12/19

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

VARIOUS DATES

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: COMMERCIAL VAN + TRUCK EQUIPMENT, INC.

ADDRESS: 1418 DISTRIBUTORS ROW

CITY, STATE: HARRAHAN, LA ZIP: 70123

TELEPHONE: 504 734-1125 FAX: 504 734-0769

EMAIL ADDRESS: TAbadie@401.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1 JA
NUMBER: #2 JA
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 529260.00

AUTHORIZED SIGNATURE: [Signature]

TITLE: OWNER / PARTNER

TERRY E. ABANDÉ
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO (2) YEAR CONTRACT FOR VEHICLE BODIES AND ACCESSORIES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT		
1	10.00	EA	0001 - ELECTRIC BACKUP ALARM (INTALLED) <i>Ecco 510</i>	<i>69.00</i>	<i>690.00</i>
2	10.00	EA	0002 - MUD FLAPS INSTALLED		
3	10.00	EA	0003 - VAN BODY INTERIOR DOME LIGHTS INSTALLED		
4	10.00	EA	0004 - VAN BODY ROOF VENTS		
5	10.00	EA	0005 - FIRE EXTINGUISHER 5 LB. ABC TYPE MOUNTED IN CAB.	<i>79.00</i>	<i>790.00</i>
6	10.00	EA	<i>Amgex 8402T</i> 0006 - DOT EMERGENCY ROAD SAFETY KIT MOUNTED IN CAB.		
7	10.00	EA	0007 - SPARE TIRE CARRIER-FRAME MOUNTED UNDERBODY (INSTALLED & PAINTED)		
8	10.00	EA	0008 - SPARE TIRE CARRIER - INTERIOR OF TRUCK BODY (INSTALLED AND PAINTED)		
9	10.00	EA	0009 - HEAVY DUTY STEEL FLATBED TRUCK BODY INSTALLED & PAINTED HEAVY DUTY 10'5L X 8'0"W STEEL STAKE TRUCK BODY CONSTRUCTED OF 6" STRUCTURAL STEEL CHANNEL LONGSILLS, 4" STRUCTURAL STEEL CHANNEL CROSSILLS SPACED 12" APART. 5" STRUCTURAL STEEL CHANNEL SIDESILLS, 2" X 4" X 1/4" OUTSIDE STEEL STAKE POCKETS SPACED 24" APART DOWN BOTH SIDES AND REAR WITH 3/8" X 3" OUTSIDE CHAIN RAIL. ONE PIECE 3/16" SAFETY HEAVY DUTY STEEL FLATBED TRUCK BODY WELDED. HEAVY DUTY STEEL BULKHEAD CONSTRUCTED OF 2 1/2" X 2 1/2" X 1/4" STEEL SQUARE TUBE FOUR POST FRAME COVERED BY 3/16" TREADPLATE STEEL BELOW WINDOW AND #3 EXPANDED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	10.00	FT	<p>METAL ABOVE. HEAVY DUTY ICC BUMPER REINFORCED TO TRUCK. FMVSS ARMOUR TYPE LIGHTING WITH WIRING IN CONDUIT. REAR WHEEL MUD FLAPS SANDBLASTED, ZINC PHOSPHATE PRIMED AND FINISH PAINTED 5 MILS THICKNESS ENAMEL PAINTED TO HEAVY DUTY STEEL FLATBED TRUCK BODY U-BOLTS AND 20 YR. CELCURE RISERS.</p> <p>0010 - ADDITIONAL LENGTH OF FLATBED PER FOOT</p>		
11	10.00	EA	<p>0011 - HEAVY DUTY REMOVABLE STEEL RACK SIDES, 42" HIGH</p>		
12	10.00	EA	<p>DOWN BOTH SIDES & REAR OF FLATBED, 4 SLATS HIGH WITH AUTOMATIC LOCKDOWNS. INTERLOCKING CONNECTORS AND PRIMED AND FINISH PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT OF FLATBED.</p> <p>0012 - HEAVY DUTY STEEL CONTRACTOR 16 IN HIGH SIDES AND TAILGATE DOWN EACH SIDE</p>		
13	10.00	EA	<p>AND REAR OF FLATBED. 10 GA. STEEL CONSTRUCTION, SIDE CHANNEL POSTS ON 2 FT. CENTERS HINGED REAR TAILGATE. 3 BEND TOP RAIL. FLANGED BOTTOM RAIL. PRIMED AND PAINTED TO MATCH FLATBED. PRICE PER LINEAR FOOT OF FLATBED.</p> <p>0013 - STEP UP AND GRAB HANDLES ON TRUCK BODY - INSTALLED AND PAINTED.</p>		
14	10.00	EA	<p>0014 - VAN BODY INTERIOR PARTITIONS SOLID INSTALLED & PAINTED</p>		
15	10.00	EA	<p>0015 - VAN BODY INTERIOR PARTION SCREEN INSTALLED & PAINTED - SCREEN TYPE WITH DOOR</p>		
16	10.00	EA	<p>0016 - INTERIOR SEATS-FOUR PASS-VAN BODY WITH SEAT BELTS. UPON PURCHASE, MUST INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND)-COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE.</p>		
17	10.00	EA	<p>0017 - INTERIOR SEATS-THREE PASS-VAN BODY WITH SEAT BELTS.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MUST INCLUDE VEHICLE DOT RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE WITH PURCHASE		
18	10.00	EA	0018 - INTERIOR SEATS-TWO PASS-VAN BODY WITH SEAT BELTS. UPON PURCHASE, MUST INCLUDE VEHICLE RECERTIFICATIONS (INCLUDING BOND) - COMMERCIAL VEHICLE ALTERATION TO PASSENGER VEHICLE.		
19	10.00	EA	0019 - STAR MODEL #1500-A-51 LIGHT BAR WITH CAB CONTROLS.	1595.00	15950.00
20	10.00	PR	0020 - REAR TOWHOOKS. FRAME MOUNTED STANDARD DUTY FOR UP TO 14,500 GVWR TRUCKS <i>1500 STAR ALL AMBER INSTALLED</i>		
21	10.00	PR	0021 - REAR TOW HOOKS - FRAMED MOUNTED HEAVY DUTY FOR 14,500 GVW TO 33,000 GVW.		
22	10.00	PR	0022 - REAR TOW HOOKS - FRAME MOUNTED EXTRA HEAVY DUTY FOR OVER 33,000 GVW.		
23	10.00	EA	0023 - TRAILER HITCH 1 7/8 IN. CLASS 1V HITCH PART #1801005 WITH A 2 INCH BALL HITCH ASSEMBLY.		
24	10.00	EA	0024 - TRAILER HITCH 2 5/8 IN BALL HITCH ASSEMBLY.		
25	10.00	EA	0025 - TRAILER HITCH-COMBINATION BALL HITCH/PINTLE HITCH (16,000 LBS.) 2 5/16" BALL.		
26	10.00	EA	0026 - TRAILER HITCH-STANDARD DUTY PINTLE HITCH (8 TON).		
27	10.00	EA	0027 - TRAILER HITCH-HEAVY DUTY PINTLE HITCH (49,000 LB GVW CAPACITY)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
28	10.00	EA	0028 - TRAILER BRAKE CONTROL KITS ALL ELECTIRC WITH SIX WAY PLUG (INSTALLED) <i>TSKONSHA 9030</i>	<i>249.00</i>	<i>2490.00</i>
29	10.00	EA	0029 - UNDERBODY TOO BOX - 24 IN L X 18 IN. H X 18 IN. D WITH STAINLESS STEEL HINGES AND LOCK (PAINTED AND INSTALLED)		
30	10.00	EA	0030 - UNDERBODY TOOL BOX - 36 IN L X 18 IN. H X 18. D WITH STAINLESS STEEL HINGES AND LOCK (PAINTED AND INSTALLED)		
31	10.00	EA	0031 - UNDERBODY TOOL BOX-48"L X 18"H X18"D WITH STAINLESS STEEL HINGES AND LOCK (PAINTED & INSTALLED)		
32	10.00	EA	0032 - UNDERBODY TOOL BOX - 60 IN L X 18 IN. H X 18 IN. D WITH STAINLESS STEEL HINGES AND LOCK (PAINTED AND INSTALLED).		
33	10.00	FT	0033 - FULL AUTOMATIC 12 VOLT ELECTRIC TARP RACK SYSTEM COMPLETE WITH CAB CONTROLLER AND ALL OTHER FEATURES AS DESCRIBED ABOVE EXCEPT HAND CRANK PRICE PER FOOT LENGTH OF BODY.		
34	10.00	FT	0034 - HEAVY DUTY 1-1/2" PIPE TARP RACK ASSEMBLY REINFORCED DOGLEG OFF SET BEARING TYPE HAND CRANK. TAILGATE BUMPERS AND HEAVY DUTY 16 OZ. NYLON REINFORCED TARPULIN - INSTALLED & PAINTED. PRICE PER FOOT LENGTH OF BODY		
35	10.00	EA	0035 - DUMPBODY AIR RELEASE TAILGATE SYSTEM COMPLETE WITH CAB CONTROLLER AND AIR RELEASE CYLINDER MOUNTED AT FRONT OF DUMP BODY WITH MANUAL OVERRIDE RELEASE CONTROL SYSTEM		
36	10.00	EA	0036 - DUMP BODY CAB PROTECTORS (INSTALLED AND PAINTED)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
37	10.00	EA	0037 - HEAVY DUTY FULL WIDTH REAR DOZER PUSH PLATE REINFORCEMENT FOR DUMP BODIES (INSTALLED & PAINTED) SIDE PLATES 3/4 " THICK X 12" X 24" LONG TWO (2) "V" BRACES - 3/8" X 6 FLATBAR WIDTH.		
38	10.00	EA	0038 - 10 FT. THRU 12 FT. BODY-DY UNDERBODY TYPE DUMP HOISTS FOR FLATBED BODIES (INSTALLED WITH PTO)		
39	10.00	EA	0039 - 14 FT THRU 16 FT. UNDERBODY TYPE DUMP HOIST FOR FLATBED BODIES (INSTALLED WITH PTO).		
40	10.00	EA	0040 - 16 FT. THRU 20 FT. BODY TWIN TELESCOPE TYPE DUMP BODY HOIST FOR FLATBED BODIES (INSTALLED WITH PTO)		
41	10.00	EA	0041 - AUXILIARY REFUELING SYSTEM SYSTEM COMPLETE WITH THE FOLLOWING: A. ONE PRIOR MODEL R30 RECTANGULAR STEEL FUEL TANK, 30 GALLON CAPACITY, MOUNTED UNDER VAN FLOOR ON LEFT SIDE OF VEHICLE AGAINST CHASSIS FRAME WITH FILL LINE TO SIDE OF VAN SKIRTING. B. ONE FILL RITE MODEL 1P894 FUEL TRANSFER PUMP 12 VOLT DC POWER FROM TRUCK BATTERY UP TO 13.6 PM. C. ONE SPEEDAIRE MODEL 52026 HOSE REEL SPRING AUTOMATIC REWIND WITH AUXILIARY REFUELING SYSTEM NOZZLE (NON DRIP AUTOMATIC SHUT-OFF) D. ONE RAWSON MODEL UBW36 UNDER BODY TOOL BOX FOR STORAGE OF HOSE REEL. E. ONE RED WARNING LIGHT FOR PUMP ON CAB OF VEHICLE. G. TO BE LOCATED IN A PLACE AGREED ON BY BOTH INSTALLER AND REPRESENTATIVE OF THE DEPARTMENT. TOTAL SYSTEM PRICE (INSTALLED)		
42	10.00	EA	0042 - MASTER LOCK SYST-SERV TRUCK BODY		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
43	10.00	EA	0043 - LADDER/PIPE RACKS - BOW TYPE ON SERVICE TRUCK BODY (INSTALLED & PAINTED)		
44	10.00	EA	0044 - LADDER/PIPE RACKS - SIDE MOUNT ON SERVICE TRUCK BODY (INSTALLED & PAINTED)		
45	10.00	FT	0045 - FULL HEIGHT PLYWOOD INTERIOR LINING IN VAN TRUCKS. PRICE PER LINEAR FOOT OF VAN BODY		
46	10.00	EA	0046 - LADDER/PIPE RACKS - FULL LENGTH TO CAB HEAVY DUTY PIPE RACK (5,000 LB. CAPACITY) ON SERVICE TRUCK BODY WITH FULL LENGTH SERVICE BODY REINFORCEMENT. (INSTALLED & PAINTED)		
47	10.00	EA	0047 - REPLACEMENT TODCO ROLL-UP DOOR ASSEMBLY INSTALLED IN VAN BODY		
48	10.00	EA	0048 - HEAVY DUTY TRUCK 5TH WHEEL 24" AIR SLIDE WITH CAB CONTROLS (INSTALLED & PAINTED)		
49	10.00	EA	0049 - HEAVY DUTY TRUCK 5TH WHEEL- OSCILLATING FIFTH WHEEL (INSTALLED & PAINTED)		
50	10.00	EA	0050 - REPL HVDTY 2" TRAILER KINGPINS- FIXED TYPE (INSTALLED & PAINTED)		
51	10.00	EA	0051 - REPL HVDTY 2" TRAILER KINGPINS- FIXED TYPE (INSTALLED & PAINTED)		
52	10.00	EA	0052 - HYDRAULIC TRUCK TAILGATES 1500 LBS CAPACITY PICKUP TRUCK		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
53	10.00	EA	TAILGATE 56"W X 26"D LOAD PLATFORM PLUS 5" RAMP AND WIDTH RECESSED HITCH TYPE REAR BUMPER (PAINTED & INSTALLED) 0053 - HYDRAULIC TRUCK TAILGATES 2000 LBS CAPACITY STOWAWAY TYPE		
54	10.00	EA	TAILGATE 84"W X 36"D LOAD PLATFORM PLUS 5" RAMP AND OUTSIDE CHANNEL LIFT ARMS WITH DOCK BUMPERS (PAINTED & INSTALLED) 0054 - HYDRAULICK TRUCK TAILGATES 1250 LBS CAPACITY RAIL-TYPE TAILGATE		
55	10.00	EA	85"W X 30"D LOAD PLATFORM PLUS 5" RAMP FOR STEP VAN BODIES WITH ROLL UP DOORS ONLY.(PAINTED & INSTALLED) 0055 - POWER ROTATION FOR TRUCK SERVICE 2000 LBS. SERVICE CRANE, 2000 LBS. CAPACITY 4' TO 7' EXTENDABLE BOOM.		
56	10.00	EA	0056 - TRUCK SERVICE CRANE 2000 LBS 4'-7' CAPACITY 4' to 7' EXTENDABLE BOOM. ELECTRIC HOIST WITH CABLE. LINE BLOCK AND HOOK JACKLEG STABILIZER. OVERLOAD WARNING DEVICE (INSTALLED AND PAINTED)		
57	10.00	EA	0057 - HVDUTY SERV TRUCKBODY 56" DUAL FOR 56" C/A DUAL WHEEL TRUCK. 96"L X 94"W X 40"H. SIX COMPARTMENTS 20" DEEP COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL-STAINLESS STEEL HARDWARE. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH ITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. HVDUTY SERV TRUCKBODY 56" DUAL		
58	10.00	EA	0058 - DUTY SERV TRUCK BODY 56" SINGLE FOR 56" C/A SINGLE WHEEL TRUCK. 96"L X 79"W X 36"H. SIX COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL-		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	10.00	EA	<p>STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH HITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED.</p> <p>0059 - HEAVY DUTY SERV TRUCKBODY 56" DUAL FOR 56" C/A DUAL WHEEL TRUCK.</p>		
60	10.00	EA	<p>96"L X 94"W X 40"H. SIX COMPARTMENTS 20" DEEP COMPARTMENTS. 14 GA. GALVANEAL STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL-STAINLESS STEEL HARDWARE. 12 GA. TREADPLATE STEEL FLOOR. HEAVY DUTY REAR BUMPER WITH ITCH RECESS. FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED & INSTALLED. HVYDUTY SERV TRUCKBODY 56" DUAL</p> <p>0060 - REPLACEMENT DUMP BODY-HEIL SL 2/3 YD. MODEL SL 2/3 YD. 8'L X 7"W DUMP</p>		
61	10.00	EA	<p>0061 - REPLACEMENT DUMP BODY-HEIL SL 6/8 YD. MODEL SL 6/8 YD. 10'L X 8"W DUMP</p> <p>BODY, PAINTED & INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTORS.</p>		
62	10.00	EA	<p>0062 - REPLACEMENT DUMP BODY-HEIL HH 6/8 YD. MODEL HH 6/8 YD.10'L X 8"W DUMP</p> <p>BODY, PAINTED & INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS.</p>		
63	10.00	EA	<p>0063 - REPLACE DUMP BODY-HEIL LH 10/12 YD MODEL LH 10/12 Yd. 13'L X 8"W</p> <p>DUMP BODY, PAINTED & INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND CAB PROTECTORS.</p>		
64	10.00	EA	<p>0064 - REPLACE DUMP BODY-HEIL SL 15 1/2 YD MODEL SL 15 1/2 YD. 16'L X 8"W</p> <p>TRASH DUMP BODY, PAINTED & INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTORS.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
65	10.00	EA	0065 - REPLACE DUMPBODY HOIST HEIL 1520 MODEL 1520DLE HOIST, INSTALLED WITH PTO AND CAB CONTROLS		
66	10.00	EA	0066 - REPLACE DUMP BODY HOISTS HEIL 1721 HEIL MODEL 1721 HOIST, INSTALLED WITH PTO AND CAB CONTROLS		
67	10.00	EA	0067 - REPLACE DUMP BODY HOISTS HEIL 2724 HEIL MODEL 2724 HOIST, INSTALLED WITH PTO AND CAB CONTROLS		
68	10.00	EA	0068 - REPLACE DUMPBODY HOISTS 2T52-56 HEIL MODEL 2T52-56 HOIST, INSTALLED WITH PTO AND CAB CONTROLS		
69	10.00	EA	0069 - FUEL ROLLBACK EQUIP LOADER 20'LX8 W LOADER TURCK BODY, 20'L X 8'W, W/EXTRA HEAVY DUTY STEEL FLATBED TRUCK BODY, BULKHEAD, 12,000 LB. HYDRAULIC WINCH, DUAL TILT CYLINDERS, FULL ROLL BACK CYLINDERS, PTO, SIDE CONTROLS, FMVSS #108 LIGHTS, FLAPS, PAINTED & INSTALLED		
70	10.00	EA	0070 - HOOK-LIFT TRUCK HYDRAULIC SYSTEM UNIT TO LIFT FLATBED AND DUMP FLATBED WITH HEAVY DUTY 16'L X 8' W STEEL FLATBED CAB CONTROLS. PTO, FMVSS #108 LIGHTS, FLAPS, PAINTED & INSTALLED.		
71	10.00	EA	0071 - RAWSON-KOENIG MODEL ST-63 TOOLBOX (OR EQUAL) STEEL CROSSOVER TOOL BOX, MINIMUM 14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK U, TRUCK.	680.00	6800.00
72	10.00	EA	0072 - RAWSON KOENIG MODEL ST-63W TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX, MINIMUM 14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.	823.00	8230.00
73	10.00	EA	0073 - RAWSON KOENIG MODEL ST-63D TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
74	10.00	EA	<p>MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.</p> <p>0074 - RAWSON KOENIG MODEL ST63WD TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,</p>	1051.00	10510.00
75	10.00	EA	<p>MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.</p> <p>0075 - RAWSON-KOENIG MODEL ST-56U TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,</p>	636.00	6360.00
76	10.00	EA	<p>MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.</p> <p>0076 - RAWSON KOENIG MODEL C-56 TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,</p>	644.00	6440.00
77	10.00	EA	<p>MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.</p> <p>0077 - RAWSON-KOENIG MODEL M451NM TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,</p>	550.00	5500.00
78	10.00	EA	<p>MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.</p> <p>0078 - RAWSON-KOENIG MODEL I43-S TOOLBOX (OR EQUAL) LOWER SIDE TOOL BOX, MINIMUM</p>	328.00	3280.00
79	10.00	EA	<p>14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICK UP TRUCK.</p> <p>0079 - RAWSON KOENIG MODEL M60FW1NM TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,</p>		
80	10.00	EA	<p>MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK.</p> <p>0080 - RAWSON KOENIG MODEL MTB602NM TOOL BOX (OR EQUAL) STEEL CROSSOVER TOOL BOX,</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
81	10.00	EA	MINIMUM 14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. 0081 - RAWSON KOENIG MODEL 50-S TOOL BOX (OR EQUAL) LOWER SIDE TOOL BOX, MIN	390.00	3900.00
82	10.00	EA	14 GA STEEL CONSTRUCTION, WITH STAINLESS STEEL DORR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICK UP TRUCK. 0082 - RAWSON KOENIG MODEL 61S TOOL BOX (OR EQUAL) LOWER SIDE TOOL BOX, MINIMUM	429.00	4290.00
83	10.00	EA	14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DORR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. 0083 - RAWSON-KOENIG MODEL 67-S TOOL BOX (OR EQUAL) LOWER SIDE TOOL BOX, MINIMUM	437.00	4370.00
84	10.00	EA	14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICK UP TRUCK. 0084 - RAWSON-KOENIG MODE 88-S TOOL BOX (OR EQUAL) UPPER SIDE TOOL BOX, MINIMUM	578.00	5780.00
85	10.00	EA	14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. 0085 - RAWSON-KOENIG MODEL US900 TOOLBOX (OR EQUAL) UPPER SIDE TOOL BOX, MINIMUM	821.00	8210.00
86	10.00	EA	14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. US90C 0086 - RAWSON-KOENIG MODEL US96C TOOLBOX (OR EQUAL) UPPER SIDE TOOL BOX, MINIMUM	840.00	8400.00
87	10.00	EA	14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED, FOR PICK UP TRUCK. 0087 - RAWSON-KOENIG MODEL C-63A TOOLBOX (OR EQUAL) ALUMINUM CROSSOVER TOOL BOX,	777.00	7770.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
88	10.00	EA	MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. 0088 - RAWSON-KOENIG MODL C-63WA TOOLBOX (OR EQUAL) ALUMINUM CROSSOVER TOOL	856.00	8560.00
89	10.00	EA	BOX, MINIMUM .125 GA ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. 0089 - RAWSON-KOENIG MODEL C-56A TOOLBOX (OR EQUAL) ALUMINUM CROSSOVER TOOL BOX	699.00	6990.00
90	10.00	EA	MINIMUM .125 GA ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. 0090 - RAWSON-KOENIG MODEL M451NMA TOOL (OR EQUAL) ALUMINUM CHEST TYPE TOOL,	641.00	6410.00
91	10.00	EA	MINIMUM .125 GA ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. 0091 - RAWSON-KOENIGMODEL M60FW1NMA TOOL BOX (OR EQUAL) ALUMINUM CHEST TYPE TOOL		
92	10.00	EA	BOX, MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. 0092 - RAWSON-KOENIGMODEL MTB60-2NMA TOOL BOX OR EQUAL) ALUMINUM CHEST		
93	10.00	EA	TYPE TOOL BOX, MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. 0093 - RAWSON-KOENIG MODEL 43-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL BOX,	443.00	4430.00
94	10.00	EA	MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK. 0094 - RAWSON-KOENIG MODEL 50-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL BOX,	443.00	4430.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
95	10.00	EA	<p>MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.</p> <p>0095 - RAWSON-KOENIG MODEL 67-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL BOX,</p>	499.00	4990.00
96	10.00	EA	<p>MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.</p> <p>0096 - RAWSON-KOENIG MODEL 88-SA TOOLBOX (OR EQUAL) ALUMINUM LOWER SIDE TOOL BOX,</p>		
97	10.00	EA	<p>MINIMUM .125 GA. ALUMINUM CONSTRUCTION WITH STAINLESS STEEL HARDWARE, DOOR SEALS & INSTALLATION FOR PICK UP TRUCK.</p> <p>0097 - BUYERS MODEL PH-15-HOOK ASSEM 15 TON HOOK ASSEMBLY 15 TON CAPACITY -</p>		
98	10.00	EA	<p>REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.</p> <p>0098 - BUYERS MODEL PH-5-PINTLEHOOK 5 TON PINTLE HOOK ASSEMBLY 5 TON</p>		
99	10.00	EA	<p>CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED.</p> <p>0099 - BUYERSMODEL BP100A PINTLEHOOK 10 TON OR EQUAL PINTLE HOOK ASSEMBLY 10 TON</p>		
100	10.00	EA	<p>CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED</p> <p>0100 - BUYERS MODEL BP125AHOOK ASSEM 15 TON HOOK ASSEMBLY 15 TON ASSEMBLY -</p>		
101	10.00	EA	<p>REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED</p> <p>0101 - BUYERS MDEL BP760-PINTLEHOOK 24.5 TON PINTLE HOOK ASSEMBLY 24.5 TON</p>		
102	10.00	EA	<p>CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED</p> <p>0102 - BUYERS MODEL BP1238-DRAWBAR EYE 3" DRAWBAR EYE 3" I.D. 11 TON -</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
103	10.00	EA	REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED 0103 - BUYERS MODEL DB1385-DRAWBAR EYE 3" DRAWBAR EYE 3" I.D. 11 TON -		
104	10.00	EA	REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED 0104 - BUYERS MODEL DB12492H-DRAWBAR EYE 3" I.D. DRAWBAR EYE 3" I.D. 22 TON -		
105	10.00	EA	REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED 0105 - BUYERS MODEL DB124949-DRAWBAR EYE 3" OR EQUAL DRAWBAR EYE 3" I.D. 22.5 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
106	10.00	EA	0106 - BUYERS MODEL DB1250-15-DRAWBAR EYE 2 1/2" DRAWBAR EYE 2 1/2" I.D. 22 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
107	10.00	EA	0107 - DRAW MODEL DB1250-3-DRAWBAR EYE 2 2" EQUAL DRAWBAR EYE 2 2" I.D. 7.5 TON - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
108	10.00	EA	0108 - BUYERS MODEL PM107-PINTLE MOUNT PLATE REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
109	10.00	EA	0109 - BUYERS MODEL PM812-PINTLE MOUNT PLATE EQUAL PINTLE MOUNT PLATE - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
110	10.00	EA	0110 - BUYERS MODEL BH81780 OR EQUAL COMBINATION HITCH 8 TON CAPACITY REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED		
111	10.00	EA	0111 - BUYERS MODEL BH81780-COMBO HITCH 8 TON EQUAL COMBINATION HITCH 8 TON		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
112	10.00	EA	<p>CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED</p> <p>0112 - BUYERS MODEL BH82516-COMBOHITCH 8 TON EQUAL COMBINATION HITCH 8 TON</p>		
113	10.00	EA	<p>CAPACITY - REPLACEMENT PINTLE HITCHES AND DRAWBARS NOT INSTALLED</p> <p>0113 - SERVICE BODY HEAVY DUTY CANOPY TOP 60" INTERIOR HEIGHT,</p> <p>96" OVERALL LENGTH, TO FIT SERVICE BODY SPECIFIED IN ITEM 1220 ABOVE. CANOPY TOP TO BE COMPLETED WITH STATIONARY ROOF. ONE GLASS IN FRONT PANEL. ONE GLASS IN EACH REAR SWING DOOR PANEL. TWO FULL LENGTH INTERIOR FLUORESCENT LIGHTS. STAINLESS STEEL DOOR HARDWARE. PAINTED INSIDE AND OUTSIDE ONE COLOR TO MATCH CAB.</p>		
114	10.00	EA	<p>0114 - HEAVY DUTY SERVICE TRUCK BODY 60" FOR 60" C/A DUAL REAR WHEEL TRUCK.</p> <p>108"L X 89"W X 41"H. ALL SPECIFICATIONS AS PER ITEM 1210 ABOVE EXCEPT 20" DEEP COMPARTMENTS.</p>		
115	10.00	EA	<p>0115 - HEAVY DUTY SERVICE TRUCK BODY 84" FOR 84" C/A DUAL REAR WHEEL TRUCK</p> <p>132"L X 89"W X 41"H. ALL SPECIFICATION AS PER ITEM 1210 ABOVE EXCEPT 20" DEEP COMPARTMENTS</p>		
116	10.00	EA	<p>0116 - HEAVY DUTY SERV TRUCK CRANE 3200 LB CRANE 3200 LBS. CAPACITY AT 3'</p> <p>ELECTRIC/HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION. 7' TO 11' HYDRAULIC BOOM EXTENSION WITH 11' TO 15' MANUAL BOOM EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17' REMOTE CONTROL PENDANT. 60' OF 1/4 AIRCRAFT CABLE WITH SWIVEL BLOCK, HOOK, & SAFETY LATCH. CRANE REINFORCEMENT IN RIGHT REAR CORNER OF SERVICE HEAVY DUTY SERV TRUCK CRANE 3200 LB IN RIGHT REAR SPRING PACK, 145" MINIMUM SPREAD MANUAL OUT. MANUAL CRANE DOWN REAR OUTRIGGERS, AND BOOM SUPPORT PEDESTAL.</p>		
117	10.00	EA	<p>0117 - CUTAWAY VAN BODY-SPECIAL 1 1/2 TON HEAVY DUTY LOW MOUNT SIDE</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>ACCESS 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS: BODY LENGTH _ 16 FT. _____ COLOR _____ WALK-THRU OPEN PARTITION BETWEEN CAB AND REAR VAN. CUTAWAY: FRONT PANELS CUTAWAY FOR FULL ACCESS TO TRUCK CAB INCLUDING WATER TIGHT SEAL TO CAB. LENGTH: 16'0" MINIMUM INSIDE LENGTH CUTAWAY VAN BODY-SPECIAL 1 1/2 TON Width: 96" minimum exterior width Height: 79" interior height from floor to roof bows. Floor height: Maximum 36" unload floor height from ground. Longsills: 3/8" X 3" steel flat bar U-bolted to truck frame. Crosssills: 3" steel I-beams spaced 12" on centers. Flooring: 1 1/8" thick laminated hardwood with two floor CUTAWAY VAN BODY-SPECIAL 1 1/2 TON cross member. Wheel Wells: Steel wheel wells overrear tires for low floor to ground height. Aerodynamics: Minimum 12" front roof radius and 9" front corner radius. Top front corners: Heavy duty cast Aluminum corner caps with recessed lighting for maximum protection from CUTAWAY VAN BODY-SPECIAL 1 1/2 TON Side Posts: Steel Z posts on 16" centers. Top and Bottom Rails: Heavy duty extruded aluminum Front & Side Exterior Panels: Heavy gauge .050 pre-painted white aluminum Rivets: Spaced on 2" centers on all perimeters Roof Bows: Arched galvanized steel hat channels on 24" centers CUTAWAY VAN BODY-SPECIAL 1 1/2 TON tension installed with no rivets over Van interior area. Interior lining: Full height 1/2" plywood on side walls Rear Header: Heavy duty stainless or galvanized steel painted white Rear Door: Heavy duty overhead roll-up type rear door assembly Rear door seals: Full perimeter CUTAWAY VAN BODY-SPECIAL 1 1/2 TON width water seepage through rear floor entry.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Rear Door Opening: 88" wide X 73" High Side Door: Sliding passenger side door with built in key push button lock Side Door Construction: Minimum 1/2" core prepainted white aluminum plymetal with sealed door perimeter and brush CUTAWAY VAN BODY-SPECIAL 1 1/2 TON construction Side Door Entrance: Located 15 1/2" from inside of front wall Side Door Steps: Bus style side door. Interior two steps to interior floor. Side Door Step Sizes: Minimum 40" Wide X 10" Deep X 8" High Side Door Construction: Skid resistant safety tread plate aluminum Rear Bumper: Heavy duty structural channel reinforced full width skid-resistant 12" deep step bumper with closed vertical plate to prevent under slip and recessed light and license brackets Interior Lights: Two interior dome lights with switch at side door entrance. Exterior Lights: FMVSS #108 exterior van lights recessed for maximum protection. Fuel Fill Neck: Recessed into Van bottom rail.		
118	10.00	EA	0118 - ELECTRIC WINCH - 8,000 LB CAPACITY COMPLETE WITH HEAVY DUTY		
			FRONT BUMPER ASSEMBLY. 4-WAY ROLLER GUIDES, REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FIT PICKUPS, CARRYALLS OR 1 TON CAB CHASSIS)		
119	10.00	EA	0119 - BODY LENGTH: 12'		
120	10.00	EA	0120 - TRAILER BRAKE CONTROL KITS STRAIGHT AIR WITH SEVEN WAY PLUG		
			(INSTALLED)		
121	10.00	EA	0122 - REAR TOW HOOKS (FRAME MOUNTED)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
122	10.00	EA	0123 - MULTI-HITCH PINTLE/BALLTRAILER HITCH		
123	10.00	EA	0124 - ELECTRIC TRAILER BRAKE CONTROL KIT <i>TRONISHA 9030 NOT INSTALLED</i>	129.00	1290.00
124	10.00	EA	0125 - DOT APPROVED HEAVY DUTY SOLID BULKHEAD PARTITION 48" FRONT FROM FRONT OF VAN		
125	10.00	FT	0126 - SOLID WELDED SAFETY TREAD PLATE STEEL VAN BODY FLOORING PRICE PER LINEAR FOOT OF VAN BODY		
126	10.00	EA	0127 - INSULATE VAN SIDES, ROOF, & REAR BULKHEAD WITH MINIMUM 2" INSULATION		
127	10.00	EA	0128 - POWERED VENTILATOR IN VAN ROOF		
128	10.00	EA	0129 - STATIONARY WINDOW IN SIDE DOOR EACH		
129	10.00	EA	0130 - SLIDING WINDOW IN SIDE DOOR EACH		
130	10.00	EA	0131 - ADDITIONAL DRIVER'S SIDE DOOR IN VAN BODY AS SPECIFIED ABOVE		
131	10.00	EA	0132 - VEHICLE AND VAN BODY EXACTLY AS SPECIFIED ABOVE EXCEPT 194" WHEELBASE AND 18' VAN BODY (ALTERED VEHICLE CERTIFICATION TO DOT FOR APPLICABLE FMVSS COMPLIANCE AS OF DATE MUST BE INCLUDED IF VEHICLE WHEELBASE IS ALTERED)		
132	10.00	EA	0133 - TRAILER TOWING PACKAGE		
133	10.00	EA	0134 - FULL LENGHT 24" W HVDUTY STORAGE SHELVES STORAGE SHELVES ATTACHED TO		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
134	10.00	EA	0134 - FULL LENGHT 24" W HVYDUTY STORAGE SHELVES STORAGE SHELVES ATTACHED TO VAN INTERIOR SIDE WALLS FABRICATED OF 1/4" X 3" X 3" STRUCTURAL STEEL ANGLE PERIMETER FRAME-WORK REINFORCED TO VAN FLOORING AND WITH REINFORCED 10 GAUGE EXPANDED FLOORING, PRICE PER SHELF.		
135	10.00	EA	0135 - ADRIAN - MODEL 2256 (OR EQUAL) MASTERACK GENERAL CONTRACTOR COMBINATION INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE <i>SEE ATTACHED DOCUMENT</i>	1933.00	19330.00
136	10.00	EA	0136 - ADRIAN MODEL (OR EQUAL) 4316G GENERAL SERVICE COMBINATION INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE MASTERACK <i>SEE ATTACHED DOCUMENT</i>	1408.00	14080.00
137	10.00	EA	0137 - ADRIAN - MODEL 2251 (OR EQUAL) MASTERACK PLUMBING & HEATING COMBINATION STORAGE INTERIOR BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE. <i>SEE ATTACHED DOCUMENT</i>	2040.00	20400.00
138	10.00	EA	0138 - ADRIAN - MODEL MD501 (OR EQUAL) FOUR DRAWER CABINET MODULE		
139	10.00	EA	0139 - ADRIAN - MODEL 2252 (OR EQUAL) MASTERACK ELECTRICAL CONTRACTOR COMBINATION INTERIOR STORAGE BINS, CABINETS, DRAWERS, SHELVING, HOOK AND RACK MODULE. <i>SEE ATTACHED DOCUMENT</i>	2096.00	20960.00
140	10.00	EA	0140 - ADRIAN - MODEL MD502 (OR EQUAL) HORIZONTAL RACK DRAWER/CABINET MODULE		
141	10.00	EA	0141 - ADRIAN - MODEL MD503 (OR EQUAL)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
142	10.00	EA	RACK MODULE 0143 - ADRIAN - MODEL MD505 (OR EQUAL)		
143	10.00	EA	TWO CABINET DRAWER MODULE 0144 - ADRIAN - MODEL MD506 (OR EQUAL)		
144	10.00	EA	DRAWER CABINET MODULE 0145 - ADRIAN - MODEL MD507 (OR EQUAL)		
145	10.00	EA	DRAWER RACK MODULE 0146 - ADRIAN - MODEL MD509 (OR EQUAL)		
146	10.00	EA	LARGE WORKBENCH MODULE 0147 - ADRIAN - MODEL MD526KD (OR EQUAL)		
147	10.00	EA	STORAGE UNIT 0148 - 2260 EXTRA HEAVY DUTY 80,000 LB CAPACITY HYDRAULIC WINCH ASSEMBLY,		
148	10.00	EA	COMPLETE WITH TWO-SPEED MOTOR, 100' OF 1" DIAMETER WIRE ROPE WITH 4' TAILCHAIN AND HOOK, CABLE ROLLER GUIDES, SECOND HYDRAULIC SYSTEM FOR HYDRAULICALLY REMOVAL GOOSENECK TRAILER CAB AIR CONTROLS, HEADACHE RACK, SERVICE PLATFORM, COMBINATION ALUMINUM STEP-UPS/TOOLBOXES ON EACH SIDE, HEAVY DUTY FULL ALUMINUM FENDERS, REAR FLAPS, 7" DIAMETER TAILROLLER 2260 EXTRA HEAVY DUTY 70,000 LB SKID PLATES, UNDER-RIDE GUARD, AIR- SLIDE FIFTH WHEEL, LOAD LIGHTS, 15" STROBE TYPE FLASHING LIGHT, AND BINDER RACKS INCLUDING COMPLETE INSTALLATION IN READY-TO-WORK CONDITION ON PARISH SUPPLIED HEAVY DUTY TRACTOR.		
149	10.00	EA	0149 - MTI/TECO GEMINI MODEL GS-371P- 4TRSA AERIAL DEVICE FULLY INSTALLED IN READY-TOWORK CONDITION ON PARISH OWNED 26,00 LB GVWR 84" C/A TRUCK CHASSIS AND INCLUDING A HEAVY DUTY AERIAL TYPE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
149	10.00	EA	<p>SERVICE TRUCK BODY, FULLY HYDRAULIC REAR OUTRIGGERS, AUTOMATIC TWO-SPEED THROTTLE CONTROL, UPPER & LOWER CONTROLS BOOM TRAVEL SUPPORT, BUCKET TRAVEL SUPPORT, SAFETY BELT AND LANYARD. 12 V EMERGENCY POWER SYSTEM, HYDRAULIC PLATFORM ROTATOR BUCKET COVER LINER MTI/TECO GEMINI MODEL GS-371P-4TRSA LOWER HYDRAULIC TOOL CIRCUIT, ACCESS LADDER TO BUCKET, BACK-UP ALARM, 15" STROBE TYPE FLASHING LIGHT, AND PAINTED JEFFERSON PARISH WHITE COLOR. UNIT TO BE INSTALLED IN STRICT ACCORDANCE WITH ANSI A922-1990</p>		
150	10.00	EA	<p>0150 - RAILGATE DESIGN LIFTGATE MOUNTED TO REAR OF VAN, MINIMUM</p> <p>SPECIFICATIONS AS FOLLOWS: RAILGATE DESIGN WITH LEVEL RIDE FULL TRAVEL UP AND DOWN FOR MAXIMUM STABILITY AND SAFETY. MINIMUM 2,000 LBS. LOAD CAPACITY. PLATFORM SIZE 90" WIDE BY 42" DEEP PLUS 5" FULL WIDTH LOAD RAMP. TORSION BAR ASSIST PLATFORM CLOSING. SELF-CONTAINED WEATHERPROOF 12 RAILGATE DESIGN LIFTGATE MOUNTED SIDE MOUNT RECESSED TOGGLE SWITCH CONTROL. ICC APPROVED UNDERRIDE PROTECTION - INSTALLED</p>		
151	10.00	EA	<p>0151 - HEAVY SERVICE TRUCK BODY FOR 40"CA TRUCK CHASSIS,80"1X80"Wx41"H,SIX</p> <p>COMPARTMENTS 12 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK AND INSTALLED</p>		
			<p>0152 - VERTICAL LIFT & TRAVERSING AERIAL PLATFORM, SCISSOR LINK LIGHTING DESIGN</p> <p>WITH MINIMUM FOUR LIFT CYLINDERS MINIMUM 60"L x 90"W ALUMINUM WORK PLATFORM TO TRANSVERSE 60" IN BOTH DIRECTORIONS, 42" HIGH FOLDING HANDRAIL FOLDING ACCESS STEPS TO WORK PLATFORM, VERTICAL STABILIZERS, MINIMUM 29'6" WORKING HEIGH MINIMUM 1500 LBS. CAPACITY, FULLY HYDRAULIC OPERATION WITH UPPER AND LOWER</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
152	10.00	EA	ELECTRIC CONTROLS, EMERGENCY MANUAL LOWERING PUMP, SAFETY INTERLOCKING SYSTEM VERTICAL LIFT AND TRAVERSING AERIAL TO PREVENT LIFTING WITHOUT OUTRIGGERS EXTENDED AND TO PREVENT TRUCK MOVEMENT WITH PLATFORM RAISED, UNIT TO MEET ALL APPLICABLE ANSI AND OSHA REGULATIONS, INSTALLED ON PARISH OWNED VEHICLE.		
153	10.00	EA	0153 - COMPLETE CAB QUARD FOR TREE-TRIMMING OPERATIONS FABRICATED OF MINIMUM 2" STEEL TUBE FRAME REINFORCEMENT WITH MINIMUM #3 EXPANDED METAL COVER.		
154	10.00	EA	0154 - RECEIVER TYPE ELECTRIC WINCH ASSEMBLY, MINIMUM 8,000 LB. CAPACITY, COMPLETE WITH 75' CABLE, ROLLER GUIDES, REMOTE HAND CONTROLLER, AND WIRING TO FRONT AND REAR OF VEHICLE.		
154	10.00	EA	0155 - SPRAY-ON TYPE 8' PICKUP BED FULL LINER INCLUDING TAILGATE (RHINO OR EQUAL) <i>LINER X</i>		
155	10.00	EA	0156 - ANIMAL CONTROL TYPE FIBERGLASS TRUCK BODY WITH INSTALLATION ON A 56" C/A TRUCK CHASSIS, (SWAB MODEL ARF OR EQUAL), SIX ANIMAL COMPARTMENTS PLUS ONE STORAGE COMPARTMENT, ONE PIECE FIBERGLASS CONSTRUCTION, 98" L X 78" H OVERALL, 26" W X 30" H X 32" DEEP COMPARTMENTS, SAFETY DOORS ON ALL ANIMAL COMPARTMENTS, 750CFM FRESH AIR BLOWER, BODY SAFETY LIGHTS, FOUR WAY FLASHERS.	<i>469.00</i>	<i>4690.00</i>
156	10.00	EA	0157 - COMMERCIAL TYPE WHEELCHAIR LIFTGATE MINIMUM 1,100 LIFTING CAPACITY, 800 LB. CONTINUOUS LIFTING CAPACITY, 3000LB. ATIC LOAD CAPACITY, LOAD PLATFORM W PASSAGEWAY WIDTH OF 30" AND A LENGTH OF 48", 4 1/4" HIGH SIDES, 3" ADJUSTABLE FULLY AUTOMATIC FOLDING AND UNFOLDING AND OPERATION, 8" ROLL STOP, MANUAL BACKUP SYSTEM, DUAL HANDRAILS, FULL INSTALLATION IN VAN TRUCK.		
157	1.00	EA	0158 - HVY DUTY ALUM LOADING RAMP - 800 LBS MINIMUM CAPACITY, COMPLETE WITH		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
158	10.00	EA	UNDERBODY SLIDE OUT TYPE STORAGE BRACKET WITH ROLLERS, INSTALLED UNDER VAN TRUCK BODY. 0159 - HEAVY DUTY GOOSENECK TRAILER 2-5/16" BALL HITCH ASSEMBLY, HIDE-A-WAY TYPE, 30,000 LB. TRAILER GVWR CAPACITY, THRU-BOLTED TO TRUCK FRAME IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS, INSTALLED IN EITHER FLATBED OR PICKUP BODY.		
159	10.00	EA	0160 - ALUMINUM 6 COMPARTMENT PERSONNEL LOCKER, 88" W X 12" H X 12" D, 10 GAUGE CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF INTERNAL BULKHEAD WALL IN CREW-VAN TRUCK BODY.		
160	10.00	EA	0161 - ALUMINUM 6 COMPARTMENT TOOL LOCKER 88" W X 24" H X 36" D, 10 GAUGE CONSTRUCTION, SIX DOORS WITH CONTINUOUS HINGES AND TWIST TYPE HASP LOCKS, INSTALLED ON FRONT TOP OF PEEKOVER IN CREW-VAN TRUCK BODY.		
161	10.00	EA	0162 - ALUMINUM TROUGH TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X 24" D, INSTALLED ON TOP REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY.		
162	10.00	EA	0163 - ALUMINUM COFFIN TYPE TOOLBOX 10 GAUGE CONSTRUCTION, 88" W X 24" H X 24" D, SINGLE TOP LID WITH CONTINUOUS HINGES AND LOCK, INSTALLED ON BOTTOM REAR OF INTERNAL BULKHEAD IN CREW-VAN TRUCK BODY		
163	10.00	EA	0164 - ALUMINUM GAS-CAN STORAGE BOX 10 GAUGE CONSTRUCTION, 24" L X 36" H X 24" D, SINGLE SIDE DOOR WITH CONTINUOUS HINGE AND LOCK, INSTALLED ON BOTTOM REAR CURBSIDE INTERIOR VAN WALL WITH FUME VENTS THROUGH SIDE WALL.		
164	10.00	EA	0165 - SHOVEL, RAKE, BROOM STORAGE RACK 1/4" STEEL CONSTRUCTION, CAPABLE OF		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
165	10.00	EA	HOLDING NINE TOOLS, PAINTED BLACK AND INSTALLED IN UPPER LEFT SIDE INTERIOR WALL OF CREW-VAB TRUCK BODY. 0166 - WHEELBASE REDUCTION - 20,000-30,000 GVWR TRUCK CHASSIS INCLUDING		
166	10.00	EA	VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION. 0167 - WHEELBASE EXT UP TO OR OVER 33,000 LBS. GVWR TRUCK CHASSIS INCLUDING		
167	10.00	EA	VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION. 0168 - WHEELBASE REDUCTION UP TO 48 IN. ON 20,000 TO 33,000 LBS. GVWR TRUCK		
168	10.00	EA	CHASSIS. INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION. 0169 - WHEELBASE EXT UP TO 48" OVER 33,000 LBS. GVWR TRUCK CHASSIS,		
169	10.00	EA	INCLUDING VEHICLE RECERTIFICATION TO DOT FOR COMPLIANCE WITH FMVSS AND NHTSA REGULATIONS AS OF DATE OF ALTERATION 0170 - TRACTOR WET-LINE KIT FOR DUMP TRAILER APPLICATION COMPLETE WITH PTO,		
170	10.00	EA	CAB AIR CONTROLS, MINIMUM 28 GPM HYDRAULIC PUMP @ 2500 PSI, MARRIED TO PTO, MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLERS TO MATCH PARISH OWNED DUMP TRAILERS. 0171 - TRACTOR DUAL PURPOSE WET-LINE KIT FOR DUMP TRAILER AND ROLL-OFF		
			TRAILER APPLICATION (INCLUDING HYDRAULIC BOWBOY TRAILERS) COMPLETE WITH PTO, CAB AIR CONTROLS, TANDEM MINIMUM 55 GALLON HYDRAULIC RESERVOIR TANK WITH SHUT-OFF VALVE, PREMIUM PRESSURE AND RETURN LINE HYDRAULIC HOSES WITH NON-DRIP QUICK COUPLERS TO		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
171	10.00	EA	MATCH PARISH OWNED DUMP TRAILERS, ROLL-OFF TRAILERS, AND HYDRAULIC LOWBOY TRAILERS. 0172 - HVY DUTY SERVICE TRUCK BODY 108" C/A TRUCK CHASSIS 156" L X 94" W X 41"		
172	10.00	EA	HEIGH COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOORS, WEATHER TIGHT DOOR SEALS, SPRING LOADED DOOR RETAINERS, ALL STAINLESS STEEL DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB, AND INSTALLED.		
173	10.00	EA	0173 - HVY DUTY SERVICE TRUCK BODY 120" C/A TRUCK CHASSIS, 168" L X 94" W X 41"H EIGHT COMPARTMENTS, 12 GAUGE GALVANIZED STEEL COMPARTMENTS AND DOOR HARDWARE, FULL INTERIOR SHELVING AND DIVIDERS, 10 GAUGE TREADPLATE STEEL FLOOR, HEAVY DUTY REAR BUMPER WITH HITCH RECESS, FMVSS #108 RECESSED LIGHTS, TAILGATE, UNDERCOATED, PAINTED TO MATCH TRUCK CAB AND INSTALLED.		
174	10.00	EA	0174 - PICKUP TRUCK BED FIBERGLASS FLAT COVER COMPLETE WITH GAS-CYLINDER	1249.00	12490.00
174	10.00	FT	ASSIST OPENING AND TAILGATE LOCK, COLOR TO MATCH JEFFERSON PARISH FLEET WHITE. <i>JASON RAGE - HOGGER</i>		
174	10.00	FT	0175 - PRICE PER LINEAR FOOT- REFRIGERATED VAN TRUCK BODY (INCLUDING UNIT) TO ADD FOR DECREASE BODY LENGTH.		
175	10.00	EA	0176 - HEIL HEAVY DUTY CHIPPER TYPE TRUCK BODY ASSEMBLY, 16" L X 52" H X 96" W MINIMUM 10 GAUGE REINFORCED STEEL CONSTRUCTION, COMPLETE WITH REMOVABLE VENTER TOP COVER ON FRONT 1/3 OF BODY, DOUBLE FULL OPENING REAR SWING GATES 36" H WITH CAMLOCKS AND SAFETY BAR LOCK, TWO UNDERBODY STORAGE BOXES MINIMUM 60" L X 18" H X 18" D, UNDERRIDE GUIDE GUARD, MUD FLAPS, FMVSS LIGHTS, PAINTED JEFFERSON PARISH WHITE (FOR USE WITH EITHER HEIL TWIN HEIL HEAVY DUTY CHIPPER TELESCOPIC OR UNDERBODY TYPE HOISTS.)		
176	10.00	EA	0177 - REPLACEMENT 9 CU. YD. MIXER TRUCK DRUM ASSEMBLY. COMPLETE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
177	10.00	EA	<p>WITH LABOR TO REMOVE AND DISPOSE OF OLD DRUM. INSTALLATION OF NEW DRUM IN READY TO WORK CONDITION AND PAINTED JEFFERSON PARISH FLEET WHITE.</p> <p>0178 - HVY DUTY 10TON TRUCK CRANE, 22FT-56 FT.3 SECTION PROPORTIONAL BOOM, THREE SHEAVE BOOM HEAD (TO ALLOW THREE PARTING OF LINE), CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABILIZER (TO ALLOW 360 DEGREE AREA OF OPERATION) HORIZONTAL BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAME 10 FT. SPAN REAR STABILIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED FOR NON-MECHANICAL ENGINES) EXTRA-HEAVY DUTY 18 FT. SAFETY HVYDUTY 10TON TRUCK CRANE, 22FT-56FT TREADPLATE STEEL FLATBED, BRADEN MODEL PD12C2, SPEED HOIST WITH "LAY-A-WAY" FEATURE, 200 FT. OF 9/16 INCH 6 X 37 IWRC WIRE ROPE, ANTI-TWO BLOCK WITH FUNCTION LOCKOUT, A-FRAME 16 FT. X 7 1/2 IN. SPAN OUTRIGGERS AT PEDESTAL, OUTRIGGER AND STABILIZER AUDIO/VISUAL MOTION ALARM, 21 FT. TORSION BOX FOR 18 FT. FLATBED, ELECTRONIC BACK-UP ALARM, ICC SAFETY KIT TO MEET DOT REGULATIONS, THREE SECTION GEAR PUMP HVYDUTY 10TON TRUCK CRANE, 22FT-56FT WITH TWO GATE VALVES ON SUCTION LINES, 60 GALLON HYDRAULIC OIL TANK WITH FILTER STRAINER AND LOCKABLE FILLER CAP W/O LOCK, SIGHT LEVEL, AND TEMPERATURE GAUGE, DUAL OPERATOR CONTROL STATIONS AND AUDIBLE AWARENESS WARNING HORN, BOOM LENGTH AND ANGLE INDICATORS, ONE SET OPERATOR AND SERVICE MAINTENANCE MANUALS, PAINTED JEFFERSON PARISH FLEET WHITE WITH SAFETY AND OPERATIONAL DECALS ONE YEAR FULL FACTORY WARRANTY.</p>		
178	10.00	EA	<p>0179 - HEAVY DUTY HYDRAULIC ARTICULATING BOOM TRASH LOADER, 70,000 FT. LBS. RATING, 0' HORIZONTAL REACH FROM CENTERLINE OF PEDESTAL, 6' VERTICAL REACH BELOW GRADE WITH GRAPPLE, 31'7" ABOVE GROUND BASED ON 40" TRUCK FRAME HEIGHT, 5,050 LBS. MAXIMUM LOADER WEIGHT WITHOUT GRAPPLE, MINIMUM 12' 2" OUTRIGGER SPAN AT FULL EXTENSION, 28" MOUNTING SPACE BEHIND CAB, 24/24 GPM TANDEM PUMP, 50 GALLONS RESERVOIR, MINIMUM LIFTING CAPACITIES FROM HEAVY DUTY HYDRAULIC ARTICULATING CENTERLINE OF PEDESTAL TO BE 13,000 LBS. @5' 0", 7,170 LBS. @ 10' 0", 5,070 LBS.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>@ 5' 0", 3,500 LBS. @ 20' 0" TOP PEDESTAL TO BE MOUNTED ON LEFT SIDE OF PEDESTAL WITH OPERATOR ACCESS STEPS AND GUARD RAIL, HEAVY DUTY GEARBOX AND TURNABLE BEARING TO ASSUME SMOOTH AND PRECISE OPERATION FOR 360 DEGREE CONTINUOUS BOOM ROTATION, INTEGRAL MOUNTED HEAVY DUTY PTO/TANDEM HYDRAULIC PUMP WITH MINIMUM 24/24 GPM @ 2500 PSI, HEAVY DUTY HYDRAULIC ARTICULATING TANDEM CIRCUIT DESIGN TO ALLOW OPERATION OF TWO SELECTED FUNCTIONS SIMULTANEOUSLY WITHOUT LOSS OF POWER, THE HYDRAULIC SYSTEM IS TO BE OPEN CENTERED TYPE WITH SUCTION LINE STRAINER, AIR BREATHER, RETURN LINE FILTER, AND A STACK TYPE CONTROL VALVE, UNIT TO INCLUDE LOAD HOLDING VALVES AND/OR VELOCITY FUSES ON ALL BOOM, BOOM EXTENSION, AND OUTRIGGERS CYLINDERS A SWING CONTROL VALVE IS TO BE HEAVY DUTY HYDRAULIC ARTICULATING PROVIDED TO CONTROL THE ROTATION OF THE CRANE UNDER LOAD, "A" FRAME STYLE OUTRIGGERS WITH INDIVIDUAL CONTROLS. OUTRIGGERS TO HAVE INTERNALLY MOUNTED CYLINDERS FOR SIMULTANEOUS OUT AND DOWN OPERATION, HEAVY DUTY BULK WASTE TYPE GRAPPLE WITH CONTINUOUS HYDRAULIC ROTATION TO BE PROVIDED, COMPLETED UNIT TO COMPLY WITH AND BE CERTIFIED TO ALL APPLICABLE AND CURRENT ANSI, ASME, DOT, DOTD, FMVSS, AND OSHA HEAVY DUTY HYDRAULIC ARTICULATING SAFETY STANDARDS FOR THIS TYPE OF EQUIPMENT, COMPLETE INSTALLATION ON PARISH TRUCK.</p>		
179	10.00	EA	0180 - AUTOMATED SANDBAG SYSTEM TO BE INSTALLED ON REAR OF EXISTING		
			<p>DUMP TRUCK BODY, 3,000 BAG PER HOUR CAPACITY, COMPLETE WITH AUXILIARY 8 GPM HYDRAULIC SYSTEM TO POWER SANDBAGGER SYSTEM, DUAL DISPENSING HOPPERS, TWO SPEED ELECTRIC/HYDRAULIC DRIVE MOTORS, DUAL MICRO-SWITCH LOAD CONTROL BARS, DUAL CONVEYOR BELTS PRODUCT MOVEMENT SYSTEM CAPABLE OF HANDLING SAND, MUD, OR ROCKS, SYSTEM CAPABLE OF INSTALLATION OR REMOVAL AUTOMATED SANDBAG SYSTEM FROM REAR OF DUMP BODY IN 30 MINUTES OR LESS.</p>		
180	10.00	EA	0181 - ALUMINUM CAB GUARDS COMPLETE WITH JAIL-HOUSE WINDOWS, DUAL		
			<p>LOCABLE BINDER RACKS, CHAIN TRAY, AND COMPLETE INSTALLATION ON TRUCK TRACTOR</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
181	10.00	EA	<p>IN ACCORDANCE WITH APPLICABLE DOT REGULATIONS.</p> <p>0182 - PICK UP AND ONE TON TRUCK HEAVY DUTY FRONT BUMPER PUCH BAR ASSEMBLY,</p> <p>CHROMED STEEL CONSTRUCTION. MOUNTED TO FRONT NUMBER OF TRUCK CAB.</p>		
182	10.00	EA	<p>0183 - 20 FT. INSULATED ALUMINUM REFRIGERATED VAN TRUCK BODY FOR</p> <p>TRANSPORTING FRESH AND FROZEN FOOD PRODUCTS, FORKLIFT/PALLET JACK RE-INFORCED FLOORING, MINIMUM INTERIOR HEIGHT OF 98", 102" OVERALL WIDTH, NON-SLIP EXTRUDED ALUMINUM FLOORING, 224" HIGH INTERIOR WALL SCUFF LINER, 1/8" KEMLITE INTERIOR WALLS, .050 GAUGE ALUMINUM EXTERIOR PANELS, MINIMUM 3" URETHANE FOAM-IN-PLACE INSULATION IN SIDE WALLS AND 4" URETHANE FOAM-IN-PLACE 20 FT. INSULATED ALUMINUM REFRIGERA INSULATION IN CEILING AND FLOOR, 2" INSULATED OVERHEAD REAR DOOR, DIESEL POWERED REFRIGERATION UNIT WITH AUTOMATIC CAB CONTROLS AND 220 VOLT ELECTRIC STANDBY, CAPABLE OF MAINTAINING -10 DEGREES INTERIOR TEMPERATURE WITH 98 DEGREE EXTERIOR TEMPERATURES, FULL WIDTH REAR STEP BUMPER, INTERIOR DOME LIGHT, FMVSS BODY LIGHTS, FLAPS, AND COMPLETE INSTALLATION ON PARISH OWNED TRUCK, PRICE PER LINEAR 20 FT. INSULATED ALUMINUM REFRIGERA FOOT OF REFRIGERATED VAN TRUCK BODY (INCLUDING UNIT)</p>		
183	10.00	EA	<p>0184 - TAG OR PUSHER LIFTING AXLE ASSEMBLY, 25,000 LB. CAPACITY, FULL AIR</p> <p>POWER UP AND DOWN, 250,000 MILE WARRANTY (EXCEPT AIR BAGS) COMPLETE WITH CAB RAISE/LOWER CONTROL, EXTERIOR PRESSURE CONTROL, AND FOUR 11.00R22.5 STEEL RADIAL TIRES MOUNTED ON STEEL DISC HUB PILOTED WHEELS, INSTALLED ON PARISH OWNED TRUCK.</p>		
184	10.00	EA	<p>0185 - PICKUP TRUCK REAR BUMPER FOLDING CRANE ASSEMBLY, 1,000 CAPACITY,</p> <p>MANUAL ERECTION AND FOLDING, 12 VOLT ELECTRIC WINCH HOIST, INSTALLED ON REAR OF PARISH OWNED PICKUP OR ONE TON TRUCK.</p>		
185	10.00	CUYD	<p>0186 - ADDITIONAL PRICE PER CUBIC YARD CAPACITY OF DUMP BODY FOR ALL ALUMINUM</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
186	10.00	EA	<p>CONSTRUCTION IN LIEU OF ALL STEEL CONSTRUCTION, PRICE PER CUBIC YARD.</p> <p>0187 - STATIONARY GASOLINE ENGINE DRIVER AIR COMPRESSOR; 12 1/2 HP ENGINE</p> <p>WITH 12 VOLT ELECTRIC STARTER, FUEL PUMP, 15 AMP GENERATOR, FULL PRESSURE LUBRICATION, 5 GALLON FUEL TANK, AUTOMOTIVE TYPE AIR FILTER, SELF-CLEANING VALVE, DUCTILE IRON COUNTER BALANCE CRANKSHAFT, TWO STAGE CAST IRON AIR COMPRESSOR, 175 PSI MAXIMUM PRESSURE @ 25.1 CFM 30 GALLON ASME CODED AIR RESERVOIR TANK WITH SAFETY VALVE, TANK DRAIN, PRESSURE GAUGE, AND SHUT OFF STATIONARY GASOLINE ENGINE 3/8" X 100 FT. AIR HOSE, BALL STOP, AND QUICK COUPLER END; INSTALLED IN PARISH OWNED PICKUP TRUCK, SERVICE TRUCK, OR FLATBED TRUCK, WITH HINGED WEATHER GUARD TOP OVER COMPRESSOR ASSEMBLY.</p>		
187	10.00	EA	<p>0188 - TRUCK CHASSIS FRAME "FISHPLATE" REINFORCEMENT TO INCREASE SECTION</p> <p>MODULES RATING BY 10.0 POINTS.</p>		
188	10.00	EA	<p>0189 - AERIAL LIFT BASKET ASSEMBLY, 52 FT WORKING HEIGHT, 50 FT. SIDE REACH,</p> <p>ARTICULATING OVER CENTER TYPE, ROUND BOOM CONSTRUCTION WITH STACKED CONFIGURATION (ONE BOOM ATOP THE OTHER NOT SIDE BY SIDE) ONE MAN SIDE MOUNTED BASKET WITH SINGLE JOYSTICK CONTROLLER, LOWER CONTROLS WITH OVERRIDE, AUTOMATIC POSITIVE BUCKET LEVELING, BUCKET LINER, BUCKET COVER, LANYARD AND BELT OUTRIGGERS, 46 KV ELECTRICAL ISOLATION RATING, REAR-AERIAL LIFT BASKET ASSEMBLY, 33,000 LB. GVWR 84" C/A TRUCK CHASSIS WITH MINIMUM 23.0 SECTION MODULUS TRUCK FRAME) UNIT TO INCLUDE A 12 FT. HEAVY DUTY STEEL FLATBED TRUCK BODY TO PARISH SPECIFICATIONS, BOOM REST SUPPORT, FULL CAB GUARD, SADDLE TYPE CROSSOVER TOOL-BOX, AND TWO SIDE MOUNTED TOOL BOXES, PAINTED TO PARISH COLORS.</p>		
189	10.00	EA	<p>0190 - CAR-CARRIER TRUCK BODY ASSEMBLY WITH 3,000 LB. INDEPENDENT WHEEL LIFT</p> <p>TOWBAR, STAINLESS STEEL WHEEL SIMULATORS 19' THRU 21' LENGTHS - 96" WIDTH, STEEL DECK 10,000 LB. CAPACITY REPLACABLE</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>HIGH PERFORMANCE POLYMER WEAR PADS, INTEGRATED DECK HOLD DOWN AND TOOLBOX MOUNTS, ANTI-SAIL MUDFLAPS, ABRASION RESISTANT HYDRAULIC HOSED, CLUTCH PUMP WITH WARNING LIGHT, HYDRAULIC RESERVOIR WITH FILTER, OIL LEVEL, AND TEMPERATURE GAUGE, 8,000 LB THRU 12,000 LB CAPACITY CAR-CARRIER TRUCK BODY ASSEMBLY AND CABLE ROLLER GUIDES ON WINCH, DELUXE BOLT-ON STEEL HEADBOARD, REMOTE FREE SPOOL ON WINCH, REMOVABLE RAISED SIDE RAILS, REINFORCED AND TAPERED APPROACH TIP TWO KEYSLOTS AT FRONT OF DECK, TWO MID-DECK, AND FOUR AT REAR DECK, FMVSS LIGHT GROUP WITH WIRING HARNESS AND WEATHER LIGHT CONNECTIONS, TWO CHAIN AND BINDER TRAYS RECEPTABLE FOR AUXILIARY TOW LIGHTS HYDRAULIC OUT ON DECK TILT FUNCTION HYDRAULIC COUNTER BALANCE CAR-CARRIER TRUCK BODY ASSEMBLY CONTROL STATIONS, BUILT IN SAFETY CHAINS WITH STORAGE POCKETS, V-CHAIN WITH CLUSTER HOOKS, TIE DOWN CHAINS WITH RATCHET AND CLUSTER HOOKS, TWO 36"-48" UNDERDECK TOOL STORAGE BOXES, FEDERAL 60" SIX HEAD JETSTROBE LIGHT WITH STRAP, TURN, TAIL, AND FLOOD LIGHTS, TWO 4" RUBBER WORK LIGHTS, UNITY SWIVEL SPOT LIGHT, 4 SWITCH IN-DASH PANEL.</p> <p>ALL SAFETY EQUIPMENT TO MEET STATE AND CAR-CARRIER TRUCK BODY ASSEMBLY FEDERAL STANDARDS.</p> <p>ALL UNITS TO BE DELIVERED, COMPLETELY ASSEMBLED, TO THE DEPARTMENT OF FLEET MANAGEMENT, 4901 JEFFERSON HIGHWAY, SUITE A, JEFFERSON, LA 70121.</p> <p>UPON COMPLETION OF ASSEMBLY, COMPLETE WITH INVOICE AND CERTIFICATE OF ORIGIN DELIVERY IS TO BE SIGNED FOR BY FLEET MANAGEMENT PERSONNEL FOR STORAGE PURPOSES ONLY. FINAL ACCEPTANCE AND PAYMENT WILL BE TO THE ABOVE CAR-CARRIER TRUCK BODY ASSEMBLY MEETING SPECIFICATIONS.</p> <p>PARISH HAS THREE (3) WORKING DAYS AFTER DELIVERY FOR INSPECTION PURPOSES TO DETERMINE IF THE ABOVE MEETS JEFFERSON PARISH SPECIFICATIONS. IF IT DOES NOT NECESSARY CORRECTIONS ARE TO BE MADE BY THE VENDOR AT VENDOR'S EXPENSE, AND IS NOT CONSIDERED AS WARRANTY WORK.</p> <p>VENDORS MUST FURNISH TWO (2) COPIES OF OPERATORS MANUAL AND TWO (2) COPIES OF SERVICE MANUAL. ALL INVOICES WILL SHOW CAR-CARRIER TRUCK BODY ASSEMBLY G.V.W. UNIT MUST COMPLY WITH STATE AND FEDERAL SAFETY REGULATIONS. THE ABOVE MAY RETAIN MANUFACTURER'S NAME BUT DEALER'S NAME SHALL NOT APPEAR EITHER BY PAINTING, DECAL OR METAL NAME PLATE. DEALERS ARE REQUESTED TO FILL IN THE</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>RIGHT SIDE OF THE SPECIFICATIONS SHEET WITH THE INFORMATION CONCERNING WHAT THEY PROPOSE TO FURNISH, WHEN BELOW THE STANDARD SPECIFIED IN THE SPECIFICATION THEN THIS SHOULD BE NOTED ON THE CAR-CARRIER TRUCK BODY ASSEMBLY SHEET.</p>		
190	10.00	EA	<p>0191 - ONE (1) PR. EXTRA HEAVY DUTY ALUMINUM TANDEM FENDER ASSEMBLY, MINIMUM 1/4 IN. TREAD PLATE ALUMINUM CONSTRUCTION WITH FULL PERIMETER 1/4 IN. X 2IN. X 2 IN. ALUMINUM ANGLE REINFORCEMENT AND EXTRA HEAVY DUTY MOUNTING BRACKETS THRU BOLTED TO TRUCK FRAME. INSTALLED ON PARISH OWNED TRUCK TRACTOR.</p>		
191	10.00	EA	<p>0192 - HEAVY DUTY PICKUP TRUCK RACK DOUBLE 2: HIGH STRENGTH, ROUND TUBE FRAMING FULL LENGTH OF PICKUP BODY AND EXTENDING TO WINDSHIELD, 51" INSIDE WIDTH, FOUR 2" SQUARE CROSSBARS, REMOVABLE REAR BROSSBAR, WELDED TIE-DOWN CLEATS, PAYLOAD CAPACITY TO EXCEED TRUCK BED WALL CAPACITY, BLACK COLOR, TO FIT ALL FULL-SIZED DOMESTIC PICKUP TRUCKS.</p>		
192	10.00	EA	<p><i>KARGOMASTER Pro II 1700 LBS.</i> 0193 - HEAVY DUTY FRONT GRILL GUARD ASSEMBLY TO COVER FRONT OF TRUCK</p>	1199.00	11990.00
			<p>INCLUDING HEADLIGHTS WITH HINGED MECHANISM TO ACCOMODATE FORWARD TILTING HOODS. GRILL GUARD TO FIT ALL LIGHT MEDIUM, AND HEAVY DUTY DOMESTICK TRUCKS.</p>		
193	10.00	EA	<p>0194 - AERIAL DEVICE 15,000 GVWR 84" AERIAL DEVICE FULL INSTALLED</p> <p>IN READY-TO-WORK CONDITION ON PARISH OWN 15,000 GVWR 84" C/A TRUCK CHASSIS AND INCLUDING A HEAVY DUTY AERIAL TYPE SERVICE TRUCK BODY, HEAVY DUTY TORSION BAR REAR STABILIZER, AUTOMATIC THROTTLE CONTROL, UPPER & LOWER CONTROLS, BOOM TRAVEL SUPPORT, BUCKET TRAVEL SUPPORT SAFETY BELT & LANYARD, 12 VOLT EMERGENCY POWER SYSTEM, BUCKET COVER & LINER, ACCESS STEPS TO BUCKET, BACKUP AERIAL DEVICE 15,000 GVWR 84" ALARM, 15" STROBE FLASHING LIGHT AND PAINTED JEFFERSON PARISH FLEET COLOR. INSTALLED UNIT IS TO STRICTLY COMPLY WITH ANSI A922-1990 AND ANY OTHER SAFETY STANDARDS IN EFFECT AT TIME OF DELIVERY.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
194	10.00	EA	0195 - LOADING/FLOOR LIGHTS - ONE PAIR CHROME OR STAINLESS STEEL, MINIMUM 6" DIAMETER, ADJUSTABLE WITH PROTECTIVE MOUNTING BRACKET, WIRED TO TRUCK 12 VOLT SYSTEM WITH FUSE LINK, CONTROL SWITCH IN CAB, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT.		
195	10.00	EA	0196 - DRIVER ACCESS GRAB HANDLE MINIMUM 16" LONG, CHROME OR STAINLESS CONSTRUCTION, INSTALLED AT LOCATION ON TRUCK AS SPECIFIED BY USING DEPARTMENT.		
196	10.00	EA	0197 - PICKUP TRUCK DUMPBODY ASSEMBLY 3 CU. YARD PICKUP TRUCK DUMP BODY ASSEMBLY, 6000LB. LOAD CAPACITY, FRONT MOUNT TELESCOPIC HOIST MINIMUM 14 GA. GALVANEED STEEL BOX CONSTRUCTION STAKE POKETS ON THREE SIDES, FULL WIDTH & DEPTH DOUBLE ACTING TAILGATE TO SWING OUT OF DROP DOWN, CONTROL SWITCH IN CAB ENTIRE ASSEMBLY INCLUDING POWER PACK TO BE IN ONE INTEGRAL UNIT, PAINTED BLACK, TO FIL ALL FULL SIZE DOMESTIC PICKUP TRUCKS.		
197	10.00	EA	0198 - REPLACEMENT DUMP BODY-HEIL MODEL LD 10/12YD 13'LX8'W ALUMINUM DUMP BODY, SLUDGE TYPE TAILGATE ASSEMBLY, INSTALLED WITH FMVSS #108 LIGHTS, FLAPS, AND ALUMINUM CAB PROTECTOR.		
198	10.00	EA	0199 - REPLACE DUMP BODY-HEIL MODEL HPT 17/19 YD. 16'L X 8'W DUMP BODY, SLANT FORWARD TAILGATE, PAINTED AND INSTALLED WITH FMVSS #108 LIGHTS, FLAPS AND CAB PROTECTOR.		
199	10.00	EA	0200 - REPLACE DUMP BDOY HOISTS. HEIL MODEL HPT63-140 HOIST. INSTALLED WITH MARRIED PTO AND CAB CONTROLS.		
200	10.00	EA	0201 - HEAVTY DUTY SERVICE TRUCK CRANE, 8,000 LBS. CAPACITY AT 5' RADIUS, FULL HYDRAULIC POWER, POWER BOOM ELEVATION, POWER HOIST, POWER ROTATION POWER EXTENDSION FROM 10' TO 16' WITH MANUAL		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>EXTENSION TO 20', 55FT./MIN SINGLE LINE SPEED, 8 GPM AT 2,500 PSI TRUCK HYDRAULIC POWER SOURCE WITH 8 GALLON RESERVOIR, STRAINER, RETURN LINE FILTER, & SIGHT GAUGE, 24 FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8" 14,400 LBS. SINGLE LINE BREAK STRENGTH AIRCRAFT HVY DUTY SERV TRUCK CRANE-8,000 LB CABLE, 370 DEGREE ROTATION, AUTOMATIC OVERLOAD PROTECTION FOR HOIST UP, BOOM EXTEND, & BOOM DOWN FUNCTIONS, NON-DIPPING SWIVEL BLOCK WITH LATCH, -5 TO +75 DEGREE BOOM ELEVATION, UNIT TO MEET OSHA 1910.180 REQUIREMENTS AND ANSI B30. 5 SAFETY STANDARDS, ADDITIONAL CHARGE FOR EITHER CRANE REINFORCEMENT IN TRUCK BODY OR UPCHARGE TO CRANE-TYPE SERVICE TRUCK BODY, TWO ADDITIONAL LEAF SPRINGS IN RIGHT REAR SPRING PACK TO HVY DUTY SERV TRUCK CRANE-8,000 LB LEVEL TRUCK AFTER CRANE INSTALLATION 145" MINIMUM SPREAD MANUAL OUT, MAN CRANK DOWN REAR OUTRIGGER ASSEMBLY, BOOM SUPPORT PEDESTLB FOR TRAVEL (UNIT FOR MINIMUM 20,500 LB GVWR TRUCK CHASSIS OR HEAVIER)</p>		
201	10.00	EA	0202 - ELECTRIC WINCH - 12,000 LB COMPLETE WITH HEAVY DUTY FRONT		
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT AND 150' OF CABLE WITH HOOK END (UNIT TO FIT ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS)		
202	10.00	EA	0203 - ELECTRIC WINCH - 15,000 LB COMPLETE WITH HEAVY DUTY FRONT		
			BUMPER ASSEMBLY, 4 WAY ROLLER GUIDES, REMOTE CONTROL PENDANT, AND 150' OF CABLE WITH HOOK END (UNIT TO FIT ALL DOMESTIC PICKUPS, CARRYALLS, OR 1 TON TRUCKS)		
203	10.00	EA	0204 - AUTOMATED SANDBAG SYSTEM MOUNTING BRACKETS AND HYDRAULIC POWER		
			SYSTEM WITH CONTROLS INSTALLED ON EXISTING PARISH OWNED DUMP TRUCK (FOR EQUIPPING ADDITIONAL DUMP TRUCKS FOR AUTOMATED SANDBAG SYSTEM CAPABILITY)		
204	10.00	EA	0205 - INSIDE-OUTSIDE RAIL ROLLOFF HOIST SYSTEM FOR CONTAINERS UP TO 22'L		
			60,000 LBS. CAPACITY 4" X 8" X 1/2" STRUCTURAL TUBE FRAME WITH SUBFRAME, 47		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>GALLON OIL RESERVOIR, OUTSIDE CONTROLS, DUAL SINGLE STAGE DOUBLE ACTING 6" BORE X 80" STROKE, LTFT CYLINDERS WITH 5" DIAMETER RODS, CYLINDER COVERS, TEN 4" O.D. X 4" L OUTSIDE ROLLERS WITH BRONZE BUSHING ON COLD ROLLED ALLOY SHAFT WITH TWO POINT SUPPORT, REAR BUMPER WITH LIGHTS AND MUD FLAPS, BODY PROP, BODY UP INSIDE-OUTSIDE RAILROLLOFF HOISTSYS WARNING LIGHT, REVERSE ALARM, CONTAINER HOLD DOWN AND AUTOMATIC ROLLER LOCK FOR OUTSIDE RAIL CONTAINERS, AIR CONTROLS, AIR SHIFT PTO, FULL FENDERS, TOOL BOX, 52 DEGREE DUMP ANGLE, 79,600 LBS. CAPACITY 7/8" X 75' X 6 X 25 IWRC EIPS CABLE WITH 2" CAST HOOK END, 27' CABLE HOOK TRAVEL, 10" DIAMETER CABLE SHEAVES WITH BRONZE BUSHINGS, OIL FILTER, 47 GPM HYDRAULIC PUMP @ 1800 PSI, TWO SPOOL CONTROL VALVE, 27 SECOND HOIST AND INSIDE-OUTSIDE RAILROLLOFF HOISTSYS WINCH UP CYCLE, 15 SECOND DOWN CYCLE UNIT FOR A 174" C/A RANDEM TRUCK CHASSIS</p>		
205	10.00	EA	<p>0206 - FUEL TRANSFER SYSTEM COMPLETE WITH MINIMUM 100 GALLON CAPACITY</p>	1357.00	13570.00
			<p>ALUMINUM FUEL TANK, 13 GPM 12 VOLT ELECTRIC FUEL PUMP, 12 FT OF 3/4" DIAMETER FUEL HOSE, AND ALUMINUM DISPENSING NOZZLE WITH STORAGE BRACKET, INSTALLED ON PARISH OWNED PICKUP, FLATBED OR SERVICE TRUCK</p> <p><i>OWS / FLATBED</i></p>		
206	10.00	EA	<p>0207 - CLUTCH PUMP HYDRAULIC WET LINE KIT COMPLETE WITH ENGINE MOUNTING</p>		
			<p>BRACKETS, 2,500 PSI HYDRAULIC PUMP WITH 7 TO 13 GPM CAPACITY, CAB CONTROLLER, CAN CAB INDICATOR LIGHT, INSTALLED ON PARISH OWNED TRUCK WITH HYDRAULIC LINES TO POWER SYSTEM NEEDED.</p>		
207	10.00	EA	<p>0208 - GOOSENECK HITCH OPTION ON NEW TRAILERS IN LIEU OF TWO EYE OR BALL</p>		
			<p>HITCH. PRICE TO BE ADDED TO TRAILERS SELECTED ON THIS ITEM.</p>		
208	10.00	EA	<p>0209 - HEAVY DUTY 25 TON CRANE, 27 FT TO 90 FT. FOUR SECTION PROPORTIONAL</p>		
			<p>BOOM, THREE SHEAVE BOOM HEAT (TO ALLOW THREE PARTING OF LINE) CONTINUOUS ROTATION, 360 DEGREE AREA OF OPERATION, FRONT CENTER STABILIZER (TO ALLOW 360 DEGREE AREA OF OPERATION), HORIZONTAL</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
209	10.00	EA	<p>BOOM REST IN LIEU OF COLLAR REST, HYDRAULIC CAPACITY ALERT SYSTEM, A-FRAME 12 FT. SPAN FRONT STABILIZERS AND OUT AND DOWN 10 FT. SPAN REAR STABILIZERS, ELECTRONIC FOOT THROTTLE (AS REQUIRED)</p> <p>0210 - 2,000 GALLON CAPACITY DOUBLE WALLED FUEL STORAGE AND TRANSFER TRUCK</p>		
210	10.00	EA	<p>SKID-MOUNTED FOR TRANSPORTATION WITH EITHER A ROLLBACK EQUIPMENT LOADER TRUCK BODY OR HOOK-LIFT TYPE EQUIPMENT LOADER DOUBLE WALLED CYLINDRICAL STEEL CONSTRUCTION 10 GA. OUTER HEADS AND 7 GA INNER HEADS, INTERNAL SURGE BAFFLES, ALL HEADS AND BAFFLES TO BE FLANGED, UL LISTED, BOTTOM FILLS ON BOTH LOAD AND UNLOAD POINT, 4" NPT AND 2"NPT, ONE 18" TIGHT BOLT MANWAY, 8" PRIMARY EMERGENCY</p> <p>0211 - REAR REFUSE LOADER, 20 CU. YD CAPACITY, 800 LB. CUBIC YARD COMPACTION,</p> <p>17 SECOND PACKING CYCLE TIME, 6 SECOND RELOAD TIME, MINIMUM 2.6 CUBIC YARD HOPPER 2500 PSI GEAR-TYPE 24 GPM PUMP, 24 GALLON HYDRAULIC RESERVOIR WITH 10 MICRON RETURN FILTER AND 140 MICRON SUCTION FILTER, SPOOL TYPE CONTROL VALVES, MINIMUM 80 IN. HOPPER LOADING HEIGHT, 231 IN. OVERALL UNIT LENGTH, 96 IN. OVERALL UNIT WIDTH, 88 OVERALL UNIT HEIGHT ABOVE CHASSIS FRAME, APPROXIMATE</p>		
211	10.00	EA	<p>0212 - REAR REFUSE LOADER, ALL SPECIFICATIONS IDENTICAL TO THE ABOVE</p> <p>EXCEPT 25 CU. YARD CAPACITY, 254 IN OVERALL LENGTH, 93 IN. OVERALL HEIGHT ABOVE CHASSIS FRAME, APPROXIMATE 10,700 UNIT WEIGHT, WITH COMPLETE INSTALLATION PON A PARISH OWNED 43,000 GVWR TRUCK CHASSIS WITH A 138" C/T DISTANCE.</p>		
212	10.00	FT	<p>0213 - DRY FREIGHT VAN TRUCK BODY FROM 10 FT. TO 28 FT. LENGTH, 8 FT. WIDTH, 8 FT. INTERIOR HEIGHT, 4" I-BEAM LONGSILLS, 3" I-BEAM CROSSILLS ON 12" CENTERS, 1 1/2" OAK FLOORING, .050 GA. PRE-PAINTED ALUMINUM SIDE PANELS OVER SIDE POSTS ON 16" CENTERS, ONE PIECE .040 GA. ALUMINUM ROOF OVER HATSILLS ON 24" DEEP REAR THRESHOLD PLATE, OVERHEAD ROLLUP REAR DOOR, INTERIOR DOME LIGHT, EXTERIOR FMVSS BODY LIGHTS, FULL WIDTH CHANNEL DOUBLE STEP REAR BUMPER,</p>		
213	10.00	EA	<p>0214 - STREET FLUSHER UNIT, 4,000 GALLON CAPACITY, EPOXY COATED 7 GA. & 10 GA.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
214	10.00	EA	<p>STEEL TANK CONSTRUCTION WITH FULL SKIRTING, 750 GPM CENTRIFUGAL WATER PUMP WITH 4 IN. DISCHARGE PORTING CAPABLE OF MAINTAINING 60 LBS. PRESSURE PUMPING 600 PGM @ 2,000 RPM'S WITH FOUR NOZZLES OPERATING, VARIABLE DISPLACEMENT HYDROSTATIC WATER PUMP DRIVE SYSTEM DRIVEN BY 80 HP DIESEL ENGINE WITH FIXED DISPLACEMENT PISTON MOTOR, 20 GALLON PRESSURIZED HYDRAULIC RESERVOIR,</p> <p>0215 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY TRAILERS WITH 6 FT.</p>		
215	10.00	EA	<p>WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS NEW FLOOR TO BE 1 1/8" THICK 7" WIDE 31 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER LOAD DECK</p> <p>0216 - TRAILER FLOOR REPLACEMENT FOR LOWBOY MACHINERY AND FLATBED</p>		
216	10.00	EA	<p>TRAILERS WITH 8 FT. WIDE LOAD DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 1 3/8" THICK BY 7" WIDE #1 GRADE APITONG TROPICAL HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 1/4" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER DECK.</p> <p>0217 - TRAILER FLOOR REPLACEMENT FOR LOWBOY TRAILERS WITH 8 FT. WIDE LOAD</p>		
217	10.00	EA	<p>DECK. SERVICE TO INCLUDE REMOVAL OF OLD FLOORING AND FLOOR SCREWS. NEW FLOOR TO BE 2" THICK BY 12" WIDE #1 GRADE CLEAR WHITE OAK HARDWOOD ATTACHED TO TRAILER CROSSMEMBERS WITH TWO 5/16" FLOOR SCREWS PER BOARD PER CROSSMEMBER. PRICE PER LINEAR FOOT OF TRAILER LOAD DECK PLUS LENGTH OF FOLDING LOWBOY NECK</p> <p>0218 - HYRDAULIC DRIVEN AIR COMPRESS 18 CFM, 100-155 PSI RANGE, 7 GPM @ 1,800</p> <p>PSI HYDRAULIC MOTOR, OIL RESEVOIR TANK, HYDRAULIC OIL COOLER, SPRING REWIND HOSE REEL IN REAR COMPARTMENT WITH 100 FT. AIR HOSE, BALL STOP, AND QUICK CONNECTOR END (REQUIRES SEPARATE PURCHASE OF TRUCK ENGINE DRIVEN HYDRAULIC CLUTCH PUMP ASSEMBLY.)</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
218	10.00	EA	<p>0219 - HVY TRUCK ENGINE PTO DRIVEN HIGH PERFORMANCE AIR COMPRESSOR ASSEMBLY</p> <p>DUAL PRESSURE 100LB/150LB, W/TU, REMOTE MOUNT HYDRAULIC OIL COOLERS, HOSE PLUMBING KIT, MUNCIE CONTINUOUS DUTY CYCLE HEAVY DUTY PTO ASSEMBLY, SPICER (OR EQUAL) 2" BALANCE AUTOMOTIVE TYPE DRIVESHAFT ASSEMBLY, CAB AIR CONTROLLER ASSEMBLY, REPROGRAM TRUCK COMPUTER TO ENABLE TRUCK ENGINE RPM'S TO COINCIDE WITH COMPRESSOR PERFORMANCE REQUIREMENTS TEST UNIT FOR PROPER OPERATION ON PARISH</p>		
219	10.00	EA	<p>0220 - HI-RAIL SYSTEM FOR 33,000 GVWR TRUCK INCLUDING POWER PACK SYSTEM</p> <p>FOR HI-RAIL SYSTEM, FRONT BRAKES, RAIL SWEEPS FRONT AND REAR, REMOTE REAR PIN OFF (CABLE). SLOTTED REAR LINS. FOUR (4) EACH. CORNER STROBE LIGHTS. BLOCK UP FRONT AXLE FOR MAXIMUM CLEARANCE. REAR BRAKES. SIGNAL INSULATION. REMOVE FRONT PIN-OFF (CABLE). COMPLETE INSTALLATION LABOR.</p>		
220	10.00	EA	<p>0221 - HEAVY DUTY CREW MAINTENANCE 156IN. LONG X 92 IN. HIGH X 96 IN. WIDE</p> <p>OVERALL DIMENSIONS, MINIMUM 12 GA. GALVANIZED STEEL PANEL CONSTRUCTION, FOUR (4) 48 IN. HIGH X 22 IN. DEEP VERTICAL SIDE COMPARTMENTS PLUS ONE 24 IN HIGH X 22 IN DEEP HORIZONTAL SIDE COMPARTMENT DOWN EACH SIDE, SHELVING PACKAGE IN EACH COMPARTMENT, FULLY ENCLOSED CANOPY TOP 146 IN. LONG BY 76 IN. HIGH BY 94 IN. WIDE WITH THREE FULL LENGTH 22 IN WIDE SHELVES DOWN EACH SIDE AND FULL HEIGHT DOUBLE REAR DOORS, TWO INTERIOR DOME LIGHTS, SPRING OR GAS SHOCK RETAINERS ON ALL DOORS, STAINLESS STEEL DOOR LOCKS, WEATHER-TIGHT DOOR SEALS, 12 GA. TREADPLATE STEEL FLOOR IN CANOPY AREA, FMVSS 108 LIGHT PACKAGE, RECESSED DIRECTIONAL SIGNAL LIGHTS AND BACKUP LIGHTS, LICENSE PLATE LIGHT AND BRACKET, ALL ELECTRICAL WIRING IN LOOM CONDUIT, UNDERCOATED, HEAVY DUTY FULL WIDTH REAR STEP BUMPER WITH PINTLE HITCH RECESS REINFORCED TO TRUCK FRAME, COMBO 3-WAY BALL HITCH AND PINTLE HITCH ASSEMBLY WITH ELECTRIC BRAKE CONTROL PACKAGE, REAR WHEEL SPLASH GUARD FENDERS REAR WHEEL MUD FLAPS, CONE HOLDER ON REAR BUMPER, 6 IN. COMBO VISE ON REAR BUMPER, FULL INSTALLATION ON PARISH SUPPLIED 26,000 GVWR LOW-PROFILE</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
221	10.00	EA	<p>TRUCK CHASSIS WITH 84IN. CLEAR C/A DISTANCE, PRIMED AND FINISH PAINTED INSIDE AND OUTSIDE 5 MILS IMRON FLEET WHITE</p> <p>0222 - TRANSFER OF PARISH OWNED USED SERVICE TRUCK CRANE THAT IS IN PROPER</p>		
222	10.00	EA	<p>WORKING CONDITION FROM A USED TRUCK CHASSIS TO A NEW TRUCK CHASSIS. TRANSFER TO INCLUDE ALL SERVICES REQUIRED TO MAKE UNIT FULLY FUNCTIONAL ON A NEW TRUCK CHASSIS INCLUDING TRANSFER OF OUTRIGGER SPRINT ADDITIONS TO LEVEL TRUCK. SERVICE BODY OR FLATBED REINFORCEMENTS ON NEW TRUCK CHASSIS TO PROPERLY ACCOMMODATE TRUCK CRANE. ALL ELECTRICAL AND HYDRAULIC LINE CONNECTIONS TO NEW TRUCK CHASSIS AND TOUCH UP PAINT TO ALL WORK AREAS.</p> <p>0223 - POWER INVERTER SYSTEM. 30 AMP CAPACITY. 110 VOLT AC OUTPUT. INCLUDING</p> <p>200 AMP TRUCK ALTERNATOR. TWO ADDITIONAL AUXILIARY DEEP CYCLE RESERVE BATTERIES IN ADDITION TO STANDARD TRUCK BATTERIES. STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING AND SPRING REWIND 20 AMP ELECTRICAL REEL WITH 50 FEET OF 12 GAUGE. 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHER PROOF DUPLEX OUTLET. FULLY INSTALLED ON PARISH OWNED TRUCK.</p>		
223	10.00	EA	<p>0224 - 4 HEAD DOT REMOTE STROBE SYSTEM FOR HEADLIGHTS AND TAILLIGHTS, WEATHER</p> <p>PROOF HOUSING AND CONNECTORS, HI/LOW INTENSITY AND DOUBLE/QUAD FLASH OPERATION, SHORT CIRCUIT PROTECTION, OUTPUT POWER REGULATION, FULLY INSTALLED ON PARISH OWNED TRUCK.</p>		
224	10.00	EA	<p>0225 - WILTON (OR EQUAL) HVY DUTY MULTI-PURPOSE 6" MECHANICAL VISE ASSEMBLY,</p> <p>FULLY INSTALLED ON PARISH OWNED TRUCK AT LOCATION TO BE SPECIFIED BY USING AGENCY</p>		
225	10.00	EA	<p>0226 - SET OF FOUR(4) HAZARDOUS MATERIAL SAFETY WARNING PLACARDS, ALUMINUM</p> <p>CONSTRUCTION WITH HEAVY DUTY STEEL MOUNTING BRACKETS, FULLY INSTALLED, ONE EACH ON FOUR SIDES OF A PARISH OWNED TRUCK IN ACCORDANCE WITH DOT REGULATIONS</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
226	10.00	EA	0227 - 5 GPM HYDRAULIC TOOL CIRCUIT COMPLETE W/WIN HYDRAULIC LINE HOSE REEL WITH 50' HOSE EACH LINE, AIR MOTOR REWIND, FLOW CONTROL VALVES, FULLY INSTALLED AND CONNECTED TO HYDRAULIC AND AIR POWER SOURCE ON PARISH OWNED VEHICLE (HYDRAULIC POWER SOURCE TO BE SELECTED FROM APPROPRIATE COMMODITY CODE		
227	10.00	EA	0228 - SPRING REWIND AIR HOSE REEL COMPLETE WITH 4-WAY ROLLER GUIDE. 50' OF 3/8" DIAMETER AIR HOSE AND QUICK CONNECTOR END. RUBBER HOSE STOP AND FULLY INSTALLED AND CONNECTED TO AIR POWER SOURCE ON PARISH OWNED TRUCK.		
228	10.00	EA	0229 - DRAWER CABINET UNIT FOR 20" DEEP SERVICE TRUCK BODY FRONT COMPARTMENT, 18" DEEP DRAWERS ARE 16" DEEP AND 30" WIDE, FIVE 3" HIGH, TWO 5" HIGH AND TWO 7" HIGH, 250 LB CAPACITY DRAWER SLIDES, THREE DROP IN DIVIDERS PER DRAWER, FULLY INSTALLED IN PARISH OWNED SERVICE TRUCK		
229	10.00	EA	0230 - HEAVY DUTY, MATERIAL HANDLING, 4 FIGURE, KNUCKLE BOOM CRANE ASSEMBLY WITH 16'5" MAXIMUM SPREAD HYDRAULIC OUT AND DOWN RIGGERS, WO TELESCOPIC SECTIONS 75,000 FT-LB RATING, 26'3" MAXIMUM HORIZONTAL REACH, 33'10" MAXIMUM VERTICAL REACH, 7,165 LBS MAXIMUM CAPACITY, 2,755 CAPACITY AT MAXIMUM REACH, 4500 LB. SINGLE LINE CAPACITY PLANETARY WINCH WITH 140' OF 7/16" DIAMETER WIRE ROPE WITH SAFETY HOOK END AND SHEAVE ASSEMBLY FOR BOOM TIP DYRAULIC OVERLEAD SYSTEM, FULLY INSTALLED ON PARISH OWNED VEHICLE		
230	10.00	EA	0231 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5 MILS THICKNESS AND REINSTALL THE BELOW DUMP BODIES: 3 YD. DUMP BODIES.		
231	10.00	EA	0232 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT. FINISH PAINT 5 MILS THICKNESS AND REINSTALL THE BELOW		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
232	10.00	EA	DUMP BODY: 6 YD. DUMP BODY 0233 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5 MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 12 YARD DUMP BODY		
233	10.00	EA	0234 - REMOVE, CLEAN, SANDBLAST, ZINC PHOSPHATE PRIME PAINT, FINISH PAINT 5 MILS THICKNESS AND REINSTALL THE BELOW DUMP BODY: 16 YD DUMP BODY		
234	10.00	EA	0235 - OPTIONAL AIR CONDITIONG AND HEATING SYSTEM IN ANIMAL CONTROL TRUCK BODIES IN ADDITION TO THE STANDARD FORCE AIR VENTILATION SYSTEM.		
235	10.00	EA	0236 - 40 CU. YD. CAPACITY ROLLOFF AND/OR HOOKLIFT TRASH CONTAINERS. 22 IN LONG, MINIMUM 3 INCH STEEL CHANNEL FLOOR SUPPORTS ON 12 IN CENTERS. MINIMUM 8 GA. STEEL SIDE CONSTRUCTION. SIDE POST SUPPORTS ON MINIMUM 32 IN CENTERS. FULL OPENING REAR SWING DOOR WITH HOLDBACK SAFETY LOCKING MECHANISM. PRIMED AND FINISHED PAINTED 5 MILS ENAMEL FLEET WHITE UNIT TO BE COMPATIBLE WITH JEFFERSON PARISH TRUCK FLEET.		
236	10.00	EA	0237 - 16 CU. YD. CAPACITY ROLLOFF AND/OR HOOKLIFT TRASH CONTAINERS. 16FT LONG. MINIMUM 3 IN. STEEL CHANNEL FLOOR SUPPORTS ON 12 IN CENTERS. MINIMUM 8 GAUGE STEEL SIDE CONSTRUCTION. SIDE POST SUPPORTS ON MINIMUM 32 INCH CENTERS. FULL OPENING REAR SWING DOOR WITH HOLDBACK SAFETY LOCKING MECHANISM. PRIMED AND FINISHED PAINTED 5 MILS ENAMEL FLEET WHITE UNIT TO BE COMPATIBLE WITH EXISTING JEFFERSON PARISH TRUCK FLEET.		
237	10.00	EA	0238 - REAR CRASH ENERGY ABSORPTION DEVICE FOR DUMP TRUCKS. FLATBED TRUCKS ETC. CRASH EXTENUATOR TO MEET ALL CURRENT FEDERAL NCHRP 350. TEST LEVEL 3' TO INCLUDE COMPLETE INSTALLATION AND ALL MODIFICATIONS REQUIRED TO REAR OF		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
238	10.00	EA	<p>VEHICLE TO ACCEPT CRASH. EXTUNATOR AND MAKE UNIT READY TO WORK.</p> <p>0239 - MEDIUM DUTY WRECKER TRUCK BODY ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED AT 12,000 LB. RETRACTED. 16 TON RETRACTED BOOM RATING. TOW 15,000 LB. WORM GEAR VARIABLE SPEED HYDAULIC WINCHES WITH 1/2IN X 150 FT. CABLE POWER FOLD STINGER. 360 DEGREE BOOM ENND SWIVEL PWER BOOM ELEVATION. 96IN. WIDE BODY WITH TWO STORAGE COMPARTMENTS PER SIDE. TUNNEL FRONT COMPARTMENT. DUAL CONTROLS. BACKUP ALARM. DUAL HYDRAULIC PUMPS. SAFETY CHAINS. FIBERGLASS FENDERS 4 IN. RUBBER LOWER WORK LIGHTS. 6 IN. UPPER CHROME WORK LIGHTS. FRONT PUCH BUMPER. FULLY INSTALLED ON PARISH SUPPLIES 26,000 GVWR TRUCK CHASSIS WITH 120 IN. CLEAR C/A IN READY TO WORK CONDITION.</p>		
239	10.00	EA	<p>0240 - HEAVY DUTY WRECKER TRUCK BODY ASSEMBLY WITH UNDERLIFT ASSEMBLY RATED AT 35,000 LB. RETRACTED. 40 TON RETRACTED BOOM RATING. TOW 35,000 LB PLANETRY VARIABLE SPEED HYDRAULIC WINCHES WITH 3/4 INCH X 200 FT. CABLE. POWER FOLD STINGER, 360 DEGREE BOOM ROTATION. FRONT AND REAR OUTRIGGERS. POWER BOOM ELEVATION. 96IN. WIDE BODY WITH FULL LENGHT STORAGE COMPARTMENTS PER SIDE. DUAL CONTROLS. BACK UP ALARM DUAL HYDRAULIC PUMPS. SAFETY CHAINS FIBERGLASS FENDERS. 60 IN. WHELEN SAFETY STROBE LIGHT BAR. 4 IN RUBBER LOWER WORK LIGHTS. 6 IN UPPER CHROME WORK LIGHTS. FRONT PUSH BUMPER. FULL INSTALLED ON PARISH SUPPLIED 54,000 LB. GVWR TRUCK CHASSIS WITH 156 IN. CLEAR C/A DISTANCE IN READY TO WORK CONDITION.</p>		
240	10.00	EA	<p>0241 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLES WITH LOCABLE TAILGATE ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK. FOR 96 IN LONG BODY</p>		
241	10.00	EA	<p>0242 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLIES WITH LOCABLE TAILGATE ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK BODY. FOR 108 IN LONG BODY</p>		
242	10.00	EA	<p>0243 - SERVICE TRUCK BODY TELESCOPIC TOP ASSEMBLIES WITH LOCABLE TAILGATE</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
243	10.00	EA	ENCLOSURES. INSTALLED AND PAINTED TO MATCH TRUCK BODY. FOR 132 IN LONG BODY 0244 - REPLACEMENT PICKUP TRUCK BODIES TO FIT FORD, CHEVROLET, AND/OR DODGE		
244	10.00	EA	PICKUP TRUCKS INCLUDING COMPLETE TAILGATE ASSEMBLY AND REAR DIRECTIONAL LIGHT ASSEMBLIES. INSTALLED AND PAINTED TO MATCH PARISH EXISTING FLEET. 0245 - HY-RAIL SYSTEM FOR PICKUP TRUCKS INCLUDING HYDRAULIC SYSTEM. STEERING		
245	10.00	EA	WHEEL LOCK. DERAILS. MOUNTING BRACKET GROUP. SIGNAL INSULATION. LOCKING VALVES FOR VALVES FOR HIGHWAY POSITION. RAIL SWEEPS FRONT AND REAR. IN-CAB CONTROLS. WHEEL MODIFICATION GROUP INCLUDING APPROVED TIRES FOR RAIL APPLICATION. FOUR (4) EACH CORNER STROBE LIGHTS AND COMPLETE INSTALLATION LABOR ON PARISH OWNED PICKUP TRUCK IN READY TO WORK CONDITION. 0246 - OPTIONAL RAISED BOTTLE GAS STORAGE COMPARTMENT ON SERVICE TRUCK		
246	10.00	EA	BODY INCLUDING GAS VENTS AND THREE BOTTLE GAS RESTRAINING BRACKET. 0247 - RKI MODEL SPK55240 (OR EQUAL) SPACE RACK ASSEMBLY FOR ONE TON TRUCK		
247	10.00	EA	CHASSIS. TWO DOORS PER SIDE. UPPER THRU COMPARTMENT, 82IN. WIDE X 55 IN. HIGH X 20 FT. LONG. INSTALLED AND PRINTED TO MATCH TRUCK CAB. 0248 - SPRING REWIND AIR HOSE REEL ASSEMBLY COMPLETE WITH 100 FT. OF 3/8IN		
248	10.00	EA	DIAMETER AIR HOSE AND QUICK COUPLER END. INSTALLED AS DIRECTED IN PARISH OWNED SERVICE TRUCK. FLATBED TRUCK. DUMP TRUCK ECT. 0249 - MANUAL REWIND DUAL WELDING LEAD REEL ASSEMBLY COMPLETE WITH 100 FT. OF		
249	10.00	EA	WELDING LEADS. QUICK CONNECT ENDS. INSTALLED AS DIRECTED IN PARISH OWNED SERVICE TRUCK. FLATBED TRUCK. DUMP TRUCK ECT. 0250 - OPTIONAL PEAKOVER ATTIC EXTENSION FOR VAN TRUCK BODIES AS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
250	10.00	EA	<p>DESCRIBED: 48IN L X 24 N H X 96IN W. INSTALLED ON VAN TRUCK BODY.</p> <p>0251 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LBS CAPACITY AT 4 FT. ELECTRIC OVER HYDRAULIC POWER. 360 DEGREE CONTINUOUS POWER ROTATION, HYDRAULIC POWER BOOM ELEVATION. 8 FT. TO 12 FT. HYDRAULIC POWER BOOM EXTENSION, MANUAL BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION DEVICE. 18 FT. REMOTE CONTROL PENDANT. 80 FT. OF 5/16 IN. 9800 LB. SINGLE LINE BREAK STRENGTH AIRCRAFT CABLE WITH SWIVEL BLOCK. HOOK. SAFETY LATCH, CRANE REINFORCEMENT IN RIGHT REAR CORNER OF SERVICE TRUCK AFTER INSTALLATION 145 IN. SPEED MANUAL SLIDE OUT AND CRANK DOWN OUTRIGGER ASSEMBLY. BOOM SUPPORT PEDESTAL. INSTALL ON PARISH OWNED TRUCK.</p>		
251	10.00	EA	<p>0252 - REPLACEMENT REAR BUMPERS WITH REVERSE ALARM SENSORS AND CAB WARNING BELL FOR FORD, CHEVROLET, OR DODGE PICKUP TRUCKS INCLUDING COMPLETED INSTALLATION ON TRUCK NOT PREVIOUSLY EQUIPPED WITH THIS SYSTEM.</p>		
252	10.00	EA	<p>0253 - POWER INVERTER SYSTEM 2,000 WATT 110 VOLT AC OUTPUT. INCLUDING AUXILIARY DEEP CYCLE BATTERY IF NEEDED. WEATHER PROOF STORAGE BOX FOR SYSTEM. ALL REQUIRED TRUCK WIRING TO ALTERNATOR. SPRING. REWIND 15 AMP ELECTRIC CORD REEL WITH 50 FT. OF 12 GAUGE 110 VOLT ELECTRIC CORD AND THREE CONNECTOR WEATHERPROOF DUPLEX OUTLET. FULLY INSTALLED IN READY TO WORK CONDITION ON PARISH OWNED TRUCK.</p>		
253	10.00	EA	<p>0254 - CRANE OVERHAUL TO AUTO CRANE 3203PRX-15 SERVICE TRUCK CRANES TO INCLUDE REPAIR OF REPLACEMENT OF WORM GEAR ON SWING MOTOR. ELECTRIC MOTOR. ON HOIST WINCH. CABLE ON HOIST WINCH. ANTI TOW LOCK SYSTEM. AND CONTROL PENDANT AND WIRING.</p>		
254	10.00	EA	<p>0255 - REPAIR OF REPLACEMENT OF THE FOLLOWIING ITEMS ON PARISH OWNED 20,000</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
255	10.00	EA	TO 24,000 LB. GVWR LWBOY TRAILERS- SUSPENSION CROSS BAR SUPPORTS. 0256 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
256	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- AXEL ASSEMBLLIES INCLUDING HUBS AND UBOLTS. 0257 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
257	10.00	EA	TO 24,000 KB, GVWR LOWBOY TRAILERS- SUSPENSION TORQUE ALIGNMENT RODS. 0258 - REPAIR AND REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
258	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- LANDING GEAR INCLUDING SUPPORT BRACKETS 0259 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED		
259	10.00	EA	20,000 LB. TO 24,000 LB. GVWR LOWBOY TRAILERS-A-FRAME TONGUE ASSEMBLIES. 0260 - REPAIR OR REPLACEMENT ON THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
260	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- REAR LOADING RAMP ASSEMBLIES. 0261 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
261	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS-REAR DOVETAIL ASSEMBLIES. 0262 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
262	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- SOLID TREADPLATE STEEL COVER TO CENTER DOVETAIL AREA FOR BUCKET SEATS. 0263 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
263	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- SUSPENSION CROSS BAR SUPPORTS. 0264 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITMES ON PARISH OWNED 20,000		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
264	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- AXLE ASSEMBLIES INCLUDING HUBS AND U-BOLTS. 0265 - RPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
265	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- SUSPENSION TORQUE ALIGNMENT RODS. 0266 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
266	10.00	EA	TO 24,000 LB GVWR LOWBOY TRAILERS- LANDING GEAR INCLUDING SUPPORT BRACKETS. 0267 - REPAIR OR REPLACEMENT OF THE FOLLOWING ITEMS ON PARISH OWNED 20,000		
267	10.00	EA	TO 24,000 LB. GVWR LOWBOY TRAILERS- A-FRAME TONGUE ASSEMBLIES. 0268 - SLIDE OUT DRAWER UNIT FOR FULL SIZE PICKUP TRUCK BED. MINIMUM OVERALL		
268	10.00	EA	DIMENSIONS 48 IN. L X 12 1/2 IN. H X 40 IN. W. FOUR COMPARTMENTS EACH MEASURING 45 IN L X 8 1/2 IN. H X 9 3/4 IN. W. INSTALLED IN PARISH OWNED FULL SIZE PICKUP TRUCK <i>WEATHER GUARD 338-3</i>	<i>1439.00</i>	<i>14390.00</i>
269	10.00	EA	0269 - INTERIOR REAR FENDER WALL TOOL BOX ASSEMBLY. PAIR. ALUMINUM TREADPLATE CONSTRUCTION. BLACK ANODIZED FINISH. 55 IN L X 23 IN. H X 8 IN. W OVERALL DIMENSIONS. THREE SLIDE-OUT REAR DRAWERS INSTALLED IN PARISH OWNED FULL SIZE PICKUP TRUCK EQUIPPED WITH FIBERGLASS LID COVER OVER BED AREA.		
270	10.00	EA	0270 - DRIVER'S CONSUL ASSEMBLY INSTALLED IN VEHICLES-CARGO OR PASSENGER VAN TRUCK <i>WEATHER GUARD / ADRIAN STEEL</i>	<i>350.00</i>	<i>3500.00</i>
271	10.00	EA	0271 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS - 19,501 LB TO 33,000 LB, GVWR TRUCKS 0272 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS - 33,001 LB. GVWR		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
272	10.00	EA	<p>AND OVER TRUCKS.</p> <p>0273 - PTO REBUILD OR REPLACEMENT ON TRUCKS - 33,000 KB GVWR AND UNDER TRUCKS</p> <p>EQUIPPED WITH ALLISON 2000 SERIES AUTOMATIC TRANSMISSIONS.</p>		
273	10.00	EA	<p>0274 - PTO REBUILD OR REPLACEMENT ON TRUCKS - 33,000 LB. GVWR AND OVER</p> <p>TRUCKS EQUIPPED WITH ALLISON 3000 SERIES AUTOMATIC TRANSMISSION.</p>		
274	10.00	EA	<p>0275 - PTO REBUILD OR REPLACEMENT ON TRUCKS - 52,000 LB. GVWR AND OVER</p> <p>TRUCKS EQUIPPED WITH ALLISON 4000 SERIES AUTOMATIC TRANSMISSION.</p>		
275	10.00	EA	<p>0276 - BULK FUEL DELIVERY TRUCK TANK ASSEMBLY SPECIFICATIONS AS FOLLOWS:</p> <p>TANK 4,500 GALLON (MINIMUM) COMPARTMENTS TWO SIZES- 1,500 TO 3,000 LB TANK- ELLIPTICAL DESIGN. FABRICATED FROM POLISHED ALUMINUM BULKHEADS - DOUBLE BULKHEAD CONSTRUCTION HEADS ARE DISHED AND FLANGED FOR MAXIMUM STRENGTH AND TO MEET DOT MC405 REGULATIONS. UNDER FRAME: EXTRUDED J-TYPE SILLS WELDED TO TANK BOTTOM. CROSS MEMBERS ARE INSTALLED TO EACH SURGE HEAD AND BULK HEAD. FLASHING-FULL LENGTH DOUBLE LEGGED. LEAK PROOF OVERTURN FAILS TO MEET DOT406 MAY BE USED AS VAPOR RECOVERY HEADER. FLASHING DRAINS-TWO EXTERNAL 1 1/2 IN DRAINS AT FRONT. BLACK PVC 1 1/2 IN. TUBING. FILL OPENINGS- 16 IN MANHOLES WITH 10 IN FILL DOT MC406 APPROVED VENTING CALIBRATION: 15 IN THREE ADDED ROD WITH MARKER IN EACH COMPARTMENT SEALED AT RATED CAPACITY. DISCHARGE LINES- 3 IN. X 1 IN EMERGENCY VALVES WITH 2 IN. PIPING TERMINATING IN REAR BUCKET BOX WITH MALE PIPE THREADES. STANDARD PIPE ROTATION L TO R-2-4-5-3-1 EMERGENCY VALVE OPERATOR INSTALLED OVER HEAD IN BUCKET BOX WITH EMERGENCY VALVE RELEASE AT STREET SIDE FRONT. EMERGENCY CABLE RAN IN STAINLESS STEEL TUBING. PERMANENT PIPELINE (2 SUCTION. 2 DISCHARGE) WITH VICTALIC GROOVES AT BOTH ENDS FOR A DUAL PUMPING SYSTEM. BOTTOM LOADING/VAPER RECOVERY. TANK INCLUDES BOTTOM LOADING WITH 2 FT. PIPING TO THE REAR AND 3 IN. PIPING TO CURB SIDE</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>FUTURE VAPOR RECOVERY WITH V/R LINE THRU TANK JUST AHEAD OF THE BUCKET BOX. REAR BUCKET BOX-SLOPING ALUMINUM CABINET 44IN DEEP. AT BOTTOM WITH FLOOR LOWERED TO ENCLOSE FAUCETS. SINGLE REAR LIFT DOOR WITH GAS SPRINGS. HOSE DOOR OUTLET EACH SIDE WITH STAINLESS STEEL PADDLE HANDLE SLAM LATCHES. EXTRA WIDE -C- SPRING HOLD OPEN DEVICE AND LOOSE PIN HINGES WITH GREASE ZERKS. ON 70 IN. WELD ON BARREL CARRIER WITH HOSE TUBES. BUMPER-HEAVY DUTY WRAP AROUND BUMPER TO MEET DOT406 NOZZLE HOLDER IN EACH CORNER. LADDERS- LADDER BOTH SIDES AT REAR WITH FULL WIDTH PLATFORM ACROSS TOP OF BUCKET BOX. FENDERS- JEEP STYLE ALUMINUM FENDERS. LIGHTS-FEDERAL STANDARD MVSS108 BELT SNAPS SEAL. LIGHTS WITH VAPOR PROOF WIRING. WORK LIGHTS WITH SEPARATE SWITCH IN BUCKET BOX. FINISH-ALUMINUM LEFT IN BRIGHT FINISH, STEEL PARTS PAINTED. SAFETY WARNING PLACECARD ON ALL FOUR SIDES OF TRUCK AS REQUIRED BY FEDERAL REGULATIONS FOR BULK GASOLINE AND DIESEL FUEL DELIVERY. PUMPING SYSTEM-100 GPM DUAL PUMPING SYSTEMS. 2 BLACKMER (OR EQUAL) TXD@1/2A-2 1/2 IN. PUMPS RATED AT 100 GPM. 2 1/2 IN. PUMPS RATED AT 100 GMP 2-2 IN. LINE STRAINERS 2-5 FT. 2 FT. JUMPER HOSES 5-EMCO WEATON DRY BRAKES 2-EMCO WEATON DRAY BRAKES COUPLERS WITH SWIVELS 2-NEPTURE (OR EQUAL) 2 IN. METERS WITH PRINT REGISTERS 2-METER TANKS SPLIT 2-HANNAY (OR EQUAL) ELECTRIC REWIND HOSE REELS 2-HEAVY DUTY DRIVELNES WITH UNIVERSALS 2-HOT SHIFT PTO'S AND ELECTRONIC THROTTLE CONTROLS AT REAR. INSTALLATION TO INCLUDE ALL MATERIALS, LABOR, FUEL PUMPING TEST. BOTTOM LOADING/VAPOR RECOVERY SYSTEM: TWO COMPARTMENT FULL BOTTOM LOADING AND VAPOR RECOVERY-AIR OPERATED VENTS-SCULLY- GO ANYWHERE -OVERFILL SENSORS GROUND BOLT OPENABLE APOL ADAPTORS WITH DUST CAPS- BRAKE INTERLOCKS - OPTICS AND THERMISTER SOCKETS INSTALLATION. DEMONSTRATION AND TRAINING COMPLETE INSTALLATION ON PARISH SUPPLIED SUITABLE TRUCK CHASSIS IN READY-TO-WORK CONDITION DELIVERED TO FLEET MANAGEMENT-4901 JEFFERSON HWY. STE. A. JEFFERSON, LA 70121 WITH OPERATOR DEMONSTRATION AND TRAINING.</p>		
276	10.00	EA	<p>0277 - ADDITIONAL LEAF SPRING PACKS ADD TWO ADDITIONAL LEAF SPRINGS TO REAR</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
277	10.00	EA	<p>SPRING PACK OF 7,000 LB. THRU 26,000 LB GVWR TRUCK. SERVICE TO INCLUDE REMOVABLE OF OEM SPRING PACK. NEW CENTER BOLTS AND U-BOLTS IF REQUIRED. AND REINSTALLATION OF SPRING PACKS IN READY WORK CONDITION.</p> <p>0278 - MECHANIC'S LUBRICATION SKID ASSY. OVERALL DIMENSIONS ARE TO BE 36 INCH LONG BY 60 INCH HIGH BY 42 INCH WIDE AND MUST FIT INTO STANDARD 8 FT PICKUP BED SKID ASSEMBLY MUST HAVE CAPABILITY TO LOADED WITH OFF-LOADED VIA EITHER UNDERSIDE FORKLIFT BRACKETS OR THREE POINT UPPER LIFTS EYES FOR CRANE LIFTING. ASSEMBLY TO INCLUDE FOUR (4) SEPARATE TANKS ARE TO BE 30 GALLON CAPACITY EACH FOR NEW OIL PRODUCTS ONE TANK IS TO BE 60 GALLONS</p> <p>TANKS ARE TO BE EQUIPPED WITH SIGHT GLASS FILL GAUGES. EACH NEW PRODUCT TANK IS TO BE EQUIPPED WITH ALEMITE SERIES 9968 (OR EQUAL) 5 TO 1 PNEUMATIC OIL PUMPS AND REGULATORS. WASTE OIL PRODUCTS TANKS ARE TO BE EQUIPPED WITH GRACO SERIES 716 (OR EQUAL) DIAPHRAM OIL PUMP AND REGULATOR WITH FOUR WAY RESERVING VALVE TO PUMP INTO TANK AND OUT OF TANK. EACH NEW PRODUCTS TANK IS TO BE EQUIPPED WITH A HEAVY DUTY SPRING REWIND HOSE REEL LEADED WITH 50 FEET OF HOSE AND A DIGITAL METERED NOZZLE END. THE WASTE OIL PRODUCTS TANK IS TO BE EQUIPPED WITH A HEAVY DUTY SPRING REWIND HOSE REEL LOADED WITH 30 FEET OF HOSE AND DEFUSING END WITH COUPLER DETACHMENT. LUBE SKID ASSEMBLY IS TO BE POWERED BY AN INDEPENDENT AIR SOURCE DELIVERING BETWEEN 12 TO 15 CFM AT 12 LB. PSI INDEPENDENT AIR SOURCE IS NOT TO BE INCLUDED WITH THE LUBRICATION SKID ASSEMBLY AND MUST BE AVAILABLE ON CARRYING TRUCK TO POWER THIS UNIT. FIVE YEAR WARRENTY ON ALL LUBRICATION EQUIPMENT.</p>		
278	10.00	EA	<p>0279 - FOUR YARD STREET SWEEPER. DIESEL POWERED 4.0 CUBIC YARD CAPACITY</p> <p>ALL AREA MUNICIPAL STREET SWEEPER TRUCK WITH DUAL GUTTER BROOMS. DIESEL POWERED REGENERATIVE AIR ALL AREA SWEEPER MOUNTED ON A DIESEL POWERED TRUCK CHASSIS. UNIT WILL HAVE AN AUTOMATIC SHUTDOWN SYSTEM WHEN COOLANT TEMPERATURES ARE TOO HIGH, COOLANT LEVEL</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>IS TOO LOW, OR OIL PRESSURE IS LOW. POWER UNIT MUST BE EASILY ACCESSIBLE WITHOUT STARTING THE ENGINE OR THE USE OF AXILLARY HYDRAULICS. SEPARATION OF THE DIRT AND REFUSE FROM THE AIR STREAM SHALL BE ACCOMPLISHED BY MEANS OF AN EXTERNAL CYLINDRICAL MULTI-PASS CENTRIFUGAL DUST SEPARATOR WITH A MINIMUM SIZE OF 20" DIAMETER AND 22.5 WIDTH. THE SEPARATOR SHALL BE DESIGNED SO THAT I WILL NOT PLUG WITH NORMALLY ENCOUNTERED DEBRIS.</p> <p>THE DUST SEPARATOR SHALL HAVE A MINIMUM 4 DIAMETER PORT ALLOWING INSPECTION AND CLEANING OF THE INTERIOR. THE SEPARATOR SHALL INCORPORATE A SELF-CLEANING COMPARTMENT TO TRAP FINE PARTICLES AND PREVENT RE-ENTRY INTO THE AIR STREAM.</p> <p>ALL EXTERNAL WIRING, HARNESSSES, AND TERMINATIONS SHALL BE OF A SEALED, WEATHER-TIGHT DESIGN UTILIZING HEAT SHRINKABLE COMPONENTS. ADDITIONALLY, WHERE FEASIBLE, ALL CONNECTORS SHALL UTILIZE SOLID, COLD-FORMED, NICKEL-PLATED COPPER ALLOY CONTACTS WITH GAS-TIGHT CRIMPS.</p> <p>GROSS VEHICLE WEIGHT RATING TO BE NOT LESS THAN 17,950 LB. GVW.</p>		
279	10.00	EA	<p>0280 - SEVEN YARD STREET SWEEPER. DIESEL POWERED 7.3 CUBIC YARD CAPACITY</p> <p>MUNICIPAL STREET SWEEPER TRUCK WITH TWIN GUTTER BROOMS AND DUAL STEERING. 12 VOLT IGNITION, ELECTRIC STARTER AND MINIMUM 95 AMP ALTERNATOR WITH CHARGE INDICATING GAUGE MOUNTED ON CONTROL CONSOLE IN CAB. UNIT WILL HAVE AN AUTOMATIC SHUTDOWN SYSTEM WHEN COOLANT TEMPERATURES ARE TOO HIGH, COOLANT LEVEL IS TOO LOW, OR OIL PRESSURE IS LOW. POWER UNIT MUST BE EASILY ACCESSIBLE WITHOUT STARTING THE ENGINE OR THE USE OF AXILLARY HYDRAULICS. THE UNIT SHALL BE DIESEL POWERED REGENERATIVE AIR SWEEPER MOUNTED ON A DIESEL POWERED TRUCK CHASSIS. SEPARATION OF DIRT AND REFUSE FROM THE AIR STREAM SHALL BE ACCOMPLISHED WITHIN THE HOPPER BY MEANS OF A MULTI-PASS CYLINDRICAL CENTRIFUGAL SINGLE CHANGE DUST SEPARATOR WITH A MINIMUM SIZE OF 20" DIAMETER AND 61" WIDTH. THE SEPARATOR SHALL BE DESIGNED SO THAT IT WILL NOT PLUG WITH NORMALLY ENCOUNTERED DEBRIS. THE DUST SEPARATOR SHALL HAVE A MINIMUM 24"X61" CURVED, EASY TO OPEN DOOR ALLOWING INSPECTION AND CLEANING OF INTERIOR. ALL EXTERNAL WIRING,</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
280	10.00	EA	<p>HARNESSES, AND TERMINATIONS SHALL BE OF A SEALED, WEATHER-TIGHT DESIGN UTILIZING HEAT SHRINKABLE COMPONENTS. ADDITIONALLY, WHERE FEASIBLE, ALL CONNECTORS SHALL UTILIZE SOLID, COLD-FORMED, NICKEL-PLATED COPPER ALLOY CONTACTS WITH GAS-TIGHT CRIMPS.</p> <p>MINIMUM SUSPENSION SHOULD BE NO LESS THAN 31,000 LBS.</p> <p>0281 - BOTTLE GAS CYLINDER STORAGE COMPARTMENT. BOTTLE GAS CYLINDER STORAGE COMPARTMENT INSTALLED TO LEFT FRONT CORNER OF PARISH OWNED FLATBED TRUCK BODY. THREE BOTTLE CAPACITY. DIMENSIONS 36 IN LONG X 28 INCH HIGH X 16 INCH DEEP. MINIMUM. 125 INCH TREADPLATE STEEL COMPARTMENT CONSTRUCTION WITH 2 1/2 INCH DOUBLE BREAK PERIMETER FLANGES AND DOUBLE FLOOR. UPPER FLOOR TO HAVE TWO 9 1/2 IN DIAMETER HOLES AND 12 1/2 IN DIAMETER HOLE TO RECEIVE BOTTLE GAS CYLINDERS. GAS CYLINDERS TO BE SECURED VIA HINGED MECHANICAL DOUBLE LOCKING DEVICES WITH ING-NUT TENSIONERS TO HOLD CYLINDERS SECURELY IN PLACE. STRAPS NOT ACCEPTABLE UNIT TO BE PRIMED AND FINISHED PAINTED TO MATHC FLATBED.</p>		
281	10.00	EA	<p>0282 - NINE YARD MIXER TRUCK BODY ASSEMBLY HEAVY DUTY CEMENT MIXER TRUCK BODY ASSEMBLY. SPECIFICATIONS AS FOLLOWS: 9 CU YARD DRUM CAPACITY: 46 IN DISCHARGE OPENING: PK7500 DRUM TRANSMISSION (OR EQUAL): 1/4 INCH THICKNESS OF DRUM HEAD. SKIN AND FINS: 1/4 INCH THICKNESS ON FRONT AND REAR PEDESTALS: BOLTED SURGE FINS: ONE BOLTED HATCH: 5 FT. LONG MAIN CHUTE: ENGINE DRIVEN CHUTE LIFT: AIR CHUTE LOCK: TRANSITIONAL 30 INCH LENGTH: TWO 4 FT. CHUTE EXTENSION: PNEUMATICALLY OPERATED ADDITIVE TANK. 125 GALLON WATER TANK: STANDARD BALL WATER VALVES: 100 GALLON ADDITIVE TANK: LED LIGHTS TO FMVSS STANDARDS: 3 BAR LIGHT LOCATED ON DISCHARD HOPPER: EATEN 54 SERIES HYDRAULIC PUMP: EATON SERIES HYDRAULIC MOTOR: STEEL ROUND HYDRAULIC RESERVOIR TANK MOUNTED ON FRONT SIDE OF PEDESTAL: CABLE DRUM CONTROLS: FULL TRI-AXLE STEEL FENDERS: MUD FLAPS: ONE COLOR WHITE AKZO NOBEL SIKKENS PAINT: FULLY INSTALLED IN READY TO WORK CONDITION ON PARISH SUPPLIED TRI-AXLE TRUCK CHASSIS FOR JEFFERSON, LA.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
282	10.00	EA	0283 - REPLACEMENT DUMP BODY ELECTRIC/ HYDRAULIC PUMP. REPLACEMENT HEIL MODEL 219-1553 ELECTRIC OVER-HYDROIC DUMP BODY PUMP ASSEMBLY. 12 VLT DC. 2.6 GPM AT 2500 PSI CAPACITY (INCLUDES REMOVAL OF OLD PUMP).		
283	10.00	EA	0284 - REPLACEMENT VAN BODY REAR BUMPER REPLACEMENT MORGAN MODEL BSP36022 ONE WAY STYLE REAR BUMPER ASSEMBLY WITH 18 INCH UPRIGHTS AND 10 IN DEEP FULL STEP (INCLUDES REMOVAL OF OLD BUMPER),		
284	10.00	EA	0285 - REPLACEMENT VAN BODY SIDE DOOR FRAME. REPLACEMENT MORGAN VAN BODY MODEL SPECENG04 MAXIMUZE SLIDING CURBSIDE DOOR. BOTTOM FRAME ASSEMBLE. INSTALLED (INCLUDING REMOVAL OF OLD ASSEMBLY).		
285	10.00	EA	0286 - REPLACEMENT VAN BODY REAR FRAME BOTTOM HEADER. REPLACEMENT MORGAN VAN BODY MODEL APP0110 REAR FRAME POST SUB-COMPONENT GALVANIZED STEEL FOR OVERHEAD DOOR END PLATE. INSTALLED AND PAINTED TO MATCH ORIGINAL.		
286	10.00	EA	0287 - 6 IN DIAMETER LED SAFETY STROBE LIGHT INSTALLED ON TRUCK AT PARISH CHOICE OF LOCATION WITH CONTROL SWITCH IN TRUCK CAB AND ALL WIRING IN LOOM CONDUIT BOLTED TO TRUCK.		
287	10.00	EA	0288 - REPLACEMENT OF GLAD HANDS WITH DUST CAP ENDS FOR TRACTOR PACKAGE INCLUDING ELBOWS AND CONNECTORS TO TRUCK AIR SYSTEM AND INSTALLATION.		
288	10.00	EA	0289 - PICKUP TRUCK 8 FT. BED TRANSFERABLE TOOL STORAGE SYSTEM INCLUDING FULL LENGTH TPX ALUMINUM SIDE BOXES. 1,000 LB CAPACITY SLIDE OUT DRAWER IN BED 2,000 LB. FLOOR CAPACITY ABOVE DRAWER. FORKLIFT TUNNELS FOR EASE OF REMOVAL AND TRANSFER TO OTHER TRUCK. DOUBLE LOCKING COMPARTMENTS. HEADACHE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
289	10.00	EA	RACK, LADDER RACK, AND 2,000 LB. LIFTING JACKS FOR EASE OF REMOVAL AND STORAGE WHEN SYSTEM IS NOT BEING TRANSFERED. INSTALLED IN PARISH OWNED 3/4 TON PICKUP TRUCK WITH 8 FT. BED. 0290 - REMOVAL AND INSTALLATION OF NEW TRUCK WINCH CABLE. 7/8 IN. DIAMETER X 150 FT. HIGH TENSILE CABLE WITH 4 FT. TAILCHAIN AND HOOK END.		
290	10.00	EA	0291 - REMOVAL AND INSTALLATION OF NEW TRUCK CRANE WINCH CABLE. 3/8 IN. DIAMETER X 100 FT. HIGH TENSILE CABLE WITH SAFETY HOOK END.		
291	10.00	EA	0292 - REMOVE AND REBUILD OR REPLACE DEFECTIVE MOTOR ON AUTO CRANE MODEL 3203 SERVICE CRANES.		
292	10.00	EA	0293 - HEAVY DUTY SERVICE TRUCK BODY RACK, DOUBLE 2-HIGH STRENGTH. ROUND TUBE FRAMING FULL LENGTH OF PICKUP BODY AND EXTENDING TO WINDSHIELD. 51 IN INSIDE WIDTH. FOUR 2 IN. SQUARE CROSSBAR. WELDED TIE-DOWN CLEATS. PAYLOAD CAPACITY TO EXCEED TRUCK BED WALL CAPACITY. BLACK COLOR. TO FIT ALL FULL SIZED DOMESTIC SERVICE BODY TRUCKS.		
293	10.00	EA	0294 - REMOVE AND REBUILD OR REPLACE DEFECTIVE HYDRAULIC MOTOR ASSEMBLY ON AUTO CRANE MODEL 4004H OR 6404H SERVICE		
294	10.00	EA	0295 - REMOVE AND REPLACE DAMAGED PENDANT CONTROL ASSEMBLY ON AUTO CRANE MODEL 3203 TRUCK SERVICE CRANE.		
295	10.00	EA	0296 - REMOVE AND REBUILD OR REPLACE DEFECTIVE WINCH BRAKE ASSEMBLY ON AUTO CRANE MODEL 4004 OR 6404 SERVICE CRANE.		
296	10.00	LF	0297 - DUMP TRUCK BODY FLOOR REPLACEMENT OVERLAY 1/4 IN. HIGH TENSILE STEEL SOLID WELDED AND FLASHED 12 IN UP SIDES PRICE PER LINEAR FOOT OF DUMP BODY.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
297	10.00	HR	0298 - SHOP LABOR RATE FOR GENERAL SERVICE REPAIRS INCLUDING WELDING SERVICES. MECHANICAL SERVICES, HYDRAULIC SERVICES AND ELECTRICAL SERVICES ON TRUCK BODIES.PRICE PER HOUR.		
298	10.00	EA	0299 - BACKUP CAMERA WITH REAR VIEW SYSTEM COMPLETE WITH 7 INCH WIDE PANEL <i>ECCO</i> CLAM SHELL TYPE MONITOR WITH HEAVY DUTY COLOR LCD PANEL. WHITE LED BLACK LIGHT. 16 TO 9 ASPECT RADIO. 300 TO 1 CONTRAST RATION 500 NIT BRIGHTNESS. VIEW ANGLE (V/H) 100/120. ANTI GLARE AND ANTISCRATCH PROTECTIVE LENS. INTERGRATED AUDIO SPEAKER, AUTO DAY/NIGHT BRIGHTNESS MODES OPTIONS TO FIT TRUCKS CAN AND/OR DRIVER PREFERENCE. CAMERA ENCLOSED IN RUGGED WATERPROOF DIE CAST ALUMINUM HOUSING. 150 DEGREE VIEWING ANGLE. BUILT-IN MICROPHONE. STAINLESS STEEL HARDWARE. UV/WEATHER RESISTANT CABLE WITH WATER-TIGHT FITTINGS. INSTALLED IN PARISH OWNED VEHICLE. <i>ECCO K7000B</i>	<i>549.00</i>	<i>5490.00</i>
299	10.00	EA	0300 - REVERSE PROXIMITY ALARM SYSTEM TO ALERT THE DRIVER TO THE PRESENCE AND DISTANCE OF OBSTACLES WHILE REVERSING VEHICLE. 15 FOOT RANGE. MINIMUM OF FOUR SENSORS. AUDIBLE BEEP ALARM TO SOUND IN CAB WITH INCREASING FREQUENCY AS DISTANCE DECREASES. CONTINUOUS ALARM TO SOUND AT ONE FOOT AWAY. LCD SCREEN IN CAB DISPLAYS DISTANCE FROM OBSTACLES IN FEET. THREE VOLUME LEVELS FOR SPEAKER, WATERPROOF INSTALLED IN PARISH OWNED VEHICLE.		
300	10.00	EA	0301 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR A 56 IN. C/A SINGLE WHEEL TRUCK. 96 IN. L X 80 IN. W. X 41. 5 H. SIX COMPARTMENTS PLUS TWO (2) FLIP TOP COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE FULL INTERIOR SHELIVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY DUTY REAR BUMPERS. FMVSS 108 RECESSED LIGHTS, TAILGATEE, UNDERCOATED, PAINTED AND INSTALLED.		
301	10.00	EA	0302 - HEAVY DUTY FLIP TOP SERVICE TRUCK FOPY FOR A 60 IN. C/A DUAL WHEEL		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
302	10.00	EA	<p>TRUCK. 108 IN. L X 94 IN. WX41.5 IN. H. SIX COMPARTMENTS PLUS TWO (2) FLIP TOP COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR. HEAVY DUTY REAR BUMPER. FMVSS 108 RECESSED LIGHTS TAILGATE, UNDERCOATED, PAINTED AND INSTALLED.</p> <p>0303 - HEAVY DUTY FLIP TOP SERVICE TRUCK BODY FOR AN 84 IN. C/A DUAL WHEEL</p>		
303	10.00	EA	<p>TRUCK. 132 IN. L X 94 IN. W X 41.5 IN H. EIGHT COMPARTMENTS PLUS TWO (2) FLIP TOP COMPARTMENTS. 14 GA GALVANIZED STEEL COMPARTMENTS AND DOORS. WEATHER TIGHT DOOR SEALS. SPRING LOADED DOOR RETAINERS. ALL STAINLESS STEEL HARDWARE. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREADPLATED STEEL FLOOR HEAVY DUTY REAR BUMPER. FMVSS 108 RECESSED LIGHTS. TAILGATE, UNDERCOAT, PAINTED AND INSTALLED</p> <p>0304 - 16 FT. INSULATED ALUMINUM REFRIGERATED VAN TRUCK BODY FOR TRANS-</p>		
304	10.00	EA	<p>PORTING FOOD PRODUCTS. MINIMUM INTERIOR HEIGHT 85 IN. INTERIOR WIDTH 89 IN. NON-SLIP EXTRUDED ALUMINUM FLOOR. 12 IN. HIGH SCUFF LINER ON THE SIDES AND FRONT WALL. KEMLITE LINING ON THE CEILING, SIDES, AND FRONT WALL. PRE-PAINTED WHITE ALUMINUM EXTERIOR PANELS. 3 IN. POLYURETHANE IN THE FONT WALL AND FLOOR. DIESEL POWERED REFRIGERATION UNIT WITH AUTOMATIC CAB CONTROLS AND 220 VOLT ELECTRIC STANDBY. CAPABLE OF MAINTAINING 0-35 DEGREES. FULL WIDTH, DOUBLE REAR STEP BUMPER, INTERIOR DOME LIGHTS, FLAPS AND COMPLETE INSTALLATION WITH 5/8 IN. U-BOLTS AND WOOD CUSHION STRIPS. CHASSIS FRAME EXTENDED TO THE REAR OF THE BODY AND THE FRAME AND BUMPER PAINTED BLACK.</p> <p>0305 - BUMPER CRANE. 1350 LB. CAPACITY 12V-DC POWERED FROM VEHICLE BATTERY.</p>		
			<p>10 FT. HANDHELD PENDANT CONTROL. 360 DEGREE COUNTINUOUS MANUAL ROTATION. BUILT IN OUTRIGGER. 2 IN RECEIVER HITCH. POWDER COATED BLACK. ALUMINUM DIAMOND PLATE COVER. 45 IN. FIXED BOOM LENGTH BOOM HEIGHT OF 77 IN. AND 85 IN. FLIP</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
305	10.00	EA	OVER CENTER STEP BUMPER BUILT TO BODY WIDTH INSTALLATION ON PARISH OWNED VEHICLE. 0306 - CONFINED SPACE RESCUE/RECOVERY SYSTEM WO-CSR TO WORK WITH A WESTERN MULE BUMPER CRANE. REQUIRED WHEN USING THE CRANE AS A MAN-LIFT. INCLUDES WO-14 ROTATION LOCK. WO-14 FALL ARRESTOR BOOM ATTACHMENT ANCHOR PIN. WO-23 65 FT X 3/16 IN. GALVANIZED LIFTING CABLE. R50G QUICK ATTACHED HAND CRANK OPERATED RECOVERY WINCH/FALL ARRESTOR WITH 50 FT. LIFELINE.		
306	10.00	EA	0307 - HEAVY DUTY SERVICE TRUCK CRANE 4,000 LB. CAPACITY AT 4 FT ELECTRONIC/ HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION. 8 FT TO 12 FT. HYDRAULIC BOOM EXTENSION. MANUAL BOOM EXTENSION TO 16 FT. AUTOMATIC OVERLOAD PROTECTION 18 FT. REMOVE CONTROL PENDANT. 80 FT. X 5/16 FT. AIR-CRAFT CABLE WITH SWIVEL BLOCK, HOOK AND SAFETY LATCH. REMOVAL OF EXISTING USED CRANE. INSTALLED ON A CRANE REINFORCED BODY COMPLETE WITH OUTRIGGERS. BOOM SUPPORT AND SPRING PACKAGE.		
307	10.00	EA	0308 - HEAVY DUTY SERVICE TRUCK CRANE 3,200 LB. CAPACITY AT 3 FT. ELECTRIC/ HYDRAULIC POWER. 360 DEGREE CONTINUOUS HYDRAULIC ROTATION. BOOM ELEVATION. 7 FT TO 11 FT. TO 15 FT. MANUAL BOOM EXTENSION. AUTOMATIC OVERLOAD PROTECTION 17 FT. REMOTE CONTROL PENDANT. 60 FT X 1/4 AND SAFETY LATCH. REMOVAL OF EXISTING USED CRANE. INSTALLED ON A CRANE REINFORCED BODY COMPLETE WITH OUT RIGGERS BOOM SUPPORT AND SPRING PACKAGE.		
308	10.00	EA	0309 - ADRIAN (OR EQUAL) MODEL 4508 PLUMBING PACKAGE FOR A TRANSIT <i>MASTERACK</i> CONNECT. INTERIOR STORAGE BINS. CABINETS DRAWERS AND SHELVING. <i>SEE ATTACHED DOCUMENT</i>	1972.00	19720.00
309	10.00	EA	0310 - ADRAIN (OR EQUAL) MODEL 4509 GENERAL SERVICE PACKAGE FOR A TRANSIT <i>MASTERACK</i> CONNECT. INTERIOR STORAGE BINS. CABINETS DRAWERS AND SHELVING <i>SEE ATTACHED DOCUMENT</i>	2098.00	20980.00
310	10.00	EA	0311 - ADRIAN (OR EQUAL) MODEL 4512 ELECTRICAL PACKAGE FOR A TRANSIT CONNECT <i>MASTERACK</i>	1778.00	17780.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<i>SEE ATTACHED DOCUMENT</i>		
311	10.00	EA	INTERIOR STORAGE BINS. CABINETS, DRAWERS AND SHELVING. 0312 - ADRIAN (OR EQUAL) MODEL 63-1 DOUBLE GRIP LOCK LADDER BACK, PAINTED WHITE.		
312	10.00	EA	0313 - ADRIAN (OR EQUAL) NODEL 63-TC DOUBLE GRIP LOCK LADDER RACK, PAINTED WHITE. <i>KARGOMASTER 40813 40813</i>	<i>797.00</i>	<i>7970.00</i>
313	10.00	EA	0314 - HEAVY DUTY TRUCK CRANE 7,000 LBS. CAPACITY AT 5 FT. T IN. RADIUS. FULL HYDRAULIC POWER. 370 DEGREE NON CONTINUOUS HYDRAULIC TOATION. POWER BOOM ELEVATION. HYDRAULIC BOOM EXTENSION TO 20 FT. 6 IN. 8 GPM AT 2.750 PSI TRUCK HYDRAULIC POWER SOURCE WITH RESERVOIR TANK. STRAINER. RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. 25 FT. REMOTE CONTROL PENDANT 95 FT. OF 3/8 INCH AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1910 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 38,000 FT CRANE PACKAGE. PRICE INCLUDES PTO TO LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR MINIMUM 14,500 GVWR TRUCK CHASSIS OR HEAVIER.		
314	10.00	EA	0315 - HEAVY DUTY SERVICE TRUCK CRANE 8,000 LB. CAPACITY AT 5 FT. 3 IN. RADIUS FULL HYDRAULIC POWER. 370 DEGREE NON-CONTINUOUS HYDRAULIC TORATION. POWER BOOM ELEVATION. HYDRAULIC BOOM EXTENSION TO 20 FT. 6 IN. 8 GPM AT 2.750 PSI TRUCK HYDRAULIC POWER SOURCE WITH A RESEVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT GAUGE. AUTOMATIC OVERLOAD PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. 25 FT. REMOTE CONTROL PENDANT, 95 FT. OF 3/8 IN. AIRCRAFT CABLE WITH SWIVEL BLOCK HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1910 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER'S CRANE READY SERVICE BODY FOR A MINIMUM 49,000 FT. LB CRANE PACKAGE. PRICE TO INCLUDE PTO AND HYDRAULIC PUMP, BOOM SUPPORT, AND SPRING REINFORCEMENT PACKAGE TO LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
315	10.00	EA	<p>MINIMUM 19,500 GVWR TRUCK CHASSIS OR HEAVIER.</p> <p>0316 - HEAVY DUTY SERVICE CRANE 12,000 LB. CAPACITY AT 6 FT RADIUS. FULL HYDRAULIC POWER. EQUIPPED WITH NEXSTAR, 370 DEGREE NON-CONTINUOUS HYDRAULIC ROTATION. POWER BOOM ELEVATION. HYDRAULIC BOOM EXTENSION TO 30 FT. 15 GPM AT 2800 PSI TRUCK HYDRAULIC POWER SOURCE WITH RESEVOIR TANK, STRAINER, RETURN LINE FILTER AND SIGHT GAGE. AUTOMATIC OVERLOAD PROTECTION. PRESSURE TRANSDUCER TYPE SENSING. RADIO. REMOTE CONTROL. SINGLE LINE SPEED 60 FT. PER MIN. 120 FT. OF 7/16 IN. IN 21,000 LB. SINGLE LINE BREAK STRENGTH AIRCRAFT CABLE WITH BLOCK. HOOK AND SAFETY LATCH. UNIT TO MEET OSHA 1910. 180 AND ANSI B30.5 STANDARDS. INSTALLED ON CUSTOMER CRANE READY SERVICE BODY FOR A MINIMUM 70,000 FT. LB. CRANE PACKAGE. PRICE TO INCLUDE PTO AND HYDRAULIC PUMP. BOOM SUPPORT AND SPRING REINFOREMENT PKG. TO LEVEL TRUCK AFTER CRANE INSTALLATION. UNIT FOR MINIMUM 29,000 GVWR TRUCK CHASSIS OR HEAVIER.</p>		
316	10.00	EA	<p>0317 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT. LBS FOR A 84 IN. C/A DUAL</p> <p>WHEEL TRUCK 133 IN. L X 94 IN. W X 58 IN HIGH CARGO ARE 50 INCH. FLAT FLOOR.EIGHT COMPARTMENTS 14 GA. GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES, WEATHERTIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR. SIX FLOOR TIE DOWNS. 36 GALLON HYDRAULIC OIL TANK AND BULK HEAD. INTEGRAL CRANE REINFORCEMENT UP TO 38,000 FT. LBS. ON THE REAR CURBSIDE COMPARTMENT. 20 FT. HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE- HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE (1) PAIR OF ANTISAIL MUD FLAPS. PAIINTED AND INSTALLED.</p>		
317	10.00	EA	<p>0318 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT. LBS. FOR A 84 IN. C/A DUAL</p> <p>WHEEL TRUCK 133 IN. L X 94 IN. W X58 IN. HIGH CARGO AREA 50 IN. FLAT FLOOR. EIGHT COMPARTMENTS. 14 GA. GALVANIZED</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
318	10.00	EA	<p>STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GALLON HYDRAULIC OIL TANK AND BULK-HEAD. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR CURB SIDE COMPARTMENT. 20IN HEAVY DUTY DUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE, REAR TWO HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE (1) PAIR OF ANTI MUD FLAPS. PAINTED AND INSTALLED.</p>		
319	10.00	EA	<p>0319 - HEAVY DUTY SERVICE CRANE BODY 50,000 FT. LBS. FOR A 84 IN C/A DUAL</p> <p>WHEEL TRUCK 133 IN. L X 94IN. W X 58 IN HIGH. CARGO AREA 50 FT. FLAT FLOOR. EIGHT COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS 12 GA. TREAD-PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. 36 GA HYDRAULIC OIL TANK AND BULKHEAD. INTEGRAL CRANE REINFORCEMENT UP TO 50,000 FT LBS. ON THE REAR CURBSIDE COMPARTMENT. 24 IN HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE - HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER- 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE (1) PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED.</p>		
			<p>0320 - HEAVY DUTY SERVICE CRANE BODY 85,000 FT. LBS. FOR A 120 IN C/A DUAL</p> <p>WHEEL TRUCK 169 IN L X 58 IN. HIGH CARGO AREA 50 IN. FLAT FLOOR. TEN COMPARTMENTS 14 GA. GALVANIZED STEEL COMPARTMENTS DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELVING AND DIVIDERS. 12 GA TREADPLATE STEEL FLOOR SIX FLOOR TIE DOWNS. HYDRAULIC OIL TANK AND BULKHEAD. INTEFRAL CRANE REINFORCEMENT UP TO 85,000 FT. LBS. ON REAR CURBSIDE COMPARTMENT. 30 IN HEAVY DUTY BUMPER WITH STORAGE AND VISE PLATE-HYDRAULIC UP/DOWN TYPE TELESCOPING OUTRIGGER ASSEMBLY. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE (1)</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
320	10.00	EA	PAIR OF ANTISAIL MUD FLAPS. PAINTED AND INSTALLED. THIS BODY DESIGNED FOR THE HC 12 CRANE 120" C/A 14 'LONG BODY MIN 33,000 GVWR TRUCK CHASSIS NEEDED. 0321 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT. LBS. FOR 84" C/A DUAL		
321	10.00	EA	WHEEL TRUCK 133" L X 94" W X 58" HIGH. CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES. WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELIVING AND DIVIDERS. 12 GA. TREAD PLATE STEEL FLOOR TIE DOWNS. INTEGRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS ON THE REAR TOW HITCH FOR HEAVY DUTY TRAILER. 16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE (1) PAIR OF ANTI-SAIL MUD FLAPS. PAINTED AND INSTALLED. 0322 - HEAVY DUTY SERVICE CRANE BODY 16,000 FT. LBS. FOR A 60" C/A DUAL		
322	10.00	EA	WHEEL TRUCK 108" L X 94" W X 58" HIGH. CARGO AREA 50" FLAT FLOOR. EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENTS. DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELIVING & DIVIDERS. 12 GA. TREAD-PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. INTEFRAL CRANE REINFORCEMENT UP TO 16,000 FT. LBS. ON THE REAR CURBSIDE COMPARTMENT. ALL COMPARTMENTS HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER-16,000 LBS. FMVSS 108 RECESSED LIGHTS. ONE (1) PAIR OF ANIT-SAIL MUD FLAPS. PAINTED AND INSTALLED. 0323 - HEAVY DUTY SERVICE CRANE BODY 38,000 FT, LBS. FOR 84" C/A DUAL		
323	10.00	EA	WHEEL TRUCK 133" L X 94" W X 54" HIGH. CARGO ARE 50" FLAT FLOOR. EIGHT COMPARTMENTS. 14 GA. GALVANIZED STEEL COMPARTMENT DOUBLE PANEL DOORS. HEAVY DUTY ROTARY LOCKING T-HANDLES WEATHER TIGHT DOOR SEALS. FULL INTERIOR SHELIVING AND DIVIDERS. 12 GA. TREAD-PLATE STEEL FLOOR. SIX FLOOR TIE DOWNS. CRANE PAD ON REAR TOP COMPARTMENT. ALL COMPARTMENT HAVE DOME LIGHTS INSIDE. REAR TOW HITCH FOR HEAVY DUTY TRAILER-16,000 LBS FMVSS 107 RECESSED LIGHTS. ONE (1) PAIR OF ANTI MUD FLAPS. PAINTED AND INSTALLED 0324 - HEAVY DUTY TRI BALL MOUNT INSERT. PAINTED BLACK. SOLID SHANK TUBE. <i>CURT 45650</i>	49.00	490.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
324	10.00	EA	<p>TOWING BALLS ARE 1 7/8"-2" & 2 5/16".</p> <p>0325 - AUTOMATIC OVERLOAD PROTECTION SYSTEM. KEEPS PEOPLE, EQUIPMENT, AND</p>		
			<p>LOADS SAFER. FULL POWER EXTENSION TO 20'4(6.2M). EASE OF USE-FULL. CONTINUOUS POWER ROTATION 360 DEGREES MOVEMENT FOR MAXIMUM VERSITILITY IN LIFTING. CAPABLE OF LIFTING AT 100% IN ALL POSITIONS ON TITAN CRANE BODIES WITH OUTRIGGERS. MAXIMIZED CAPACITY FOR LIFTING. 14 DEGREES TO +75 DEGREES BOOM ELEVATION. SMALL SHEAVE. HARD WIRE REMOTE CONTROL PENDANT. CRANE WEIGHT 1455 LBS. SINGLE LINE SPEED 36 FT. PER MINUTE. 80' OF 5/16" AIRCRAFT CABLE. BOOM LENGTH 13'1. FULL TWO YEAR WARRENTY. PAINTED WHITE AND INSTATLLED.</p>		
325	10.00	EA	<p>0326 - HEAVY DUTY WINDOW GRILL. PAINTED WHITE. SOLID PLATE AND TUBE. LOUVERED</p>		
			<p>WINDOW COVERING WITH CUT OUT FOR REAR VEHICLE LIGHT. INSTALLED ON A PARISH OWNED PICKUP IN READY TO WORK CONDITION.</p> <p><i>RAILSON KOENIG - VARIOUS PART NOS.</i></p>	<p><i>PKI</i></p> <p><i>450.00</i></p>	<p><i>4500.00</i></p>
326	10.00	EA	<p>0327 - SIDE REFUSE LOADER. 28 CU. YD. CAPACITY. 900 LB. PER CUBIC YARD</p> <p>CAPACION. 8 SECON LIFT CYCLE TIME. LIFT REACH 9 FT. LIFT LOAD CAPACITY 625 LBS.@ 9 FT. 1250 LBS.@HOPPER. 2500 PSI TANDEM VANE-TYPE 28GPM PUMP. WORKING RPM 800. 50 GA. HYDRAULIC RESERVOIR CHASSIS FRAME MOUNTED WITH 3 MICRON RETURN FILTERS AND 140 MICRON SUCTION FILTERS. PACKING CONTROL VALVES. LOCKING AND BODY RAISE. ALL AIR OPERATED TOGGLE SWITCH. ADDITIONAL REQUIREMENTS FOR TRUCK CHASSIS-425 FT. LBS. RECOMMENDED ENGINE TORQUE AT PUMP SHAFT AT IDLE. 130 AMP MINIMUM ALTERNATOR. NEUTRAL SIGNAL BRAKE SIGNAL AND R-STATOR SIGNAL DEDICATED FOR BODY BUILDER USE IN CAB. HOPPER LOADING HEIGHT 190 IN. OVERALL UNIT LENGTH. 284 IN. OVERALL UNIT WIDTH 96 IN. OVERALL UNIT HEIGHT ABOVE CHASSIS FRAME 103 IN. APPROXIMATELY 9,900 LBS. UNIT WEIGHT. AUTOMATED PYTHON LIFT. DURA MOUNT DESIGN JOYSTICK CAB CONTROL 60/90 GALLON BELT GRABBERS. OPERATED IN FEAR AT IDLE. CONSTANT DUTY PTO. PETERSON MULTI FUNCTION EMERGENCY LIGHTS ON TAILGATE. LED LIGHTS FOR ENTIRE UNIT. REMOTE LIFTS CONTROLS MOUNTED UNDER PASSENGER SEAT. MUD FLAPS AHEAD OF REAR TIRES. MANUAL HOPPER</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			COVER. 20 LB. FIRE EXTINGUISHER. REAR "CAUTION" DECAL MOUNTED ON TAILGATE. TRIPLE CAMERA SYSTEM. CAM 1 IN HOPPER. CAM 2 ON TAILGATE. CAM 3 ON ARM. BODY SERVICE HOIST LIFT ALLOWS BODY TO BE RAISED OFF OF FRAME RAILS TO ACCESS CHASSIS FOR SERVICE WITH COMPLETE INSTALLATION ON A PARISH OWNED 58,000 LB GVWR TRUCK CHASSIS. FRONT AXLE 18,000 LB REAR AXLE 40,000 LBS WITH A 189 IN. C/T DISTANCE. AND C.O.E. WHEELBASE OF 212 IN		
327	10.00	EA	0328 - ADRAIN (OR EQUAL) MODEL 43818TM130 HVAC PACKAGE FOR A TRANSIT. <i>MASTERACK</i>		
			INTERIOR STORAGE BINS, CABINETS, DRAWERS, AND SHELVEING. <i>SEE ATTACHED DOCUMENT</i>	2840.00	28400.00
328	10.00	EA	0329 - ADRIAN (OR EQUAL) MODEL 4317TM130 GENERAL SERVICE PACKAGE FOR A TRANSIT. INTERIOR STORAGE BINS, CABINETS, DRAWERS, AND SHELVEING. <i>MASTERACK</i>		
			<i>SEE ATTACHED DOCUMENT</i>	2680.00	26800.00
329	10.00	EA	0330 - ADRAIN (OR EQUAL) MODEL 4319TM130 ELECTRICAL PACKAGE FOR A TRANSIT. INTERIOR STORAGE BINS, CABINETS, DRAWERS, AND SHELVEING. <i>MASTERACK</i>		
			<i>SEE ATTACHED DOCUMENT</i>	2820.00	28200.00
330	10.00	EA	0331 - ADRIAN (OR EQUAL) DOUBLE DROP DOWN LADDER RACK. PAINTED WHITE. <i>WEATHERGUARDS NOT INSTALLED</i>	2422.00	24220.00
331	10.00	EA	0332 - ADRIAN (OR EQUAL) DOUBLE DROP DOWN LADDER RACK. <i>WEATHERGUARDS NOT INSTALLED</i>	2422.00	24220.00
332	10.00	EA	0333 - HYDRAULIC PUMP REBUILD OR REPLACEMENT ON TRUCKS - 8,500 LB. TO 19,500 LB GVWR TRUCKS.		
333	10.00	EA	0334 - FREIGHT		
334	10.00	EA	0335 - RAWSON-KOENIG MODEL C-63 CROSS OVER TOOL BOX, MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE. DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE. <i>RKI C63</i>	683.00	6830.00
335	10.00	EA	0336 - WRECKER TRUCK BODY ASSEMBLY WITH INTERGRATED BOOM AND UNDERLIFT		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120750

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
336	10.00	EA	<p>ASSEMBLY, 12 TON RETRACTED BOOM RATING, 3 TON EXTENDED BOOM RATING, TWO 6 TON WORM GEAR VARIABLE SPEED HYDRAULIC WINCHES WITH 7/17IN X 100 FT. CABLE POWER FOLD FOR STINGER, 360 DEGREE BOOM END SWIVEL, POWER BOOM ELEVATION, 90IN WIDE BODY WITH TWO STORAGE COMPARTMENTS PER SIDE, TUNNEL FRONT COMPARTMENT, DUAL CONTROLS, BACKUP ALARM, HYDRAULIC CLUTCH PUMP POWER FENDERS, 60 IN WHEEL STROBE LIGHT BAR, 4 IN RUBBER LOWER WORK LIGHTS, 6 IN UPPER CHROME WORK LIGHTS, 4 SWITCH IN-DASH PANEL HEAVY DUTY DELUXE FRONT PUSH BUMPER, TO BE INSTALLED ON 15,000 TO 19,000 GVWR TRUCK WITH 84IN C/A DISTANCE SUPPLIED BY PARISH.</p> <p>0337 - RAWSON-KOENIG MODEL C-63W STEEL CROSSOVER TOOL BOX, MINIMUM 14 GA. STEEL CONSTRUCTION WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE.</p>	<p><i>RKI</i></p> <p><i>821.00</i></p>	<p><i>8210.00</i></p>
337	10.00	EA	<p>0338 - RAWSON-KOENIG MODEL 43-S LOWER SIDE TOOLBOX, MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED AND INSTALLED FOR PICK-UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE.</p>	<p><i>43S</i></p> <p><i>328.00</i></p>	<p><i>3280.00</i></p>
338	10.00	EA	<p>0339 - RAWSON-KOENIG MODEL ST63A CROSSOVER TOOL BOX, MINIMUM 100.00 ALUMINUM TREADPLATE CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, INSTALLED FOR PICK-UP TRUCK.</p>	<p><i>ST63A</i></p> <p><i>804.00</i></p>	<p><i>8040.00</i></p>
339	10.00	EA	<p>0340 - ECCO DIRECTIONAL ARROW SIGNAL LIGHT MODEL 3410A</p>	<p><i>INSTALLED</i></p> <p><i>552.00</i></p>	<p><i>5520.00</i></p>
340	10.00	EA	<p>0341 - PICK-UP ONE TON CAB ACCESS STEPS TUBE TYPE PAINTED BLACK FOR VARIOUS DOMESTIC TRUCKS</p>	<p><i>BLACK WESTIN TUFF BARS</i></p> <p><i>INSTALLED</i></p> <p><i>295.00</i></p>	<p><i>2950.00</i></p>
341	10.00	EA	<p>0342 - PICK-UP ONE TON CAB ACCESS STEPS TUBE TYPE CHROME FOR VARIOUS DOMESTIC TRUCKS</p>	<p><i>STAINLESS WESTIN TUFF BARS</i></p> <p><i>INSTALLED</i></p> <p><i>335.00</i></p>	<p><i>3350.00</i></p>

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
COMMERCIAL VAN + TRUCK EQUIPMENT, Inc.
INCORPORATED.

AT THE MEETING OF DIRECTORS OF COMMERCIAL VAN + TRUCK EQUIPMENT, Inc.
INCORPORATED, DULY NOTICED AND HELD ON 9/25/17,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT TERRY ABADIE, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.



SECRETARY-TREASURER

9/25/17

DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared: TERRY
ABADIE, (Affiant) who after being by me duly sworn, deposed and said that

he/she is the fully authorized PRESIDENT of COMMERCIAL VAN + TRUCK (Entity), EQUIPMENT, INC.
the party who submitted a bid in response to Bid Number 50-00120750, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.



Signature of Affiant

TERRY E. ABADIE

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 25 DAY OF Sept, 2017.


Notary Public

Donald P. Di Maggio
Printed Name of Notary

33195
Notary/Bar Roll Number

My commission expires At Death.

Print

Notary Search - Detail

Name: MR. DONALD P. DIMAGGIO
Address: 5440 MOUNES ST. SUITE 108
ELMWOOD, LA 70123

Phone: (504) 734-8100
Phone 2: (504) 733-5143

Notary ID Number: 33195

Parish: JEFFERSON with authority in the following parishes:
ORLEANS, PLAQUEMINES, ST. BERNARD

Agency: N/A

Notary Type: Non Attorney

Status: Active

Commission Date: 08/26/1991

Oath Date: 08/02/1991

**Surety Expiration
Date:** None

**Annual Report
Current:** Yes

[Back to Search Results](#) [New Search](#)

STANDARD INSURANCE REQUIREMENTS – PUBLICLY ADVERTISED BIDS

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the advertised bid. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability, Workmen's Compensation Insurance and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE **WORKER'S COMPENSATION INSURANCE**

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office with the concurrence of the Director of Risk Management.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

PART NOS. FOR MASTERACK VAN INTERIOR PACKAGES FOR JEFFERSON PARISH BID NO. 50-00120750

ITEM NO. 135

ADRIAN 2256

MASTERACK 027261CKP, QTY. FOUR 021471, 025527, 027259, 027498

ITEM NO. 136

ADRIAN 4316G

MASTERACK 027261CKP

ITEM NO. 137

ADRIAN 2251

MASTERACK 027261CKP, 025070, 022527, 025545, 027259, 027498

ITEM NO. 139

ADRIAN 2252

MASTERACK 027261CKP, 024304, 025070, 025527, 027259, 027498

ITEM NO. 308

ADRIAN 4508

MASTERACK 02F826KP, 020043, 021056, 025522, 025527, 025545, 02B893, 02F824

ITEM NO. 309

ADRIAN 4509

MASTERACK 02F826, QTY. TWO 02G045, 021056, 027500, 02F824

ITEM NO. 310

ADRIAN 4512

MASTERACK 02F826, 020043, 021056, 024304, 02B893, 02G045, 02F824

ITEM 327

ADRIAN 4318TM130

MASTERACK 02G130KP, 02J180, 02H370, 021007, 022531, QTY. TWO 025070, 025254,
025527

ITEM 328

ADRIAN 4317TM130

MASTERACK 02G130KP, 02J180, 02H370, 021471, QTY. TWO 025070, 021007

ITEM 329

ADRIAN 4319TM130

MASTERACK 02G130KP, 02J180, 02H370, QTY. THREE 021471, 021007, 022531, 024304,
025070, 025527



Amerex Corporation

RUGGED

- 6 Year Warranty
- Stored Pressure Design
- Dependable Drawn Steel Cylinders
- Durable High Gloss Polyester Powder Paint
- All Metal Valve Construction

Brass Valve - Heavy Duty

- Chrome Plated Brass Valve Body
- Stainless Steel Handle & Lever

Aluminum Valve - Light to Medium Duty

- Anodized Aluminum Valve Body
- Anodized Aluminum Handle & Lever
- Temperature Range -65°F to 120°F

USER FRIENDLY

- Easy and Economical to Maintain and Service
- Large Loop Pull Pin
- Bar Coded and Bi-lingual Labels

OPTION

- USCG Approved with Bracket Listed on UL Label
- Chrome Cylinders (See Chart Below)



Aluminum Valve

- B417/T
- B500/T
- B402/T**
- B443
- B456
- A411



Brass Valve

- B424
- B461
- B441
- 423



Available in Wheeled and Stationary Extinguishers

ABC or Multi-Purpose extinguishers utilize a specially fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which it is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

Largest selection of size and extinguisher options available


AGENT TYPE		ABC DRY CHEMICAL									
VALVE TYPE	ANODIZED ALUMINUM						CHROME PLATED BRASS				
DESIGN	NOZZLE	HOSE & NOZZLE									
MODEL NUMBER	B417/B417T	B500/B500T	B402/B402T	B443	B456	A411	B424	B461	B441	423	
UL & ULC RATING	1A,10B C	2A,10B C	3A,40B C	3A,40B C	4A,80B C	10A,120B C	2A,10B C	3A,40B C	4A,80 B C	10A,120B C	
CAPACITY (LBS.)	2.5	5	5	6	10	20	5	6	10	20	
SHIPPING WT. (LBS.)	5.25/5.5	9.25/9.5	9.25/9.5	12.75	18	38	10.5	13.75	19	39	
HEIGHT (IN.)	15.5	15.25	15.25	16	20	24	15.5	16.25	20.5	24	
WIDTH (IN.)	5.75	7.25	7.25	7.75	7.75	10.25	8	8.5	8.75	10.25	
DEPTH (IN.)	3	4.25	4.25	5	5	7	4.25	5	5	7	
RANGE (INITIAL - FT)	9-15	12-18	12-18	15-21	15-21	15-21	12-18	15-21	15-21	15-21	
DISCHARGE TIME (SEC.)	10	14	14	14.5	20	30	14	14	20	30	
FM APPROVED	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	
OPTIONAL CHROME CYLINDER	YES	YES	YES	YES	YES		YES	YES	YES		
INCLUDED BRACKET	WALL/VEHICLE			WALL			WALL				

Manufactured and Tested to ANSI/UL Standards
 Complies with NFPA 10 Standard
 ISO-9001 / ISO-14001 Certified
UL LISTED

CONFORMS TO TEST STANDARDS:

CAN/ULC-S504 - ANSI/UL299 &
 CAN/ULC-S508 - ANSI/UL711

ADRIAN STEEL COMPANY



QUALITY

- Our products are durable and reliable. Warranty claims are less than 1% of sales.
- Our warranty covers our products for three years or 36,000 miles.

INNOVATIVE PRODUCTS WITH FEATURES THAT MATTER

- Drawers that stay closed while in transit.
- ADseries truly adjustable shelving platform.
- LoadsRite and EZ Load ladder racks that load and unload the safe and right way.
- Interior ladder storage.
- Plug and Play accessories.
- Anti-slam drawer latches, and much more!

COMMITMENT

At Adrian Steel, we are committed to you beyond the upfit!

- A dedicated Customer Care Team at corporate headquarters.
- A network of highly qualified distributors to support you locally.
- Our commitment to provide the best cargo management solutions in North America.

EXPERIENCE

- **Over One Million vans upfitted**, and counting! It's a fact that an organized vehicle increases work flow efficiencies and reduces inventory damages.
- Recognized as a National Truck Equipment Association MVP.



SERVICE

- Adrian Steel Products can be purchased throughout North America at authorized Adrian Steel distributors.
- Adrian Steel Customer Service Representatives are available M-F, 8am - 5pm EST at **1-800-677-2726**.
- E-mail us at info@adriansteel.com with questions, comments and feedback.
- Visit AdrianSteel.com for the most up-to-date product information, distributor locator, product catalogs, videos and more.

PROUDLY DISTRIBUTED BY:



906 James Street
Adrian, Michigan 49221-3996
517-265-6194 Fax: 517-265-5834
Toll Free **800-677-2726**
adriansteel.com info@adriansteel.com



FIRST

Enter keywords

SEARCH

Dealer Login | Become a Dealer

Where To Buy

Understanding Towing

ComNet

Contact

Application Guides

About CURT

Quick Vehicle Lookup

Select Year

Select Make

Select Model

SEARCH



Your Vehicle: [Clear](#)


[Ball Mounts](#) > [2 IN Ball Mounts](#) > [Multi-Ball Ball Mounts](#) > CURT Multi-Ball Mount #45650

CURT Multi-Ball Mount #45650

Receiver Tube Size: 2 UPC: 612314001507

No Reviews [Write a Review](#)


Tweet [Like](#)



MSRP **\$87.32**

WHERE TO BUY

- Features three welded trailer balls on a solid shank
- Allows for quick switching between trailer ball sizes
- Mounts on trailer hitches with a 2" x 2" receiver tube opening
- Fits 1 7/8", 2" or 2 5/16" couplers
- Permanently attached trailer balls cannot be loosened or stolen
- Shank constructed from solid steel for optimum strength
- Protected by a durable powder coat finish



Details

Product Type	Multi-Ball Mount
Description	
Shipping Weight	19.000
Warranty	Limited Lifetime
GTW/TW Ball 1	5,000 LB / 500 LB
GTW/TW Ball 2	7,500 LB / 750 LB
GTW/TW Ball 3	10,000 LB / 1,000 LB
Length	7 IN and 8 1/2 IN
Shank Type	Solid
Receiver Tube Size	2
Finish	Black Powder Coat
UPC	612314001507

[All Information](#)

[Reviews](#)

[Videos](#)

Additional Information

If you own more than one trailer, you know what a hassle it can be switching back and forth between ball mounts and keeping track of which ball mount fits which coupler. CURT has made things simpler with the multi-tow ball mount. These ball mounts feature two or three trailer balls mounted onto a straight shank to accommodate various coupler sizes and loads.

This multi-ball ball mount features a 1 7/8", a 2" and a 2 5/16" ball. The 1 7/8" trailer ball can tow up to 5,000 lbs. of gross trailer weight and 500 lbs. of tongue weight. The 2" ball can handle 7,500 lbs. of GTW and 750 lbs. of TW, and the 2 5/16" ball accepts loads up to 10,000 lbs. with 1,000 lbs. of TW. This multipurpose ball mount also features a dual-length option and has a solid shank for increased strength. All of our multi-use ball mounts come with a gloss black powder coat finish and a 2" x 2" shank.

Manufacturer Limited Warranty and Limitation of Liability:

Manufacturer warrants that on the date of purchase, this product will conform to Manufacturer's specifications for this product (which are available from the Manufacturer upon request). This Limited Warranty extends for thirty-six (36) months from the date of purchase.

DAMAGE TO PARTS OR PRODUCTS RESULTING FROM TAMPERING, ACCIDENT, ABUSE, MISUSE, NEGLIGENCE, UNAPPROVED MODIFICATIONS, FIRE OR OTHER HAZARD, IMPROPER INSTALLATION OR OPERATION, OR NOT BEING MAINTAINED IN ACCORDANCE WITH THE MAINTENANCE PROCEDURES SET FORTH IN MANUFACTURER'S INSTALLATION AND OPERATING INSTRUCTIONS VOIDS THIS LIMITED WARRANTY.

Exclusion of Other Warranties:

MANUFACTURER MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE IMPLIED WARRANTIES FOR MERCHANTABILITY, QUALITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ARISING FROM A COURSE OF DEALING, USAGE OR TRADE PRACTICE ARE HEREBY EXCLUDED AND SHALL NOT APPLY TO THE PRODUCT AND ARE HEREBY DISCLAIMED, EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW. ORAL STATEMENTS OR REPRESENTATIONS ABOUT THE PRODUCT DO NOT CONSTITUTE WARRANTIES.

Remedies and Limitation of Liability:

MANUFACTURER'S SOLE LIABILITY AND BUYER'S EXCLUSIVE REMEDY IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR UNDER ANY OTHER THEORY AGAINST MANUFACTURER REGARDING THE PRODUCT AND ITS USE SHALL BE, AT MANUFACTURER'S DISCRETION, THE REPLACEMENT OR REPAIR OF THE PRODUCT, OR THE REFUND OF THE PURCHASE PRICE PAID BY BUYER FOR NON-CONFORMING PRODUCT. IN NO EVENT SHALL MANUFACTURER'S LIABILITY ARISING OUT OF THIS LIMITED WARRANTY OR ANY OTHER CLAIM RELATED TO THE MANUFACTURER'S PRODUCTS EXCEED THE AMOUNT PAID FOR THE PRODUCT BY BUYER AT THE TIME OF THE ORIGINAL PURCHASE. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR LOST PROFITS, THE COST OF SUBSTITUTE EQUIPMENT OR LABOR, PROPERTY DAMAGE, OR OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES BASED UPON ANY CLAIM FOR BREACH OF CONTRACT, IMPROPER INSTALLATION, NEGLIGENCE, OR OTHER CLAIM, EVEN IF MANUFACTURER OR A MANUFACTURER'S REPRESENTATIVE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. MANUFACTURER SHALL HAVE NO FURTHER OBLIGATION OR LIABILITY WITH RESPECT TO THE PRODUCT OR ITS SALE, OPERATION AND USE, AND MANUFACTURER NEITHER ASSUMES NOR AUTHORIZES THE ASSUMPTION OF ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH SUCH PRODUCT.

This Limited Warranty defines specific legal rights. You may have other legal rights which vary from jurisdiction to jurisdiction. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages.

3410A



833 West Diamond St
Boise, Idaho 83705

Customer Service
USA 800-635-5900

UK +44 (0)113 237 5340

AUS +61 (0)3 63322444

www.eccogroup.com



JTD

Installation Instructions Back-up Alarm

General Information:

Congratulations! You have purchased the finest back-up alarm product available on the market today. Back-up alarms are designed to provide a warning sound in hazardous environments associated with vehicles or mobile equipment. To realize this products' full value, it must be installed in conformance with the instructions provided in this guide. Install an alarm that will be audible on the noisiest job site on which the vehicle will be used. Ground guidance should be provided to the driver when backing a vehicle in a job environment where the audibility of the alarm is in question. People's lives depend on the proper installation of this product and it is necessary for you to read, understand and follow these instructions. In addition, we have outlined below some important safety instructions and precautions you should follow.



Failure to install this back-up alarm in accordance with manufacturer's recommendations for installation may result in property damage, serious injury, and/or death to those you are seeking to protect !!!

Selection and installation of an alarm should meet the requirements of SAE J1446 (May.89) "On-Machine Alarm Test & Evaluation Procedure for Construction & General Purpose Industrial Machinery", and all applicable codes. Operation of a vehicle in noisy environments may require an alarm that is louder than indicated in SAE J1446 (May.89). Install an alarm that will be audible on the noisiest job site on which the vehicle will be used. Ground guidance should be provided to the driver when backing a vehicle in a job environment where the audibility of the alarm is in question.

Back-up alarms are intended for commercial use. Proper installation of a back-up alarm requires a good understanding of truck and heavy equipment electrical systems and procedures, along with proficiency in the installation and use of safety warning equipment.

When installing an alarm product, be sure to verify that both sides of the mounting surface are clear of anything that could be damaged.

Place the back-up alarm so it will operate properly under adverse conditions. The location must provide protection from impact and poor weather conditions while allowing unobstructed sound projection to the target hazard area.

The back-up alarm system must be inspected each work day at the beginning of each shift to ensure that it is audible, operating properly, and securely attached to the vehicle. Inspect more often when: 1) The vehicle is operating in an adverse environment; 2) The vehicle is operating in foul weather conditions; 3) The operator has reason to believe the alarm has been damaged or is not working properly; and/or 4) Increased background noise interferes with the ability of workers to recognize when the alarm is sounding.

Note: Back-up alarms should be used for BACK-UP WARNING applications only. The back-up alarm sound is generally recognized as a warning for reversing vehicles/mobile equipment. Alarm products with different sound tones are available for non-reversing applications.

Installation Instructions & Sound Level:

This product is designed to concentrate its audible alarm in the target hazard area. **NOTE:** This product is a safety device. It must be connected to the vehicle's fused back-up lamp circuit or its own separate fused power point to assure its continued operation. For proper sound dispersion, it must be mounted approximately 4 feet above ground level with the sound opening facing the target hazard area (see SMART-ALARMS below). The label on each alarm describes the sound output level in decibels (dB).

1. Select a mounting location at the rear of the vehicle that will provide protection from flying objects, debris, and foul weather conditions while allowing unobstructed sound projection from the vehicle.
2. Using the alarm's housing as a template, mark location for the mounting holes. Drill holes at location marks.
3. Secure alarm on the vehicle.
4. This unit requires a reliable power and ground connection for operation. Complete the wiring according to the wiring diagram shown in figure 1. Use 18 gauge wire (minimum) and observe correct polarity. **WARNING!!** Anytime the Backup Alarm is in operation, continuity must be maintained between the positive voltage of the power source and the positive terminal (+) of the Backup Alarm as well as between the negative terminal (-) of the Backup Alarm and the common ground (the machine member to which all wire grounds are connected). During operation the voltage differential between the positive voltage of the power source and the positive terminal (+) of the Backup Alarm shall not exceed 150mV. During operation the voltage differential between the common ground and the negative terminal (-) of the Backup Alarm shall not exceed 150mV. Route wire in a protected manner in accordance with vehicle manufacturer recommendations. **NOTE:** The back-up alarm is sensitive to polarity and will not operate when its power connections are reversed unless the product is a manually adjustable alarm (see below).

Important!! DO NOT wire in parallel with a solenoid or relay coil. DO NOT spray any coating material, e.g. paint, undercoatings, etc., over the sound opening. DO NOT install the alarm or its wiring in proximity to ignition wires. Failure to observe these conditions may have an adverse effect on the alarm's performance.




Figure 1

5. Test the alarm for proper operation. If alarm does not sound, review step 4. After confirming proper operation, affix the provided Warning Label to the dash board of the vehicle in plain view of the operator. **Do not operate this vehicle if the back-up alarm is not functioning properly.**
6. Add requirement to "test back-up alarm system before operating vehicle" to the daily maintenance log and notify your supervisor or team leader that people operating this vehicle **MUST** confirm proper alarm operation at the beginning of each work shift. **Do not operate this vehicle if the back-up alarm is not functioning properly.**

SMART-ALARMS have a self-adjusting feature which automatically changes their sound output level to be a minimum of five (5) db(A) above the surrounding noise levels within a range of outputs. This sound output adjustment diminishes as surrounding noise levels approach the maximum output of the alarm. **Note:** SMART-ALARMS must not be confined in internal compartments or enclosed spaces where echo effects may interfere with the self-adjusting volume mechanism. If this occurs the alarm will automatically adjust to its highest sound output level.

MANUALLY ADJUSTABLE ALARMS provide two (2) sound output levels. To produce the high sound output, connect the red wire with the black trace (power wire) to the positive (+) lead and connect the black wire (ground wire) to the negative (-) lead or ground. To produce the low sound output, connect the red wire with the black trace (power wire) to the negative (-) lead or ground and the black wire (ground wire) to the positive (+) lead.

NON-ADJUSTABLE ALARMS have a fixed sound output level. Observe correct polarity.

Specifications:

This alarm conforms to the operating specifications detailed in SAE J994 (Aug.93) and SAE J1211 (Nov.78). A listing of product specifications is available upon request.

Vehicle Operations:

As the operator of a vehicle, you should always know when the alarm is sounding and when it is not sounding. Should the alarm become inoperative, discontinue vehicle operation and notify your supervisor or team leader. Operating a vehicle with an alarm that is not functioning properly could endanger the lives and/or property of those who depend on the alarm signal for safety.

Back-up alarm testing must be itemized on the daily maintenance log. An alarm on an operating vehicle must be tested prior to the vehicle's use at the beginning of each work shift. Check the daily maintenance log to confirm acceptable results of this testing before operating the vehicle/mobile equipment.

- More frequent testing may be necessary if the vehicle is operating in adverse conditions.
- Ground guidance should be provided to the driver when backing a vehicle in a job environment where the audibility of the alarm is in question.

Maintenance:

Preventive maintenance procedures must specify an alarm safety system inspection. This check should include a thorough examination of the electrical connections and the sound opening. The sound opening must be kept clear of dust, mud, or any other foreign material that may prevent the alarm from sounding properly. Should this inspection reveal an alarm that is not functioning properly, place a "Do Not Use" sign on the equipment and notify your supervisor or team leader.

Manufacturer Limited Warranty and Limitation of Liability:

Manufacturer warrants that on the date of purchase this product will conform to Manufacturer's specifications for this product (which are available from the Manufacturer upon request), and Manufacturer further warrants that this product is free from defects in materials and workmanship. This Limited Warranty extends for twenty-four (24) months from the date of manufacture. Other warranties may apply, call Manufacturer for details. Manufacturer will, at its discretion, replace or repair any product found by the Manufacturer to be defective and subject to this Limited Warranty.

DAMAGE TO PARTS OR PRODUCTS RESULTING FROM TAMPERING, ACCIDENT, ABUSE, MISUSE, NEGLIGENCE, UNAPPROVED MODIFICATIONS, FIRE, OR OTHER HAZARD; IMPROPER INSTALLATION OR OPERATION; OR NOT BEING MAINTAINED IN ACCORDANCE WITH THE MAINTENANCE PROCEDURES SET FORTH IN MANUFACTURER'S INSTALLATION AND OPERATING INSTRUCTIONS VOIDS THIS LIMITED WARRANTY.

ORAL STATEMENTS OR REPRESENTATIONS ABOUT THE PRODUCT WHICH MAY HAVE BEEN MADE BY SALESPEOPLE, DEALERS, AGENTS, OR OTHER MANUFACTURER'S REPRESENTATIVES DO NOT CONSTITUTE WARRANTIES. THIS LIMITED WARRANTY MAY NOT BE AMENDED, MODIFIED, OR ENLARGED, EXCEPT BY A WRITTEN AGREEMENT SIGNED BY AN AUTHORIZED OFFICIAL OF MANUFACTURER WHICH EXPRESSLY REFERS TO THIS LIMITED WARRANTY.

Exclusion of Other Warranties:

MANUFACTURER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED. THE IMPLIED WARRANTIES FOR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED AND SHALL NOT APPLY TO THE PRODUCT. BUYER'S SOLE AND EXCLUSIVE REMEDY IN CONTRACT, TORT, OR UNDER ANY OTHER THEORY AGAINST MANUFACTURER REGARDING THE PRODUCT AND ITS USE SHALL BE THE REPLACEMENT OR REPAIR OF THE PRODUCT AS DESCRIBED ABOVE.

Limitation of Liability:

IN THE EVENT OF LIABILITY FOR DAMAGES ARISING OUT OF THIS LIMITED WARRANTY OR ANY OTHER CLAIM RELATED TO THE MANUFACTURER'S PRODUCTS, MANUFACTURER'S LIABILITY FOR DAMAGES SHALL BE LIMITED TO THE AMOUNT PAID FOR THE PRODUCT AT THE TIME OF THE ORIGINAL PURCHASE. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR LOST PROFITS, THE COST OF SUBSTITUTE EQUIPMENT OR LABOR, PROPERTY DAMAGE, OR OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES BASED UPON ANY CLAIM FOR BREACH OF CONTRACT, IMPROPER INSTALLATION, NEGLIGENCE, OR OTHER CLAIM, EVEN IF MANUFACTURER OR A MANUFACTURER'S REPRESENTATIVE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. MANUFACTURER SHALL HAVE NO FURTHER OBLIGATION OR LIABILITY WITH RESPECT TO THE PRODUCT OR ITS SALE, OPERATION AND USE, AND MANUFACTURER NEITHER ASSUMES NOR AUTHORIZES THE ASSUMPTION OF ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH SUCH PRODUCT.

This Limited Warranty defines specific legal rights. You may have other legal rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages.

LAB-101 Rev. E

For additional assistance please call ECCO Customer Service team at:
ECCO, Boise, ID : 1-800-635-5900
Vision Alert, Leeds, England: UK - (0)113 237 5340 Export/OEM - +44(0) 113 237 5555
Hazard Systems, Launceston, Australia: +61 (0)3 6332 2444

Menu Operations:

Press the Menu button on the remote control or the Menu button on the monitor to get to the Menu selection.

Use the CH up & CH down on the remote control or CH button on the monitor to toggle between menus.

Use the Volume Up on the remote control or Analog Increase on the monitor to select highlighted menu. Use Volume Down on the remote control or Analog Decrease on the monitor to back to the previous menu.

Use Select on the remote to close Menu Options.

K70008

PICTURE	
Bright	Adjust brightness setting.
Contrast	Adjust contrast setting.
Color	Adjust color setting.
Language	(English, Deutsch, Francais, Español, Portugese, Italiano, Chinese)
Reset	Reset the device.

OPTION	
Rotate	To rotate view.
Zoom	(16:9 or 4:3)

SYSTEM	
S-Color	(Auto, PAL, NTSC)
ACC1 - Time	Trigger 1 timer (0-15 seconds)
ACC2 - Time	Trigger 2 timer (0-15 seconds)
Grid ON/OFF	

PRESET	
Sleep	(0-240 mins)

Manufacturer Limited Warranty and Limitation of Liability:

Manufacturer warrants that on the date of purchase, this product will conform to Manufacturer's specifications for this product (which are available from the Manufacturer upon request). **This Limited Warranty extends for twelve (12) months from the date of purchase.**

DAMAGE TO PARTS OR PRODUCTS RESULTING FROM TAMPERING, ACCIDENT, ABUSE, MISUSE, NEGLIGENCE, UNAPPROVED MODIFICATIONS, FIRE OR OTHER HAZARD; IMPROPER INSTALLATION OR OPERATION; OR NOT BEING MAINTAINED IN ACCORDANCE WITH THE MAINTENANCE PROCEDURES SET FORTH IN MANUFACTURER'S INSTALLATION AND OPERATING INSTRUCTIONS VOIDS THIS LIMITED WARRANTY.

Exclusion of Other Warranties:

MANUFACTURER MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE IMPLIED WARRANTIES FOR MERCHANTABILITY, QUALITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ARISING FROM A COURSE OF DEALING, USAGE OR TRADE PRACTICE ARE HEREBY EXCLUDED AND SHALL NOT APPLY TO THE PRODUCT AND ARE HEREBY DISCLAIMED, EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW. ORAL STATEMENTS OR REPRESENTATIONS ABOUT THE PRODUCT DO NOT CONSTITUTE WARRANTIES.

Remedies and Limitation of Liability:

MANUFACTURER'S SOLE LIABILITY AND BUYER'S EXCLUSIVE REMEDY IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR UNDER ANY OTHER THEORY AGAINST MANUFACTURER REGARDING THE PRODUCT AND ITS USE SHALL BE, AT MANUFACTURER'S DISCRETION, THE REPLACEMENT OR REPAIR OF THE PRODUCT, OR THE REFUND OF THE PURCHASE PRICE PAID BY BUYER FOR NON-CONFORMING PRODUCT. IN NO EVENT SHALL MANUFACTURER'S LIABILITY ARISING OUT OF THIS LIMITED WARRANTY OR ANY OTHER CLAIM RELATED TO THE MANUFACTURER'S PRODUCTS EXCEED THE AMOUNT PAID FOR THE PRODUCT BY BUYER AT THE TIME OF THE ORIGINAL PURCHASE. IN NO EVENT SHALL MANUFACTURER BE LIABLE FOR LOST PROFITS, THE COST OF SUBSTITUTE EQUIPMENT OR LABOR, PROPERTY DAMAGE, OR OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES BASED UPON ANY CLAIM FOR BREACH OF CONTRACT, IMPROPER INSTALLATION, NEGLIGENCE, OR OTHER CLAIM, EVEN IF MANUFACTURER OR A MANUFACTURER'S REPRESENTATIVE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. MANUFACTURER SHALL HAVE NO FURTHER OBLIGATION OR LIABILITY WITH RESPECT TO THE PRODUCT OR ITS SALE, OPERATION AND USE, AND MANUFACTURER NEITHER ASSUMES NOR AUTHORIZES THE ASSUMPTION OF ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH SUCH PRODUCT.

This Limited Warranty defines specific legal rights. You may have other legal rights which vary from jurisdiction to jurisdiction. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages.



833 West Diamond St
Boise, Idaho 83705
Customer Service
USA 800-635-5900
UK +44 (0)113 237 5340
AUS +61 (0)3 63322444
www.eccogroup.com

Model: FR1210G

This industry standard DC pump dispenses up to 15 GPM (57 LPM). The FR1210G is ideal for pumping gas, diesel fuel and kerosene. With an amp draw that's easy on your DC power source. Explosion-proof UL/cUL listed 1/4 HP motor. The FR1210G comes complete with 12 ft. static wire hose and manual nozzle.

Features & Benefits

- Up to 15 GPM
- 1/4 HP motor
- UL/cUL listed motor
- Compatible with Diesel, Gasoline, Kerosene, E15, Biodiesel up to B20
- **2 year warranty**
- 2 in. threaded base for tank mounting
- Heavy duty cast iron construction
- Cast bronze rotor with bronze rotary vanes
- Built-in strainer
- 12 ft. hose with static wire
- Replaces FR1210C

Specifications

Documents

Power Source:	DC
Flow Rate (GPM):	15
Flow Rate (LPM):	57
Certifications:	UL Listed, cUL Listed

LIMITED LIFETIME WARRANTY

LIMITED LIFETIME WARRANTY

STRUCTURE:

JASON CAPS AND LIDS (NOT E-SERIES):

Jason Industries, Inc. (JASON), warrants you, the Original Retail Purchaser (Purchaser), for as long as you own your JASON brand fiberglass truck cap or tonneau cover, installed by an authorized JASON Dealer on the original vehicle, that the body will be structurally free from defects in material and workmanship of the fiberglass structural material below the color surface. The body includes the fiberglass shell and mounting rails only.

JASON ECONOMY PRODUCT LINE (E-SERIES):

JASON, warrants you, the Original Retail Purchaser (Purchaser), for a period of 12 months (1 year) from the date installed by an authorized JASON Dealer, or put into service as a demo, on the original vehicle, that the body will be structurally free from defects in material and workmanship of the fiberglass structural material below the color surface. The body includes the fiberglass shell and mounting rails only.

PAINT:

JASON CAPS AND LIDS (NOT E-SERIES):

JASON warrants to you, the Original Retail Purchaser, of a JASON brand fiberglass truck cap or tonneau cover, installed by an authorized JASON Dealer on the original vehicle, that the exterior paint will not abnormally fade due to material or workmanship more rapidly than the original paint finish on the original vehicle on which it was installed. Peeling, hazing and chalking of the painted surface shall be warranted for five (5) years.

JASON ECONOMY PRODUCT LINE (E-SERIES):

JASON warrants to you, the Original Retail Purchaser, of a JASON brand fiberglass E-SERIES truck cap, installed by an authorized JASON Dealer on the original vehicle, that the exterior paint will not abnormally fade due to material or workmanship more rapidly than the original paint finish on the original vehicle on which it was installed. Peeling, hazing and chalking of the painted surface shall be warranted for three (3) years.

HARDWARE:

For the Original Purchaser of the JASON product, all hardware components or factory installed parts carry a one (1) year warranty from date of purchase or date put into use as demo.

GENERAL PROVISIONS:

The warranty period begins on the date the cap/tonneau is purchased by the original retail customer or put into use (e.g. Demo), whichever is earlier. JASON warrants to the original Purchaser for the original vehicle that it will, at its option, either repair the items covered by this warranty, or replace the original product with a product of equal value or model, based on current model availability. This warranty specifically excludes damage due to accidents, misuse, alterations, improper installation, traveling with the tonneau cover or truck cap rear door in the open position, or lack of proper care and maintenance as listed in this warranty. Consequential damage or loss due to the installation, use, misuse, abuse or neglect of a JASON cap/tonneau is the sole responsibility of the pickup owner and operator (purchaser). Paint wear to your truck's bed is normal and expected with the installation and use of any truck cap or tonneau and is the sole responsibility of the Purchaser. Precautions should be taken by the pickup truck owner to prevent corrosion. JASON shall not be held liable for any consequential loss or damages arising from the purchase, installation or use of JASON products.

All removal, installation, packing and shipping cost to and from JASON will be the Purchaser's responsibility should circumstances require said unit be returned to JASON. Dealer and/or customer installed parts, accessories or paint are NOT subject to JASON'S replacement or reimbursement. JASON does not accept any responsibility to Purchaser for warranty express or implied by any of its dealers, distributors or agents. JASON does NOT, under any circumstances, assume any liability or responsibility for loss of time, inconvenience, consequential damage including but not limited to expense for telephone, food, lodging, travel, damage to personal property or damage to the base vehicle.


The remedies afforded by this warranty are determined by JASON and expressly limited to the Original Purchaser or in service date (demo) and are limited to the replacement or repair or parts defective. JASON disclaims any responsibility or liability to any subsequent owner or purchaser(s) of a JASON unit or product. No implied warranty or fitness for a particular purpose, if any, shall extend for a longer period than the terms of this written warranty. The Warranty herein stated is in lieu of all other expressed warranties on the part of JASON and no person, agent or representative of JASON is authorized to make any representation or warranty concerning JASON products on behalf of JASON except to refer the Purchaser to this warranty.

HOW TO OBTAIN SERVICE:

In the event a warranty defect occurs within the respective warranty period; the original purchaser is requested to contact the selling dealer. Should this be impractical due to travel or permanent geographical relocation, visit our website at www.jasoncaps.com (<http://www.jasoncaps.com>). Click on the FIND A DEALER link on the HOME page and enter your zip code, an Authorized Jason Dealer will appear with contact information.

PROOF OF THE RETAIL PURCHASE:

Only the original invoice, including serial number of the unit and the VIN from the vehicle, presented by the purchaser



Heavy-Duty PRO II Steel Truck Racks without Camper Shells

Heavy-Duty PRO II Steel Truck Racks without Camper Shells


For Full Size Trucks without a Camper Shell

ADVANCED SEARCH

Key Words

Category

[Search](#)



Features and Specs

- **Nationwide lifetime frame warranty**
- Strongest production rack
- Yellow Zinc Dichromate fasteners resist corrosion up to five times longer than standard white Zinc fasteners used by competing brands.
- NO-DRILLING REQUIRED. Our racks INCLUDE a No-Drill Clamp-On option that will not damage your trucks bed.
- Rack easily removed with four bolts.
- Flexible tubular frame absorbs impact stress that can damage your truck bed.
- Self locking nuts stay tight.
- Extended length racks positions the front crossbar beyond windshield on extended cab trucks. This reduces wind noise, looks better, and provides more support for long cargo.
- Front bar overhangs cab to reduce wind noise and to support longer loads.
- Superior corrosion protection.
- Not cutting required
- Time and money saving **accessories** available

Specs

- Yellow Zinc plated hardware

- Cosmetic button head bolts.
- Nyloc self locking nut.
- 1700 LB. cargo capacity
- 2" dia x .083 thick high tensile strength steel
- Zinc Epoxy undercoat
- High gloss black marine grade powder coat finish.
- Swaged tube joints
- 1000 hours ASTM salt spray resistance.

Dimension Chart

PRO-II • TRUCK WITHOUT SHELL	TRUCK TYPE:						
	FULL SIZE				F-250, F-350, Crew Cab		
	Std. Cab		Ext. Cab		Short	Long	
	BED TYPE:	Short	Long	Short	Long	Short	Long
	A	128"	145"	155"	172"	155"	172"
	B	72"	90"	72"	90"	72"	90"
	C	26"				28"	
	D	33"				35"	
E	53"						

[Application Guide](#) ▶

[Contact](#)

© 2017 Kargo Master



Clamp & Lock Ladder Rack

ADVANCED SEARCH

Key Words

Category

[Search](#)



Feature & Specs

- **Nationwide lifetime frame Warranty**
- Strongest production rack
- Yellow Zinc Dichromate fasteners resist corrosion up to five times longer than standard white Zinc fasteners used by competing brands.
- Self locking nuts stay tight.
- Superior corrosion protection.
- Not cutting required
- Time and money saving accessories available
- Yellow Zinc plated hardware
- Nyloc self locking nut.
- Zinc Epoxy undercoat for superior corrosion protection, Chip resistance white powder coat.
- High gloss white marine grade powder coat finish.
- 1000 hours ASTM salt spray resistance.
- No drilling or cutting required.
- Each model fits full sized Ford, GM and pre- Sprinter vans.
- Rugged cross bars hang low over van roof to reduce overall vehicle height and help with loading and unloading.
- No drilling or cutting required
- Wide mount coated feet clamp securely to rain gutter and protect paint.
- Easy to reach lockable clamp arm and adjustable ladder grips firmly secures ladders (step and extension) to rack.
- Wide mount coated feet clamp securely to rain gutter and protect paint.
- Curb side clamp mechanism and driver side load retainers included. Order driver side mechanism Part # 40813 separately.

Specs

- Yellow Zinc plated hardware
- Nyloc self locking nut.
- Zinc Epoxy undercoat
- High gloss white marine grade powder coat finish.
- 1000 hours ASTM salt spray resistance

Contact

© 2017 Kargo Master

THE LINE-X DIFFERENCE [FIND A LOCATION](#)

LINE-X® Spray-On Bedliners provide unmatched protection for your vehicle with the toughest, boldest, and most durable bedliners on the market. Expertly sprayed by highly trained technicians, you can rest assured it's been done right. We're so confident in LINE-X quality that we back our bedliners with a lifetime warranty, giving you complete peace of mind. LINE-X bedliners are designed to meet the needs of every truck owner, whether you're a farmer, hunter, contractor, or weekend warrior.

LIFETIME WARRANTY

RESISTS STAINING FROM
HARSH CHEMICALS

PREVENTS LEAKS, RUST,
& CORROSION

NO CRACKING, BUBBLING,
OR PEELING

PERMANENT BOND



ENVIRONMENTALLY FRIENDLY,
VOC-FREE

CUSTOM COLOR OPTIONS

SOUND-DAMPENING

IMPACT-ABSORBING

AWE-INSPIRING

LINE-X VS. DROP-IN

SEE THE DIFFERENCE ([/BEDLINERS/LINE-X-VS-DROP-IN](#))



Search Products

Products	Home	Fleet & Leasing	News	Support	About Masterack	Contact Us	1-800-222-8785
----------	------	-----------------	------	---------	-----------------	------------	----------------

CUSTOMIZE YOUR VAN

SmartSpace®
Aluminum Modules & Components
Steel Modules & Components
Ladder & Utility Racks
Cab Partitions
Accessories
Wall Liners

PREDESIGNED KITS

Chevy City Express
Ford Transit
Ford Transit Connect (2014+)
GM Express / Savana
Ram ProMaster
Ram ProMaster City
Mercedes Metris
Nissan NV
Nissan NV200
Sprinter
Truck & Van Bodies

UPFIT INCENTIVES



Ford Commercial Connection



GM Business Choice



Nissan Commercial Cash Back



Ram On the Job Program



Mercedes Benz MasterUpfitter Program

Masterack® Limited Warranty

Masterack® commercial van and pick up equipment is warranted to be free from defects in material and workmanship, under normal use and service, for a period of one (1) year from date of purchase. Factory installations, and products installed in new vehicles by an authorized Masterack® installer are warranted for three (3) years or 36,000 miles (60,000KM), whichever comes first.



This warranty covers only repairs, or at Masterack's discretion, replacement to correct any defects related to materials and workmanship.

This warranty does not apply to:

- Additions, alterations, or installations made by persons including dealers, other than Masterack® and its authorized distributors, made in accordance with Masterack® specifications and / or instructions, nor to defects arising out of attribute to such additions, alterations or installations.
- Defects attributable to abuse or misuse of the product, misapplication, negligent accident, modification or tampering.
- Damage resulting from failure to promptly notify and comply with the instructions of the dealer or manufacturer about defects when noted.
- Any incidental or consequential damages connected with a defect, either while under warranty or afterward, including the cost of a rental truck and/or loss of revenue.

THIS WARRANTY IS THE ONLY WARRANTY APPLICABLE TO A MASTERACK PRODUCT PURCHASE. ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. MASTERACK® AND ITS SUBSIDIARIES SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY BREACH OF THIS WARRANTY, NOR SHALL THE DAMAGES EXCEED THE RETURN AMOUNT OF THE PURCHASE PRICE PAID BY THE ORIGINAL PURCHASER.

Warranty claims must be submitted to either your sales representative or a customer service representative at 800-222-8785. The vehicle must be delivered to the original Masterack® authorized installer of the product or, if not practical, to a Masterack® authorized dealer for inspection and any warranty service. Any warranty service to be performed by a source other than a Masterack® location or an approved Masterack® distributor must be authorized in advance of the repairs by the Masterack® Warranty Administrator and a purchase order issued by Masterack® in advance for the authorized repairs.

[Download Warranty](#)

Request a Quote

Find a Distributor

US Zip Code

[Distributors in Canada »](#)

[Product Catalogs](#)
[Download »](#)



NISSAN MEMBER VERIFICATION PROGRAM



**Commercial Grade
Truck Equipment**

RKI, Inc.
2301 Central Parkway
Houston, TX 77092

713.688.4414
Fax 713.688.8982
www.rkius.com

LIFETIME WARRANTY

This warranty applies to anything we have manufactured.

The warranty applies to whoever rightfully owns it now.

If something goes wrong which we determine was our fault we will repair or replace your product. The warranty doesn't apply to normal wear and tear.

Be sure to call your local distributor if you have a problem. We need the opportunity to talk to you about it. We may ask you to email us pictures or ship the product back to us for inspection.

Parts that we use but don't manufacture are covered to the extent of the warranty we get from the company that does manufacture them.

No loss of use coverage. No freight coverage. Repairs have to be authorized by us, in writing, in advance. No coverage if the product has been changed in any way.

To qualify for warranty the product must have been treated with respect in regard to normal installation, maintenance, and usage.

Accidents and acts of God aren't covered.

This warranty will be in effect until we decide to change it.

Effective 9/6/2003

ONE YEAR LIMITED WARRANTY LED FIVE YEAR LIMITED WARRANTY

The manufacturer warrants each new product, under normal use, against factory defects in material and workmanship for **one year** after the date of purchase. The manufacturer warrants the **LED components** in this light against factory defects in material and workmanship for **five years** after the date of purchase. The owner will be responsible for returning to the Service Center any defective item(s) with the transportation costs prepaid. The manufacturer will, without charge, **repair or replace at its option**, products, or part(s), which its inspection determines to be defective. Repaired or replacement item(s) will be returned to the purchaser with transportation costs prepaid from the service point. A copy of the purchaser's receipt must be returned with the defective item(s) in order to qualify for the warranty coverage. If a copy of the receipt is not provided, the warranty period shall cover five years from the date of manufacture.

Exclusions from this warranty include, but are not limited to, bulbs, strobe tubes, domes, and/or the finish. This warranty shall not apply to any light, which has been altered, such that in the manufacturer's judgment, the performance or reliability has been affected, or if any damage has resulted from abnormal use or service. This warranty does not apply to defect or damage occurring as a result of disaster, accident, abuse, misuse, lightning, power surges, or failure to follow instructions in any enclosed manuals. Any damage or defects occurring as a result of any unauthorized service or repairs by unauthorized persons shall be excluded from this warranty.

There are no warranties expressed or implied (including any warranty of merchantability or fitness), which extend these warranty period. **The loss of use of the product, loss of time, inconvenience, commercial loss or consequential damages, including costs of any labor, are not covered.** The manufacturer reserves the right to change the design of the product without assuming any obligation to modify any product previously manufactured.

This warranty gives you specific legal rights. You might also have additional rights that may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts. Some states do not allow the exclusion or limitation of incidental or consequential damages. Therefore, the above limitation(s) or exclusion(s) may not apply to you.

If you have any questions concerning this or any other Star product, please contact our **Customer Service Department** at (585) 226-9787.

If a product must be returned for any reason, please contact our Customer Service Department to obtain a Returned Material Authorization number (RMA #) before you ship the product to Star. Please write the RMA # clearly on the package near the mailing label.

Star Headlight & Lantern Co., Inc.

455 Rochester Street Avon, NY 14414

Phone: 585-226-9787 FAX: 888-478-2797



www.starheadlight.com



Plug & Play feature allows quick and easy connection.

Patented Sensor makes traveling smooth experience.

Green LED monitors a secure connection with trailer and changes to red in case of increase of power to trailer brakes.

Five-year limited warranty protection.

Meets N.H.T.S.A. regulations regarding low vehicle /trailer light activation.

La fonction Branché et Utilisez facilite le branchement.

Le sensor patentiado hace el viajar una experiencia suave.

El sensor patentiado hace el viajar una experiencia suave. El sensor patentiado hace el viajar una experiencia suave.

Protección por garantía limitada de cinco años.

Satisfai aux normes de la N.H.T.S.A. en ce qui concerne l'activation des rétroviseurs de véhicule remorque/remorque.

La función de Plug & Play le permite una conexión rápida y fácil.

El sensor patentiado hace el viajar una experiencia suave.

Los LEDs verdes que aseguran la conexión con el trailer y se ponen rojos para indicar un aumento de poder de los frenos de trailer.

Garantía limitada de cinco años.

Responde a las regulaciones N.H.T.S.A. referentes a la activación de luz de los vehiculos/grúas.

HX>LF

CRT C329672-065 065033 08/16/17

TEA9030

3998 - A - 65A02AG2 1/1 - 033 - 17LF-8/16/2017

Protección por garantía limitada de cinco años.

Satisfai aux normes de la N.H.T.S.A. en ce qui concerne l'activation des rétroviseurs de véhicule remorque/remorque.

Protección por garantía limitada de cinco años.

Satisfai aux normes de la N.H.T.S.A. en ce qui concerne l'activation des rétroviseurs de véhicule remorque/remorque.

TEKONSHA

World leader in electric trailer brake controls.

From: Richard L. Gomez <RGomez@westinautomotive.com>
To: Terry Abadie <tabadie@aol.com>
Subject: RE: hello
Date: Tue, Oct 10, 2017 12:23 pm

Tuff Bar Step Bar Warranty

Black - 3 year warranty against Manufacturers defects only to original purchaser. Proof of purchase is required and we ask that you go back to your original point of purchase for warranty.

Stainless Steel - Lifetime warranty against Manufacturers defects only to the original purchaser. Proof of purchase is required and we ask that you go back to your original point of purchase for warranty.

Thank you,

Richard Gomez
Customer Service
Westin Automotive Products, Inc.
320 W. Covina Blvd, San Dimas, CA 91773
800-345-8476 ext 495
rgomez@westinautomotive.com



"40 Years of Premium Quality Truck Accessories"

From: Terry Abadie [<mailto:tabadie@aol.com>]
Sent: Tuesday, October 10, 2017 10:20 AM
To: Richard L. Gomez
Subject: hello

TERRY ABADIE
COMMERCIAL VAN & TRUCK EQUIPMENT, INC.
1418 DISTRIBUTORS ROW
HARAHAN, LA 70123
504-734-1125
504-734-0769 FAX
www.TruckAndVanSolutions.com



Aluminum Tanks and Combo



Heavy-duty aluminum tanks designed to transfer non-flammable liquid to on-site vehicles and equipment.

Tough. Reliable. USA Made.



Commercial Grade Vented Cap for proper ventilation of non-flammable liquids



Patented Foam Filled Lid creates a solid structure to prevent bending or warping and ensures easy opening and closing from either side



Self-Opening Lid automatically opens, for convenience when hands are full

Available in two finishes:

- Bright Aluminum Diamond Tread
- Black Powder Coated Aluminum Diamond Tread

Offset Hinge designed to fit tight against tank allowing lid to open without rubbing

Heavy-Duty Aluminum Alloy provides maximum protection and durability



Drain Plug facilitates easy and quick emptying



Fully Welded One-Piece Tub is designed to support heavy loads, absorb tool drops and prevent leakage



Stainless Steel Paddle Lock provides strength, security and long-term corrosion resistance

One Year Warranty

For more details (including fit information) and to see the full assortment of available products, visit www.uwsta.com

Lid Opens 90° for easy loading and unloading of tools and equipment

MicroSeal™ Stripping helps seal out moisture, dust and dirt



Connecting Rod Enclosure helps prevent box contents from bending or jamming locking system

KNAACK LLC LIMITED LIFETIME WARRANTY FOR WEATHER GUARD® PRODUCTS

WEATHER GUARD® Products – Limited Lifetime Warranty

(Purchased on or after 1/1/2009)

KNAACK LLC (the "Manufacturer") warrants to the original purchaser only that WEATHER GUARD® Truck and Van Products (the "WEATHER GUARD® Product") will be free from defects in material and workmanship from the date of purchase and continuing for the expected lifetime of the WEATHER GUARD® Product. A copy of the original sales receipt must be supplied to the Manufacturer at the time a warranty claim is made. This warranty terminates if the original purchaser transfers the WEATHER GUARD® Product to any other person.

What is Covered

All WEATHER GUARD® Products identified above that are purchased on or after January 1, 2009.

What We Will Do To Correct Problems

Subject to the limitations and exclusions described in this limited warranty, the Manufacturer will remedy defects in materials or workmanship by providing one of the following remedies at its option and without charge to the original purchaser for parts or labor: (a) repairing the defective portion of the WEATHER GUARD® Product or (b) replacing the entire WEATHER GUARD® Product. In addition, the Manufacturer may elect at its option, not to repair or replace the WEATHER GUARD® Product, but rather issue to the original purchaser a refund equal to the purchase price paid for the WEATHER GUARD® Product or a credit to be used toward the purchase of a new WEATHER GUARD® Product.

What is Not Covered

This limited warranty expressly excludes:

- Defects caused by normal wear and tear, cosmetic rust, scratches, accidents, unlawful vehicle operation, or modification to the product, or any types or repair of a WEATHER GUARD® Product other than those authorized or provided by the Manufacturer.
- Defects resulting from conditions beyond the Manufacturer's control including, but not limited to misuse, overloading, or failure to assemble, mount or use the WEATHER GUARD® Product in accordance with the Manufacturer's written instructions or guidelines included with the WEATHER GUARD® Product or made available to the original purchaser.
- Damage to the contents of the box or vehicle.
- TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL THE MANUFACTURER BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, INCLUDING ANY ECONOMIC LOSS, WHETHER RESULTING FROM NONPERFORMANCE, USE, MISUSE OR INABILITY TO USE THE WEATHER GUARD® PRODUCT OR THE MANUFACTURER'S NEGLIGENCE.

No Other Express Warranty Applies

This Limited Lifetime Warranty is the sole and exclusive warranty for WEATHER GUARD® Products. No employee, agent, dealer, or other person is authorized to alter this warranty or make any other warranty on behalf of KNAACK LLC.

Notification Procedures

If the WEATHER GUARD® Product does not conform with the terms of this limited warranty, the original owner must promptly notify the Manufacturer in writing upon discovery of the nonconformity. In order to receive the remedies under this limited warranty, the warranty claim must describe the nature of the nonconformity, and a copy of the original sales receipt, invoice, bill or other proof of purchase must accompany the claim. Repairs or modifications made to the WEATHER GUARD® Product by other than the Manufacturer or its authorized agent will nullify this limited warranty. Coverage under this limited warranty is conditioned at all times upon the owner's compliance with these required notification and repair procedures. Warranty claims must include reciprocal contact information and may be made via certified mail to:

KNAACK LLC
ATTN: Warranty Claims
420 E. Terra Cotta Avenue
Crystal Lake, IL 60014



If you have any questions,
please call toll free at 1-800-456-7865

WEATHER GUARD® Products are protected by one or more of the following patents:
U.S. - 5145087, 5308126, 4509787, 4573731, 4618083, D-346355, D-346994, D-353574; Canada - 1218968, 1224230, 1235100 and; U.K. - 2233036. Other patents pending.



WEATHERGUARD.COM

Request for Taxpayer Identification Number and Certification

Give Form to the
 requester. Do not
 send to the IRS.

Print or type See Specific Instructions on page 2.	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. COMMERCIAL VAN + TRUCK EQUIPMENT, INC.		
	2 Business name/disregarded entity name, if different from above		
	3 Check appropriate box for federal tax classification; check only <u>one</u> of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. <input type="checkbox"/> Other (see instructions) ▶ _____		4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____ (Applies to accounts maintained outside the U.S.)
	5 Address (number, street, and apt. or suite no.) 1418 DISTRIBUTORS ROW		Requester's name and address (optional)
	6 City, state, and ZIP code HARRAHAN, LA 70123		
	7 List account number(s) here (optional)		

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Social security number									
<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>				
or									
Employer identification number									
<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					<table border="1" style="width: 100%; height: 20px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>				

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here	Signature of U.S. person ▶	Date ▶ 10/11/17
------------------	----------------------------	------------------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.

By signing the filled-out form, you:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
2. Certify that you are not subject to backup withholding, or
3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

September 22, 2017

ADDENDUM # 1

Bid No.: 50-00120750

Bid Opening Date: September 28, 2017

For: Two (2) Year Contract for Vehicle Bodies and Accessories for the Jefferson Parish
Department of Fleet Management

CLARIFICATION.

Question: Do we assume that all Adrian or equal van shelving interior packages, drop down ladder racks are to be quoted installed? (ex. Items 135-139, 309-313, 328-331)

Answer: No, They do not need to be installed.

Sincerely,

Misty A. Camardelle

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

September 26, 2017

ADDENDUM # 2

Bid No.: 50-00120750

Bid Opening Date: September 28, 2017
Extended Bid Opening Date: October 12, 2017

For: Two (2) Year Contract for Vehicle Bodies and Accessories for the Jefferson Parish
Department of Fleet Management

REVISION.

Delete the Bid Form in its entirety, and replace with the attached Bid Form "Revised per Addendum No. 2".

Line Items that need to be corrected:

- Line item 0221 – Heavy Duty Crew Maintenance Service Truck Body Assy. –Please see the complete correct line item as follows: **0221 - HEAVY DUTY CREW MAINTENANCE 156IN. LONG X 92 IN. HIGH X 96 IN. WIDE OVERALL DIMENSIONS, MINIMUM 12 GA. GALVANIZED STEEL PANEL CONSTRUCTION, FOUR (4) 48 IN. HIGH X 22 IN. DEEP VERTICAL SIDE COMPARTMENTS PLUS ONE 24 IN HIGH X 22 IN DEEP HORIZONTAL SIDE COMPARTMENT DOWN EACH SIDE, SHELVING PACKAGE IN EACH COMPARTMENT, FULLY ENCLOSED CANOPY TOP 146 IN. LONG BY 76 IN. HIGH BY 94 IN. WIDE WITH THREE FULL LENGTH 22 IN WIDE SHELVES DOWN EACH SIDE AND FULL HEIGHT DOUBLE REAR DOORS, TWO INTERIOR DOME LIGHTS, SPRING OR GAS SHOCK RETAINERS ON ALL DOORS, STAINLESS STEEL DOOR LOCKS, WEATHER-TIGHT DOOR SEALS, 12 GA. TREADPLATE STEEL FLOOR IN CANOPY AREA, FMVSS 108 LIGHT PACKAGE, RECESSED DIRECTIONAL SIGNAL LIGHTS AND BACKUP LIGHTS, LICENSE PLATE LIGHT AND BRACKET, ALL ELECTRICAL WIRING IN LOOM CONDUIT, UNDERCOATED, HEAVY DUTY FULL WIDTH REAR STEP BUMPER WITH PINTLE HITCH RECESS REINFORCED TO TRUCK FRAME, COMBO 3-WAY BALL HITCH AND PINTLE HITCH ASSEMBLY WITH ELECTRIC BRAKE CONTROL PACKAGE, REAR WHEEL SPLASH GUARD FENDERS REAR WHEEL MUD FLAPS, CONE HOLDER ON REAR BUMPER, 6 IN. COMBO VISE ON REAR BUMPER, FULL INSTALLATION ON PARISH SUPPLIED 26,000 GVWR LOW-PROFILE TRUCK CHASSIS WITH 84IN. CLEAR C/A DISTANCE, PRIMED AND FINISH PAINTED INSIDE AND OUTSIDE 5 MILS IMRON FLEET WHITE**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

- Line item 0241 – Service Truck Body Telescopic Top Assy. – **Add:** for 96" long body.
- Line item 0242 – Service Truck Body Telescopic Top Assy. – **Add:** for 108" long body.
- Line item 0243 – Service Truck Body Telescopic Top Assy. – **Add:** for 132" long body.
- Line item 0121 – Please delete

8 Items that need to be added to the bid:

- **0335 - RAWSON-KOENIG MODEL C-63 STEEL CROSSOVER TOOL BOX, MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICK-UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE.**
- **0336 - WRECKER TRUCK BODY ASSEMBLY WITH INTERGRATED BOOM AND UNDERLIFT ASSEMBLY, 12 TON RETRACTED BOOM RATING, 3 TON EXTENDED BOOM RATING, TWO 6 TON WORM GEAR VARIABLE SPEED HYDRAULIC WINCHES WITH 7/17IN X 100 FT CABLE POWER FOLD FOR STINGER, 360 DEGREE BOOM END SWIVEL, POWER BOOM ELEVATION, 90IN WIDE BODY WITH TWO STORAGE COMPARTMENTS PER SIDE, TUNNEL FRONT COMPARTMENT, DUAL CONTROLS, BACKUP ALARM, HYDRAULIC CLUTCH PUMP POWER FENDERS, 60IN WHELEN STROBE LIGHT BAR, 4IN RUBBER LOWER WORK LIGHTS, 6IN UPPER CHROME WORK LIGHTS, 4 SWITCH IN-DASH PANEL HEAVY DUTY DELUXE FRONT PUSH BUMPER, TO BE INSTALLED ON 15,000 TO 19,000 GVWR TRUCK WITH 84IN C/A DISTANCE SUPPLIED BY PARISH.**
- **0337 - RAWSON-KOENIG MODEL C-63W STEEL CROSSOVER TOOL BOX, MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, PAINTED & INSTALLED FOR PICKUP TRUCK. RKI WHITE PAINT IS ACCEPTABLE.**
- **0338 - RAWSON-KOENIG MODEL 43-S LOWER SIDE TOOL BOX, MINIMUM 14 GA. STEEL CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE,**

General Government Bldg. -- 200 Derbigny St -- Suite 4400 - Gretna, LA 70053

Office 504.364.2678

Email: Purchasing@jeffparish.net Website: www.jeffparish.net



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

DOOR SEALS, PAINTED & INSTALLED FOR PICK-UP TRUCK. RKI WHITE PAINT IS ACCEPTABLE.

- 0339 - RAWSON-KOENIG MODEL ST63A CROSSOVER TOOL BOX, MINIMUM 100.00 ALUMINUM TREADPLATE CONSTRUCTION, WITH STAINLESS STEEL DOOR HARDWARE, DOOR SEALS, INSTALLED FOR PICK-UP TRUCK.
- 0340 - ECCO DIRECTIONAL ARROW SIGNAL LIGHT MODEL 3410A
- 0341 - PICK-UP ONE TON CAB ACCESS STEPS TUBE TYPE PAINTED BLACK FOR VARIOUS DOMESTIC TRUCKS
- 0342 - PICK-UP ONE TON CAB ACCESS STEPS TUBE TYPE CHROME FOR VARIOUS DOMESTIC TRUCKS

THE BID OPENING DATE IS BEING EXTENDED UNTIL OCTOBER 12, 2017 AT 2:00 PM, CST.

Sincerely,

Misty A. Camardelle

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.



Bid Number 50-00120750

**TWO (2) YEAR CONTRCT FOR VEHICLE BODIES AND ACCESSORIES FOR
THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT**

BID DUE: SEPTEMBER 28, 2017 AT 2:00 PM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must produce final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the “Additional Requirements” section of the bid instructions and/or the “Important Notice to Bidders” included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

TWO (2) YEAR CONTRACT FOR VEHICLE BODY AND ACCESSORIES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT

General

All units delivered completely assembled to the Dept. of Fleet Management. 4901 Jefferson Hwy. Jefferson, LA 70121 upon completion of assembly. Complete invoice and certificate of origin delivery is to be signed for by fleet management personnel for storage purposes only. Final acceptance and payment will be made subject to the above meeting specifications. Jefferson parish has three (3) working days after delivery for inspection purposes to determine if the above meets Jefferson parish specifications. If it does not, necessary corrections are to be made by the vendor at the vendor's expense and are not considered as warranty work. Vendors must furnish two (2) copies of operators manual and tow (2) copies of GVW. Unit must comply with state and federal safety regulations. The above may retain manufacturer's name, but dealer's name shall not appear either by painting decal, or metal name plate. Dealers are requested to fill in the right side of the line items sheet with the information concerning with the purpose to furnish.

Please specify terms of warranty and repair services.

This facility shall be capable and willing to perform full warranty services and normal repair services and adequate spare parts support on the complete unit which is being bid on. This stipulation is also required on all components and accessories which are added to, or installed on the base vehicle or equipment.

The Director of Fleet Management or his representative reserves the right to accept or reject bid proposals based upon their inspection of service facilities. Name, address, outlining the components of the vehicle/equipment that are to be serviced at each location.

Fob location destination. Quantities listed are for bidding Purposes only. Actual requirements may be more or less than quantities listed.

Order Placement and Delivery of Vehicle Bodies and Accessories:

Fleet Management shall issue purchase orders to the successful vendor for order placement of bodies and/or accessories. Successful vendor shall expect delivery of new vehicle(s) directly from manufacturer for bodies and/or accessories installation 120 days thereafter. The successful vendor shall have performed the work as indicated in the purchase order and deliver the vehicle(s) within 120 days of delivery to Fleet Management, located 4901 Jefferson Hwy., Suite A, Jefferson, LA.

Servicing of Vehicles:

Successful vendor must pick up and/or deliver vehicles for factory maintenance and/or warranty services on within one (1) hour of notification by the Jefferson Parish Fleet

Management Department. The vehicles will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121. Facilities shall be capable and willing to perform full warranty services and normal repair services and adequate spare parts support on the complete unit which is being bid on. This stipulation is also required on all components and accessories which are added to, or installed on the base vehicle or equipment. The Director of Fleet Management or his car-carrier truck body assembly representative reserves the right to accept or reject bid proposals based upon their inspection of the service facilities prior to acceptance of any bids.

Brand Names:

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required upon departmental request. Failure to provide this documentation will result in bid rejection.

Pricing:

All pricing shall be firm for two (2) years as stated in contract or until contract expiration whichever is later.

Vehicle Warranty Information:

Please specify terms of warranty and repair services. All new vehicles bodies and accessories must be delivered complete with standard factory warranty. Warranty information must be provided bid submission. Failure to submit will result in bid rejection.

Safety Specifications for All Vehicle Bodies and Accessories:

Must meet or exceed all federal and state safety standards.

DATE: 9/13/2017
BID NO.: 50-00120750

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 9/28/2017 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.