

19  
DATE: 11/14/2019INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00128780

JEFFERSON PARISH  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: BASIC SUPPLY, LLC

BUYER: BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

## DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2-3 WEEKS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE: (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: PO BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: ( ) 337-769-0122	FAX: ( ) 337-247-7699
EMAIL ADDRESS: charlotte@basicsupply.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 1448.08

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128780

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	4.00	EA	ONE TIME PURCHASE OF ELECTRICAL SUPPLIES FOR PUBLIC WORKS	63.00	252.00
			0010 - SWITCH, 3 POSITION MAINTAINED, ALL BRADLEY NO. 800T-J2A  SK NUMBER 00-0871300		
2	12.00	EA	0020 - HANGER, CONDUIT, FOR 3 INCH EMT, WITH BOLTS, APPLETON NO. H300WB  SK NUMBER 00-0878710	6.10	73.20
3	12.00	EA	0030 - CONNECTOR, FEMALE, TWO CONDUCTOR GROUNDED, 15 AMPERES, 125 VAC,  WOODHEAD NO. 1547 BP4887 SK NUMBER 00-0881000		
4	4.00	EA	0040 - BLOWER, 1/20 HP, 115V, 60HZ, 273 CFM, 1390/1640 RPM, DAYTON  NO. 1TDR3 SK NUMBER 00-0891700	128.00	512.00
5	4.00	EA	0050 - MONITOR, PHASE, VOLTAGE, 208/220/230/240 VOLT, DIVERSIFIED  ELECTRONICS NO. SLA-230-ALE, LITTELFUSE NO. 250A SERIES/190-4 SK NUMBER 00-0859790 455	126.32	505.28
6	6.00	EA	0060 - ELEMENT, HEATER, ALLEN-BRADLEY NO. W-79 SK NUMBER 00-0831790  DELIVER TO: PUBLIC WORKS WAREHOUSE 1500 RIVER PARK ROAD BRIDGE CITY, LA 70094 ATTN: MARK MCDONALD	17.60	105.60

Eaton Wiring Devices BP4887 Straight Blade Electrical Connector, 125 V, 15 A, Thermoplastic/Vinyl

Terminals in individual chambers to positively insulate conductors.

Terminal screw clamps are designed to contain wire and prevent binding. Terminal screws backed out, ready for wiring. Nylon Kwiklok features patented twist-actuated internal cord clamp, reduces installation time. Meets all UL 498 requirements. Yellow color.

VINYL - 2 POLE/3 WIRE

GROUNDING

.250"-.655" CORD DIAMETER

NEMA 5-15 - Carded

Angle : Straight

Amps/ Volts : 15/125

Product Details

Type:Straight Blade

Number of Poles:2

Amperage Rating:15 A

Voltage Rating:125 VAC

Nema Rating:5-15R

Connection:Terminal Screw

Material:Thermoplastic Vinyl

Standards:CSA Certified, NOM Certified, UL Listed

Special Features:1/4 - 0.66 in Cord Diameter

Usage:For Commercial Applications

Features

Terminal screw clamps are designed to contain wire and prevent binding

Terminal screws backed out ready for wiring

Terminals in individual chambers to positively insulate conductors

Combination Slotted/Phillips head mounting and terminal screws ease installation with power screwdrivers

