

3/29

DATE: 3/22/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00126066

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: Basic Supply LLC

BUYER: DREAMEY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2-3 weeks

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME: Basic Supply LLC

SIGNATURE: (Must be signed here) John Atkinson

TITLE: Manager

PRINT OR TYPE NAME: John Atkinson

ADDRESS: P O Box 3063066

CITY, STATE: Lafayette LA

ZIP: 70594

TELEPHONE: 337-769-0122

FAX: 337-247-7699

EMAIL ADDRESS: charlotte@basic supply.com

TOTAL PRICE OF ALL BID ITEMS: \$ 4646.12

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126066

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONE TIME PURCHASE:		
1	40.00	EA	0010 WASHER, GARDEN HOSE, 3/4 IN., PACK OF 5, GRAINGER # 5RLN6, MSC #62397328 STK. # 0482330		
2	216.00	EA	0020 PAINT, MARKING, INVERTED, FLOURESCENT CAUTION BLUE, 20 OUNCE, KRYLON #03620, MSC #84254218 STK. # 0329550 203031	3.92	846.72
3	3.00	EA	0030 TAP, PIPE, 3/4 IN - 14, NPT/ANPT THREAD, GENERAL PURPOSE, HIGH SPEED STEEL, GRAINGER #4AKL6, GREENFIELD TAP AND DIE #16227, INTERSTATE BRAND MSC # 04662078 STK. # 0192200 1906 ZR	17.50	52.50
4	8.00	EA	0040 BIT, HAMMER DRILL, 1-1/8 INCH DIAMETER X 21-1/2 INCH OVERALL LENGTH, SDS MAX SHANK, CARBIDE TIPPED, DEWALT #DW5822 ✓ STK. # 020011B	60.00	480.00
5	120.00	EA	0050 PAINT, SPRAY, SAFETY RED, 12 OUNCE KRYLON #2116, MSC # 00264788, RUSTOLEUM #1660830, GRAINGER # 6KP09 STK. # 0329370	5.00	600.00
6	5.00	BX	0060 SCREW, DRYWALL, #6-9X1-5/8 IN, PHILLIPS-BUGLE HEAD, COARSE THREAD, PLAIN, 500 PER BOX, FASTENAL #1132172 STK. # 0423690		
7	3.00	BX	0070 SCREW, DRYWALL, #8 X 3 IN, BUGLE HEAD-#2 PHILLIPS, COARSE THREAD FOR WOOD, 2000 PER BOX, GRAINGER #10N508 OR EQUAL STK. # 0423700		
8	72.00	EA	0080 VEST, SAFETY, XX-LARGE, 100% POLYESTER MESH, FLATWEAVE 7 OZ., REFLECTIVE STRIPES, ORANGE FLUORESCENT, OCCULUX PART #LUXSSFULLG STK. # 047910D	5.10	367.20
9	200.00	EA	0090 LINER, TRAY, SHERWIN WILLIAMS #286- 3751, FOR DEEP PAINT ROLLER TRAY,		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126066

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	50.00	LB	BLP #ZCCA-9075 STK. # 048040A 0100 NAIL, #10D BRIGHT COMMON WIRE, 3 INCH LONG, 50 LBS. PER CARTON.	1.30	65.00
11	144.00	EA	FASTENAL # 0229218 00056172 STK. # 0483100 0110 INSECTICIDE, FOGGER, DEEP REACH, CYPERMETHRIN 1.716%, 1.5 OZ. CAN,	3.32	478.08
12	160.00	EA	RAID, MSC #48601389 STK. # 048457A 0120 SQWINCHER DRINK MIX, LEMONADE FLAVOR, 16 PACKS OF DRY POWDER PER CASE,		
13	12.00	EA	EACH PACK MAKES 2-1/2 GALLONS, 2 YEAR EXPIRATION DATE FROM DATE OF MANUFACTURE, GRAINGER #3UZR7, MSC # 01590900 0130 BLADE, DIAMOND, 14 IN X 0.125 IN X 1 IN/20MM ARBOR, 19/32 IN/15MM RIM, MAX	115.00	1380
14	6.00	EA	RPM 5400, MASONRY-REINFORCED CONCRETE- BRICK, SEGMENTED, PEARL #LW1412CP, DEWALT #DW4744, GRAINGER #4DV70, OX-TC15 -14 STK. # 0488450 62127	3.27	19.62
15	1,296.00	EA	0140 SEALER, GASKET, 3 OZ SQUEEZE TUBE, FORM-A-GASKET #2, PERMATEx #80016 STK. # 0491000 0150 BATTERY, AKALINE, INDUSTRIAL, SIZE AA, 1.5 VOLTS, 24 PER PACK, DURACELL		
16	12.00	EA	PROCELL #PC1500, GRAINGER # 5LE23 STK. # 0588220 0160 RULE, TAPE, OUTSIDE DIAMETER, 6 FT. LONG WITH 16 THS & 100 THS INCH, LUFKIN #W606PD ✓ STK. # 0590510	15.60	187.20
17	6.00	EA	0170 RULER, FOLDING, WOODEN, 6 FT. LONG WITH EXTENSION, LUFKIN "RED END" #X46 STK. # 0590520 906N	12.00	72.00

DATE: 3/22/2019

Page: 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126066

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	400.00	LF	0180 CHAIN, 3/8 IN., GRADE 43, HOT GALVANIZED, 5400# WORKING LOAD LIMIT, 400 FEET PER DRUM, CAMPBELL #018-0632, CM #678343, MSC # 64612260 STK. # 0596810		
19	6.00	EA	0190 BRUSH, WIRE, KNOT-TYPE SINGLE ROW CUP, 2-3/4 IN DIA., .020 IN WIRE, SNAP- ON #AC339 STK. # 0597350		
20	6.00	EA	0200 SQUARE, COMBINATION, 16 INCH, ALUMINUM, STANLEY #45-900 STK. # 0968830 42DEM	16.30	97.80

Pro-Fit 0056172 Box Nail, 10D x 3 in, Bright
Pro-Fit Box Nail, 10D, 3 in Length, 5/16 in Head, 10-1/2 ga,
Smooth Shank, Bright, Use where Easy Driving and Less
Splitting is Desired, Framing

SMOOTH SHANK

BRIGHT FINISH

Size Pw Lgth In : 10d 3

Pkg. Size : 50-lb

203031 Rustoleum M1800 System Precision Line Inverted Water Based Marking
Spray Paint, Caution Blue

PRODUCT OVERVIEW

Use for marking concrete, pavement, gravel, grass, and more. Use to mark the location of underground utilities at construction and excavation sites where identification is desired. Features a precision-line spray tip for easy-to-read, bright, vivid markings. Can be applied down to 25-degree Fahrenheit. Dries in less than 5 minutes. Spray-through cap. Tip keeps paint off fingers. Use with sku# 826.4608. Can be used in USDA facilities based on FSIS Directive 11,000.4 (Rev. 1), November 24, 1995. Covers approximately 600-700 linear feet at 1 in. wide.

Descripción español:

MARCADOR COLOR AZUL PRECAUCION DE 481,94 G

WATER-BASED - INVERTED
M1800 SYSTEM PRECISION-LINE

Brand: "INDUSTRIAL CHOICE"

17 Ounce

Color : Caution Blue



Irwin Industrial 1906ZR Taper Pipe Taps, High Carbon
Steel, 3/4-14 NPT

Cuts internal threads in pipes, tapered at a rate of 3/4" per foot, nominal size of the tap is that of the pipe fitting being tapped; four flutes. Used in applications such as pipe fittings.


HIGH CARBON STEEL
PIPE

Size In : 3/4-14 NPT





VEST SPECIFICATIONS

Item Number	VZ240P/VZ241P/V241P
Product Group	Class II Safety Vests
Description	Class II Mesh Safety Vests, Available in Orange (VZ240P) and Lime (VZ241P), Zipper Closure, Silver Reflective Stripes (2 vertical & 2 horizontal), One Inside Pocket. V241P=Lime with Velcro® Closure
<p>ANSI/ISEA 107-2004 Class II Compliant</p> <p>Fabric and Retroreflective Material is 3rd Party Certified:</p> <p>Orange Mesh Fabric Certificate 1211322 Dated 2/27/09 TexTest Laboratory Valley, Alabama</p> <p>Lime Mesh Fabric Certificate #1211324 Dated 2/27/09 TexTest Laboratory Valley, Alabama</p> <p>Retroreflective Material Certificate #051114-01A Dated 2/10/06 Calcoast Testing Laboratory Emeryville, California</p> <p>Please see accompanying Certificate of Compliance #CSP240050809</p>	
Unit of Sale	One Each
Case Pack	Twenty Four Each
Country of Origin	China
Available Sizes	S-7XL

Corporate Headquarters:

2085 W.E. Freeman Drive
Memphis, TN. 38114
Phone 901-458-5030
Fax 901-458-3343



www.cordovaisc.com

West Coast Office:

15147 Don Julian Drive
City of Industry, CA 91746
Phone 877.264.9832
Fax 877.264.9833



May 8, 2009

ANSI/ISEA 107-2004 Apparel and Headwear Compliance Certificate: #CSP240050809

Cordova Safety Products certifies that Models **VZ240P/VZ241P/V241P** meet all set requirements as stated in ANSI/ISEA 107-2004 as compliant High-Visibility safety items for Performance Class 2. All relevant materials have been third-party certified with documents referenced under this certificate number. The manufacturer certifies that these items meet all design requirements and have been measured for the appropriate amount of visible reflective material and background material for the smallest size offered for these products.

Amount of visible background material (smallest size offered):

914.50 square inches

Amount of visible retroreflective material (smallest size offered):

279.00 square inches

Company:	Cordova Safety Products
Address:	2085 W.E. Freeman Drive
City, State, Zip	Memphis, TN 38114
Phone	901-458-5030
Models:	VZ240P/VZ241P/V241P
Class:	2

The undersigned hereby warrants that he/she is authorized to legally bind the organization identified above.

Name: Scott M. Laxton

Title: Marketing Director

DIAMOND BLADES



Our automated laser welding, production and quality control process insures that all blades are of the utmost quality, are designed to do the job at hand and are very consistent from one to another.

The keys to top quality diamond blades:

♦ **Fast Cutting Action** – We select only the toughest diamonds to produce a fast rate of cut. Fast cutting action gets the job done quickly and more efficiently.

♦ **Long Blade Life** – Quality of bond and proper bond structure of diamond segments has major effect on blade life. Our state-of-the-art automated laser welding technology bonds the diamond segments to the steel core and extends blade life when used properly.

♦ **Diamond Concentration** – Appropriate diamond concentration for ultimate performance. Too high of diamond concentration actually hinders performance and prohibits blades from cutting freely.

CONCRETE

Cured and reinforced concrete, pavers, bluestone & building materials.

Part #	Size
--------	------

Premium Gold Series

63225	12 x .110 x 1
63226	12 x .110 x 20mm
63227	14 x .125 x 1
63228	14 x .125 x 20mm

Silver Series

62225	12 x .110 x 1
62226	12 x .110 x 20mm
62227	14 x .125 x 1
62228	14 x .125 x 20mm

Economy

62127	14 x 1 (20mm Bushings)
-------	------------------------



Quoting
62127

ASPHALT/GREEN CONCRETE

Asphalt, green concrete, brick, block, abrasive materials.

Part #	Size
--------	------

Premium Gold Series

63229	12 x .110 x 1
63230	12 x .110 x 20mm
63231	14 x .125 x 1
63232	14 x .125 x 20mm

Silver Series

62229	12 x .110 x 1
62230	12 x .110 x 20mm
62231	14 x .125 x 1
62232	14 x .125 x 20mm




996N

Lufkin Two Way Red End 966N Folding Rule, 6 ft L X 5/8 in W, Wood, White
For measuring left to right, right to left.
Marked both sides. Graduated in feet, inches and 1/16ths on both sides and both edges.
Flat inside markings lie close to the work.

WOOD

Brand: "RED END"

Width In x Length Ft : 5/8 x 6



Johnson 420EM Professional Combination Square, 16 in L, 1/8 in, 1/16 in, 1 mm, Steel Blade
Stainless steel blade with permanently stamped graduations 1/8", 1/16" & mm. Heavy duty cast zinc head with black, chip-resistant e-coating finish. CNC machined square head for greater accuracy. Reversible head with lock bolt and steel screw. Hardened, screw-in scribe won't fall out. Durable acrylic level vial.

CAST ZINC HEAD

INCH/METRIC

Blade Length In : 16

