

DATE: 3/05/2020

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00130093

JEFFERSON PARISHPURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678VENDOR: **Rocky Mountain Recreation LLC**

BUYER: DABRAHAM

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10 - 14 Days

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: **N/A**
 NUMBER: **N/A**
 NUMBER: **N/A**
 NUMBER: **N/A**


LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) **N/A******* ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

Rocky Mountain Recreation LLC

SIGNATURE:

(Must be signed here)



TITLE:

President

PRINT OR TYPE NAME:

Janeil Norman

ADDRESS:

PO Box 68

CITY, STATE:

Albion ID

ZIP:

83311

TELEPHONE:

(208) 670-5079

FAX:

() N/A

EMAIL ADDRESS:

rockymountainrecreationllc@gmail.comTOTAL PRICE OF ALL BID ITEMS: \$ **8,389.00**

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00130093


SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	100.00	EA	<p>A purchase of (100) LED Light Fixtures for the Eastbank Warehouse</p> <p>0001 - Fixture, LED, equivalent of 2-F48T12HO, fluorescent 54 watt lamps, 120/277 volt, for wet location, Morris Electrical no. 71901 or equal (0881200)</p> <p>Please have items shipped to:</p> <p>Eastbank Warehouse Attention: Curtis McFarland 4901 Jefferson Hwy Suite C Jefferson, LA 70121</p>	83.89	8,389.00



4' LED Linear Vapor Tight



40 WATT 5000K 120-277V



- 0-10V Dimming
- Polycarbonate Lens with high flame retardant paint
- Heavy Duty Polycarbonate Housing & Stainless Steel Clips
- High Quality LED chips provide high efficiency
- Surface Mount Brackets Included
- 50,000+ Hour LED Life Expectancy
- IP65 Wet Location Rated
- cULus Listed
- 5 Year Warranty

Part#	Housing Color	Wattage	Lumens	CCT	Voltage	Beam Angle	Lumens/ Watt	
71901A	White	40	5000	5000	120-277	106° x 133°	125	

PHOTOMETRY



4' LED Linear Vapor Tight

40 WATT 5000K 120-277V

Technical Specifications:

Electrical:

Input Voltage: 120 thru 277

Current: .0.36A @ 120V

Frequency: 60Hz

Power Factor: ≥ 0.9

THD: 11% @ 120V

Product Parameters:

40 Watts

Efficacy: 125 lumens per watt

50,000+ LED Life Span

CCT: 5000k (Cool White)

Chromaticity Measurements:

Beam Angle: 106° x 133°

BUG Rating: B2-U5-G2

CRI: >81

R9: 0

DUV: 0.0031

Chromaticity (x,y): $x=0.3440$; $y=0.3569$

Chromaticity (u,v): $u=0.2087$; $v=0.4871$

Component Specifications:

LED: SMD2835

Driver: 100-277V 50-60HZ

Driver Output Volts: 46V

Driver Output Amps: 800 mA

LED Input Volts: 5.6V

LED Input Amps: 62.5 mA

Surge Protection Volts: 2.5KV

Dimming: 0-10V

Operating Temperature:

Minimum Starting -22°F - 104°F

Construction:

Housing: Polycarbonate Housing and Stainless Steel Clasps

IP Rating: IP65 Wet Location

Lens Material: Polycarbonate Diffused/Frosted Lens

Mounting: Surface Mount Brackets Included

Listings: UL Listed

Accessories:

Emergency Battery Backup: Cat# 71915A

Internal Motion Sensor: Cat# 71721A

Internal Motion Sensor Remote Control: Cat# 71719A

Carton Qty: 6

Weight: 3.5 lb

Warranty:

Morris Products carries a 5 year warranty from date of purchase against defects in materials and workmanship (assuming normal and proper usage).