

DATE: 6/02/2021

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00134821

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: *Rainey Electronics, Inc.*

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

60 Days after order

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

Rainey Electronics, Inc.

SIGNATURE:

(Must be signed here)

Robert Rainey

TITLE:

Vice President

PRINT OR TYPE NAME:

Robert Rainey

ADDRESS:

19023 Colonel Glenn Road

CITY, STATE:

Little Rock, Arkansas

ZIP:

72210

TELEPHONE:

(501) 821-4700

FAX:

(501) 821-4702

EMAIL ADDRESS:

j.larsson@raineyelectronics.com

TOTAL PRICE OF ALL BID ITEMS: \$ *7,433.00*

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134821

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF LED SCOREBOARDS FOR THE WESTBANK RECREATON DEPARTMENT		
1	2.00	EA	0010 Baseball/Softball LED Scoreboard with Amber/Red digits. See specs attached, model number 1610 Electrical	2,605. ⁰⁰	5,210. ⁰⁰
2	2.00	EA	0020 Baseball/Softbal wireless handheld Control .03 x .5 x .1 inch, model number 802-0300	included	included
3	2.00	EA	0030 Non-illuminated outdoor sign 10 x 2 feet, model number AD0 10-12	325. ⁰⁰	650. ⁰⁰
4	2.00	EA	0040 MPCX/MPCX2 Case, MPCX/MPCX2 Carrying case (hold 2 controls), model number MPCX/MPCX2	39. ⁰⁰	78. ⁰⁰
5	2.00	EA	0050 In-board Wireless Receiver Kit model number MPCX2 Rec-Outdoor x6xx	500. ⁰⁰	1,000. ⁰⁰
6	1.00	EA	0060 Freight DELIVER TO: JP WESTBANK RECREATION 7437 LAPALCO BLVD MARRERO, LA 70072	247.50	495. ⁰⁰



19023 COLONEL GLENN ROAD
LITTLE ROCK, AR 72210
(501) 821-4700
FAX (501) 821-4702
TOLL-FREE (800) 443-4701

June 11, 2021

Mr. Mark Buttery
Jefferson Parish Purchasing Department
200 Derbigny Street, Suite 4400
Gretna, LA 70053

Dear Mark:

Enclosed is the bid with drawing of the Fair-Play LED baseball/softball scoreboards for Oakdale Playground in Gretna, LA. Please call me at 1-800-443-4701 if you have any questions or need additional information.

By selecting a Fair-Play as your scoreboard, you will receive all these benefits:

- 1) 100% Solid-State Scoreboard.
- 2) Computerized microprocessor controller.
- 3) Exclusive LED lighting system.
- 4) "State of Art" Electronic Technology.
- 5) 10-Year Parts and Labor Warranty.
- 6) Quality Installations.
- 7) Much More!



Rainey Electronics, Inc. appreciates your interest in Fair-Play Scoreboards and is looking forward to supplying your scoreboard needs.

Sincerely,

A handwritten signature in black ink that reads "Jerry Larsson".
Jerry Larsson

JL/mb (01)
Enclosures

Fair-Play A small rectangular logo with a red background and white text that reads "10 Year Warranty".
A TRANS-LUX COMPANY

**FAIR-PLAY BASEBALL SCOREBOARDS
OAKDALE PLAYGROUND
GRETN, LA
JUNE 11, 2021**

FAIR-PLAY MODEL BA-7209-2 LED BASEBALL SCOREBOARDS

TWO	Fair-Play Model BA-7209-2 LED Baseball/Softball Scoreboards (\$ 2,605.00 each)	\$ 5,210.00
	Includes: MP-60 Controller Color: Cardinal Red with Black Trim	
TWO	Protective Carrying Cases - for controllers (\$ 39.00 each)	78.00
TWO	Wireless Controller System Upgrades (\$ 500.00 each)	1,000.00
	Includes: Transmitter and Receiver	
TWO	Personalization Signs (20"H x 9"W) (\$ 325.00 each)	650.00
	Includes: Facility Mascot and Name	
	Delivery to Gretna, LA.....	495.00
TOTAL		\$ 7,433.00



OPTIONAL ITEMS

TWO	ProGuard UV-Resistant Paint Upgrades (\$ 131.00 each) (Recommended on Red color)	\$ 262.00
	(10 Year Warranty)	

OUTDOOR SCOREBOARD(S) ABOVE INCLUDE:

- 1) 10 Year Warranty on all electronic components.
- 2) On-Site Service available at reasonable rates.
- 3) LED's are rated for an average of 100,000 hours.
- 4) Immediate "Loaners" of all electronic components if repairs are needed.
- 5) Full stock of parts in Little Rock, Arkansas.
- 6) Fully staffed service department in Little Rock, Arkansas.





Fair-Play Model BA-7209-2 LED Baseball Scoreboards

Overall Dimensions: 5'-8" High x 9' Wide
 Scoreboard Dimensions: 4' High x 9' Wide
 Identification Sign Dimensions: 20" High x 9' Wide

Fair-Play 10 Year Warranty
 A TRANS-LUX COMPANY

RAINEY
 ELECTRONICS, INC.
 LITTLE ROCK, ARKANSAS


(800) 443-4701

Drawing No. 21-05112108
 REV. 6/11/21 | JL

OAKDALE PLAYGROUND
 Fair-Play Model BA-7209-2 LED Baseball Scoreboard
 with Personalization Sign



FAIR-PLAY BASEBALL SCOREBOARD



Model: **BA-7209-2**

DIMENSIONS:

HEIGHT:	4'-0"	LENGTH:	9'-0"	DEPTH:	10"	WEIGHT:	116 lbs.
---------	-------	---------	-------	--------	-----	---------	----------


STANDARD EQUIPMENT:

- Super-bright, wide-angle amber LED's
- Factory authorized national and local sales, service and installation
- Choose from 10 durable paint colors - Free
- Choose from 15 popular vinyl trim colors - Free
- Free Help Desk Support
- Free project design renderings
- Over 75 years of sports scoring experience
- Sport specific control console inserts
- Energy efficient LED designs
- HB-800 data connection kit
- Choice of Fair-Play's scorekeeper approved score systems*
- 4-level control console display brightness adjustment
- Changeable scoreboard game captions*
- 5-year limited warranty
- ETL/CETL listed to UL standard
- Convenient built-in service points for easy-access
- Quality engineered water resistant aluminum construction
- Complete, safe and durable display mounting system
- 9-segment digits
- Built-in lighting suppressor (for standard data direct wire only)

OPTIONAL EQUIPMENT:

- Custom paint & vinyl trim colors
- UV resistant paint
- Illuminated & non-illuminated identification & sponsorship signage
- Custom, unique signage options
- Electronic team names*
- Rear-illuminated scoreboard captions*
- Mono- or full-color electronic message display with Fair-Play's exclusive ProLine® control system
- Carrying case for scoreboard control
- Personalized vinyl home team name
- Truss and decorative steel systems
- Pitch speed display system*
- Pitch count display*
- Field use time*
- Scoreboard sport-conversion captions*
- Integrated scoring and display systems
- Scoreboard caption color (other than white)
- Extended warranties and maintenance contracts
- Lighting protector for power
- Changeable scoreboard game captions*

*Consult with a sales representative for applicable models



OPERATING TEMPERATURES:

Scoreboard display: -22° to 131° Fahrenheit (-30° to 55° Celsius)

Control console: 32° to 131° Fahrenheit (0° to 55° Celsius)

OTHER DIMENSIONS:

CAPTIONS (H" x W")		DIGIT SIZES (H")	
STRIKE	6" x 25"	BALL	15"
HOME	6" x 20"	H/E SPOT	3.5"
VISITOR	6" x 29"	INNING	15"
INNING	6" x 24"	OUT	15"
H	6" x 5"	POSSESSION SPOT	3.5"
OUT	6" x 14"	STRIKE	15"
E	6" x 4"	TEAM SCORES	15"
BALL	6" x 18"		

ELECTRICAL	
VOLTAGE	120 VAC
HERTZ	60
WATTS	116
AMPS	1
PHASE	1
WIRING	2-Wire + ground
CIRCUITS REQUIRED	1
SAFETY LISTING	ETL/CETL

Fair-Play offers 15 FREE standard trim tape colors

WHITE	BLACK	BRIGHT YELLOW	SUNFLOWER	BRIGHT ORANGE	TOMATO RED	CARDINAL RED	BURGUNDY	PURPLE	LIGHT NAVY	INTENSE BLUE	FOREST GREEN	SILVER METALLIC	SATIN GOLD METALLIC	MEDIUM GRAY
-------	-------	---------------	-----------	---------------	------------	--------------	----------	--------	------------	--------------	--------------	-----------------	---------------------	-------------

Fair-Play offers 12 FREE standard scoreboard colors. Custom colors available

BRIGHT RED	CRIMSON RED	DEEP MAROON	GRAPE PURPLE	CHAMPION BLUE	REFLEX BLUE	ROYAL BLUE	FOREST GREEN	KELLY GREEN	SIGNAL BLACK	CHARCOAL	WHITE
------------	-------------	-------------	--------------	---------------	-------------	------------	--------------	-------------	--------------	----------	-------

Fair-Play by Trans-Lux Corporation

1700 Delaware Avenue • Des Moines, IA 50317 • 800.247.0265 • sales@fair-play.com • fair-play.com

FAIR-PLAY

MP-60

WIRELESS SCOREBOARD CONTROLLER



CONTROLS MULTIPLE SPORTS

MULTI FUNCTIONAL WIRELESS HANDSWITCH

FAIR-PLAY SCOREBOARDS
1700 DELAWARE AVENUE
DES MOINES, IA 50317
1-800-247-0265

WWW.FAIR-PLAY.COM

REV. 1.0 • 5/2018

WIRELESS AND VERSATILE

The **MP-60** is wireless and comes preloaded with multiple sports and will interface with virtually all models of Fair-Play scoreboards.

PORTABLE AND COMPACT

The **MP-60** is a smaller version of the MP-80 (LCD display is the same size) with all of the same capabilities, but sized for easier portability and can even fit in your back pocket.

LITHIUM-ION BATTERY

The battery charges through an USB connector that is plugged into a wall charger or computer. A full charge should last at least 30 hours for tournament play.

WIRELESS DUAL-HAND CONTROLLER

The **MP-60** interfaces with the multi functional wireless handswitches for timer or game clock control.

MP-60 Specifications:

Dimensions: 1.1" x 8.5" x 3.125"

Weight: 1 pound 1 ounce

Power Requirements: 5 VDC @ 1 Amp

Included: 120 VAC-USB-A Charger with a 6' USB Cable

Handswitch Specifications:

Dimensions: 1.75" x 1.875" x 5.625"

Weight: 5 ounces

Power Requirements: 3 VDC @ 250 mA


Battery Requirements: 2 AA (Included)

WIRELESS CONTROL

SYSTEM BY TRANS-LUX/FAIR-PLAY

A NEW OPTIONAL SYSTEM DEVELOPED SPECIFICALLY FOR FAIR-PLAY INDOOR AND OUTDOOR SCOREBOARDS

The graphic below illustrates the layout of the wireless control system. A transmitter with antenna is required in the MP-70 control console and one receiver with antenna is required in each scoreboard, shot timer or field timer included in the system.



INDOOR- Basketball, Volleyball and Hockey

OUTDOOR- Baseball, Football and Soccer

Operation of the wireless system is identical to a wire-connected scoreboard. In a dual scoreboard installation, one scoreboard can be connected to the control via wire and the other(s) using the wireless design as long as the control has the transmitter/antenna incorporated in it and the wireless scoreboard has a receiver/antenna. The wireless system can synchronize nearly all Fair-Play models of scoreboards from the same control!

Our wireless system functions with all new Fair-Play outdoor scoreboards and with our new indoor Bar Digit and L.E.D. digit indoor scoreboards and shot clocks. It also can be added at a later date into these products. Retrofit of existing scoreboards is possible in many circumstances.

CUSTOMER BENEFITS FROM OUR WIRELESS SYSTEM

1. It allows control operation from any location in a gym or on an athletic field where power is available.
2. No remote control cable is needed avoiding the costs and "clutter" of cable, trenching and conduit.
3. Allows high reliability and trouble free operation.
4. Can operate an unlimited number of scoreboards, with similar display information, and shot or field timers from one wireless control.
5. Long range of operation---300 feet indoors and 1000 feet outdoors.
6. Can operate adjacent scoreboard systems without interference.

WHY THE NEW FAIR-PLAY WIRELESS SYSTEM IS SUPERIOR

- This system was developed by Fair-Play for the unique requirements of scoreboards operation and is not an "off the shelf" system.
- To insure the reliability and security of operation required in athletic competition for timing and scoring, we designed our system using Spread Spectrum Technology.
- This design allows quick adaptation from synchronized scoreboards operating from one control to the same scoreboards operation independently from separate controls. There's no need to climb a ladder to change modes.
- Fair-Play's wireless operates fast enough for 1/10th of a second operation in the last minute of the game.

TRANS-LUX
Fair-Play

WHAT IS SPREAD SPECTRUM TECHNOLOGY AND WHY IS IT OF GREAT VALUE TO YOU IN TIMING AND SCORING OF ATHLETIC EVENTS?


Fair-Play's data transmission system utilizes a signal from the control console that continually "refreshes" the data displayed on the scoreboard or shot/field timers. The centralized control of the data formation insures accurate synchronization of two scoreboard systems (especially valuable in basketball installations) as well as very accurate timing and scoring on all our single scoreboard installations. Therefore, our wireless design must give our scoreboard users the same reliability and accuracy they have experienced in our wire-connected installations. This is why we utilized the Spread Spectrum Technology.

Our spread spectrum technology sends each "bit" of data 16 times over a wide frequency range, and does so over 10 times per second. If several of the radio bits are interrupted by an outside source, the receiver automatically "selects" and utilizes the correct data. This transmission design insures against interference from cell phones, cordless devices, microwaves and other RF devices as well as security from jamming. The graphic below demonstrates how Fair-Play's wireless system uses a wider bandwidth compared to conventional narrow band radio systems to send redundant data.

Narrow-band Data Spectrum



Narrow-band Data Spectrum Replicated 16 Times Across Wide Bandwidth



Spread Spectrum Technology was originally developed for U.S. military use to attain a high level of reliability. Now it is ready to work for you in insuring a reliable wireless operating system for your new scoreboards and timers!

WHY THE NEW FAIR-PLAY WIRELESS SYSTEM IS SUPERIOR

- Each control console furnished with one transmitter and one flexible antenna.
- Each display (scoreboard or timer) furnished with one receiver and one antenna.
- System allows for synchronized operation of two or more scoreboards from one control or independent operation of multiple scoreboards from independent controls all closely located.
- System utilizes Spread Spectrum Technology redundantly transmitting the same data at least 16 times.
- System refreshes the scoreboard with new data no less than 10 time per second for smooth and accurate operation of game clocks, including 1/10 second timing.
- System has 14 selectable channels.
- System has Radio Link Indicator Light to indicate transmission link is operational.
- System has a minimum transmission range of 300 feet indoors and 1000 feet outdoors.
- System allows unlimited scoreboards to be operated from one control console.
- System FCC certified.
- Transmitter and receiver are built into the control and scoreboard and do not require additional mounting provisions or special placement.

TRANS·LUX[®]
Fair-Play

Paint & Tape Colors

FAIR-PLAY

SCOREBOARD	PANTONE	C	M	Y	K	R	G	B	HEX / HTML
Sunflower Yellow ⁺	1235 C	0	32	95	0	255	183	27	FFB71B
Burnt Orange ⁺	167 C	18	79	100	7	193	83	27	C1531B
Bright Red	485 C	6	98	100	1	225	37	27	E1251B
Cardinal Red	200 C	16	100	87	7	193	2	48	C10230
Crimson Red	194 C	27	96	66	18	159	40	66	9F2842
Deep Maroon	209 C	29	100	70	27	142	21	55	8E1537
Bright Purple	2685 C	93	100	18	21	49	0	111	31006F
Grape Purple	525 C	72	93	33	23	88	44	95	582C5F
Champion Blue	289 C	99	84	45	51	10	34	64	0A2240
Reflex Blue	Reflex Blue C	100	93	14	12	0	22	137	001689
Royal Blue	3015 C	95	65	13	1	0	96	156	00609C
Carolina Blue ⁺	298 C	65	10	1	0	60	180	229	3CB4E5
Teal ⁺	321 C	100	22	42	2	0	137	150	008996
Kelly Green	348 C	97	22	100	9	0	131	62	00833E
Forest Green	567 C	85	51	70	54	21	62	53	153E35
Brown ⁺	731 C	36	71	100	37	120	67	17	784311
Charcoal Gray	431 C	67	52	44	17	91	102	112	5B6670
Signal Black	Black C	67	64	67	67	45	42	38	2D2A26
White	0	0	0	0	0	0	0	0	FFFFFF

TRIM TAPE	PANTONE	C	M	Y	K	R	G	B	HEX / HTML
Bright Yellow	108 C	0	5	98	0	254	219	0	FEDB00
Sunflower Yellow	1235 C	0	32	95	0	255	183	27	FFB71B
Bright Orange	1655 C	0	84	100	0	255	77	0	FF4D00
Tomato Red	485 C	6	98	100	1	225	37	27	E1251B
Cardinal Red	200 C	16	100	87	7	193	2	48	C10230
Burgundy	209 C	39	91	57	37	114	37	61	72253D
Purple	525 C	72	93	33	23	88	44	95	582C5F
Light Navy	2768 C	100	91	37	45	2	29	73	021D49
Intense Blue	2935 C	100	68	4	0	0	85	184	0055B8
Forest Green	567 C	85	51	70	54	21	62	53	153E35
Medium Gray	422 C	41	31	32	0	158	161	162	9EA1A2
Silver Metallic	877 C	49	39	39	3	137	140	142	898C8E
Satin Gold Metallic	872 C	43	48	74	19	134	112	77	86704D
Signal Black	Black C	67	64	67	67	45	42	38	2D2A26
White	0	0	0	0	0	0	0	0	FFFFFF

⁺Currently not available for ProGuard Paint



10 YEAR WARRANTY (Scoreboard)

Rainey Electronics, Inc. provides a limited ten (10) year warranty on Fair-Play scoreboard equipment when its Fair-Play products are operated and maintained according to the instructions furnished with the equipment. This warranty covers all electronic components and repair labor for the warranty duration from the date of delivery that proves to be defective in material or workmanship.

Excluded from this warranty are data cable and on-site service call and on-site labor charges. Also excluded from this 10 year warranty is the outdoor horn which will be warranted for 5 years.

Defective assemblies or components are to be returned postage prepaid to Rainey Electronics, Inc. for repair or replacement. Any warranted components will be return shipped UPS ground to customer. Any other shipping method will be charged to customer. Shipping charges for loaner equipment will be the responsibility of the customer.

Rainey Electronics, Inc. shall not be liable for any incidental or consequential damages nor any special damages or any further loss which may arise in connection with its warranted equipment or any claims under this warranty.

Under no circumstances shall this warranty apply if the warranted products have been subject to abuse, misuse, neglect, negligence, accident, or any casualties or abnormal conditions, including without limitation fire, civil disorders, war, flood, or other acts of God. Nor does this warranty cover service calls or damages resulting from or problems caused by any repair, modification, or adjustment of the warranted scoreboard(s) not performed by Rainey Electronics, Inc.

This warranty extends only to the original purchaser of the warranted products, and is not transferable. In the event there is a delinquent balance owed on the warranted scoreboard, then this warranty will be suspended until balance has been fully settled.

WARRANTY (042213)