



BID # 2018-01

Item # 3

SAFETY DATA SHEET

Steel Wool Soap Pads S1012

SECTION 1: PRODUCT AND COMPANY DESCRIPTION

Trade Name: Steel Wool Soap Pads (S1012)**Description :** Soap mixture impregnated into steel wool**CAS No. :** Mixture**Chemical Name:** Not Applicable**Recommended Use of the Product:****Restrictions on Use:** None**Manufacturer:** Royal Paper Products, Inc.**Tel:** 800.666.6655 **Fax:** 610.384.5106

SECTION 2: HAZARDS IDENTIFICATION

Not classified as dangerous according to Dangerous Preparations Directive**Eyes:** May irritate eyes. No adverse effects expected when used as directed**Skin:** May irritate skin. No adverse effects expected when used as directed**Inhalation:** No adverse effects expected when used as directed**Ingestion:** May cause abdominal discomfort.
No adverse effects expected when used as directed

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Item	Material Name	CAS.No.	Weight %
1	Sodium Hydroxide	1310-73-2	0.5%
2	Sodium Carbonate	497-19-8	1.3%
3	Polyethylene Glycol	25322-68-3	2.5%
4	Stearin	67701-02-4	4.6%
5	Hydrogenated Coconut Acid	68938-15-8	27.1%
6	Water	7732-18-5	62.17%
7	Glycerol	56-81-5	1.73%
8	Pigment Pink	3844-45-9	0.1%

SECTION 4: FIRST AID MEASURES

Inhalation: No special requirements.

Skin Contact: Wash affected area with plenty of water.

Eye Contact: Immediately irrigate with clean water for several minutes. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. Wash out mouth with water, do not swallow. When in doubt or symptoms persist seek medical attention

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing measures that are appropriate to local media circumstances and the surrounding area

Specific Hazards Arising From The Substance: Exposure to decomposition products may be a hazard to health. In case of fire do not breathe fumes.

Advice For Fire-fighters: Wear a self contained breathing apparatus. Wear suitable protective clothing and gloves.

SECTION 6: ACCIDENTIAL RELEASE MEASURES

Spill Control: Sweep or shovel up spillage and remove to a safe place

Personal Precautions: Wear suitable gloves. Standards as appropriate. Wash thoroughly after spillage.

Environmental Precautions: Use appropriate containment to avoid environmental contamination.

SECTION 7: HANDLING AND STORAGE

Handling: No special requirements.

Advice on Safe Handling: Use personal protective equipment

Advice on Protection Against Fire and Explosion: Normal measure for preventative fire protection.

Conditions For Storage

Storage Conditions: Keep out of reach of children.

Storage Stability: No decomposition if stored and applied as directed.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with Workplace Control Parameters: Contains no substance with occupational exposure limit values.

Personal Protective Equipment

Hand Protection:	Wear suitable gloves.
Eye/Face Protection:	No special requirements.
Skin and Body Protection:	Wash contaminated clothing before re-use.
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of day.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form:	Liquid absorbed by inert carrier material.
Color:	Pink
Odor:	Typical soap odor

Safety Data

PH of soap:	10 – 10.5
--------------------	-----------

4% Aqueous Solution

Initial Boiling Point and Boiling Range (°C):	Not Applicable
Melting Point/Freezing Point (°C):	Not Applicable
Flash Point:	Not Applicable
Flammability:	Not Applicable
Explosive Properties:	Not Applicable
Oxidizing Properties:	Not Applicable
Vapor Pressure:	Not Applicable
Solubility in Water:	Appreciable
Solubility in Oil:	Not Available
Viscosity:	Not Available

SECTION 10: STABILITY AND REACTIVITY

Conditions to Avoid:	Not Applicable
Materials to Avoid:	None
Hazardous Decomposition:	Stable under normal conditions.
Products:	
Hazardous Reactions	None known

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Oral Toxicity:	LD50 Estimated >2g/kg
Acute Inhalation Toxicity:	No adverse effects expected when used as directed.
Acute Dermal Toxicity:	No adverse effects expected when used as directed.
Skin Irritation:	May cause skin irritation in susceptible persons.
Eye Irritation:	May irritate eyes.

SECTION 12: ECOLOGICAL INFORMATION

Further Information on Ecology:	This preparation is not classified as environmentally hazardous.
---------------------------------	--

SECTION 13: DISPOSAL CONSIDERATIONS

Product:	Do not dispose of waste into sewer. Do not contaminated ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Please recycle empty packaging.
Contaminated Packaging:	Do not re-use empty containers.

SECTION 14: TRANSPORTATION INFORMATION**Land transport (ADR/RID)**

Not classified as dangerous in the meaning of transport regulations

UN number

Proper Shipping Name

Transport hazard class(es)

Packing Group

Hazard label(s)

Environmental hazards

Special precautions for user

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations

UN number

Proper Shipping Name

Transport hazard class(es)

Packing Group

Special precautions for user

Air transport (ICAO/IATA)

Not classified as dangerous in the meaning of transport regulations

UN number

Proper Shipping Name

Transport hazard class(es)

Packing Group

Environmental hazards

Special precautions for user

Transport in bulk according to Annex II of
MRPOL73/78 and the IBC Code Not applicable.

SECTION 15: REGULATORY INFORMATION

Classification:	Not Classified.
15.EINECS/TSCA:	All components are included in these inventories.
Detergent Regulations:	More than 30% soap. Less than 5% anionic surfactants. Less than 5% non-ionic surfactant. Also BHT.

SECTION 16: OTHER INFORMATION

The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express, or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe condition for use of this product and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

END OF MSDS

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

1 Identification

- **Product identifier**
- **Trade name:** Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks
- **Article number:**
01991, 01991W, 06901, 06411, 06411W, 06311, 06311W, 01931, 06931W, 08411, 08411W, 48241, 08161W-12, 48161W, 08220, 48169
- **CAS Number:**
106-46-7
- **Recommended use and restriction on use**
- **Recommended use:** Odor neutralising agent
- **Restrictions on use:** No further relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Hospeco
26301 Curtiss Wright Parkway, Suite 200
Richmond Heights, OH 44143
216-535-4300
info@hospeco.com
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.
0 percent of the mixture consists of ingredient(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS08

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 1)

· **Signal word** Warning

· **Hazard-determining components of labeling:**

1,4-dichlorobenzene

· **Hazard statements**

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

· **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P273 Avoid release to the environment.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Hazard description:**

· **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects



· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 2

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *1

Fire = 2

Reactivity = 0

* - Indicates a long term health hazard from repeated or prolonged exposures.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 2)

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
106-46-7 1,4-dichlorobenzene

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Take affected persons into fresh air and keep quiet.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation is experienced, consult a doctor.
- **After eye contact:**
Protect unharmed eye.
Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
Headache
Breathing difficulty
Coughing
Dizziness
Irritant to eyes.
Nausea
Gastric or intestinal disorders when ingested.
- **Danger** Suspected of causing cancer.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 3)

· **Additional information** No further relevant information available.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

For large spills, wear protective clothing.

Keep away from ignition sources.

· **Environmental precautions:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Methods and material for containment and cleaning up:**

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**

· **Precautions for safe handling** Use only in well ventilated areas.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Provide ventilation for receptacles.

Protect from humidity and water.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 4)

• **Control parameters**

• **Components with limit values that require monitoring at the workplace:**

106-46-7 1,4-dichlorobenzene

PEL (USA)	Long-term value: 450 mg/m ³ , 75 ppm
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 60 mg/m ³ , 10 ppm
EL (Canada)	Long-term value: 10 ppm IARC 2B
EV (Canada)	Long-term value: 10 ppm
LMPE (Mexico)	Long-term value: 10 ppm A3

• **Additional information:** The lists that were valid during the creation were used as basis.

• **Exposure controls**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• **Engineering controls:** No further relevant information available.

• **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

For large spills, respiratory protection may be advisable.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:**



Safety glasses

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 5)

- **Body protection:**
Not required under normal conditions of use.
Protection may be required for spills.
- **Limitation and supervision of exposure into the environment** Avoid release to the environment.
- **Risk management measures** See Section 7 for additional information.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:

Form:	Solid material
Color:	Pink
- Odor: Characteristic
- Odor threshold: Not determined.
- pH-value: Not applicable.
- Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	174 °C (345 °F)
- Flash point: 65 °C (149 °F)
- Flammability (solid, gaseous): Product is not flammable.
- Auto-ignition temperature: Not determined.
- Decomposition temperature: Not determined.
- Auto igniting: Not determined.
- Danger of explosion: Product does not present an explosion hazard.
- Explosion limits:

Lower:	Not determined.
Upper:	Not determined.
- Vapor pressure at 20 °C (68 °F): 0.6 mm Hg
- Density: Not determined.
- Relative density: Not determined.
- Vapour density at 20 °C (68 °F): 5.1 g/cm³ (42.56 lbs/gal)
- Evaporation rate: Not applicable.
- Solubility in / Miscibility with

Water:	Insoluble.
--------	------------
- Partition coefficient (n-octanol/water): Not determined.
- Viscosity:

Dynamic:	Not applicable.
Kinematic:	Not applicable.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

• **Other information**

No further relevant information available.

(Contd. of page 6)

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.
- **Possibility of hazardous reactions**
Reacts with strong alkali.
Reacts with strong oxidizing agents.
Reacts with certain metals.
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Possible in traces:
Danger of toxic pyrolysis products.
Hydrogen chloride (HCl)
Chlorine

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **on the skin:** Slight irritant effect on skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Subacute to chronic toxicity:** Suspected of causing cancer.
- **Additional toxicological information:**
- **Carcinogenic categories**

• **NTP (National Toxicology Program)**

106-46-7 | 1,4-dichlorobenzene

R

• **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

• **Probable Routes of Exposure**

Inhalation.
Eye contact.
Skin contact.
Ingestion.

- **Acute effects (acute toxicity, irritation and corrosivity):** Irritating to eyes.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 7)

- **Repeated Dose Toxicity:**
May cause damage to organs through prolonged or repeated exposure.
Suspected of causing cancer.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** Toxic for aquatic organisms
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxical effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Hand over to hazardous waste disposers.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
 - **DOT**
 - **ADR, IMDG, IATA**
- UN3077
Classification as a MARINE POLLUTANT is based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.
UN3077

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 8)

· UN proper shipping name

· DOT, IATA

Environmentally hazardous substances, solid, n.o.s. (1,4-dichlorobenzene)

· ADR

303077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,4-DICHLOROBENZENE)

· IMDG

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,4-DICHLOROBENZENE)

· Transport hazard class(es)

· DOT



· Class

9 Miscellaneous dangerous substances and articles

· Label

9

· ADR



· Class

9 (M7) Miscellaneous dangerous substances and articles

· Label

9

· IMDG, IATA



· Class

9 Miscellaneous dangerous substances and articles

· Label

9

· Packing group

· DOT, ADR, IMDG, IATA

III

· Environmental hazards:

· Marine pollutant:

Yes

· Special marking (ADR):

Symbol (fish and tree)

· Special marking (IATA):

Symbol (fish and tree)

· Special precautions for user

Symbol (fish and tree)

· Danger code (Kemler):

Warning: Miscellaneous dangerous substances and articles

· EMS Number:

90

F-A,S-F

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· DOT

· Quantity limitations

On passenger aircraft/rail: No limit

On cargo aircraft only: No limit

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 9)

- | | |
|---|---|
| <ul style="list-style-type: none"> · Hazardous substance: · ADR · Excepted quantities (EQ) · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) · UN "Model Regulation": | <p>100 lbs, 45.4 kg</p> <p>Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g</p> <p>5 kg
Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g</p> <p>UN3077, Environmentally hazardous substances, solid, n.o.s. (1,4-dichlorobenzene), 9, III</p> |
|---|---|

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

106-46-7 | 1,4-dichlorobenzene

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **IARC (International Agency for Research on Cancer)**

106-46-7 | 1,4-dichlorobenzene

2B

· **TLV (Threshold Limit Value established by ACGIH)**

106-46-7 | 1,4-dichlorobenzene

A3

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 05/14/2015

Reviewed on 05/14/2015

Trade name: Para Dichlorobenzene Screen with Block, Toss-in Blocks, Wall Blocks, Bowl Blocks and 20 Pound Blocks

(Contd. of page 10)

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is listed.

• **State Right to Know Listings**

Substance is not listed.

• **Canadian substance listings:**

• **Canadian Domestic Substances List (DSL)**

106-46-7 | 1,4-dichlorobenzene

• **Canadian Ingredient Disclosure list (limit 0.1%)**

Substance is not listed.

• **Canadian Ingredient Disclosure list (limit 1%)**

106-46-7 | 1,4-dichlorobenzene

• **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Date of preparation / last revision** 05/14/2015 / -

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2

• **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

BID # 2018-01

Item # 14



SAFETY DATA SHEET

This SDS complies with REACH 1907/2006 and 2001/58/EC, GHS REVISION 3, OSHA 29CFR 1910.1200

Section 1: Chemical Product and Company Identification

MANUFACTURER'S NAME
United States Pumice Company
20219 Bahama St.
Chatsworth, CA 91311

EMERGENCY TELEPHONE
Emergency: 800-423-3037
Information: 818-882-0300
Fax: 818-882-9643

Safety Data Sheet Competent Person:

Elizabeth Anderson ema@uspumice.com

DATE PREPARED: May 30, 2015

REVISION DATE: May 31, 2015

PRODUCT NAME: **Pumie® - Scouring Stick – Professional Grade**
PRODUCT IDENTIFIER: JAN-12, JPS-12, JPS-24
FORMULA: Preparation/Mixture
PRODUCT USE: Non – toxic. Abrasive scouring product for cleaning hard surfaces such as porcelain, ceramic, and cement.

Section 2: Hazards Identification

GHS Hazard Class Not Applicable. This product does not meet the physical, health, or environmental classification criteria of GHS (Globally Harmonized System).

This product meets the definition and criteria for an Article according OSHA 29 CFR 1910.1200 and the EU REACH 1907/2006 Article 3(3) regulations. "Article" means a manufactured item: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which does not release, or otherwise result in exposure to, a hazardous chemical under normal conditions of use.

This product has been tested by Underwriters Laboratories. Report #: 1503377, dated March 31, 2015.

A Toxicology Risk Assessment (TRA) was completed. The TRA report stated "Conclusions: Based on available information, there is no significant acute or chronic hazard from use of this product during normal usage conditions".

Hazards not otherwise classified (HNOC) or not covered by GHS - None

HAZARD CLASSIFICATION: Not classified as hazardous based on IATA, IMDG, and DOT.
FIRE AND EXPLOSION: Not considered flammable or combustible.

POTENTIAL HEALTH EFFECTS: <0 % of mixture consists of ingredients of unknown acute toxicity

APPEARANCE: Solid block

NFPA Rating:

Component	Health (Blue)	Flammability (Red)	Reactivity (Yellow)	Special (White)
Pumice (foamed glass)	1	0	0	-----



Section 3: Composition, Information on Ingredients

PRODUCT COMPOSITION	APPROX %	CAS NO.	EINECS/ELINCS	CANADA DSL
Pumice	100	1332-09-8	603-719-3	Y

Some items on this SDS may be designated as trade secrets (TS). Bonafide requests for disclosure of trade secret information to medical personnel must be made in accordance with the provisions contained in 29 CFR 1910.1200 I 1-13.

Section 4: First Aid Measures

Description of First Aid Measures

Inhalation	Remove to fresh air. Get medical attention if required.
Skin Contact	Immediately wash skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing.
Eye Contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Ingestion	If swallowed do not induce vomiting, give large quantities of water to drink. Never give anything to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/Injuries after Inhalation	May cause respiratory tract irritation.
Symptoms/Injuries after Skin Contact	May cause skin irritation.
Symptoms/Injuries after Eye Contact	May cause eye irritation.
Symptoms/Injuries after Ingestion	May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately.

Section 5: Fire-fighting Measures

Suitable extinguishing media	None
Special hazards arising from the substance or mixture	No data available.
Protective actions fire-fighters	Wear standard protective equipment and self contained breathing apparatus for firefighting if necessary.
Further information	None Material does not burn. Use extinguishing agent suitable for the type of surrounding fire.

Section 6: Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Wear proper personal protective equipment.

Environmental precautions

None

Methods and materials for containment and cleaning up

Not applicable.

Reference to other Sections For personal protection reference section 8. For disposal reference section 13.



Section 7: Handling and Storage

Precautions for safe handling

Wear proper protective equipment when handling this material.
Wash hands after handling this material.

Conditions for safe storage, including any incompatibilities

Product is approved for consumer use.

Specific uses

This product is intended for use as an abrasive scouring product for cleaning hard surfaces such as porcelain, ceramic, and cement.

Section 8: Exposure Controls/Personal Protection

Control Parameters

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH REL
Pumice	-----	-----	-----

Exposure controls

VENTILATION:

Always provide good general room ventilation where this material is used.

RESPIRATORY PROTECTION:

Not required.

PROTECTIVE GLOVES:

Neoprene, butyl, or nitrile rubber gloves are recommended.

EYE PROTECTION:

Recommend eye protection using safety glasses or goggles.

SKIN PROTECTION:

Suitable protective clothing to prevent skin contact

WORK/HYGIENE PRACTICES:

Avoid breathing dust from pumice stone. Avoid contact with eyes. Wash hands after handling.

Section 9: Physical and Chemical Properties

	PRODUCT CRITERIA
APPEARANCE - COLOR:	Grey porous block
PHYSICAL STATE:	Solid
ODOR:	Odorless
ODOR THRESHOLD	Not applicable for product
PH	Not applicable for product
MELTING POINT/FREEZING POINT:	~730 degrees C
INITIAL BOILING POINT AND BOILING RANGE:	Not applicable for product
FLASH POINT:	Not applicable for product
EVAPORATION RATE:	Not applicable for product
FLAMMABILITY (Solid, gas)	Non-Flammable
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	Not applicable for product
VAPOR PRESSURE	Not applicable for product
VAPOR DENSITY (AIR = 1)	Not applicable for product
RELATIVE DENSITY (@25 °C):	0.19--0.23 g/cm3
SOLUBILITY (IES)	Insoluble
OXIDIZING PROPERTIES	Not applicable for product
PARTITION COEFFICIENT: n-octanol/water	Not applicable for product
AUTO IGNITION TEMPERATURE	Not applicable for product
DECOMPOSITION TEMPERATURE	Not applicable for product
VISCOSITY	Not applicable for product

Section 10: Stability and Reactivity

Reactivity:

Not reactive.

Chemical Stability:

Stable

Possibility of Hazardous Reactions:

Will not occur

Conditions to Avoid:

None

Incompatibility (Materials to Avoid):

None

Hazardous Decomposition Products:

None



Section 11: Toxicological Information

There is no toxicological information available for the product.

GHS Required Criteria	Toxicity Criteria	Toxicity Information	Comment	Chemical Constituent
Acute Toxicity		Data not available		
Skin Corrosion/Irritation		Data not available		
Serious Eye Damage / Eye Irritation		Data not available		
Respiratory or Skin Sensitization		Data not available		
Germ Cell Mutagenicity		Data not available		
Carcinogenicity	NTP	Not listed		
	IARC	Not listed		
	OSHA	Not listed		
Reproductive Toxicity		Data not available		
STOT -- Single Exposure		Data not available		
STOT -- Repeated Exposure		Data not available		
Aspiration Hazard		Data not available		

STOT = Specific Target Organ Systemic Toxicity

Section 12: Ecological Information

Toxicity:	No information is available.	
Persistence and degradability:	No information is available.	
Bioaccumulative potential	No information is available.	
Mobility in soil:	No information is available.	
PBT and vPvB assessment:	PBT/vPvB assessment not available as chemical assessment not required/not conducted	
Other adverse effects:	No information is available.	

Section 13: Disposal Considerations

Waste from residues/unused products: Dispose of in municipal trash.

Contaminated packaging: Packaging material should be disposed of in municipal trash.

Section 14: Transport Information

<u>DOT TRANSPORT:</u>		Not Regulated
<u>ADR = International Carriage of Dangerous Goods by Road</u>		Not Regulated
<u>RAIL TRANSPORT:</u>		Not Regulated
<u>SEA TRANSPORT:</u>	IMDG	Not Regulated
<u>AIR TRANSPORT:</u>	IATA/ICAO	Not Regulated

Section 15: Regulatory Information

TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS:

This product is in compliance with rules, regulations, and orders of TSCA. This product meets the article definition.
Reference Section 2.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) TITLE III SECTION 313 SUPPLIER NOTIFICATION:

This regulation requires submission of annual reports of toxic chemical(s) that appear in section 313 of the Emergency Planning and Community Right To Know Act of 1986 and 40 CFR 372. This information must be included in all SDS's that are copied and distributed for the material.

The Section 313 toxic chemicals contained in this product are: None



CALIFORNIA PROPOSITION 65:

This regulation requires a warning for California Proposition 65 chemical(s) under the statute.

The California proposition 65 chemical(s) contained in this product are: None

STATE RIGHT-TO-KNOW TOXIC SUBSTANCE OR HAZARDOUS SUBSTANCE LIST:

Florida Toxic Substance(s):	Not listed
Massachusetts's hazardous substance(s):	Not listed
Pennsylvania hazardous substance code(s):	Not listed
New Jersey	Not listed
Illinois	Not listed
Michigan	Not listed
Minnesota	Not listed

CANADA:

This SDS contains all of the information required by the Controlled Products Regulations (CPR).

WHMIS-INFORMATION:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR), SOR/88-66. Current to February 20, 2012. The classes of controlled products listed in the CPR, Section 32, Part IV, have been reviewed and based on Professional Judgment this product has been determined to not be WHMIS controlled.


EUROPEAN UNION:

This product has been reviewed for compliance with the following European Community Directives: REACH 1907/2006; Regulation (EC) No 1272/2008 on classification, labeling, and packaging (CLP) of substances and mixtures.

Section 16: Other Information

Initial issue date: May 30, 2015
Final revision date: May 31, 2015
Revision Number: 0
Revision explanation: Initial version
Information Sources: RTECS, ECHA, REACH, OSHA 29CFR 1910.1200

"Disclaimer: This document is generated to distribute health, safety and environmental data. It is not a specification sheet and none of the displayed data should be construed as a specification. Information on this SDS sheet was obtained from sources which we believe are reliable, and we believe that the information is complete and accurate. However, the information is provided without any warranty, express or implied, regarding its correctness. Some of the information presented and conclusions drawn are from sources other than direct test data of the substance. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may also be beyond our knowledge. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. If the product is used as a component in another product, this SDS information may not be applicable. For these reasons, we do not assume any responsibility and expressly disclaim liability for any loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product."



MATERIAL SAFETY DATA SHEET



Hi-Yield® Kill-A-Bug II Lawn Granules

In the event of a medical or chemical emergency contact
ChemTel, Inc. North American 1-800-255-3924 or worldwide
Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc.
230 FM 87
Bonham, Texas 75418

Effective Date: August 23, 2012

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT: Hi-Yield® Kill-A-Bug II Lawn Granules
EPA No.: 7401-453

COMPANY IDENTIFICATION:

Voluntary Purchasing Groups, Inc.
230 FM 87
Bonham, TX. 75418

2. COMPOSITION / INFORMATION ON INGREDIENTS:

INGREDIENTS:	CAS. REG. #	APPROX. %
Permethrin	52645-53-1	0.5%
Inert Ingredients		99.5%

3. PHYSICAL AND CHEMICAL CHARACTERISTICS:

MELTING/FREEZING POINT:	N/A	VAPOR PRESSURE (mm/Hg):	N/A
VAPOR DENSITY (air=1):	N/A	SOLUBILITY IN WATER:	Soluble
Ph:	6.7 – 7.0	EVAPORATION RATE:	N/A
APPEARANCE AND ODOR:	A brown granular solid; mild odor.		
DENSITY:	0.42 g/cm3 (fluffed)	0.47 g/cm3 (compacted)	

4. FIRE AND EXPLOSION DATA:

FLASH POINT: >93°C (>200°F)
EXTINGUISHER MEDIA: Carbon Dioxide, Dry Chemical, Foam or Water.
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear.

5. SPECIAL FIRE FIGHTING PROCEDURES:

STABILITY: Stable: Yes Unstable: ---
CONDITIONS TO AVOID: N/A
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID (POLY): N/A

6. HEALTH HAZARDS:

- A. ROUTE OF ENTRY**
Inhalation: No Eyes: Yes
Ingestion: No Skin: Yes
- B. HEALTH HAZARDS:** Causes moderate eye irritation.
- C. CARCINOGENIC:** No known chronic effects expected from normal use of this product.
- D. EMERGENCY FIRST AID PROCEDURES:**
Skin: Wash thoroughly with soap and water after handling.
Eyes: Flush with plenty of water. Call a physician if irritation persists.

7. SPECIAL PRECAUTIONS & SPILL/LEAK PROCEDURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS LEAKED OR SPILLED: Sweep up and dispose of with chemical waste.

MATERIAL SAFETY DATA SHEET



Hi-Yield® Kill-A-Bug II Lawn Granules

In the event of a medical or chemical emergency contact
ChemTel, Inc. North American 1-800-255-3924 or worldwide
Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc.
230 FM 87
Bonham, Texas 75418

Effective Date: August 23, 2012

8. SPECIAL PROTECTION/CONTROL MEASURES:

PROTECTIVE GLOVES:	Chemical resistant gloves.
EYE PROTECTION:	Safety glasses.
WORK/HYGIENIC PRACTICES:	Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

9. ENVIRONMENTAL EFFECTS DATA:

This product is toxic to fish. Do not apply directly to water. Drifts and runoffs from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment washwaters.

10. STORAGE, DISPOSAL AND HANDLING:

STORAGE:	Store product in its original container in a cool, dry, locked place out of reach of children.
DISPOSAL:	Completely empty bag into application equipment. Do not reuse empty container. Wrap bag and put in trash collection.
HANDLING:	Avoid contamination of feed and foodstuffs. Keep children and pets off treated areas until this material is washed into turf and grass is dry.

11. TRANSPORTATION INFORMATION:

DEPARTMENT OF TRANSPORTATION (DOT) CLASSIFICATION: Not regulated by DOT in our non-bulk package when shipped by highway or railroad.

US SURFACE FREIGHT CLASS: Insecticides, NOI, other than Poison, NMFC item 102120

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG) CLASSIFICATION: When this product is shipped by water (non-bulk or bulk), it is regulated as follows:

Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s. (Permethrin)

Class:	9
UN No.:	UN 3077
Packing Group:	III
Marine Pollutant:	Permethrin

12. ADDITIONAL INFORMATION:

The information contained within was obtained from authoritative sources and is believed to be accurate for the manner in which the product is intended to be used. Other uses could result in ramifications which are not included within this document.

BID # 2018-01

Item # 29

Bayer Environmental Science
SAFETY DATA SHEET



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

1/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
COMPANY/UNDERTAKING**

Product identifier

Trade name BAYER ADVANCED HOME PEST PLUS GERM KILLER INDOOR &
OUTDOOR INSECT KILLER READY-TO-USE

Product code (UVP) 79016565

SDS Number 102000016791

EPA Registration No. 72155-80

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

**Emergency Telephone
Number (24hr/ 7 days)** 1-800-334-7577 (24 hours/day)

**Product Information
Telephone Number** 1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation : Category 2B

Signal word: Warning

Hazard statements

Causes eye irritation.

Precautionary statements

Wash hands thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Other hazards

No other hazards known.



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

2/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
(1,1'-Biphenyl)-2-ol, sodium salt	132-27-4	0.3
Beta-Cyfluthrin	68359-37-5	0.05

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Water spray, Foam, Carbon dioxide (CO ₂), Dry chemical
Unsuitable	None known.



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

3/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

Advice for firefighters

**Special protective
equipment for fire-fighters**

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information

Fight fire from upwind position. Keep out of smoke. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Flash point

> 93.3 °C

Autoignition temperature

no data available

Lower explosion limit

no data available

Upper explosion limit

no data available

Explosivity

not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions

Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice

Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use only in area provided with appropriate exhaust ventilation.

Hygiene measures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

4/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Beta-Cyfluthrin (Particulate.)	68359-37-5	5ug/m3 (AN ESL)	02 2013	TX ESL
Beta-Cyfluthrin (Particulate.)	68359-37-5	50ug/m3 (ST ESL)	02 2013	TX ESL
Beta-Cyfluthrin	68359-37-5	0.01 mg/m3 (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white
Physical State liquid
Odor characteristic
Odour Threshold no data available
pH 6.0 - 7.5 at 100 %



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

5/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	ca. 1.00 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	no data available
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n-octanol/water	no data available
Viscosity	no data available
Flash point	> 93.3 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	not applicable
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	freezing
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Ingestion, Inhalation, Skin contact
-----------------	--



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

6/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

Immediate Effects

Eye	Causes eye irritation.
Skin	May cause slight irritation.
Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity	LD50 (female rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (rat) > 2.1 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. highest concentration tested No deaths LC50 (rat) > 8.4 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (rat) > 5,000 mg/kg
Skin irritation	Slight irritation (rabbit)
Eye irritation	Mild eye irritation. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

The toxic effects of Beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

(1,1'-Biphenyl)-2-ol, sodium salt

132-27-4

Overall evaluation: 2B

OSHA

None.

Assessment toxicity to reproduction



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

7/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

Assessment developmental toxicity

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.00029 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient beta-cyfluthrin. No acute toxicity was observed at its limit of water solubility.
Biodegradability	Beta-Cyfluthrin: not rapidly biodegradable
Koc	Beta-Cyfluthrin: Koc: 508 - 3179
Bioaccumulation	Beta-Cyfluthrin: Bioconcentration factor (BCF) 506 Does not bioaccumulate.
Mobility in soil	Beta-Cyfluthrin: Immobile in soil
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

8/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015

Print Date: 06/02/2015

Product	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain. Follow advice on product label and/or leaflet.
Contaminated packaging	Do not re-use empty containers. Place empty container in trash. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)
IATA	
UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN
POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 72155-80



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

9/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

US Federal Regulations

TSCA list

(1,1'-Biphenyl)-2-ol, sodium salt 132-27-4

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

(1,1'-Biphenyl)-2-ol, sodium salt	132-27-4	0.1%
Beta-Cyfluthrin	68359-37-5	25,000lbs

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

(1,1'-Biphenyl)-2-ol, sodium salt 132-27-4

US State Right-To-Know Ingredients

(1,1'-Biphenyl)-2-ol, sodium salt	132-27-4	CA, MN, NJ, RI
Beta-Cyfluthrin	68359-37-5	NJ, RI

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful by inhalation and if swallowed.
Causes eye irritation.
Avoid contact with skin, eyes and clothing.
Avoid inhalation of vapour or mist.
Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION



**BAYER ADVANCED HOME PEST PLUS GERM KILLER
INDOOR & OUTDOOR INSECT KILLER READY-TO-USE**

10/10

Version 3.0 / USA
102000016791

Revision Date: 06/02/2015
Print Date: 06/02/2015

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
CAS-Nr.	Chemical Abstracts Service number
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	US. IARC Monographs on Occupational Exposures to Chemical Agents
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes. The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information.

Revision Date: 06/02/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.

SAFETY DATA SHEET

FOAMING LUXURY HAND SOAP

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name : FOAMING LUXURY HAND SOAP

Product Codes : 69009, 69024, 69041, 69050, 69078, 64431

Recommended use : General purpose hand soap

Product dilution information : Product is sold ready to use.

Company : Kuto! Products Company
100 Partnership Way
Sharonville, Ohio 45241-1571
1-800-543-4641

Chemtrec Phone : 1-800-424-9300

Issuing date : 1/23/2015

SECTION 2 – HAZARD(S) IDENTIFICATION

GHS Classification : Category 2B
Eye irritation

GHS Label Element
Hazards pictograms



Signal Word : Warning

Hazard Statements : **Response:**
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Other Hazards : None known.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Concentration (%)</u>
AMMONIUM LAURYL SULFATE- 30 %	68585-34-2	0 - 5
SODIUM LAURETH SULFATE- 60 %	9004-82-4	0 – 5
POLYQUATERNIUM-7	Mixture	0 - 5
DISODIUM COCAMIDO MIPA-SULFOSUCCINATE	68140-00-1	0 - 5
DMDM HYDANTOIN	6440-58-0	0 – 5
GLYCERIN	56-81-5	0 - 5

SAFETY DATA SHEET

FOAMING LUXURY HAND SOAP

SECTION 4 – FIRST AID MEASURES

- | | | |
|----------------------------|---|---|
| In case of eye contact | : | Flush eyes under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, seek medical/advice attention. |
| In case of skin contact | : | If irritation persists, wash with water. |
| If ingested | : | Contact a physician or Poison Control Center immediately. Do not induce vomiting never give anything by mouth to an unconscious person. |
| If inhaled | : | Get medical attention if symptoms occur. |
| Protection of first-aiders | : | No special precautions are necessary. |
| Notes to physicians | : | Treat symptomatically. |

SECTION 5 – FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during firefighting | : | No flammable or combustible. |
| Hazardous combustions products | : | Carbon oxides |
| Special protective equipment for fire-fighters | : | Use personal protective equipment. |
| Specific extinguishing methods | : | Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes. |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- | | | |
|---------------------------|---|--|
| Personal precautions | : | No special measures required. |
| Environmental precautions | : | Avoid contact of large amounts of spilled material runoff with soil and surface waterways. |
| Methods of cleaning up | : | Absorb with inert material. Use a water rinse for final clean-up. |

SECTION 7 – HANDLING AND STORAGE

- | | | |
|----------|---|--|
| Handling | : | Wash hands after handling. |
| Storage | : | Keep out of reach of children. Keep container tightly closed. Store between 32 to 122 degrees F. |

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- | | | |
|----------------------------|---|--|
| Engineering measures | : | Good general ventilation should be sufficient to control workers exposure to airborne contamination. |
| <u>Personal protection</u> | : | |
| Eyes | : | Eye protection should be used when splashing may occur. |
| Hands | : | No protective equipment is needed under normal use. |
| Skin | : | No protective equipment is needed under normal use. |
| Respiratory | : | No protective equipment is needed under normal use. |

SAFETY DATA SHEET

FOAMING LUXURY HAND SOAP

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Water, thin medium red liquid	Upper/lower flammability limits: N/A
Odor: Fruity, floral fragrance	Vapor pressure: N/A
Odor Threshold: No data available	Vapor density: N/A
ph: 6.5 typical	Relative density: No data available.
Melting point/freezing point: N/A	Solubility (ies): No data available.
Initial boiling and boiling range: N/A	Partition coefficient: n-octanol/water: No data available.
Flash point: N/A	Auto ignition temperature: N/A
Evaporation rate: <1	Decomposition temperature: No data available.
Flammability (solid, gas): No data available	Viscosity: N/A

SECTION 10 – STABILITY AND REACTIVITY

Stability	: The product is stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction is known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: Carbon oxides

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routines of exposure : Inhalation, eye contact, skin contact.

Potential Health Effects

Eyes	: Cause of irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic exposure	: Health injuries are not known or expected under normal use.

Experience with Human Exposure

Eye contact	: Redness, irritation.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Acute oral toxicity	: Acute toxicity estimate: >5,000 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: Acute toxicity estimate: >5,000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: Mild eye irritation.
Respiratory or skin sensitization	: No data available.

SAFETY DATA SHEET

FOAMING LUXURY HAND SOAP

Carcinogenicity

- IARC : No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.
- OSHA : No ingredient of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
- NTP : No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12 – ECOLOGICAL INFORMATION

- Ecological Tests : Data is not available.
- Environmental Impact : The product ingredients are expected to be safe for the environment at the concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

SECTION 13 – DISPOSAL CONSIDERATIONS

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. When possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.

SECTION 14 – TRANSPORT INFORMATION

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. The shipper / consignor / sender are responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Shipment	Identification Number	Proper Shipping Name	Hazardous Classification	Packaging Group
US DOT	Not dangerous goods	N/A	N/A	None
IATA (Air)	Not dangerous goods	N/A	N/A	None
IMDG (Vessel)	Not dangerous goods	N/A	N/A	None

SAFETY DATA SHEET

FOAMING LUXURY HAND SOAP

SECTION 15 – REGULATORY INFORMATION

U.S. Federal regulations

TSCA (Toxic Substances Control Act): : All ingredients in this product are either listed, or exempt from listing, on the TSCA Inventory.


CERCLA (Comprehensive Response Compensation, and Liability Act) : Not Determined

SARA Title III (Superfund Amendments and Reauthorization Act) : None

SARA 313 Reportable Ingredients : None.

SECTION 16 - OTHER INFORMATION

NFPA 704:



HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARDS	0

Issuing date : 1/23/2015

Version : 1.0

Prepared by : Regulatory Compliance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

1. Identification

Product number 1000000934
Product identifier EJ-005 HI-TECH WASP & HORNET SPRAY
Company information Economical Janitorial & Paper Supplies, Inc.
 1420 Sams Ave.
 Suite F
 Harahan, LA 70123 United States
Company phone General Assistance 1-800-735-6745
Emergency telephone US 1-866-836-8855
Emergency telephone outside US 1-952-852-4646
Version # 01
Recommended use PESTICIDE
Recommended restrictions None known.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1
Health hazards Germ cell mutagenicity Category 1B
 Carcinogenicity Category 1B
 Aspiration hazard Category 1
OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol. May be fatal if swallowed and enters airways. May cause genetic defects. May cause cancer.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wear protective gloves/protective clothing/eye protection/face protection.

Response

If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If exposed or concerned: Get medical advice/attention.

Storage

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards

Hazardous to the aquatic environment, acute Category 3 hazard

Hazardous to the aquatic environment, long-term hazard Category 3

Hazard(s) not otherwise classified (HNOC)

Combustible. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (Petroleum), Hydrotreated Light		64742-47-8	80 - 90
Carbon Dioxide		124-38-9	2.5 - 10
Isopropyl Alcohol		67-63-0	2.5 - 10
d-Phenothrin		26002-80-2	0.1 - 1
Solvent Naphtha, Petroleum, Light Aromatic		64742-95-6	0.1 - 1
Tetramethrin		7696-12-0	0.1 - 1
Other components below reportable levels			0.1 - 1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most Important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol. Combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage**Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. WARNING: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45.

Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

8. Exposure controls/personal protection**Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Carbon Dioxide (CAS 124-38-9)	PEL	9000 mg/m3
Isopropyl Alcohol (CAS 67-63-0)	PEL	5000 ppm 980 mg/m3 400 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm
Isopropyl Alcohol (CAS 67-63-0)	TWA	5000 ppm
	STEL	400 ppm
	TWA	200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3
	TWA	30000 ppm 9000 mg/m3 5000 ppm
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m3
	TWA	500 ppm 980 mg/m3 400 ppm

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Chemical goggles are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Use of an impervious apron is recommended.
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Gas.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	180.5 °F (82.5 °C) estimated
Flash point	226.0 °F (107.8 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	0.5 % estimated
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	90 - 110 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	421 °F (216.11 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.829 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Strong oxidizing agents. Isocyanates. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Product	Species	Test Results
14 OZ HITECH WASP & HORNET LB 12PK		
<u>Acute</u>		
<u>Dermal</u>		
LD50	Rat	2237 mg/kg
<u>Inhalation</u>		
LC50	Rat	6 mg/l/4h
<u>Oral</u>		
LD50	Rat	

Components	Species	Test Results
Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)		
<u>Acute</u>		
<u>Dermal</u>		
LD50	Rabbit	> 2000 mg/kg > 2000 mg/kg, 24 Hours
<u>Inhalation</u>		
LC50	Rat	> 7.5 mg/l, 6 Hours > 4.6 mg/l, 4 Hours
<u>Oral</u>		
LD50	Rat	> 5000 mg/kg
Isopropyl Alcohol (CAS 67-63-0)		
<u>Acute</u>		
<u>Dermal</u>		
LD50	Rabbit	16.4 ml/kg, 24 Hours
<u>Inhalation</u>		
LC50	Rat	> 10000 ppm, 6 Hours
<u>Oral</u>		
LD50	Rat	5.84 g/kg

Components	Species	Test Results
Solvent Naphtha, Petroleum, Light Aromatic (CAS 64742-95-6)		
<u>Acute</u>		
<u>Dermal</u>		
LD50	Rabbit	> 1900 mg/kg, 24 Hours
<u>Inhalation</u>		
LC50	Rat	> 5000 mg/m3, 4 Hours
		> 4980 mg/m3
		> 4980 mg/m3, 4 Hours
		> 4.96 mg/l, 4 Hours
<u>Oral</u>		
LD50	Rat	4820 mg/kg
Tetramethrin (CAS 7696-12-0)		
<u>Acute</u>		
<u>Oral</u>		
LD50	Rat	4640 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product	Species		Test Results
14 OZ HITECH WASP & HORNET LB 12PK			
Aquatic			
Algae	IC50	Algae	11769 mg/L, 72 Hours
Crustacea	EC50	Daphnia	629 mg/L, 48 Hours
Fish	LC50	Fish	48.7193 mg/L, 96 Hours

Components	Species		Test Results
Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
Isopropyl Alcohol (CAS 67-63-0)			
Aquatic			
Algae	IC50	Algae	1000.0001 mg/L, 72 Hours
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Solvent Naphtha, Petroleum, Light Aromatic (CAS 64742-95-6)			
Aquatic			
Crustacea	EC50	Daphnia	6.14 mg/L, 48 Hours
Tetramethrin (CAS 7696-12-0)			
Aquatic			
Fish	LC50	Carp (Cyprinus carpio)	0.095 - 0.16 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isopropyl Alcohol	0.05
Tetramethrin	4.73

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. Transport information

DOT

UN number	UN1950
UN proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

IATA

UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
Packaging Exceptions	LTD QTY

IMDG

UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

DOT**IATA; IMDG****15. Regulatory information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
d-Phenothrin	26002-80-2	0.1 - 1
Tetramethrin	7696-12-0	0.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FIFRA Information

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs. tit. 22, 69502.3, subd. (a))

Isopropyl Alcohol (CAS 67-63-0)
Solvent Naphtha, Petroleum, Light Aromatic (CAS 64742-95-6)

US. Massachusetts RTK - Substance List

Carbon Dioxide (CAS 124-38-9)
Isopropyl Alcohol (CAS 67-63-0)

US. New Jersey Worker and Community Right-to-Know Act

Carbon Dioxide (CAS 124-38-9)
d-Phenothrin (CAS 26002-80-2)
Isopropyl Alcohol (CAS 67-63-0)
Tetramethrin (CAS 7696-12-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon Dioxide (CAS 124-38-9)
Isopropyl Alcohol (CAS 67-63-0)

US. Rhode Island RTK

d-Phenothrin (CAS 26002-80-2)
Isopropyl Alcohol (CAS 67-63-0)
Tetramethrin (CAS 7696-12-0)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Cumene (CAS 98-82-8)

Listed: April 6, 2010

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 11-09-2016

Version # 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

SAFETY DATA SHEET

1. Identification

Product number 1000010705
Product identifier EJ-856 HI-TECH QUICK STRIP H. D. BASEBOARD
Company information Economical Janitorial & Paper Supplies, Inc.
 1420 Sams Ave.
 Suite F
 Harahan, LA 70123 United States
Company phone General Assistance 1-800-735-6745
Emergency telephone US 1-866-836-8855
Emergency telephone outside US 1-952-852-4646
Version # 01
Recommended use CLEANER
Recommended restrictions None known.

2. Hazard(s) identification

Physical hazards	Flammable aerosols	Category 1
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger	
Hazard statement	Extremely flammable aerosol. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.	
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.	
Storage	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-Butoxyethanol		111-76-2	20 - 40
Butane		106-97-8	2.5 - 10
Propane		74-98-6	1 - 2.5
EDTA Tetrasodium Salt		64-02-8	0.1 - 1
Pine Oil		8002-09-3	0.1 - 1
Other components below reportable levels			60 - 80

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.
Ingestion	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Most important symptoms/effects, acute and delayed	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam, Powder, Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
---	--

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Environmental precautions Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not get in eyes, on skin, or on clothing. Avoid breathing gas. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	PEL	240 mg/m3
Propane (CAS 74-98-6)	PEL	50 ppm 1800 mg/m3 1000 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm
Butane (CAS 106-97-8)	STEL	1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m3
Butane (CAS 106-97-8)	TWA	5 ppm 1900 mg/m3 800 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m3 1000 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

* - For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation	2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
US - Minnesota Haz Subs: Skin designation applies	2-Butoxyethanol (CAS 111-76-2)	Skin designation applies.
US - Tennessee OELs: Skin designation	2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
US NIOSH Pocket Guide to Chemical Hazards: Skin designation	2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)	2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Face shield is recommended. Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	

9. Physical and chemical properties

Appearance

Physical state	Gas.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	195.75 °F (90.97 °C) estimated
Flash point	-156.0 °F (-104.4 °C) PROPELLANT estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	55 - 70 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.93 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Nitrates. Fluorine. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	May cause an allergic skin reaction.
-----------------------	--------------------------------------

Components	Species	Test Results
2-Butoxyethanol (CAS 111-76-2)		
Acute		
Dermal		
LD50	Guinea pig	7.3 ml/kg, 4 Days
		0.23 ml/kg, 24 Hours
	Rabbit	435 mg/kg, 24 Hours
		0.68 ml/kg, 24 Hours
		0.63 ml/kg
	Rat	> 2000 mg/kg, 24 Hours
Inhalation		
LC50	Rabbit	400 ppm, 7 Hours
	Rat	450 ppm, 4 Hours
Oral		
LD100	Rabbit	695 mg/kg
LD50	Dog	> 695 mg/kg

Components	Species	Test Results
	Guinea pig	1414 mg/kg
	Mouse	1519 mg/kg
	Rat	1746 mg/kg
Butane (CAS 106-97-8)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
EDTA Tetrasodium Salt (CAS 64-02-8)		
<u>Acute</u>		
Oral		
LD50	Rat	1658 mg/kg
Propane (CAS 74-98-6)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

 2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

 Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

 Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not likely, due to the form of the product.

Chronic effects May be harmful if absorbed through skin.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components	Species	Test Results
2-Butoxyethanol (CAS 111-76-2)		
Aquatic		
Fish	LC50	Inland silverside (Menidia beryllina) 1250 mg/l, 96 hours
EDTA Tetrasodium Salt (CAS 64-02-8)		
Aquatic		
Algae	IC50	Algae 1.01 mg/L, 72 Hours
Fish	LC50	Bluegill (Lepomis macrochirus) 472 - 500 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-Butoxyethanol	0.83
Butane	2.89
Propane	2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. Transport information

DOT

UN number	UN1950
UN proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking.

IATA

UN number	UN1950
UN proper shipping name	Aerosols, flammable

Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
DOT	



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - Yes
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
2-Butoxyethanol	111-76-2	20 - 40

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

2-Butoxyethanol (CAS 111-76-2)
Butane (CAS 106-97-8)

US. Massachusetts RTK - Substance List

2-Butoxyethanol (CAS 111-76-2)
Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

US. New Jersey Worker and Community Right-to-Know Act

2-Butoxyethanol (CAS 111-76-2)
Butane (CAS 106-97-8)
Pine Oil (CAS 8002-09-3)
Propane (CAS 74-98-6)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Butoxyethanol (CAS 111-76-2)
Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

US. Rhode Island RTK

Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)	Listed: January 1, 1988
Ethylene Oxide (CAS 75-21-8)	Listed: July 1, 1987

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Oxide (CAS 75-21-8)	Listed: August 7, 2009
------------------------------	------------------------

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene Oxide (CAS 75-21-8)

Listed: February 27, 1987

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene Oxide (CAS 75-21-8)

Listed: August 7, 2009

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision**Issue date** 11-15-2016**Version #** 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

SAFETY DATA SHEET



Professional Lysol® Brand III Kills 99.9% of Viruses & Bacteria** Disinfectant Spray,
All Scents

HEALTH · HYGIENE · HOME

1. Product and company identification

Product name : Professional Lysol® Brand III Kills 99.9% of Viruses & Bacteria** Disinfectant Spray, All Scents

Distributed by : Reckitt Benckiser LLC.
Morris Corporate Center IV
399 Interpace Parkway (P.O. Box 225)
Parsippany, New Jersey 07054-0225
+1 973 404 2600

Emergency telephone number (Medical) : 1-800-338-6167

Emergency telephone number (Transport) : 1-800-424-9300 (U.S. & Canada) CHEMTREC
Outside U.S. and Canada (North America), call Chemtrec:703-527-3887

Website: : <http://www.rbnainfo.com>

Product use : Disinfectant.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D0224478 v5.0

Formulation #: : 1338-022 (0175933) Original
1544-106 (0175940) Fresh
1338-019 (0175919) Country
1178-172 (0175917) Crisp Linen / Crystal Waters
1338-015 (0175918) Spring Waterfall
1338-026 (0175929) Early Morning Breeze / Lavender

EPA ID No. : 777-99-675

UPC Code / Sizes : 19 oz. Aerosol Cans
Original Scent, 36241-04650
Fresh, 36241-04675
Country Scent®, 36241-74276
Crisp Linen®, 36241-74828
Spring Waterfall®, 36241-76075
Crystal Waters, 36241-84044
Early Morning Breeze, 36241-81737
Lavender, 36241-89097

D0224478 v5.0

2. Hazards identification

Classification of the substance or mixture : FLAMMABLE AEROSOLS - Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : Flammable aerosol.
Pressurized container: may burst if heated.

Precautionary statements

General : Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Response : Not applicable.

Storage : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Disposal : Not applicable.

Supplemental label elements : None known.

Hazards not otherwise classified : None known.

3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
Ethyl alcohol	30 - 60	64-17-5
butane	1 - 5	106-97-8
propane	< 2.5	74-98-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

D0224478 v5.0

4. First aid measures

- | | |
|---------------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

- | | |
|---------------------|---|
| Eye contact | : May cause eye irritation upon direct contact with eyes. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |

Over-exposure signs/symptoms

- | | |
|---------------------|---|
| Eye contact | : Adverse symptoms may include the following:
irritation
redness |
| Inhalation | : Adverse symptoms may include the following:
respiratory tract irritation
coughing |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary

- | | |
|-----------------------------------|--|
| Notes to physician | : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

D0224478 v5.0

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

D0224478 v5.0

6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

- Conditions for safe storage, including any incompatibilities** : Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name	Exposure limits
Ethyl alcohol	ACGIH TLV (United States, 6/2013). STEL: 1000 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 1000 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours.
butane	OSHA PEL 1989 (United States, 3/1989). TWA: 800 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 800 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. ACGIH TLV (United States, 6/2013). STEL: 1000 ppm 15 minutes.

D0224478 v5.0

8. Exposure controls/personal protection

propane

OSHA PEL 1989 (United States, 3/1989).

TWA: 1000 ppm 8 hours.

TWA: 1800 mg/m³ 8 hours.**NIOSH REL (United States, 10/2013).**

TWA: 1000 ppm 10 hours.

TWA: 1800 mg/m³ 10 hours.**OSHA PEL (United States, 2/2013).**

TWA: 1000 ppm 8 hours.

TWA: 1800 mg/m³ 8 hours.

Appropriate engineering controls : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

D0224478 v5.0

9. Physical and chemical properties

Appearance

Physical state	: Liquid. [Aerosol.]
Color	: Clear.
Odor	: Characteristic.
Odor threshold	: Not available.
pH	: 10.8 to 11.8 [Conc. (% w/w): 100%]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 25.6°C (78.1°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.8667 to 0.8967 g/cm ³ [20 to 25°C]
Solubility	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.

Aerosol product

Type of aerosol	: Spray
Heat of combustion	: 17.99 kJ/g
Ignition distance	: <45.72 cm

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame).
Incompatible materials	: Do not mix with household chemicals.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

D0224478 v5.0

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ethyl alcohol	LC50 Inhalation Vapor	Rat	124700 mg/m ³	4 hours
*Professional Lysol® Disinfectant Spray, All Scents (Aerosol)	LD50 Oral	Rat	7 g/kg	-
	LC50 Inhalation Vapor	Rat	>2.12 mg/l	4 hours
				Maximum attainable concentration

Conclusion/Summary : Not classified Harmful. *Information is based on toxicity test result of the concentrate of a similar product.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ethyl alcohol	Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes	-
*Professional Lysol® Disinfectant Spray, All Scents (Aerosol)	Eyes - Mild irritant	Rabbit	-	100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
	Skin - Moderate irritant	Rabbit	-	400 milligrams	-
	Eyes - Cornea opacity	Rabbit	< 1	24 hours 20 milligrams	-
	Skin - Primary dermal irritation index (PDII)	Rabbit	0.3	72 hours	4 days
				4 hours	72 hours

Conclusion/Summary

Skin : Slightly irritating to the skin. *Information is based on toxicity test result of the concentrate of a similar product.

Eyes : Moderately irritating to eyes. *Information is based on toxicity test result of the concentrate of a similar product.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
Ethyl alcohol	-	1	-

Reproductive toxicity

D0224478 v5.0

11. Toxicological information

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : May cause eye irritation upon direct contact with eyes.
 Inhalation : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 irritation
 redness
 Inhalation : Adverse symptoms may include the following:
 respiratory tract irritation
 coughing
 Skin contact : No specific data.
 Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
 Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
 Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.

D0224478 v5.0

11. Toxicological information

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Ethyl alcohol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 0.375 µl/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Ethyl alcohol	-0.35	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.






Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

D0224478 v5.0

13. Disposal considerations**14. Transport information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN1950	Aerosols, flammable	2.1	-		Limited quantity
TDG Classification	UN1950	Aerosols, flammable	2.1	-		Limited quantity
Mexico Classification	UN1950	AEROSOL	2.1	-		Limited quantity
IMDG Class	UN1950	Aerosols, flammable	2.1	-		Limited quantity
IATA-DGR Class	UN1950	Aerosols, flammable	2.1	-		See DG List

PG* : Packing group

15. Regulatory information

U.S. Federal regulations : TSCA 8(a) PAIR: 2-methylpropan-2-ol
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): All components are listed or exempted.
Clean Water Act (CWA) 311: ammonia
Clean Air Act (CAA) 112 regulated flammable substances: butane; propane

Clean Air Act Section 112 : Not listed
(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed
Class I Substances

Clean Air Act Section 602 : Not listed
Class II Substances

DEA List I Chemicals : Not listed
(Precursor Chemicals)

DEA List II Chemicals : Not listed
(Essential Chemicals)

SARA 302/304Composition/information on ingredients

No products were found.

D0224478 v5.0

15. Regulatory information

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Fire hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Ethyl alcohol	30 - 60	Yes.	No.	No.	Yes.	No.

State regulations

Massachusetts : The following components are listed: ETHYL ALCOHOL; BUTANE; PROPANE

New York : None of the components are listed.

New Jersey : The following components are listed: ETHYL ALCOHOL; ALCOHOL; BUTANE; PROPANE

Pennsylvania : The following components are listed: DENATURED ALCOHOL; BUTANE; PROPANE

Label elements

Signal word: : CAUTION

Hazard statements : Causes moderate eye irritation

Precautionary measures : Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Wash with soap and water.

Keep out of the reach of children.

CONTENTS UNDER PRESSURE. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 °F. Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Hazard statements :



Flammable

16. Other information

Hazardous Material :
Information System (U.S.A.)

Health	1
Flammability	3
Reactivity	0
Personal protection	B


Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

D0224478 v5.0

16. Other information

National Fire Protection :
Association (U.S.A.)



NFPA (30B) aerosol Flammability Level 1

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

Date of issue : 26/06/2015.
Date of previous issue : 09/04/2015.
Version : 5
Prepared by : Reckitt Benckiser LLC.
Product Safety Department
1 Philips Parkway
Montvale, New Jersey 07646-1810 USA.
FAX: 201-476-7770

Revision comments : Revision as per US GHS. Correction to NFPA 30B level.

☒ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

D0224478 v5.0

16. Other information



RB is a member of the CSPA Product Care Product Stewardship Program.