



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000120902 ONE TIME PURCHASE OF COOPER 4FT VANDAL
RESISTANT LED-MODEL HVL 12-4-LD4-3STD-50-UNV-C-EDCI-S**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

07-Sep-2017 10:18:18 AM



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

ADDENDUM # 1

Bid No.: 50-00120902

Bid Opening Date: 09/11/2017

For: ONE TIME PURCHASE OF COOPER 4FT VANDAL RESISTANT LED-MODEL HVL-12-4-LD-35STD-50-UNV-C-EDCI-S

CLARIFICATION:

INCORRECT PART NUMBER- BID HAS BEEN REVISED- CORRECT PART # HVL12-4-LD4-3STD-50-UNV-C-EDCI-S

Sincerely,

DONNA M EVANS, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

DATE: 9/07/2017

BID NO.: 50-00120902

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

Hobberg Communications Inc.

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: DMEVANS@jeffparish.net

Bids will be received until 11:00 AM, 9/11/2017 via online at www.jeffparishbids.net or by hand delivery, USPS mail or other courier service to Purchasing Department, 200 Derbigny Street (General Government Building), Suite 4400, Gretna, LA 70053. For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office as appropriate and a written response will be provided as soon as possible.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year warranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1991).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 9/07/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00120902

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

Holzberg Communications, Inc.

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: DMEVANS

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

| | |
|--|--------------------|
| DELIVERY: FOB JEFFERSON PARISH | |
| INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES | <u>35 Days ARO</u> |
| INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK | _____ |
| INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK | _____ |

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

| | |
|---|--------------------------|
| *** ALL BIDDERS MUST COMPLETE SECTION BELOW *** | |
| FIRM NAME: <u>Holzberg Communications, Inc.</u> | |
| SIGNATURE: <u>[Signature]</u> <small>(Must be signed here)</small> | TITLE: <u>President</u> |
| PRINT OR TYPE NAME: <u>Andy Holzberg</u> | |
| ADDRESS: <u>P.O. Box 322</u> | |
| CITY, STATE: <u>Totowa NJ</u> | ZIP: <u>07511</u> |
| TELEPHONE: <u>800 654-9550</u> | FAX: <u>973 389-9696</u> |
| EMAIL ADDRESS: <u>holzberg@juno.com</u> | |

TOTAL PRICE OF ALL BID ITEMS: \$ 10,720.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120902

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES | UNIT PRICE QUOTED | TOTALS |
|-------------|----------|-----|---|-------------------|------------------|
| 1 | 16.00 | EA | <p>ONE TIME PURCHASE OF COOPER 4FT VANDAL RESISTANT LED- MODEL HVL12-4-LD4-3STD-50-UNV-C-EDCI-S</p> <p>0010 Cooper 4 foot vandal resistant LED Wrap light fixtures, model number HVL12-4-LD4-3STD-50-UNV-C-EDC1-S</p> <p>Tony</p> <p>Holzberg Communications, Inc. PO Box 322 Totowa, NJ 07511 Phone: 800-654-9550 Fax: 973-389-9696 E-mail: holzberg@juno.com</p> <p>REVISED PER ADDENDUM 1</p> | <p>670.00</p> | <p>10,720.00</p> |

Housing

Heavy duty extruded aluminum rails and die-cast end caps provide rigid construction. Matte White standard finish.

End Caps

One-piece, robust, die-cast aluminum end caps, flat style having (3) 7/8 inch knock outs for through wiring, and (3) ¼ inch knock outs for to attach/secure fixtures and ensure .

Fasteners

Stainless steel TORX or equal center pin reject and allen head set screws provided. Screws are mounted along the fixture side, concealed by the polycarbonate lens.

Lens

One-piece extruded UV stabilized polycarbonate. Unique linear ribbed design provides uniform distribution while obscuring lamp image and direct glare. Internal ribs reduce dirt build-up and facilitate cleaning. Nominal thickness of 0.135 inches.

Lifetime Lens Warranty

Fail-Safe, or equal, will provide a replacement lens for any HVL, or equal, lens found to be inoperative due to physical abuse for the duration of the installation. This warranty is only valid to proper installation of the luminaire, using the four-point mounting method for all luminaires. Furthermore, Fail-Safe or equal, cannot warranty product against some forms of anti-social human behavior involving corrosive chemicals, fire, paint or gunfire.

Reflector

Heavy gauge steel reflector serves as a wireway cover and a driver tray. Finished in gloss white powder coat paint.

Light-Emitting Diode (LED)

LED's available in 5000K with CRI>85. Projected life is 50,000 hours at 70 percent lumen maintenance.

Transformer/Driver

Electronic, 0-10V dimming standard.

Labels

ETL listed for wet locations under covered ceiling standard. IP64 available.

Warranty

5 year Warranty

Flat (Smooth) End Caps (-S)

ER (End Run) – Flat endcaps on both ends to attach to MR fixtures

12 inch Corner Mount Bracket

Item number HVL12-4LEDCM =12 inch, 4 foot LED Corner mount

Fail-Safe

DESCRIPTION

The HVL provides exceptional aesthetics with remarkable strength. Individual or continuous run, surface, or pendant mount provides design flexibility. Die-cast end caps, heavy extruded aluminum body provides strength and rigidity for complex environments while an extruded linear ribbed polycarbonate lens obscures the lamp image and spreads light evenly.

The HVL is ideal for areas where the need for aesthetics and protection from vandalism are critical. Perfect for schools, hospitals, corridors, dormitories, public restrooms, common areas, and transit stations.

| | | | |
|-------------|--|------|--|
| Catalog # | | Type | |
| Project | | Date | |
| Comments | | | |
| Prepared by | | | |

SPECIFICATION FEATURES

Housing
Heavy duty extruded aluminum rails and die-cast end caps provide rigid construction. Finished in matte white standard. Black and dark platinum available. Custom colors also offered.

End Caps
One-piece, robust, die-cast aluminum end caps. Available flat or sculpted decorative style. Flat Endcaps have (3) 7/8" knock-out for thru-wiring, and (3) 1/4" knock-outs to attach/secure fixtures and ensure ultra-straight rows for continuous run applications.

Fasteners
Stainless steel TORX® center pin reject and allen head set screws provided. Screws are mounted along the fixture side, concealed by the polycarbonate lens.

Lens
One-piece extruded UV stabilized polycarbonate. Unique linear ribbed design provides uniform light distribution while obscuring lamp image and direct glare. Internal ribs reduce dirt build-up and facilitate cleaning. Nominal thickness 0.135". Lifetime Lens Warranty, see below for more information.


Reflector
Heavy gauge steel reflector serves as a wireway cover and a driver tray. Finished in gloss white powder coat paint.

Light-Emitting Diode (LED)
LEDs available in 3000K, 3500K, 4000K and 5000K with CRI > 85. Projected life is 50,000 hours at 70% lumen maintenance.

Transformer/Driver
Electronic, 0-10V dimming standard.

Labels
ETL listed for wet locations under covered ceiling standard. IP64 available.

Warranty
Five year warranty.




Decorative (D) endcap shown

HVL LED



LD4 LED

8", 12" Width
Individual / Continuous
Vandal Resistant Linear LED

Polycarbonate Lens
Die-Cast End Caps
Aluminum Extruded Housing



HVL8 FLAT END-CAP DETAIL



HVL12 FLAT END-CAP DETAIL

OVERALL LENGTH DIMENSIONS

| | Overall Length | |
|----|-----------------|---------------------|
| | Smooth End Caps | Decorative End Caps |
| 1' | 13.60" | 15.6" |
| 2' | 26.26" | 27.0" |
| 4' | 47.10" | 48.5" |
| 8' | 92.17" | 96.97" |


Lifetime Lens Warranty

Fail-Safe will provide a replacement for its Fail-Safe LED's found to be defective due to physical damage, the duration of the installation. This warranty is void if the user's installation of the luminaires, using the approved mounting hardware, is not in accordance with the Fail-Safe guidelines. For more information, please contact our customer service department. Some forms of physical damage, such as fire, flood, or other environmental conditions, are excluded from this warranty.

TORX® is a registered trademark of Carbol Division of Textron Inc.

ENERGY DATA

For Energy Management related technical data to support the performance of this fixture series, refer to the following information for input settings.




Powering All Your World™

PS61201/EN
2017-01-10 14:02:23

ORDERING INFORMATION

SAMPLE NUMBER: **INDIVIDUAL: HVL8-B-LD4-2HI-40-UNV-D-EDC1-D** **CONTINUOUS: HVL12-BR-B-LD4-2LO-40-UNV-D-EDC1-D**



Notes:

1. Signs must be ordered separately. Not available with rotation under powered ceiling. IP64 not available.
2. Two module cross section max with QS option. Voltage specific 120 or 277.
3. Consult factory for additional configurations.
4. Black conductor connected to outboard lamp - default at factory with inboard/outboard wiring.
5. For MR (middle of run) luminaires, do not specify end cap style. Defaults to flat.
6. Consult factory for manufacturer/catalog number of EM pack. Not available in 1 ft. or 2 ft. length.
7. The FM105 occupancy sensor operates at 5.8GHz which may interfere with wireless network signals if they are operating on that same frequency.

- PM = Pendant Mount
- NSF = Certified NSF Rating for the Food Industry
- TBLW = Tandem In-Line Wiring (B fixture only)
- P1BLK-4PP-WG = Single circuit harness, hot conductor black and white neutral connected to driver(s), with ground 3, 4
- P2BLK-4PP-WG = Dual circuit harness, hot black conductor and white neutral connected to driver(s), with ground 3, 4
- P2BLU-6PP-WG = Dual circuit harness, hot blue conductor and white neutral connected to driver(s), with ground 3, 4
- IB/OB = Inboard/outboard wiring (only necessary for BT)
- QS1 = Integrated Motion/Occupancy Sensor (with lens) connected to 1 LED module. Voltage specific 27
- QS2 = Integrated Motion/Occupancy Sensor (with lens) connected to 2 LED modules. Voltage specific 27
- ELW = 7W Emergency Battery Pack
- EL10W = 10W Emergency Battery Pack
- EL14W = 14W Emergency Battery Pack
- IP64 = IP64 compliant (water: 2.5 GPM, 11.6 PSI minimum, spray all directions, 20 minutes. Dust: no internal accumulation, 20 minutes in dust chamber)
- NAT = Natural Finish, Aluminum Components, Stainless steel Hardware

NOMINAL INPUT WATTS/NOMINAL DELIVERED LUMENS

| Number of Modules | Illumination Level | Input Watts | Delivered Lumens CLEAR | LPW |
|----------------------------------|--------------------|-------------|------------------------|--------|
| HVL8-B Clear and Opt Lens | | | | |
| 1 | LO | 24.7 | 2892 | 109.14 |
| 1 | STD | 34.8 | 3555 | 103.90 |
| 1 | HI | 44.4 | 4394 | 99.86 |
| 2 | LO | 49.4 | 5199 | 105.24 |
| 2 | STD | 69.2 | 7016 | 101.41 |
| 2 | HI | 88.6 | 9409 | 95.46 |


| Number of Modules | Illumination Level | Input Watts | Delivered Lumens CLEAR | LPW |
|-----------------------------------|--------------------|-------------|------------------------|--------|
| HVL12-B Clear and Opt Lens | | | | |
| 2 | LO | 48.1 | 5098 | 106.99 |
| 2 | STD | 71.4 | 6911 | 96.79 |
| 2 | HI | 92.8 | 9412 | 90.66 |
| 3 | LO | 72.1 | 7696 | 106.98 |
| 3 | STD | 105.1 | 10704 | 97.09 |
| 3 | HI | 137.5 | 12350 | 89.87 |

* Nominal input voltage values include LED voltage, drive current, and typical driver efficiency. Refer to LM78 datasheet for exact delivered lumen and input wattage values. Values in table are nominal values only.

ORDERING INFORMATION EXAMPLE (2' x 2' FIXTURE, 24" RUN)

Decorative End Caps
 Beginning: (1) HVL8-BR-B-LD4-2STD-40-UNV-D-EDC1-D
 Middle: (1) HVL8-MR-B-LD4-2STD-40-UNV-D-EDC1-D
 End: (1) HVL8-ER-B-LD4-2STD-40-UNV-D-EDC1-D

Flat (Smooth) End Caps
 Beginning: (1) HVL8-BR-B-LD4-2STD-40-UNV-D-EDC1-S
 Middle: (1) HVL8-MR-B-LD4-2STD-40-UNV-D-EDC1-S
 End: (1) HVL8-ER-B-LD4-2STD-40-UNV-D-EDC1-S



Eaton
 1128 Highway 41 South
 Peachtree City, GA 30092
 P: 770-420-8800
 www.eaton.com/lighting

Customer and
 distributor subject to
 change without notice

PS519017EN
 2017-01-10 14:03:20

CONNECTORS AND ACCESSORIES

| | | |
|--|--|--|
| <p>8" CORNER MOUNT BRACKET ¹</p> <p>HVL8-2T5CM = 8" 2Ft. T5 Corner Mount HVL8-2T8CM = 8" 2Ft. T8 Corner Mount HVL8-2LEDCM = 8" 2Ft. LED Corner Mount</p> <p>HVL8-4T5CM = 8" 4Ft. T5 Corner Mount HVL8-4T8CM = 8" 4Ft. T8 Corner Mount HVL8-4LEDCM = 8" 4Ft. LED Corner Mount</p> <p>Note: ¹ Requires 90-degree offset 1/4" driver and VRSB bit for installation.</p> | | |
| <p>12" CORNER MOUNT BRACKET ¹</p> <p>HVL12-2T5CM = 12" 2Ft. T5 Corner Mount HVL12-2T8CM = 12" 2Ft. T8 Corner Mount HVL12-2LEDCM = 12" 2Ft. LED Corner Mount</p> <p>HVL12-4T5CM = 12" 4Ft. T5 Corner Mount HVL12-4T8CM = 12" 4Ft. T8 Corner Mount HVL12-4LEDCM = 12" 4Ft. LED Corner Mount</p> <p>Note: ¹ Requires 90-degree offset 1/4" driver and VRSB bit for installation.</p> | | |
| <p>PENDANT MOUNT: Suspension Sets - Stem Sets XX = Length (6, 8, 12, 24, 36, 48, 60, 72)</p> <p>SCF-XX-B = Fixed Stem Set</p> <p>Used with all surface fixtures as stem sets. One set consists of one stem assembly. Minimum of two sets required per fixture. Not rated WL under covered ceiling.</p> | | |
| <p>NOTE: Coupler, 3/8" IPS Pipe Coupler to join lengths. Coupler is standard baked white enamel or special order of black. Must specify pendant mount (PM) option on luminaire.</p> | | |



Europe
1171 Highway 14 South
Pasadena City, CA 92269
P: 951-806-4000
www.zatone-lighting.com

Specifications and
dimensions subject to
change without notice.

PS519017EN
2017-01-10 14:03:20



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must produce final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.