

DATE: 11/09/2017
BID NO.: 50-00121505

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: BASIC SUPPLY, LLC

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>2-3 WEEKS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	BASIC SUPPLY, LLC
SIGNATURE: (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME:	JOHN ATKINSON
ADDRESS:	PO BOX 63066
CITY, STATE:	ZIP: 70506
LAFAYETTE, LA	
TELEPHONE:	FAX:
() 337-769-0122	() 337-247-7699
EMAIL ADDRESS:	charlotte@basicsupply.com

TOTAL PRICE OF ALL BID ITEMS: \$ 709.96

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121505

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SUPPLIES FOR THE JEFFERSON PARISH WB SEWERAGE WAREHOUSE		
1	6.00	EA	0010 - BELT, 5VX850, GATE SUPER HC SK NUMBER 00-0040100	NO BID	NO BID
2	6.00	EA	0020 - BELT, NAPA, NO. 3VX560 PREMIUM INDUSTRIAL SK NUMBER 00-0041300	NO BID	NO BID
3	6.00	EA	0030 - FLANGE, BLIND, 6 IN., 150 LB. MILD STEEL F6BD SK NUMBER 00-0076020	28.13	168.78
4	20.00	EA	0040 - BUSHING, HEX, 1/4 INCH X 1/8 INCH, GRADE NO. 316 STAINLESS STEEL, 150 LB. THREADED FITTING SK NUMBER 00-028992A	1.70	34.00
5	30.00	EA	0050 - BUSHING, HEX, 3/8 INCH X 1/4 INCH, GRADE NO. 316 STAINLESS STEEL, 150 LB. THREADED FITTING SK NUMBER 00-028996A	1.95	50.50
6	2,000.00	LF	0060 - TUBING, POLY-FLO, 1/4 IN. OD, IMPERIAL-EASTMAN NO. 44-P-1/4, NATURAL COLOR, FASTENAL NO. 0400840 SK NUMBER 00-0304460 T16005001	0.07	140.00
7	200.00	LF	0070 - TUBING, COPPER, REFRIGERATION, SOFT, 1/4 IN. OUTSIDE DIAMETER SK NUMBER 00-0384320 Mueller REF	0.62	124.00
8	300.00	EA	0080 - NUT, HEX, 5/16 INCH - 18, NO. 316 STAINLESS STEEL SK NUMBER 00-0411100	NO BID	NO BID
9	10.00	EA	0090 - ADAPTER, FEMALE, PVC, SCHEDULE 80, 2 IN., SOCKET X FEMALE THREAD, MUST BE CONSTRUCTED AS ONE PIECE (ELECTRICAL CONDUIT FITTINGS ARE NOT ACCEPTABLE) SK NUMBER 00-0690900	NO BID	NO BID
10	4.00	EA	0100 - FLANGE, BLIND, 8 INCH, 150 LB. MILD STEEL, FASTENAL NO. 0468071 F8BD	46.14	184.68

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121505

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
11	12.00	EA	SK NUMBER 00-0076030 0110 - ELBOW, PVC, SCHEDULE 80, 90 DEGREE, 1-1/2 IN., FEMALE SOCKET X FEMALE SOCKET, ELECTRICAL CONDUIT FITTINGS ARE NOT ACCEPTABLE, FASTENAL NO. 0470930 SK NUMBER 00-0690120	NO BID	NO BID

Abbott Rubber T16005001 Lightweight Non-Toxic Tubing, 1/4 In, 400 Ft Coil L, 140 Psi, Low-Density Polyethylene
FDA Grade, suitable for use with air and water lines, use as pneumatic control line, for use with compression style fittings.

Inside Diameter: 0.17 In

Length: 400 Ft Coil

Type: Lightweight, Non-Toxic

Material: Low-Density Polyethylene

Nominal Size: 1/4 In

Special Features: Resist To Solvents, Acids, Alkalis And Fuels

Standards: ISO 9001:2008 Certified, FDA Approved


Temperature Rating: -42 TO 125 Deg F

Usage: For Chemical Processing, Food And Beverage

Dispensing, Hospitals, Laboratories Lines, OEM Machines And Wire Jacketing

Wall Thickness: 0.4 In

Working Pressure: 140 Psi



Mueller REF-1/4 Refrigeration Soft Coil Tubing, 1/4 In, 50 Ft L, Copper

Cleaned and sealed for liquid fed applications such as air conditioning, ice makers, humidifiers, and refrigeration systems. Adhere to local plumbing codes for installation/usage.

Length: 50 Ft

Type: Refrigeration, Soft

Usage: For Use In Liquid Fed Applications Such As Air Conditioning, Ice Makers, Humidifiers Etc


Nominal Size: 0.25 In

FEATURES


Adhere To Local Plumbing Codes For Installation And Usage

Cleaned And Sealed






WELDING NECK



SLIP-ON



THREADED



Nominal Pipe Size	COMMON DIMENSIONS				BORE			LENGTH THRU HUB			Diam. Hub at Bevel	Radius of Fillet	Thread Length Min.
	Outside Diam.	Thick-ness Min. ^Δ	O. D. Raised Face	Diam. at Base of Hub	Weld-ing Neck	Slip-on	Lap Joint	Weld-ing Neck ^Δ	Slip-on and Thr'd ^Δ	Lap Joint			
	O	C	R	X	B1	B2	B3	Y1	Y2	Y3			
1/2	3 1/2	7/16	1 3/8	1 3/16	.62	.88	.90	1 7/8	5/8	5/8	.84	1/8	5/8
3/4	3 3/4	1/2	1 11/16	1 1/2	.82	1.09	1.11	2 1/16	3/4	3/4	1.05	1/8	3/8
1	4 1/4	9/16	2	1 15/16	1.05	1.36	1.38	2 3/16	1 1/16	1 1/16	1.32	1/8	1 1/16
1 1/4	4 5/8	5/8	2 1/2	2 5/16	1.38	1.70	1.72	2 1/4	1 3/16	1 3/16	1.66	3/16	1 3/16
1 1/2	5	1 1/16	2 7/8	2 5/8	1.61	1.95	1.97	2 7/16	7/8	7/8	1.90	1/4	7/8
2	6	3/4	3 3/8	3 1/16	2.07	2.44	2.46	2 1/2	1	1	2.38	3/16	1
2 1/2	7	7/8	4 1/8	3 3/16	2.47	2.94	2.97	2 3/4	1 1/8	1 1/8	2.88	3/16	1 1/8
3	7 1/2	1 1/16	5	4 1/4	3.07	3.57	3.60	2 3/4	1 3/16	1 3/16	3.50	3/16	1 3/16
3 1/2	8 1/2	1 5/16	5 1/2	4 13/16	3.55	4.07	4.10	2 13/16	1 1/4	1 1/4	4.00	3/8	1 1/4
4	9	1 5/16	6 3/16	5 5/16	4.03	4.57	4.60	3	1 3/16	1 3/16	4.50	7/16	1 3/16
5	10	1 3/16	7 1/8	6 7/16	5.05	5.66	5.69	3 1/2	1 7/16	1 7/16	5.56	7/16	1 7/16
6	11	1	8 1/2	7 7/16	6.07	6.72	6.75	3 3/2	1 3/8	1 3/8	6.63	1/2	1 3/8
8	13 1/2	1 1/8	10 3/8	9 11/16	7.98	8.72	8.75	4	1 3/4	1 3/4	8.63	1/2	1 3/4
10	16	1 3/16	12 3/4	12	10.02	10.88	10.92	4	1 11/16	1 11/16	10.75	1/2	1 11/16
12	19	1 1/4	15	14 3/8	12.00	12.88	12.92	4 1/2	2 3/16	2 3/16	12.75	1/2	2 3/16
14	21	1 3/8	16 1/4	15 3/4	13.25	14.14	14.18	5	2 1/4	3 1/8	14.00	1/2	2 1/4
16	23 1/2	1 7/8	18 1/2	18	15.25	16.16	16.19	5	2 1/2	3 3/16	16.00	1/2	2 1/2
18	25	1 7/8	21	19 7/8	17.25	18.18	18.20	5 1/2	2 11/16	3 13/16	18.00	1/2	2 11/16
20	27 1/2	1 11/16	23	22	19.25	20.20	20.25	5 11/16	2 7/8	4 1/16	20.00	1/2	2 7/8
22	29 1/2	1 3/16	25 1/4	24 1/4	21.25	22.22	22.25	5 7/8	3 1/8	4 1/4	22.00	1/2	3 1/8
24	32	1 7/8	27 1/4	26 1/4	23.25	24.25	24.25	6	3 1/4	4 3/8	24.00	1/2	3 1/4
26	34 1/4	2	29 1/4	28 1/2	As speci-fied by pur-chaser	26.25	--	5	3 3/8	--	26.00	--	--
28	36 1/2	2 1/16	31 1/4	30 3/4		28.25	--	5 1/4	3 7/16	--	28.00	--	--
30	38 3/4	2 1/8	33 3/4	32 3/4		30.25	--	5 1/8	3 1/2	--	30.00	--	--
32	41 3/4	2 1/4	35 3/4	35	32.25	--	5 1/4	3 3/8	--	32.00	--	--	
34	43 3/4	2 3/8	37 3/4	37	34.25	--	5 3/8	3 11/16	--	34.00	--	--	
36	46	2 3/8	40 1/4	39 1/4	36.25	--	5 3/8	3 3/4	--	36.00	--	--	
42	53	2 3/4	47	46	42.25	--	5 3/8	4	--	42.00	--	--	

F6BD
F8BD

^Δ The 1/16" raised face is included in Thickness C and Length Y.