



Bid Number 50 - 00125950

**PURCHASE OF STOCK ITEMS FOR
THE EAST BANK SEWERAGE WAREHOUSE**

03/22/2019 at 11:00 am

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

Jefferson Parish Purchasing Department

Temporary Location:

Paul D. Connick Sr., Emergency Operations & Communications Center

910 3rd Street,

Gretna, LA 70053

Mark Buttery

MButtery@jeffparish.net

504.364.2810

DATE: 3/14/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00125950

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: MBUTTERY@jeffparish.net

Bids will be received until 11:00 AM, 3/22/2019 via online at www.jeffparishbids.net or by hand delivery, USPS mail or other courier service to Purchasing Department, Paul D. Connick Sr. Emergency Operations & Communications Center at 910 3rd Street, Gretna, LA 70053. For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office as appropriate and a written response will be provided as soon as possible.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 3/14/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00125950

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 145728 *Armstrong's Supply Co Inc*

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

14 Days 4/2/10

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <i>ARMSTRONG'S Supply Co. Inc.</i>	
SIGNATURE: (Must be signed here)	TITLE: <i>PRESIDENT</i>
PRINT OR TYPE NAME: <i>SCOTT M ARMSTRONG</i>	
ADDRESS: <i>4751 RIVER ROAD</i>	
CITY, STATE: <i>JEFFERSON, LA</i>	ZIP: <i>70121</i>
TELEPHONE: <i>504 734 2042</i>	FAX: <i>504 734 3199</i>
EMAIL ADDRESS: <i>S.ARMSTRONG@ARMSTRONGSSUPPLY.COM</i>	

TOTAL PRICE OF ALL BID ITEMS: \$ *14,645.00*

(10 ITEMS NOT BIDDING)

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00125950

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF ELECTRICAL STOCK ITEMS FOR THE EAST BANK SEWERAGE WAREHOUSE		
1	1.00	EA	0001 - Breaker, circuit, 125 amps, 600 volt, 3 pole, with lugs, new in factory box, Square D No. KAL-36125-WL (must replace existing units without modification) (0841140)	1,980 ⁰⁰ EA	1,980 ⁰⁰
2	12.00	EA	0002 - Breaker, circuit, 100 amperes, 600 volt, 3 pole, with lugs, new in factory box, no substitute, Westinghouse No. HMCP100R3 (0841820)	497 ⁰⁰ EA	5,964 ⁰⁰
3	2.00	EA	0003 - Contact kit, size 4, Westinghouse, Hoyt no. K125 (0853330)	No Bid	-0-
4	1.00	EA	0004 - Kit, contact Westinghouse no. 2147A42G01 (0853360)	No Bid	-0-
5	12.00	EA	0005 - Kit, contact, auxillary, Siemens no. 49AB10, for size 3, 3 pole starter (0853420)	398 ⁰⁰ EA	4776 ⁰⁰
6	40.00	EA	0006 - Contact block, IDEC no. BST-010, normally open, for IDEC no. ASD320N switch (0853490)	No Bid	-0-
7	500.00	LF	0007 - Wire, electrical, single copper conductor, THHN/THWN PVC insulation, 600V, stranded, 500 ft per spool, No. 16, red (0882861)	No Bid	-0-
8	50.00	EA	0008 - Fixture, LED, wall pack, outdoor general purpose, 2000 lumens, recommended mounting height 10 to 15 feet, Acuity Lithonia Lighting no. TWR1 led 1 50K mvolt, Grainger no. 21YH27 (0881210)	109 ⁰⁰ EA	5,450 ⁰⁰
			(QUONNA SYLVANIA Model 74482)		

DATE: 3/14/2019

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00125950

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	5.00	EA	0009 - Globe, clear glass, 100 watt size, for use with Killark V series fixtures, Hubbell No. VCG-100 (0880710) <i>CROUSE-HINDS TP7440</i>	<i>9.00</i> EA	<i>45.00</i>
10	6.00	EA	0010 - Fixture body, Hubbell no. VFC-100 (880700) <i>CROUSE-HINDS TP7447</i>	<i>22.50</i> EA	<i>135.00</i>
11	10.00	EA	0011 - Connector, liquid tight, 90 degree, 3/4 in, malleable iron, nylon insulated, for flexible metal conduit, Appleton No. STB-90075 (087722C)	<i>No</i> <i>Bid</i>	<i>- 0 -</i>
12	20.00	EA	0012 - Seal, conduit knock out, 1 in, weatherproof, Hoffman No. AS100 (0874270)	<i>No</i> <i>Bid</i>	<i>- 0 -</i>
13	2.00	EA	0013 - Plug adaptor twistlok 3 wire receptacle (0883510)	<i>No</i> <i>Bid</i>	<i>- 0 -</i>
14	2.00	EA	0014 - Contact kit, size 4, Westinghouse no. 626B187G17 (0853350)	<i>292.00</i> EA	<i>\$594.00</i>
15	400.00	EA	0015 - Connector, female, sta-con, 16-14 wire range, insulated, T and B 14RB250F (0870380)	<i>No</i> <i>Bid</i>	<i>- 0 -</i>
16	2.00	EA	0016 - Condulet, aluminum (cast), type LB, 1-1/4 inch, form 85 threaded, with cover and gasket, and stainless steel screw Appleton No. LB125-A (0876350)	<i>No</i> <i>Bid</i>	<i>- 0 -</i>
17	1,000.00	FT	0017 - Wire, electrical, single copper conductor, THHN/THWN PVC insulation, 600V, stranded, 500 ft per spool, No. 16, white (088286J) Please have items shipped to:	<i>No</i> <i>Bid</i>	<i>- 0 -</i>

DATE: 3/14/2019

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 7

BID NO.: 50-00125950

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	.00		Eastbank Warehouse Attention: Curtis McFarland 4901 Jefferson Hwy Suite C Jefferson, LA 70121		

SYLVANIA Luminaires

Wall Pack Non-Cutoff



Product Features

The Wall Pack luminaires are environmentally preferable LED alternatives to traditional HID luminaires, offering up to 77% in energy savings. Ideal in place of traditional luminaires, or as new installations, the Wall Pack series is offered in several wattages/lumen packages for illuminating building exteriors, outdoor corridors, walkways, and stairwells.

The housing is a perfect fit for replacing existing traditional luminaires. The luminaires are available with optional photo control. SYLVANIA luminaires assure optimum light engine performance for extended service and rated life ($\geq 150,000$ hours L_{70}).

Wattage Comparison Chart

Non-Cutoff Wall Packs (UNV/347)

Traditional Source	Traditional System Wattage	LED System Wattage	Energy Savings
70W HPS	91	30 / 40	67% / 56%
100W HPS	120	30 / 40	75% / 67%
100W MH	130	30 / 40	77% / 69%
70W HPS	91	50 / 55	45% / 40%
100W HPS	120	50 / 55	58% / 54%
100W MH	130	50 / 55	62% / 58%
150W HPS	170	50 / 55	71% / 68%
150W MH	188	50 / 55	73% / 71%
175W MH	210	50 / 55	76% / 74%
175W MH	210	75 / 80	64% / 62%
250W MH	290	75 / 80	74% / 72%
250W HPS	295	75 / 80	75% / 73%
320W MH	370	105	72%
400W HPS	460	105	77%
400W MH	450	105	77%

Catalog # 74482

Type

Project Jefferson Parish 50-00125950

Notes

Date

Prepared by

Dimensions

Front View


Side View

Front View

Side View

30W-80W

105W



Dimensions in inches (mm).

Specifications

Weight: UNV: 13.8lbs (6.3kg) 347V: 15lbs (6.8kg)

UNV (105W): 16.5lbs (6.8kg)

Construction: Two-piece cast aluminum alloy housing with powder coat paint finish and a glass lens. This product is available in bronze and white (please see ordering information for further details).

LED System: LED system with a life rating of $\geq 150,000$ hours at L_{70} @25°C. Luminaire efficacy up to 125 LPW.

Electrical: Offered in 30, 50, 75 and 105 Watts, the luminaire is designed to operate through the 120-277 VAC universal voltage range. Offered in 40, 55, and 80 Watts, the luminaire is designed to operate at the 347VAC voltage range. Offered in 50, 75, and 105 Watts, this luminaire is designed to operate through the 347-480 VAC high universal voltage range. The LED driver has a 4kV inherent surge suppression and is a constant current device, meeting UL1310 and UL48 Class 2 with built-in over temperature protection. The power factor is $\geq 90\%$ and THD is $\leq 20\%$.

Color Characteristics: CRI > 70 ; CCT of 4000K or 5000K.

Optics: Non-cutoff distribution with a borosilicate glass lens (top visor accessory available).

Options Available: Photocontrol, Emergency Battery Backup (MT0).

Installation: Luminaire mounts to exterior wall.

Operating Temperature: -40°F to +104°F (-40°C to +40°C); EM: +32°F to +104°F (0°C to +40°C).

Listings: cULus listed to UL1598 standards for wet locations.

Warranty: Standard 5-year luminaire warranty (LEDLUM001).

Note: Specifications subject to change without notice. IES files available online.



*See page 2 for DLC listings.



Ordering Guide

Item Number: 74482

WALPAK	2N		030	UNV	7	50		NC		BZ		
WALPAK	XX	/	XXX	XXX	7	XX	/	NC	/	XX	/	X
Product Name	Generation		Wattage (UNV)	Voltage	7 = >70	Color Temp (CCT)		Optics		Color/Finish		Options
WALPAK	1N		030 = 30 Watts	UNV = 120-277V		40 = 4000K*		NC = Non-cutoff		BZ = Bronze		Blank = No Options
	2N		050 = 50 Watts	347 = 347V		50 = 5000K		Distribution		WH = White		P = Photocontrol*
	3N		075 = 75 Watts	HUV = 347-480V								E = Emergency**
			105 = 105 Watts									
			Wattage (347V)									
			040 = 40 Watts									
			055 = 55 Watts									
			080 = 80 Watts									
			Wattage (HUV)									
			050 = 50 Watts									
			075 = 75 Watts									
			105 = 105 Watts									

* Available in UNV only
** Made to order (MTO); Available in 50W UNV only

Ordering Information


Item Number	Ordering Abbreviation	Power (W)	Input Voltage	CRI	Color Temp (CCT)	Distribution	Total Fixture Lumens	LPW*	DLC**	BUG Rating	Color/ Finish	Options
WALPAK1N												
74202	WALPAK1N/050UNV750/NC/BZ	50	120-277	>70	5000K	Type IV	5300	108	–	B1-U4-G3	Bronze	–
74217	WALPAK1N/050UNV740/NC/BZ/P	50	120-277	>70	4000K	Type IV	5000	104	–	B1-U4-G3	Bronze	Photocontrol
72996	WALPAK1N/040347750/NC/BZ	40	347	>70	5000K	Type IV	4300	102	–	B1-U4-G3	Bronze	–
72997	WALPAK1N/055347750/NC/BZ	55	347	>70	5000K	Type IV	6300	108	–	B1-U4-G3	Bronze	–
72998	WALPAK1N/080347750/NC/BZ	80	347	>70	5000K	Type IV	9400	120	Std	B1-U5-G5	Bronze	–
74499	WALPAK1N/050UNV740/NC/BZ/E (MTO)	50	120-277	>70	4000K	Type IV	5000	104	Std	B1-U4-G3	Bronze	Emergency Battery Backup
74500	WALPAK1N/050UNV750/NC/BZ/E (MTO)	50	120-277	>70	5000K	Type IV	5300	108	Std	B1-U4-G3	Bronze	Emergency Battery Backup
WALPAK2N												
74386	WALPAK2N/030UNV740/NC/BZ	30	120-277	>70	4000K	Type IV	3400	122	Prm	B1-U4-G3	Bronze	–
74482	WALPAK2N/030UNV750/NC/BZ	30	120-277	>70	5000K	Type IV	3500	125	Prm	B1-U3-G3	Bronze	–
74485	WALPAK2N/050UNV740/NC/BZ	50	120-277	>70	4000K	Type IV	5500	113	Std	B1-U4-G3	Bronze	–
74486	WALPAK2N/050UNV750/NC/BZ	50	120-277	>70	5000K	Type IV	5600	116	Std	B1-U4-G3	Bronze	–
74489	WALPAK2N/075UNV740/NC/BZ	75	120-277	>70	4000K	Type IV	8900	118	Std	B1-U5-G5	Bronze	–
74490	WALPAK2N/075UNV750/NC/BZ	75	120-277	>70	5000K	Type IV	9200	121	Std	B1-U5-G5	Bronze	–
74387	WALPAK2N/030UNV740/NC/BZ/P	30	120-277	>70	4000K	Type IV	3400	122	Prm	B1-U4-G3	Bronze	Photocontrol
74483	WALPAK2N/030UNV750/NC/BZ/P	30	120-277	>70	5000K	Type IV	3500	125	Prm	B1-U3-G3	Bronze	Photocontrol
74487	WALPAK2N/050UNV740/NC/BZ/P	50	120-277	>70	4000K	Type IV	5500	113	Std	B1-U4-G3	Bronze	Photocontrol
74488	WALPAK2N/050UNV750/NC/BZ/P	50	120-277	>70	5000K	Type IV	5600	116	Std	B1-U4-G3	Bronze	Photocontrol
74491	WALPAK2N/075UNV740/NC/BZ/P	75	120-277	>70	4000K	Type IV	8900	118	Std	B1-U5-G5	Bronze	Photocontrol
74492	WALPAK2N/075UNV750/NC/BZ/P	75	120-277	>70	5000K	Type IV	9200	121	Std	B1-U5-G5	Bronze	Photocontrol
60567	WALPAK2N/050HUV740/NC/BZ	50	347-480	>70	4000K	Type IV	5500	113	Std	B1-U4-G3	Bronze	–
60568	WALPAK2N/050HUV750/NC/BZ	50	347-480	>70	5000K	Type IV	5600	116	Std	B1-U4-G3	Bronze	–
60569	WALPAK2N/075HUV740/NC/BZ	75	347-480	>70	4000K	Type IV	8900	118	Std	B1-U5-G5	Bronze	–
60570	WALPAK2N/075HUV750/NC/BZ	75	347-480	>70	5000K	Type IV	9200	121	Std	B1-U5-G5	Bronze	–
60622	WALPAK2N/030UNV740/NC/WH	30	120-277	>70	4000K	Type IV	3400	122	Prm	B1-U4-G3	White	–
60623	WALPAK2N/030UNV750/NC/WH	30	120-277	>70	5000K	Type IV	3500	125	Prm	B1-U3-G3	White	–
60624	WALPAK2N/050UNV740/NC/WH	50	120-277	>70	4000K	Type IV	5500	113	Std	B1-U4-G3	White	–
60625	WALPAK2N/050UNV750/NC/WH	50	120-277	>70	5000K	Type IV	5600	116	Std	B1-U4-G3	White	–
60626	WALPAK2N/075UNV740/NC/WH	75	120-277	>70	4000K	Type IV	8900	118	Std	B1-U5-G5	White	–
60627	WALPAK2N/075UNV750/NC/WH	75	120-277	>70	5000K	Type IV	9200	121	Std	B1-U5-G5	White	–
WALPAK3N												
60571	WALPAK3N/105HUV740/NC/BZ	105	347-480	>70	4000K	Type IV	12,500	119	Std	B3-U4-G4	Bronze	–
60572	WALPAK3N/105HUV750/NC/BZ	105	347-480	>70	5000K	Type IV	12,400	118	Std	B2-U4-G5	Bronze	–
74528	WALPAK3N/105UNV740/NC/BZ	105	120-277	>70	4000K	Type IV	12,500	119	Std	B3-U4-G4	Bronze	–
74529	WALPAK3N/105UNV750/NC/BZ	105	120-277	>70	5000K	Type IV	12,400	118	Std	B2-U4-G5	Bronze	–
60145	WALPAK3N/105UNV740/NC/BZ/P (MTO)	105	120-277	>70	4000K	Type IV	12,500	119	Std	B3-U4-G4	Bronze	Photocontrol
60146	WALPAK3N/105UNV750/NC/BZ/P (MTO)	105	120-277	>70	5000K	Type IV	12,400	118	Std	B2-U4-G5	Bronze	Photocontrol

*LPW per LM79 report.
**Prm for DLC Premium; Std for DLC Standard
***Standard lead time for MTO is 1-2 weeks.
For further information and to learn more about utility rebates, contact your local SYLVANIA sales representative.

Photometric Data (UNV/347V)


WALPAK2N/030UNV750/NC

Isofootcandle Lines at
15' Mounting Height




WALPAK2N/050UNV750/NC

Isofootcandle Lines at
18' Mounting Height




WALPAK2N/075UNV750/NC

Isofootcandle Lines at
20' Mounting Height



WALPAK3N/105UNV740/NC

Isofootcandle Lines at
25' Mounting Height



For other mounting heights apply the following multipliers:

Mounting Height	12'	15'	18'	20'	22'
Multiplier	1.56	1.00	0.69	0.56	0.46

Mounting Height	15'	18'	20'	22'	25'
Multiplier	1.44	1.00	0.81	0.67	0.52

Mounting Height	15'	18'	20'	22'	25'
Multiplier	1.78	1.23	1.00	0.83	0.64

Mounting Height	22'	25'	30'	32'	35'
Multiplier	1.29	1.00	0.69	0.61	0.51

Options Information

Emergency Battery Backup:

Activates when normal power supply to fixture fails, providing a minimum of 500 lumens for at least 90 minutes.

Accessories and Replacement Parts


30W-80W

Item Number	Ordering Abbreviation	Item Description
74390	WALPAK1N/TOPVISOR/BZ	Top Visor, Bronze Finish
74391	WALPAK1N/WIREGUARD	Wire Guard
74397	WALPAK1N/LENS/BZ	Replacement Glass Lens with Frame
74445	WALPAK1N/PCLENS/BZ	Polycarbonate Lens with Frame


105W

Item Number	Ordering Abbreviation	Item Description
74539	WALPAK3N/TOPVISOR/BZ	Top Visor, Bronze Finish
74540	WALPAK3N/WIREGUARD	Wire Guard
74595	WALPAK3N/LENS	Replacement Glass Lens with Frame


Top Visor




Wire Guard



Top Visor



Wire Guard



LEDVANCE LLC

200 Ballardvale Street

Wilmington, MA 01887 USA

Phone 1-800-LIGHTBULB (1-800-544-4828)

www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.

All other trademarks are those of their respective owners.

Licensee of product trademark SYLVANIA in general lighting.

Specifications subject to change without notice.



Vaporproof Lighting

Features:

- Durable die cast housing and guard for long product life
- Powder paint finish for corrosive environments
- Available in pendant, box and wall mounts
- Fixtures may be purchased complete or as components
- Fixtures constructed of die cast aluminum; screw-on guards are zinc die cast
- Heat-resistant clear globe available on 100 watt series
- Wire guard available

Certifications and Compliances:

- UL1598
- UL Listed File No. E-15625
- cUL Standard CSA C22.2 No 250.0
- Suitable for wet locations
- 100W max. incandescent series is UL approved for 27W max. SBCFL (equivalent to 100W incandescent)
- 200W max. incandescent series is UL approved for 42W max. SBCFL (equivalent to 200W incandescent)

Clear glass is standard; colors are available; plastic (polycarbonate) globes, which are virtually unbreakable, are available in colors and are used as an alternative to glass globe/guard combinations (not recommended to exceed 60 watts).

VAPORPROOF FIXTURES – GASKETED, CORROSION-RESISTANT DIE CAST CONSTRUCTION, GLASS GLOBES, DIE CAST GUARDS, UL LISTED



TP7600,
TP7601

TP7800,
TP7801,
TP7860

TP7610,
TP7611,
TP7805

TP7620,
TP7621

TP7810,
TP7811

TP7630,
TP7815

TP7640

TP7820

TP7650,
TP7825

Cat. #	Description	Hole Size	Incandescent Watts	SBCFL Watts	Std. Unit Carton	Wt. Lbs. Per 100
4" Box Mounted						
TP7600*	Clear Globe, Cast Guard	1/2"	100	27	1	325.0
TP7601	Clear Globe, Cast Guard	3/4"	100	27	1	324.0
TP7800	Clear Globe, Wire Guard	1/2"	200	42	1	516.7
TP7801	Clear Globe, Wire Guard	3/4"	200	42	1	516.0
TP7860	Fluorescent Clear Globe, Wire Guard	1/2"	13	-	1	413.0
TP7610	Clear Globe	1/2"	100	27	1	258.3
TP7611	Clear Globe	3/4"	100	27	1	258.0
TP7805	Clear Globe	1/2"	200	42	1	283.3
Pendant Mount						
TP7620	Clear Globe, Cast Guard	1/2"	100	27	1	300.0
TP7621	Clear Globe, Cast Guard	3/4"	100	27	1	299.0
TP7810	Clear Globe, Wire Guard	1/2"	200	42	1	350.0
TP7811	Clear Globe, Wire Guard	3/4"	200	42	1	349.0
TP7630	Clear Globe	1/2"	100	27	1	208.4
TP7815	Clear Globe	1/2"	200	42	1	258.4
Surface Mount, Fits 3" & 4" Round Boxes						
TP7640	Clear Globe, Cast Guard	-	100	27	1	275.0
TP7820	Clear Globe, Wire Guard	-	200	42	1	333.3
TP7650	Clear Globe	-	100	27	1	216.7
TP7825	Clear Globe	-	200	42	1	180.0

*Suitable for base-up applications.

Vaporproof

Vaporproof Lighting



TP7670, TP7835



TP7845

Cat. #	Description	Incandescent Watts	SBCFL Watts	Std. Unit Carton	Wt. Lbs. Per 100
Right Angle Bracket Fixtures					
TP7660	Clear Globe, Cast Guard	100	27	1	300.0
TP7830	Clear Globe, Wire Guard	200	42	1	516.7
TP7670	Clear Globe	100	27	1	200.0
TP7835	Clear Globe	200	42	1	400.0
Box Mounted					
TP7680	Clear Globe, Cast Guard	100	27	1	350.0
TP7840	Clear Globe, Wire Guard	200	42	1	560.0
TP7845	Clear Globe	200	42	1	450.0

VAPORPROOF COMPONENTS




Pendant



Ceiling Box Cap



Ceiling Box



Right Angle



Right Angle/Box

Cat. #	Description	Incandescent Watts	SBCFL Watts	Std. Unit Carton	Wt. Lbs. Per 100
Pendant Cap, Porcelain Socket, Gasket & Screws					
TP7496	Gray, 1/2"	100	27	10	18
TP7497	Gray, 3/4"	100	27	10	18
TP7498	Gray, 1/2"	200	42	10	10
TP7499	Gray, 3/4"	200	42	10	10
Ceiling Box Cap, Socket, Gasket & Screws					
TP7447	Gray	100	27	10	12
TP7479	Gray	200	42	10	12
Ceiling Mount Box with Gaskets, Porcelain Socket & Screws					
TP7450	Gray, 1/2"	100	27	10	19
TP7478	Gray, 3/4"	100	27	10	19
TP7451	Gray, 1/2"	200	42	10	19
TP7479	Gray, 3/4"	200	42	10	19
Right Angle Bracket, Gasket, Socket & Screws					
TP7445	Gray	100	27	10	21
TP7446	Gray	200	42	6	12
Right Angle Bracket, Attached Box, Gasket, Socket & Screws					
TP7440	Gray, 1/2"	100	27	1	3

Vaporproof

Vaporproof Lighting

VAPORPROOF FIXTURE ACCESSORIES



TP7460 - TP7466



TP7468 - TP7472



TP7474, TP7475






TP7476



TP7477

Cat. #	Description	Incandescent Watts	SBCFL Watts	Std. Unit Carton	Wt. Lbs. Per 100
TP7460	Glass Clear Globe, 130°F Max.	100	27	12	98.0
TP7462	Glass Amber Globe	100	27	12	120.0
TP7463	Glass Blue Globe	100	27	12	120.0
TP7464	Glass Green Globe	100	27	12	120.0
TP7466	Glass Clear Globe	200	42	6	200.0
TP7468	Lexan Clear Prismatic	75	-	12	58.4
TP7469	Lexan Blue Prismatic	60	-	12	58.4
TP7470	Lexan Red Prismatic	75	-	12	58.4
TP7471	Lexan Amber Prismatic	75	-	12	58.4
TP7472	Lexan White	75	-	12	58.4
TP7474	Bayonet Mount Die Cast Guard	100	27	12	108.4
TP7475	Wire Guard	200	42	6	183.4
TP7476	Clamp-on Wire Guard	100	27	12	62.5
TP7477	Adapter Plate	-	-	12	62.5

Dimensions (100 Watt):



Dimensions (200 Watt):

Cat. #	Length	Overall Width	Depth
TP7830	12 1/2"	5 1/2"	6 7/8"
TP7840	12 1/2"	5 1/2"	8"
TP7820	7 1/2"	4 1/2"	-
TP7810	11 1/2"	5 1/2"	-
TP7800	10 3/4"	5 1/2"	-

PHOTOELECTRIC LIGHTING CONTROLS



TP7925



TP7927

Applications:

- Used for sunset activated automatic control of night lighting
- May be used to control outdoor lighting and signs

Features:

- Durable, weatherproof construction
- Built-in time delay prevents operation triggered by temporary light flashes

Cat. #	Description	Std. Unit Pkg.	Wt. Lbs. Per 100
TP7925	1200W Swivel Photocell, 120V	10	8.3
TP7927	300W Photocell, 120V	10	8.3