



Bid Number 50-00119280

**ONE (1) YEAR CONTRACCT FOR MODEL YEAR 2017 HEAVY DUTY
VEHICLES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET
MANAGEMENT**

BID DUE: APRIL 6, 2017 AT 2:00 PM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053**

**Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- Effective June 1, 2017, bidders may no longer send bid responses via facsimile, as some bid solicitations may provide. Vendors responding to bid solicitations may only submit via USPS, courier service, hand delivery or via online by registering free of charge at www.jeffparishbids.net. For more information, please contact the Purchasing Department or visit jeffparish.net.
- Affidavits (Non-Public Works Affidavit or Public Works Affidavit) – as you are aware, bidders are required to submit affidavits pursuant to LA public bid law and Jefferson Parish Code of Ordinances. Bidders must read each bid package to ensure compliance. Effective August 1, 2016, ***affidavits are required with bid submission***. While copies are acceptable to include with bid submission, original affidavits are required upon contract execution. Original affidavits are encouraged with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must continue producing final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the “Additional Requirements” section of the bid instructions and/or the “Important Notice to Bidders” included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

**CONTRACT FOR MODEL YEAR 2017 HEAVY DUTY VEHICLES
FOR JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT**

Louisiana State Dealer's License:

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealers License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. Failure to submit this copy shall result in bid rejection.

Order Placement and Delivery of New Vehicles:

Upon order placement approved by Fleet Management, the successful vendor shall deliver vehicles within 220 days of order placement. All vehicles shall be delivered with 4 sets of keys.

Color of Vehicles (Exterior and Interior):

Exterior: Vehicles must be delivered in either white or red as specified by Fleet Management upon order placement.

Interior: Jefferson Parish will accept any available interior color, however this will be subject to approval by Jefferson Parish Fleet Management.

Servicing of Vehicles:

Successful vendor must pick up and/or deliver vehicles for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Fleet Management Department. The vehicles will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121.

Brand Names:

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required with bid submission. Failure to provide this documentation will result in bid rejection.

Pricing:

All pricing shall be firm until end of the 2017 model year or until contract expiration whichever is later. All pricing for dealer options must be invoiced at manufacturer's cost. Bidders must submit complete manufacturer's cost list with bid submission. Failure to submit will result in bid rejection.

Vehicle Warranty Information:

All new vehicles must be delivered complete with standard factory warranty. Warranty period (years/mileage) must be provided with bid submission. Failure to submit will result in bid rejection.

Vehicle Manuals:

Upon delivery of new vehicles, the successful vendor must provide (2) sets of manuals as indicated by each appropriate line item. Electronic copies of these manuals may be supplied at the successful vendor's cost.

Safety Specifications for All Vehicles:

Must meet or exceed all federal and state safety standards.

DATE: 3/22/2017
BID NO.: 50-00119280

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 4/06/2017 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 3/22/2017

BID NO.: 50-00119280

Page: 2

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212 (B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212 (B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 3/22/2017

Page: 5

BID NO.: 50-00119280

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

120 Days after Signed PO

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: iTA Truck Sales & Service, LLC

ADDRESS: 301 Hord St.

CITY, STATE: Harahan, LA ZIP: 70123

TELEPHONE: (337) 296-0085 FAX: (337) 234-4814

EMAIL ADDRESS: bspringer@ita-trucks.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 396,120.00

AUTHORIZED
SIGNATURE: 

Ben Springer

Printed Name

TITLE: Marketing Manager

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	3.00	EA	<p>ONE (1) YEAR CONTRACT FOR MODEL YEAR 2017 HEAVY DUTY VEHICLES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - 2017 52,000 GVWR CAB & CHASSIS</p> <p>GVW: 52,000 LBS. CA 108 IN. ENGINE: MINIMUM STANDARD ENGINE C.I.D. - 9 LITERS OR EQUAL H.P. - 300 MIN. TORQUE - 860 LBS. FT. TORQUE AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - HORIZONTAL MUFFLER VERTICAL STACK 12 VOLT STARTER OIL FLOW - FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER FILTER/CONDITIONER TRANSMISSION-AUTOMATIC ALLISON WITH PTO NEW WORLD CURRENT YEAR MODEL MD3560 6 SPEED REAR AXLE - ROCKWELL RT 40-145 STEEL 40,000 LBS. TOP SPEED: 60 MPH FRONT AXLE - 12,000 LB. CAPACITY REAR SUSPENSION - 40,000 LB. HENDRICKSON SUSPENSION BRAKES - FULL AIR FRONT CAM - 16.5 IN X 5.0 IN REAR CAM - 16.5 IN X 7 IN. AIR PARKING BRAKES, SPRINT SET TYPE WITH DASH MOUNTED CONTROL AIR COMPRESSOR - MIN. 13.2 CFM WATER COOLED AIR DRYER - BENDIX - WESTINGHOUSE AD-9 HEATED. AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT - SPICER - U-JOINTS 1710 H.D. FRAME - 13.72 SM 110,000 PSI DOUBLE CHANNEL BOLTED DUAL AIR HORN HOOD AND FENDER ASSEMBLY - TILT TYPE INTEGRAL POWER STEERING PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REINFORCE ELEMENTS TO TRUCK FRAME AND MOUNTED AT PROPER HEIGHTS TO MATCH TRAILER. TOW HOOKS - HEAVY DUTY REAR TOW HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ELECTRICAL - ALTERNATOR - 90 AMPS BATTERIES - MIN. NO. 2 TOTAL CCA 1850 EMERGENCY FLASHERS (5) CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNAL - STANDARD TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN</p>	\$74,774.00	\$224,322.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
2	2.00	EA	(2) REVERSE LIGHTS BACK-UP ALARM - CAMERA TYPE CIRCUIT PROTECTORS REAR CLEARANCE LIGHT TRIO BAR FUEL TANK - LH STEP TYPE - 45 GAL. CAP TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR - HEATER SUN VISORS - LEFT AND RIGHT VINYL FLOOR COVERINGS - NO CARPET SEAT IN VINYL - MID-BACK DRIVERS WITH TWO PASSENGERS SEAT BELTS RADIO - AM/FM INSTRUMENTATION - AIR CLEANER RESTRICTION INDICATOR PARKING BRAKE CONTROL DASH MOUNTED SPEEDOMETER MPH/KMH WITH ODOMETER WARNING LIGHT: AMPS FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT LEVEL BUZZER: AIR PRESSURE GAUGES - VOLTMETER OR AMPMETER OIL PRESSURE TEMPERATURE FUEL AIR PRESSURE TACHOMETER CAB EXTERIOR - WEST COAST MIRRORS 7 IN X 16 IN WITH 5 IN ROUND COMPLEX MIRRORS MOUNTED BELOW. WINDSHIELD - TINTED WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER. WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED. TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME. SERVICEABILITY - VEHICLE TO BE IN READY TO WORK CONDITION. AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAM IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTABLE 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT 0002 - 2017 52,000 GVWR HEAVY DUTY CAB & CHASSIS	\$85,899.00	\$171,798.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			GVW: 52,000 LBS. CA 108 IN. ENGINE - DIESEL - 12.8 380 HD OR EQUAL HP 380 MIN TORQUE 1350 LB. FT. C.I.D. 12.8L AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - HORIZONTAL MUFFLER WITH VERTICAL STACK. 12 VOLT STARTER OIL FILTER FULL FLOW FUEL/WATER SEPARATOR **AUTOMATIC TRANSMISSION** REAR AXLE ROCKWELL RT40-145 40,000 LB. TOP SPEED: 60 MPH FRONT AXLE 12,000 LB. FRONT SUSPENSION 12,000 LB REAR SUSPENSION 40,000 LB. HENDRICKSON BRAKES - FULL AIR FRONT CAM - 16.5 IN X 7.0 IN AIR COMPRESSOR - MIN 13.2 CFM AIR DRYER BENDIX AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE ADJUSTER ON WET TANK FRAME 30.0SM 110,000 PSI DOUBLE CHANNEL BOLTED DUAL AIR HORNS HOOD AND FENDER ASSEMBLY TILT TYPE INTEGRAL POWER STEERING PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REINFORCEMENT TO TRUCK MOUNTED AT PROPER HEIGHT TO MATCH TRAILER. TOW HOOKS HEAVY DUTY REAR TWO HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ELECTRICAL - ALTERNATOR 90 AMPS BATTERIES MIN. NO. 2 TOTAL CCA 1850 EMERGENCY FLASHERS 5 CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNAL - STANDARD TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN (2) REVERSE LIGHTS BACK-UP ALARM - ELECTRIC CIRCUIT PROTECTORS REAR CLEARANCE LIGHTS TRIO BAR FUEL TANK - IN STEP TYPE 45 GAL CAPACITY TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD REAR W/SPARE CAB STANARD TRIM SUN VISOR - LEFT AND RIGHT VINYL FLOOR COVERINGS - NO CARPET SEAT IN VINYL - MID BACK DRIVERS WITH TWO MAN PASSENGER SEAT SAFETY BELTS RADIO AM/FM INSTRUMENTATION - AIR CLEANER RESTRICTION INDICATOR PARKING BRAKE CONTROL DASH MOUNTED SPEEDOMETER MPH/KHM WITH ODOMETER WARNING LIGHTS: AMPS, FUEL WARNING LIGHT		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	50.00	EA	WATER IN FUEL LIGHT, LOW OIL PRESSURE, LOW COOLANT LEVEL, HIGH COOLANT TEMP BUZZER: AIR PRESSURE GAUGES: VOLTOMETER OR AMMETER, OIL PRESSURE, WATER TEMPERATURE, FUEL, AIR PRESSURE. TACHOMETER CAB EXTERIOR: WEST COAST MIRRORS 7 IN X 16 IN WITH 5 IN ROUND CONVEX MIRROR MOUNTED BELOW WINDSHIELD - TINTED WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME SERVICE ABILITY - VEHICLE TO BE DELIVERED COMPLETELY SERVICED AND IN READY TO WORK CONDITION. AC FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT.		
			0003 - OPTIONS SEE PRICING SECTION IN SPECIFICATIONS *DO NOT BID THIS LINE ITEM; THIS WILL BE USED FOR INVOICING AND PAYMENT PURPOSES FOR OPTIONS TO VEHICLES. ALL OPTIONS SHALL BE INVOICED PER THE MANUFACTURER'S COST LIST WHICH MUST BE INCLUDED IN THE BID SUBMISSION.*		

Non-Public Works Bid

AFFIDAVIT

STATE OF LouisianaPARISH/COUNTY OF Lafayette

BEFORE ME, the undersigned authority, personally came and appeared: Ben
Springer, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Agent of ITA Truck Sales & Service, LLC (Entity),
the party who submitted a bid in response to Bid Number 50-00119280 to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required
attachment):


Choice A _____ Attached hereto is a list of all campaign contributions, including
the date and amount of each contribution, made to current or
former elected officials of the Parish of Jefferson by Entity,
Affiant, and/or officers, directors and owners, including
employees, owning 25% or more of the Entity during the two-year
period immediately preceding the date of this affidavit or the
current term of the elected official, whichever is greater. Further,
Entity, Affiant, and/or Entity Owners have not made any
contributions to or in support of current or former members of the
Jefferson Parish Council or the Jefferson Parish President through
or in the name of another person or legal entity, either directly or
indirectly.

Choice B ✓ there are NO campaign contributions made which would require
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B  _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

Ben Springer
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 4th DAY OF April, 2017.


Notary Public

Christopher D. Schaefer
Printed Name of Notary

513 31538
Notary/Bar Roll Number

My commission expires At Death.

[Print](#)

Notary Search - Detail

Name: MR. CHRISTOPHER D. SCHOUET
Address: 2901 MOSS STREET
LAFAYETTE, LA 70501
Phone: (337) 233-2337
Notary ID Number: 86838
Parish: LAFAYETTE with STATEWIDE JURISDICTION
Agency: N/A
Notary Type: Attorney
Bar Roll #: 31538
Status: Active
Commission Date: 05/27/2008
Oath Date: 05/22/2008
Surety Expiration Date: Not Required
Annual Report Current: Not Applicable

[Back to Search Results](#)[New Search](#)


CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
ITA Truck Sales & Service, LLC
INCORPORATED.

AT THE MEETING OF DIRECTORS OF ITA Truck Sales & Service, LLC
INCORPORATED, DULY NOTICED AND HELD ON 4/1/17,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Benjamin Springer, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.



SECRETARY-TREASURER

4/4/2017

DATE

License No. N -2015-00150
DPS Code: NHIE

2015-2017

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

ITA Truck Sales & Service, L.L.C.

301 Hord Street

Harahan, LA 70123

Christopher D. Schouest, Dealer-Operator

is duly licensed as a

New Motor Vehicle Dealer

of the following make or makes

International Series

For the period ending April 30, 2017, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

Dated May 1, 2015
Signed, Sealed and Attested

LOUISIANA MOTOR VEHICLE COMMISSION




Executive Director



Chairman

(To be prominently displayed in place of business)



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YY)
4/03/17

Producer LA Automobile Dealers Association-SIF 7526 Picardy Ave. Baton Rouge, LA 70808-3598	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.												
Insured ITA Truck Sales & Service, L.L.C. 2835 N.W. Evangeline Thruway Lafayette, LA 70507-3420	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 80%;">INSURERS AFFORDING COVERAGE</th> <th style="width: 20%;">NAIC #</th> </tr> <tr> <td>INSURER A: LA AUTOMOBILE DEALERS ASSOC. SIF</td> <td></td> </tr> <tr> <td>INSURER B:</td> <td></td> </tr> <tr> <td>INSURER C:</td> <td></td> </tr> <tr> <td>INSURER D:</td> <td></td> </tr> <tr> <td>INSURER E:</td> <td></td> </tr> </table>	INSURERS AFFORDING COVERAGE	NAIC #	INSURER A: LA AUTOMOBILE DEALERS ASSOC. SIF		INSURER B:		INSURER C:		INSURER D:		INSURER E:	
INSURERS AFFORDING COVERAGE	NAIC #												
INSURER A: LA AUTOMOBILE DEALERS ASSOC. SIF													
INSURER B:													
INSURER C:													
INSURER D:													
INSURER E:													

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	ADD'L INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS																				
		GENERAL LIABILITY <input type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>EACH OCCURRENCE</td><td>\$</td></tr> <tr><td>FIRE DAMAGE (Any one fire)</td><td>\$</td></tr> <tr><td>MED EXP (Any one person)</td><td>\$</td></tr> <tr><td>PERSONAL & ADV INJURY</td><td>\$</td></tr> <tr><td>GENERAL AGGREGATE</td><td>\$</td></tr> <tr><td>PRODUCTS - COMP/OP AGG</td><td>\$</td></tr> </table>	EACH OCCURRENCE	\$	FIRE DAMAGE (Any one fire)	\$	MED EXP (Any one person)	\$	PERSONAL & ADV INJURY	\$	GENERAL AGGREGATE	\$	PRODUCTS - COMP/OP AGG	\$								
EACH OCCURRENCE	\$																									
FIRE DAMAGE (Any one fire)	\$																									
MED EXP (Any one person)	\$																									
PERSONAL & ADV INJURY	\$																									
GENERAL AGGREGATE	\$																									
PRODUCTS - COMP/OP AGG	\$																									
		AUTOMOBILE LIABILITY ANY AUTO ALL OWNED AUTOS SCHEDULED AUTOS HIRED AUTOS NON-OWNED AUTOS				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>COMBINED SINGLE LIMIT (Ea accident)</td><td>\$</td></tr> <tr><td>BODILY INJURY (Per person)</td><td>\$</td></tr> <tr><td>BODILY INJURY (Per accident)</td><td>\$</td></tr> <tr><td>PROPERTY DAMAGE (Per accident)</td><td>\$</td></tr> </table>	COMBINED SINGLE LIMIT (Ea accident)	\$	BODILY INJURY (Per person)	\$	BODILY INJURY (Per accident)	\$	PROPERTY DAMAGE (Per accident)	\$												
COMBINED SINGLE LIMIT (Ea accident)	\$																									
BODILY INJURY (Per person)	\$																									
BODILY INJURY (Per accident)	\$																									
PROPERTY DAMAGE (Per accident)	\$																									
		GARAGE LIABILITY ANY AUTO				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>AUTO ONLY - EA ACCIDENT</td><td>\$</td></tr> <tr><td>OTHER THAN EA ACC</td><td>\$</td></tr> <tr><td>AUTO ONLY AGG</td><td>\$</td></tr> </table>	AUTO ONLY - EA ACCIDENT	\$	OTHER THAN EA ACC	\$	AUTO ONLY AGG	\$														
AUTO ONLY - EA ACCIDENT	\$																									
OTHER THAN EA ACC	\$																									
AUTO ONLY AGG	\$																									
		EXCESS LIABILITY <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE DEDUCTIBLE RETENTION \$				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>EACH OCCURRENCE</td><td>\$</td></tr> <tr><td>AGGREGATE</td><td>\$</td></tr> <tr><td></td><td>\$</td></tr> <tr><td></td><td>\$</td></tr> <tr><td></td><td>\$</td></tr> </table>	EACH OCCURRENCE	\$	AGGREGATE	\$		\$		\$		\$										
EACH OCCURRENCE	\$																									
AGGREGATE	\$																									
	\$																									
	\$																									
	\$																									
A		WORKERS COMPENSATION AND EMPLOYERS LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? YES If yes, describe under SPECIAL PROVISIONS below	073000000601117	1/01/17	1/01/18	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: center;"><input checked="" type="checkbox"/></td> <td style="width: 15%;">WC STATU-TORY LIMITS</td> <td style="width: 10%; text-align: center;"><input type="checkbox"/></td> <td style="width: 10%;">OTH-ER</td> <td style="width: 60%;"></td> </tr> <tr> <td></td> <td>E.L. EACH ACCIDENT</td> <td></td> <td></td> <td>\$ 500,000</td> </tr> <tr> <td></td> <td>E.L. DISEASE - EA EMPLOYEE</td> <td></td> <td></td> <td>\$ 500,000</td> </tr> <tr> <td></td> <td>E.L. DISEASE - POLICY LIMIT</td> <td></td> <td></td> <td>\$ 500,000</td> </tr> </table>	<input checked="" type="checkbox"/>	WC STATU-TORY LIMITS	<input type="checkbox"/>	OTH-ER			E.L. EACH ACCIDENT			\$ 500,000		E.L. DISEASE - EA EMPLOYEE			\$ 500,000		E.L. DISEASE - POLICY LIMIT			\$ 500,000
<input checked="" type="checkbox"/>	WC STATU-TORY LIMITS	<input type="checkbox"/>	OTH-ER																							
	E.L. EACH ACCIDENT			\$ 500,000																						
	E.L. DISEASE - EA EMPLOYEE			\$ 500,000																						
	E.L. DISEASE - POLICY LIMIT			\$ 500,000																						
		OTHER																								

DESCRIPTION OF OPERATIONS/ LOCATIONS/ VEHICLES/ EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS
 STATE OF LOUISIANA EMPLOYEES ONLY Additional insured locations: Idealease of Acadiana in Lafayette, LA, ITA in Harahan, LA, ITA-Houma in Houma, LA, ITA Truck Sales & Service, LLC in Lake Charles, LA and ITA-Slidell in Slidell, LA

Complete certificate holder name: "The Jefferson Parish, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council."

CERTIFICATE HOLDER The Parish of Jefferson "See remarks for complete CH name" 4901 Jefferson Hwy, Suite A Jefferson, LA 70121	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.
	AUTHORIZED REPRESENTATIVE



ITATRUC-01

TBELL

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

4/3/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER License # 231432 Hub International Gulf South 11100 Mead Road, Suite 300 Baton Rouge, LA 70816		CONTACT NAME: PHONE (A/C, No, Ext): (800) 789-7365 FAX (A/C, No): (225) 218-2401 E-MAIL ADDRESS:		
INSURED ITA Truck Sales & Service, LLC 2835 NW Evangeline Thruway Lafayette, LA 70501		INSURER(S) AFFORDING COVERAGE		NAIC #
		INSURER A : Harco National Insurance Company		26433
		INSURER B : Great American Insurance Company		16691
		INSURER C : Ally Insurance Group		795
		INSURER D :		
		INSURER E :		
INSURER F :				

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Garage Liability GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			CPP0001749 07	10/01/2016	10/01/2017	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 1,000,000 PRODUCTS - COMP/OP AGG \$ 1,000,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY			CPP0001749 07	10/01/2016	10/01/2017	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 0			BU-0001749 07	10/01/2016	10/01/2017	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N N/A If yes, describe under DESCRIPTION OF OPERATIONS below						PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
B	Contingent Lease			1905380-02	10/01/2016	10/01/2017	Liability \$ 5,000,000
C	Dealer Open Lot			PMAL15008220-04	10/01/2016	10/01/2017	Limit \$ 1,180,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Garage Liability Deductible - \$2,500

Contingent Lease Physical Damage Deductible - \$2,500

Dealer Open Lot Deductibles - Collision \$1,000; Comprehensive \$1,000/\$3,000; Weather \$1,250 No Aggregate

Bid No. 50-00115205

CERTIFICATE HOLDER

CANCELLATION

The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council
4901 Jefferson Hwy., Suite A
Jefferson, LA 70121

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



AGENCY CUSTOMER ID: ITATRUC-01

TBELL

LOC #: 1

ADDITIONAL REMARKS SCHEDULE

Page 1 of 1

AGENCY Hub International Gulf South		License # 231432	NAMED INSURED ITA Truck Sales & Service, LLC 2835 NW Evangeline Thruway Lafayette, LA 70501
POLICY NUMBER SEE PAGE 1			
CARRIER SEE PAGE 1	NAIC CODE SEE P 1	EFFECTIVE DATE: SEE PAGE 1	

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance

Named Insureds:
Idealease of Acadiana, LLC

Location Schedule:
2835 NW Evangeline Thruway Lafayette, LA 70507
2845 NW Evangeline Thruway Lafayette, LA 70507
301 Hord Street Harahan, LA 70123
102 Clendenning Road Houma, LA 70363
524 Pamco Road Lake Charles, LA 70615
6035 Beven Street New Orleans, LA 70123
2399 Gause Boulevard Slidell, LA 70460

Prepared For:

Jefferson Parish
 Nicholas DiGerolamo
 200 Derbigny St.
 Gretna, LA 70053-5850
 (504)364 - 2678
 Reference ID: 52HD JP 2017

Presented By:

ITA-NOLA, LLC
 Ben Springer
 301 HORD
 HARAHAN LA 70123 -
 (504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile**2018 7600 SBA 6X4 2010 (SF667)**

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 52000. Calc. GVWR: 52000 Calc. Start / Grade Ability: 29.51% / 2.61% @ 55 MPH Calc. Geared Speed: 95.0 MPH
DIMENSION:	Wheelbase: 177.00, CA: 109.90, Axle to Frame: 63.00
ENGINE, DIESEL:	{Navistar N13} EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)
TRANSMISSION, MANUAL:	{Eaton Fuller Advantage FAO-14810C-EA3} 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid
CLUTCH:	{Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-5DFR} Single Reduction, 0.500"(12.7mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 3.70
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
FRAME REINFORCEMENT:	Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
PAINT:	Cab schematic 100GS Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
SF66700	Base Chassis, Model 7600 SBA 6X4 2010 with 177.00 Wheelbase, 109.90 CA, and 63.00 Axle to Frame.
1572	TOW HOOK, REAR (2)
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WHN	WHEELBASE RANGE 152" (385cm) Through and Including 181" (460cm)
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6 <u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.
4196	BRAKES, FRONT, AIR CAM 16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control
4EBS	AIR DRYER {Bendix AD-9} with Heater

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8541	HORN, ELECTRIC (2) Disc Style
8GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
8HAA	BODY BUILDER WIRING To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8THB	BACK-UP ALARM Electric, 102 dBA

<u>Code</u>	<u>Description</u>
8VUL	BATTERY BOX Steel with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WML	HEADLIGHTS Long Life Halogen; for Two Light System
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WVP	HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
9593	FENDER EXTENSIONS Omit
9HBM	GRILLE Stationary, Chrome
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9WBK	FRONT END Tilting, Fiberglass, with Three Piece Construction Includes Long Hood
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GS"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10UAD	VEHICLE REGISTRATION IDENTITY ID for 49 States, Excluding California
11MGP	CLUTCH {Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity
	<u>Includes</u> : CLUTCH RELEASE BEARING Greasable
12772	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection, for N13 Engines
12BCP	ENGINE, DIESEL {Navistar N13} EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
	<u>Includes</u> : FAN Nylon
12UNT	FEDERAL EMISSIONS {Navistar N13} EPA, OBD and GHG Certified for Calendar Year 2017
12VBC	AIR CLEANER Single Element
	<u>Includes</u> : AIR CLEANER with Vacuator : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12WEG	COLD STARTING EQUIPMENT Automatic; with Engine ECM Control
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12XAW	RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1593 SqIn, 1012 SqIn CAC, 1543 SqIn 3 Core LTR
13GYC	TRANSMISSION, MANUAL {Eaton Fuller Advantage FAO-14810C-EA3} 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid

<u>Code</u>	<u>Description</u>
13XAN	PTO LOCATION No PTO
14GVZ	AXLE, REAR, TANDEM {Meritor MT-40-14X-5DFR} Single Reduction, 0.500"(12.7mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 3.70 <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14UMB	SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers <u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
15DYP	DEF TANK 9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Under Cab
15LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door
16400	SEAT, PASSENGER Omit Item
16HBA	GAUGE CLUSTER English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back with Integral Head Rest, Vinyl, with Fixed Back
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing

<u>Code</u>	<u>Description</u>
16WCT	AIR CONDITIONER {Blend-Air} with Integral Heater & Defroster <u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKY	HVAC FRESH AIR FILTER
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door
16WRX	CAB INTERIOR TRIM Deluxe <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
26DUG	WHEEL, SPARE, DISC {Accuride 50408} 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted
27DUG	WHEELS, FRONT {Accuride 50408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DTJ	WHEELS, REAR {Maxion 90541} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint
7372135415	(2) TIRE, FRONT 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
7372135423	(8) TIRE, REAR 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
Services Section:	
40118	WARRANTY Standard for Paystar 5000, and Workstar 7500/7600, Effective with Vehicles Built January 2, 2015 or Later, CTS-2003Z
1	Truck and Transportation Equipment Costs

Prepared For:

Jefferson Parish
Nicholas DiGerolamo
200 Derbigny St.
Gretna, LA 70053-5850
(504)364 - 2678
Reference ID: 52k 2017 JP

Presented By:

ITA-NOLA, LLC
Ben Springer
301 HORD
HARAHAN LA 70123 -
(504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile**2018 7400 SBA 6X4 (SF625)****APPLICATION:**

Stake Flat

MISSION:

Requested GVWR: 52000. Calc. GVWR: 52000

Calc. Start / Grade Ability: 24.38% / 1.42% @ 55 MPH

Calc. Geared Speed: 83.6 MPH

DIMENSION:

Wheelbase: 181.00, CA: 113.90, Axle to Frame: 65.00

ENGINE, DIESEL:

{Cummins L9 300} EPA 2017, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, with PTO Provision, Less Retarder, with 80,000-lb GVW & GCW Max.

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity

AXLE, REAR, TANDEM:

{Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 4.88

CAB:

Conventional

TIRE, FRONT:

(2) 11R22.5 Load Range G ECOPLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position

TIRE, REAR:

(8) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position

SUSPENSION, REAR, TANDEM:

{Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings

FRAME REINFORCEMENT:

Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL

PAINT:

Cab schematic 100GN

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

<u>Code</u>	<u>Description</u>
SF62500	Base Chassis, Model 7400 SBA 6X4 with 181.00 Wheelbase, 113.90 CA, and 65.00 Axle to Frame.
1572	TOW HOOK, REAR (2)
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WGX	WHEELBASE RANGE 169" (430cm) Through and Including 219" (555cm)
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
	<u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank
	<u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER {Bendix AD-9} with Heater
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 Sqn

<u>Code</u>	<u>Description</u>
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BEV	AFTERTREATMENT COVER Steel, Black
7BKS	EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7WDM	EXHAUST HEIGHT 10'
7WDN	MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum
7WDT	TAIL PIPE (1) Straight Type, Non-Bright, for Single Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense
8HAA	BODY BUILDER WIRING To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total

<u>Code</u>	<u>Description</u>
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8VAY	HORN, ELECTRIC Disc Style
8VUL	BATTERY BOX Steel with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WML	HEADLIGHTS Long Life Halogen; for Two Light System
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection
8WVP	HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
9HAN	INSULATION, UNDER HOOD for Sound Abatement
9HBM	GRILLE Stationary, Chrome
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction; for WorkStar
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GN"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EHU	ENGINE, DIESEL {Cummins L9 300} EPA 2017, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon
12UWY	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

<u>Code</u>	<u>Description</u>
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines
12XZG	FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2017
13AVL	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, with PTO Provision, Less Retarder, with 80,000-lb GVW & GCW Max.
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming
13XAK	PTO LOCATION Right Side of Transmission
14GVY	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 4.88
	<u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14UHC	SUSPENSION, REAR, TANDEM {Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
	<u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions
15LLZ	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail 41" Back of Cab
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} Unheated, with Primer Pump, and WIF Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WDG	DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

<u>Code</u>	<u>Description</u>
	: GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door
16HBA	GAUGE CLUSTER English with English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel Mounted in Instrument Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back with Integral Head Rest, Vinyl, with Fixed Back
16SMH	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing
16WCT	AIR CONDITIONER {Blend-Air} with Integral Heater & Defroster
	<u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKY	HVAC FRESH AIR FILTER
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
26DUG	WHEEL, SPARE, DISC {Accuride 50408} 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted
27DTJ	WHEELS, FRONT {Maxion 90541} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

<u>Code</u>	<u>Description</u>
28DUG	WHEELS, REAR {Accuride 50408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint
7372135415	(8) TIRE, REAR 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
7372135429	(2) TIRE, FRONT 11R22.5 Load Range G ECOPLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position

Services Section:

40115	WARRANTY Standard for WorkStar 7300/7400 (4x2, 4x4, 6x4, 6x6), Effective with Vehicles Built January 2, 2015 or Later, CTS-2002U
1	Truck and Transportation Equipment Costs

LIMITED WARRANTY FOR MODELS WORKSTAR® SERIES, 7300/7400 (4x2, 6x4, 4x4, 6x6)

*Effective with vehicles built January 02, 2015 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (Feature Code 40010) (See exceptions listed below)	12	Unlimited
Basic Vehicle Warranty (WorkStar Only-Feature 40013)	12	Unlimited
Towing (Vehicles with MaxxForce® 7 engine failures only)	24	Unlimited
Towing (Vehicles with MaxxForce® 9 engine failures only)	24	250/400
Towing (Vehicles with Navistar® N 9 engine failures only)	24	250/400
Towing (Vehicles with MaxxForce® 10 engine failures only)	24	250/400
Towing (Vehicles with Navistar® N 10 engine failures only)	24	250/400
Towing (Vehicles with MaxxForce® DT standard torque engine failures only)	24	Unlimited
Towing (Vehicles with MaxxForce® DT high torque engine failures only)	24	250/400
Towing (First 90 days see below) (Vehicle Down Situations Only)		
(See exceptions listed below)		
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non-Rescue Applications		
MaxxForce® 7 Engine	24	Unlimited
MaxxForce® 9 Engine	24	250/400
Navistar® N 9 Engine	24	250/400
MaxxForce® 10 Engine	24	250/400
Navistar® N 10 Engine	24	250/400
MaxxForce® DT Engine Standard Torque	24	Unlimited
MaxxForce® DT Engine High Torque	24	250/400
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
MaxxForce® 7 Engine	60	100/160
MaxxForce® 9 Engine	60	100/160
Navistar® N 9 Engine	60	100/160
MaxxForce® 10 Engine	60	100/160
Navistar® N 10 Engine	60	100/160
MaxxForce® DT Engine Standard Torque	60	100/160
MaxxForce® DT Engine High Torque	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
Spicer axles, Propeller shaft, Eaton clutch, TTC Transmission	24	Unlimited

Eaton/Fuller 6206/6306 Transmission	24	Unlimited
Meritor Axles	24	Unlimited
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)
Batteries	12	Unlimited
Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

Navistar Diesel Engine Coverage Includes:

Engine block, cylinder heads, internally lubricated components fuel pump, high pressure pump, air compressor, injectors/nozzles; electronic engine modules, engine relays, engine sensors and regulators required for electronic engine operation, and certain aftertreatment components. Excluding: attaching accessories (e.g., fan clutch, alternator, starter, etc.), and externally mounted electrical and filtration systems.

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (such as, non-International® brand engines, tires, Allison Transmissions, lubricants, etc.)
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment
- Front & Rear axle coverage excludes brakes, wheel ends, axle shafts, controls & attachments.

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension.

Other

- Vehicles sold and/or operated outside the United States and Canada
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note:The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

<hr/>		<hr/>	
Customer Signature		Date	
<hr/>		<hr/>	
Owner's Address	City	State/Prov	Postal Code
<hr/>		<hr/>	
Truck Model	Vehicle Identification Number		
<hr/>		<hr/>	
Engine Number	Engine Serial Number		
<hr/>		<hr/>	
Date Delivered to User (DTU)	Odometer Reading at Delivery		

IMPORTANT:The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

LIMITED WARRANTY FOR MODELS 5000 PAYSTAR®, 7500/7600, WORKSTAR®

*Effective with vehicles built January 02, 2015 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (See exceptions listed below)	12	Unlimited
Towing (Vehicles with MaxxForce® 10 engine failures only)	24	250/400
Towing (Vehicles with N10 engine failures only)	24	250/400
Towing (Vehicles with N13 engine failures only)	24	Unlimited
Towing (First 90 days see below) (Vehicle Down Situations Only)		
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	60	Unlimited
Frame side rails (7500 only)	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non-Rescue Applications		
MaxxForce® 10 Engine	24	250/400
Navistar® N10 Engine	24	250/400
Navistar® N13 Engine	24	Unlimited
Navistar® N13 Major Components	60	500/800
<i>Major Components are cylinder block, main bearing bolts, cylinder head casting and capscrews, crankshaft, camshaft, cam follower, connecting rods caps bolts, intake manifold castings, and gear train gears.</i>		
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
MaxxForce® 10 Engine	60	100/160
Navistar® N10 Engine	60	100/160
Navistar® N13 Engine	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
<u>Rear Axle Weight Ratings Greater than 52,000 lb</u>		
Front Axle Assembly	12	Unlimited
Rear Axle and Differential	12	Unlimited
Transmission	12	Unlimited
<u>Rear Axle Weight Ratings of 52,000 lb and Less</u>		
Front Axle Assembly	36	300/480
Rear Axle and Differential	36	300/480
Transmission	36	300/480
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)

Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless specific coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

Navistar Diesel Engine Coverage Includes:

Engine block, cylinder heads, internally lubricated components fuel pump, high pressure pump, turbocharger, water pump, air compressor, injectors/nozzles; electronic engine modules, engine relays, engine sensors and regulators required for electronic engine operation, and certain aftertreatment components. Excluding: attaching accessories (e.g., fan clutch, alternator, starter, etc.), and externally mounted electrical and filtration systems.

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (such as non-International® brand engines, tires, Allison Transmissions, lubricants,
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment
- Front & Rear axle coverage excludes brakes, wheel ends, axle shafts, controls & attachments

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension

Other

- Vehicles sold and/or operated outside the United States and Canada
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note:The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

Customer Signature

Date

Owner's Address

City

State/Prov

Postal Code

Truck Model

Vehicle Identification Number

Engine Number

Engine Serial Number

Date Delivered to User (DTU)

Odometer Reading at Delivery

IMPORTANT:The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

LIMITED WARRANTY FOR MODELS 5000 PAYSTAR®, 7500/7600, WORKSTAR®

*Effective with vehicles built January 02, 2015 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty ((See exceptions listed below)	12	Unlimited
Towing (Vehicles with MaxxForce® 10 engine failures only)	24	250/400
Towing (Vehicles with N10 engine failures only)	24	250/400
Towing (Vehicles with N13 engine failures only)	24	Unlimited
Towing (First 90 days see below) (Vehicle Down Situations Only)		
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	60	Unlimited
Frame side rails (7500 only)	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non-Rescue Applications		
MaxxForce® 10 Engine	24	250/400
Navistar® N10 Engine	24	250/400
Navistar® N13 Engine	24	Unlimited
Navistar® N13 Major Components	60	500/800
<i>Major Components are cylinder block, main bearing bolts, cylinder head casting and capscrews, crankshaft, camshaft, cam follower, connecting rods caps bolts, intake manifold castings, and gear train gears.</i>		
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
MaxxForce® 10 Engine	60	100/160
Navistar® N10 Engine	60	100/160
Navistar® N13 Engine	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
<u>Rear Axle Weight Ratings Greater than 52,000 lb</u>		
Front Axle Assembly	12	Unlimited
Rear Axle and Differential	12	Unlimited
Transmission	12	Unlimited
<u>Rear Axle Weight Ratings of 52,000 lb and Less</u>		
Front Axle Assembly	36	300/480
Rear Axle and Differential	36	300/480
Transmission	36	300/480
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)

Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless specific coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

Navistar Diesel Engine Coverage Includes:

Engine block, cylinder heads, internally lubricated components fuel pump, high pressure pump, turbocharger, water pump, air compressor, injectors/nozzles; electronic engine modules, engine relays, engine sensors and regulators required for electronic engine operation, and certain aftertreatment components. Excluding: attaching accessories (e.g., fan clutch, alternator, starter, etc.), and externally mounted electrical and filtration systems.

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (such as non-International® brand engines, tires, Allison Transmissions, lubricants,
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment
- Front & Rear axle coverage excludes brakes, wheel ends, axle shafts, controls & attachments

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension

Other

- Vehicles sold and/or operated outside the United States and Canada
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note:The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

<hr/>		<hr/>	
Customer Signature		Date	
<hr/>		<hr/>	
Owner's Address	City	State/Prov	Postal Code
<hr/>		<hr/>	
Truck Model	Vehicle Identification Number		
<hr/>		<hr/>	
Engine Number	Engine Serial Number		
<hr/>		<hr/>	
Date Delivered to User (DTU)	Odometer Reading at Delivery		

IMPORTANT:The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

Prepared For:

Jefferson Parish
Nicholas DiGerolamo
200 Derbigny St.
Gretna, LA 70053-5850
(504)364 - 2678
Reference ID: 52HD JP 2017

Presented By:

ITA-NOLA, LLC
Ben Springer
301 HORD
HARAHAN LA 70123 -
(504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 7600 SBA 6X4 2010 (SF667)

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 52000. Calc. GVWR: 52000 Calc. Start / Grade Ability: 29.51% / 2.61% @ 55 MPH Calc. Geared Speed: 95.0 MPH
DIMENSION:	Wheelbase: 177.00, CA: 109.90, Axle to Frame: 63.00
ENGINE, DIESEL:	{Navistar N13} EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)
TRANSMISSION, MANUAL:	{Eaton Fuller Advantage FAO-14810C-EA3} 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid
CLUTCH:	{Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-5DFR} Single Reduction, 0.500"(12.7mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 3.70
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
FRAME REINFORCEMENT:	Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
PAINT:	Cab schematic 100GS Location 1: 9219, Winter White (Std) Chassis schematic N/A

Code	Description
SF66700	Base Chassis, Model 7600 SBA 6X4 2010 with 177.00 Wheelbase, 109.90 CA, and 63.00 Axle to Frame.
1572	TOW HOOK, REAR (2)
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WHN	WHEELBASE RANGE 152" (385cm) Through and Including 181" (460cm)
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6 <u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.
4196	BRAKES, FRONT, AIR CAM 16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control
4EBS	AIR DRYER {Bendix AD-9} with Heater

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8541	HORN, ELECTRIC (2) Disc Style
8GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
8HAA	BODY BUILDER WIRING To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8THB	BACK-UP ALARM Electric, 102 dBA

<u>Code</u>	<u>Description</u>
8VUL	BATTERY BOX Steel with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WML	HEADLIGHTS Long Life Halogen; for Two Light System
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WVP	HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
9593	FENDER EXTENSIONS Omit
9HBM	GRILLE Stationary, Chrome
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9WBK	FRONT END Tilting, Fiberglass, with Three Piece Construction Includes Long Hood
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GS"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10UAD	VEHICLE REGISTRATION IDENTITY ID for 49 States, Excluding California
11MGP	CLUTCH {Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity
	<u>Includes</u> : CLUTCH RELEASE BEARING Greasable
12772	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection, for N13 Engines
12BCP	ENGINE, DIESEL {Navistar N13} EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
	<u>Includes</u> : FAN Nylon
12UNT	FEDERAL EMISSIONS {Navistar N13} EPA, OBD and GHG Certified for Calendar Year 2017
12VBC	AIR CLEANER Single Element
	<u>Includes</u> : AIR CLEANER with Vacuator : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12WEG	COLD STARTING EQUIPMENT Automatic; with Engine ECM Control
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12XAW	RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1593 SqIn, 1012 SqIn CAC, 1543 SqIn 3 Core LTR
13GYC	TRANSMISSION, MANUAL {Eaton Fuller Advantage FAO-14810C-EA3} 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid

<u>Code</u>	<u>Description</u>
13XAN	PTO LOCATION No PTO
14GVZ	AXLE, REAR, TANDEM {Meritor MT-40-14X-5DFR} Single Reduction, 0.500"(12.7mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 3.70 <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14UMB	SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers <u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
15DYP	DEF TANK 9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Under Cab
15LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door
16400	SEAT, PASSENGER Omit Item
16HBA	GAUGE CLUSTER English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back with Integral Head Rest, Vinyl, with Fixed Back
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing

<u>Code</u>	<u>Description</u>
16WCT	AIR CONDITIONER {Blend-Air} with Integral Heater & Defroster <u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKY	HVAC FRESH AIR FILTER
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door
16WRX	CAB INTERIOR TRIM Deluxe <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
26DUG	WHEEL, SPARE, DISC {Accuride 50408} 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted
27DUG	WHEELS, FRONT {Accuride 50408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DTJ	WHEELS, REAR {Maxion 90541} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint
7372135415	(2) TIRE, FRONT 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
7372135423	(8) TIRE, REAR 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
Services Section:	
40118	WARRANTY Standard for Paystar 5000, and Workstar 7500/7600, Effective with Vehicles Built January 2, 2015 or Later, CTS-2003Z
1	Truck and Transportation Equipment Costs

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FRAME RAILS NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 10022 CHASSIS COATING N/A: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14UZB, 14UZR, 14UZS, 14UZZT, 14UZZU, 14UZZV or 14UZZW SUSPENSION, REAR, TANDEM and Code 10EYC or 10EYD FIFTH WHEEL, STATIONARY - for 7400 SBA 6X4 Code 14WCB AXLE STOPS, REAR REAR	01CUB	STD	STD
Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 09WBC(std) FRONT END REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING REQS: Code 03ADB(std), 03ADC, 03ADD or 03AGU SUSPENSION, FRONT, SPRING REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 01UAN FRAME EXTENSION, FRONT Code 01GBP FRAME REINFORCEMENT Code 14WCB AXLE STOPS, REAR REAR Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 10021 CHASSIS COATING	01CEZ	\$248 0/0	N/A
Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL REQS: Code 02AEU, 02AEV, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW, 02ARX(std), 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AEU, 02AEV, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW(std), 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4	01CAG	\$337 0/0	\$337 0/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-1

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FRAME REINFORCEMENT (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book N/A: Code 14UZW SUSPENSION, REAR, TANDEM or Code 14UNT SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR - for 7400 SBA 6X4 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 14UNA SUSPENSION, REAR, TANDEM AVAIL: Code 10022 CHASSIS COATING	01GBP		
BRACKET, CAB MOUNT Heavy Duty REQS: Code 16CAB or 16030 CAB	01WRN	\$57 +13/+4	\$57 +13/+4
BUMPER EXTENSION, FRONT 2.0" REQS: Code 01LLD, 01LLE, 01LLK, 01LNG or 01LNN BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT 4.0" N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT	01WMS 01WAC	\$50 0/0 \$50 +20/0	\$50 +3/0 \$50 +20/0
BUMPER, FRONT Steel, Swept Back INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT Full Width, Aerodynamic, Heavy Duty, Steel INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS Omit Item REQS: Code 09WBC(std) FRONT END N/A: Code 01LEH LICENSE PLATE HOLDER : Code 12WTW BLOCK HEATER SOCKET AVAIL: Code 08585 FOG LIGHTS	01LLA 01LLE 01LLK	STD \$105 +74/-15 \$30CR -90/+20	STD \$105 +74/-15 \$30CR -90/+20

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-4

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT	
		NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BUMPER, FRONT (CONTINUED)			
Stainless Steel Clad Aluminum, Swept Back REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LZD	\$469 0/0	\$469 0/0
Steel, Swept Back; Painted 0001 Canyon Black REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LNR	N/C 0/0	N/C 0/0
Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness REQS: Code 09WBC(std) FRONT END AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01MDP	\$362	\$362
Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness, Includes Mounting Holes for 1 CPI Bumper Mounted Siren REQS: Code 09WBC(std) FRONT END AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01MDS	\$414	\$414
Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS	01LNN	\$397 +6/+1	\$397 +6/+1
Full Width, Aerodynamic, Steel; 0.142" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS	01LLD	\$15 +6/+1	\$15 +6/+1
Full Width, Aerodynamic, Steel; 0.142" Material Thickness, Gloss Black REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS	01LNG	\$54 +16/-8	\$54 +16/-8
Full Width, Aerodynamic, Painted Steel; 0.189" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LMX	\$79 -15/0	\$79 -15/0
Full Width, Aerodynamic, Steel, Painted 0001 Canyon Black; 0.189" Material Thickness REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LNS	\$79 -15/0	\$79 -15/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-5

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CROSSMEMBER, REAR, AF (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR (1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR (1) 89" Rear of Center of Tandem Suspension or Single Rear Axle REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAM 01SAL 01SAZ	\$227 -15/+95 \$116 -5/+45 N/A	\$227 -15/+95 \$116 -5/+45 \$116 -8/+31
CROSSMEMBER, SUSPENSION (1) 7-Piece Steel Replacing (1) Double Dogbone, Forward REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZH, 14UZR, 14UZZ, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM N/A: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM (02) 7-Piece Steel Replacing (2) Double Dogbone, Forward and Center REQS: Code 14UHK, 14UNA or 14VKL SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	01WBC 01WBA	N/A N/A	\$644 +9/+20 \$1,288 +9/+49
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT N/A: Code 09HAD GRILLE : Code 01WAC and 01WMS BUMPER EXTENSION, FRONT Integral; 27" In Front of Grille REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT N/A: Code 09HAD GRILLE : Code 01CAG and 01CEL FRAME RAILS : Code 01WAC and 01WMS BUMPER EXTENSION, FRONT	01WDS 01UAM	\$590 +148/-43 \$640 +110/-20	\$590 +148/-43 \$640 +110/-20



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRE CARRIER Underslung Basket Type REQ: Code 14UNA SUSPENSION, REAR, TANDEM or Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQ: Code 14UNA or 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQ: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 14TAX SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for 7400 SBA 6X4 : Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	01553	\$199 -20/+97	\$199 -20/+97
TOW HOOK, FRONT (02) Frame Mounted N/A: Code 01586 TOW LOOP, FRONT	01570	\$84 +9/-1	\$84 +9/-1
TOW HOOK, REAR (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08THM and 08TKJ STOP, TURN, TAIL & B/U LIGHTS : Code 01GTA REINFORCEMENT, PINTLE HOOK - for 7400 SBA 6X4 : Code 01580 TOW LOOP, REAR	01572	\$75 0/+10	\$75 0/+10
TOW LOOP, FRONT REQ: Code 09WBC(std) FRONT END N/A: Code 01WDR FRAME EXTENSION, FRONT : Code 01WAC and 01WMS BUMPER EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT	01586	\$375 +85/0	\$375 +85/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-9

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TOW LOOP, REAR Heavy Duty REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZH, 14UZR, 14UZZ, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01572 TOW HOOK, REAR AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS	01580	\$408 0/+86	\$408 0/+86
WHEELBASE RANGE 138" (350cm) Through and Including 187" (475cm) 152" (385cm) Through and Including 167" (425cm) 128" (325cm) Through and Including 136" (345cm) 169" (430cm) Through and Including 219" (555cm) 189" (480cm) Through and Including 256" (650cm) 221" (560cm) Through and Including 262" (665cm) 258" (650cm) Through and Including 311" (790cm) 264" (670cm) Through and Including 311" (790cm) 313" (795cm) Through and Including 340" (864cm)	01WGR 01WGW 01WGP 01WGX 01WGS 01WGY 01WGT 01WGZ 01WJU	STD N/A N/C 0/0 N/A \$544 0/0 N/A \$1,103 0/0 N/A \$1,607 0/0 N/A	N/A STD N/A \$611 0/0 N/A \$1,049 0/0 N/A \$1,607 0/0 \$1,655 0/0
LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper REQS: Code 01LLA(std), 01LLD, 01LLE, 01LMX, 01LNG, 01LNN, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT	01LEH	\$29 +3/0	\$29 +3/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-10

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING Meritor - MFS-10-143A - Wide Track, I-Beam Type, 10,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCG(std), 04JCJ or 04196 BRAKES, FRONT, AIR CAM REQS: Code 03ADB(std) SUSPENSION, FRONT, SPRING N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DME, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ARX	STD	N/A
- MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 03ADC SUSPENSION, FRONT, SPRING - for 7400 SBA 4X2 -OR- Code 03ADC(std) SUSPENSION, FRONT, SPRING - for 7400 SBA 6X4 N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHz, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ARW	\$273 0/0	STD
- MFS-14-143A - Wide Track, I-Beam Type, 14,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 4X2 -OR- Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 6X4 REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION, FRONT, SPRING N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHz, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE (SEE NEXT PAGE)	02ARV	\$973 +58/0	\$700 +58/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-11

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Meritor - MFS-20-133A - REQS: Code 27DEL, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 04193 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7400 SBA 4X2 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 03ACS, 03AGA or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 16LJX, 16LJY, 16LJZ and 16LKA SEAT, REAR : Code 29331 BRAKE DRUMS, FRONT - for 7400 SBA 6X4 : Code 29ADX HUB BRAND, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. Dana Spicer - E-1002W - Wide Track, I-Beam Type, 10,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCG(std), 04JCJ(std) or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC REQS: Code 03ADB(std) SUSPENSION, FRONT, SPRING - for 7400 SBA 4X2 REQS: Code 14UHC, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14UMB, 14UMC, 14UNA, 14UZW or 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04WZK BRAKE PACKAGE, FRONT : Code 04AZS AIR BRAKE ABS : SUSPENSION, FRONT, SPRING - for 7400 SBA 6X4 (SEE NEXT PAGE)	02ARY		
	02AGG	\$313 - 9/0	\$184 - 9/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-15

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - E-1002W - N/A: Code 27DEM, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DME, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AGG		
- E-1202W - Wide Track, I-Beam Type, 12,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 03ADC SUSPENSION, FRONT, SPRING - for 7400 SBA 4X2 -OR- Code 03ADC(std) SUSPENSION, FRONT, SPRING - for 7400 SBA 6X4 N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL, 27DUN, 27DUR and 27DUS WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AGE	\$460 - 11/0	\$187 - 11/0
- E-1462W - Wide Track, I-Beam Type, 14,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 4X2 -OR- BRAKES, FRONT, AIR DISC -OR- Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 6X4 REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION, FRONT, SPRING N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL, 27DUM and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	02AGC	\$1,401 + 26/0	\$1,128 + 26/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-16

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (CONTINUED) Dana Spicer - I-160W - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14UHC, 14UHD, 14UHE, 14ULP, 14ULX, 14UMB, 14UNA, 14UZR or 14UZS SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 05PTB STEERING GEAR REQS: Code 27DEL, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DPN, 27DTD, 27DTH, 27DTJ, 27DTT, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DPN, 27DPR, 27DTD, 27DTH, 27DTJ, 27DTT, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7400 SBA 4X2 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 03ACP, 03ADE or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 29331 BRAKE DRUMS, FRONT - for 7400 SBA 6X4 : Code 01CEZ FRAME RAILS : Code 29ADX HUB BRAND, FRONT NOTE: Axle Lead Time is 52 Days : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AEU	\$2,174 +109/0	\$1,901 +109/0
- I-180W - Wide Track, I-Beam Type, 18,000-lb Capacity REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU or 14GVY AXLE, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14UHC, 14UHD, 14UHE, 14ULP, 14ULX, 14UMB, 14UNA, 14UZR or 14UZS SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4	02AEV	\$2,643 +140/0	\$2,370 +140/0

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-17

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - I-180W - REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 05PTB STEERING GEAR REQS: Code 27DEL, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7400 SBA 4X2 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 03ACR, 03ACS, 03ADG or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 16LJX, 16LJY, 16LJZ and 16LKA SEAT, REAR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 29331 BRAKE DRUMS, FRONT - for 7400 SBA 6X4 : Code 29ADX HUB BRAND, FRONT NOTE: Axle Lead Time is 52 Days : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AEV		
- I-200W - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU or 14GVY AXLE, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14UHC, 14UHD, 14UHE, 14ULP, 14ULX, 14UMB, 14UNA, 14UZR or 14UZS SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 (SEE NEXT PAGE)	02AEW	\$2,716 +140/0	\$2,443 +140/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-18

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - I-200W - REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 05PTB STEERING GEAR REQS: Code 27DEL, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7400 SBA 4X2 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 03ACS, 03AGA or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 16LJX, 16LJY, 16LJZ and 16LKA SEAT, REAR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 29331 BRAKE DRUMS, FRONT - for 7400 SBA 6X4 : Code 29ADX HUB BRAND, FRONT NOTE: Axle Lead Time is 52 Days : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AEW		
SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 10,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGG or 02ARX(std) AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADB	STD	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-19

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, FRONT, SPRING (CONTINUED) Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGE or 02ARW AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AGE or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADC	\$67 0/0	STD
Multileaf, Shackle Type; 14,000-lb Capacity; with Shock Absorbers, for Reduced Deflection Vocational Use INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGU	\$311 +127/+1	\$244 +154/0
Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADD	\$311 +37/0	\$244 +28/0
Multileaf, Shackle Type; 16,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 02AEU, 02ARU or 02AUR AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACP	\$350 +234/+2	\$283 +139/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-20

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, FRONT, SPRING (CONTINUED) Parabolic, Taper Leaf; 16,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQ: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQ: Code 02AEU, 02AGC, 02ARU, 02ARV or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADE	\$350 +75/+1	\$283 +87/0
Multileaf, Shackle Type; 18,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQ: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQ: Code 02AEV or 02ARZ AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACR	\$384 +270/+2	\$317 +175/0
Parabolic, Taper Leaf; 18,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQ: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQ: Code 02AEV or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADG	\$517 +121/+1	\$450 +113/0
Multileaf, Shackle Type, Single Stage Spring; 20,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQ: Code 01CAJ or 01CBU(std) FRAME RAILS REQ: Code 02AEV, 02AEW, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACS	\$595 +263/+2	\$528 +202/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-21

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE SYSTEM, AIR (SEE PREV PAGE) INCLS: TRAILER HOSES AND CABLES 12' Coiled Trailer Lighting Cable and with 7-Way Connector and with 12' Coiled Nylon Trailer Brake Hose : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : HAND CONTROL VALVE, AIR {Bendix} Mounted on Steering Column : TRACTOR PROTECTION VALVE : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : HOSE TENDER Back of Cab Mounted : DRAIN VALVE Twist-Type - for 7400 SBA 4X2 : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted REQS: Code 04795 SPECIAL RATING, GAWR or Code 04AAA, 04AAA, 04AAU or 04AAU BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 04EVH or 04EXU BRAKE CHAMBERS, REAR AXLE - for 7400 SBA 6X4 REQS: Code 10WSX or 10WSX MUD FLAPS, REAR REQS: Code 10WPR, 10WPR, 10WPT or 10WPT MUD FLAP HOLDER REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW, 02ARX(std) or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 REQS: Code 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14AJY, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC, 14ERB, 14ERC or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BEM, 07BEP, 07BJX, 07BKE, 07BKG, 07BKN, 07BKP, 07BKS or 07BKY EXHAUST SYSTEM N/A: Code 10NZL SPECIAL RATING, GWR <div style="text-align: right;">(SEE NEXT PAGE)</div>	04092		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-24

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE SYSTEM, AIR (SEE PREV PAGE) N/A: Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 04WZJ AIR TANK LOCATION or Code 08VZP BEACON MOUNTING BRACKET or Code 08TPS STOP, TURN, TAIL & B/U LIGHTS or Code 15SNT and 15SNU FUEL TANK or Code 08VUN, 08WJJ and 08XDU BATTERY BOX : Code 16196 CAB : Code 16917 MOUNTING BRACKETS : Code 04AZE AIR BRAKE ABS : Code 04619 TRAILER CONNECTIONS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 32WAA WHEELS, REAR : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT : Code 08TMJ SWITCH, MARKER INTERRUPT AVAIL: Code 04WDU HAND CONTROL VALVE, AIR : Code 04ERC BRAKE CHAMBERS, SPRING - for 7400 SBA 4X2 : Code 14881 DIFFERENTIAL, LOCKING - for 7400 SBA 4X2 : Code 08HAA BODY BUILDER WIRING REC: Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH or 10HKP FIFTH WHEEL, STATIONARY - for 7400 SBA 6X4 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN or 10HKP FIFTH WHEEL, STATIONARY - for 7400 SBA 4X2 : Code 10STA FIFTH WHEEL MOUNTING ANGLES or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ or 10HKK FIFTH WHEEL, AIR SLIDE NOTE: Rear Axle is Limited to 20,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7400 SBA 4X2 : Rear Axle is Limited to 40,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7400 SBA 6X4 : Front and Rear Dust Shields not Included	04092		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-25

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AIR BRAKE ABS Bendix - AntiLock Brake System - Full Vehicle Wheel Control System (4-Channel) Full Vehicle Wheel Control System (6-Channel 6 Sensor/6 Modulator) INCLS: BOB TAIL PROPORTIONING SYSTEM for Rear Axles is Included With 04092, BRAKE SYSTEM, AIR (Tractor) When Ordered With Code 04AZG, ABS OMIT ITEM REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING Full Vehicle Wheel Control System (6-Channel; 6 Sensor/6 Module) with Automatic Traction Control REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 14UHE, 14UHL, 14ULX, 14ULY, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM (SEE NEXT PAGE)	04AZA	STD	STD
	04AZU	N/A	\$644 0/+7
	04AZV	N/A	\$761 0/+7

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-26

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AIR BRAKE ABS (SEE PREV PAGE) Bendix - AntiLock Brake System - -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13GHJ, 13GHL, 13GHW, 13GKJ or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING With Electronic Stability Program (6-Channel; 6 Sensor/6 Modulator) With Automatic Traction Control REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR and Code 05PTB STEERING GEAR REQS: Code 02AGC, 02AGE, 02ARV or 02ARW AXLE, FRONT NON-DRIVING, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR and Code 05PSA STEERING GEAR REQS: Code 04JCG(std) BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04NDB BRAKES, REAR, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 03ADC SUSPENSION, FRONT, SPRING, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZH, 14UZR or 14UZU SUSPENSION, REAR, TANDEM -OR- Code 14ULT, 14ULU, 14UNT, 14UNU, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)	04AZV 04AZY	N/A N/A	\$2,957 - 7 / - 6

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-27

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AIR TANK LOCATION (02) Mounted Under Cab, Outside Left Rail, on Step Bracket, with Ground Clearance REQS: Code 08TST or 08TTR BATTERY BOX, when in combination with Code 07BJX EXHAUST SYSTEM REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 07BKE EXHAUST SYSTEM and Code 15SNU FUEL TANK REQS: Code 08VTN, 08VUJ, 08VUK, 08VUN, 08WEK or 08WJJ BATTERY BOX, when in combination with Code 07BKE EXHAUST SYSTEM and Code 15SPS or 15SSC FUEL TANK REQS: Code 08VTR, 08VUN, 08WEJ or 08WJJ BATTERY BOX, when in combination with Code 07BKE EXHAUST SYSTEM and Code 15SNT FUEL TANK REQS: Code 15WDG DEF TANK REQS: Code 07BEM, 07BEP, 07BJY(std), 07BKE, 07BKP, 07BKS, 07BKY or 07BLG EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15DZT, 15SGE, 15SGH, 15SGK(std), 15SJM, 15SJN, 15SME, 15SNT, 15SNU, 15SPS or 15SSC FUEL TANK N/A: Code 04VBD, 04VBE and 04VGJ AIR DRYER LOCATION, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL : Code 04092 BRAKE SYSTEM, AIR or Code 03WAK SPRINGS, FRONT AUXILIARY or Code 16CAB and 16196 CAB or AIR DRYER LOCATION AVAIL: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK and 08WJJ BATTERY BOX (02) Mounted 25" Back of Cab, Outside Right Rail, with Ground Clearance REQS: Code 04EBT AIR DRYER, when in combination with Code 04VBD AIR DRYER LOCATION and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 04EBD, 04EBS, 04EBT or 04ECH AIR DRYER REQS: Code 08WJJ BATTERY BOX, when in combination with Code 04VBD AIR DRYER LOCATION and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 08VTR, 08VUL, 08VUM, 08VUN, 08WEJ, 08WJJ or 08XDU BATTERY BOX, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 14ULU, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULP, 14ULX, 14ULY, 14UMB, 14UZH, 14UZR, 14UZS or 14UZU SUSPENSION, REAR, TANDEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 (SEE NEXT PAGE)	04VHZ	\$434 +10/+6	\$434 +11/+5
	04VCL	\$208 0/0	\$208 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-32

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE CHAMBERS, SPRING (SEE PREV PAGE) N/A: Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE	04ERC		
BRAKE IDENTITY, REAR Meritor - Cast Plus - 16.5" x 8.63" REQS: Code 04NDA BRAKES, REAR, AIR CAM, when in combination with Code 14SAL, 14SCD or 14VAJ SUSPENSION, RR, SPRING, SINGLE and Code 14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD, 14ERB or 14ERC AXLE, REAR, SINGLE - for 7400 SBA 4X2 REQS: Code 04NDH, 04NDN or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04NDH BRAKES, REAR, AIR CAM - for 7400 SBA 6X4	04NNP	\$1,935 0/0	\$3,870 0/0
BRAKE LININGS, REAR Meritor - R403 - Non-Asbestos for S-Cam Brake	04EUE	\$123 0/0	\$246 0/0
BRAKE PACKAGE, FRONT Meritor - EX225H2 - Air, Disc Type, 22.5" REQS: Code 27DEL, 27DEM, 27DHJ, 27DHK, 27DJH, 27DJJ, 27DMB, 27DMC, 27DME, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DJH, 27DJJ, 27DMB, 27DMC, 27DME, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG(std), 04JCJ(std), 04193 and 04196 BRAKES, FRONT, AIR CAM	04WZK	N/C 0/0	N/C 0/0
BRAKE SHOES, REAR Cast REQS: Code 04NCZ, 04NDA, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7400 SBA 4X2 -OR- Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7400 SBA 6X4 NOTE: Provides Rear Axle GAWR Up to 26,000-Lb. - for 7400 SBA 4X2 (SEE NEXT PAGE)	04773	\$1,021 0/+50	\$2,042 0/+100

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-36

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE SHOES, REAR (SEE PREV PAGE) NOTE: Provides Rear Axle GAWR Up to 52,000-Lb. - for 7400 SBA 6X4 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04773		
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP(std) BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGE, 02AGG, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AGE, 02AGG or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 REQS: Code 04092 BRAKE SYSTEM, AIR - for 7400 SBA 6X4 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 4X2 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB and 14UMC SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	04JCG	STD	\$265CR 0/0
S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP(std) BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AGC, 02AGE, 02AGG, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04JCJ	\$265 0/0	STD
16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 (SEE NEXT PAGE)	04196	\$265 +23/0	N/C +10/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-37

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-39

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKES, REAR, AIR CAM (CONTINUED) S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04NNP BRAKE IDENTITY, REAR AVAIL: Code 04795 SPECIAL RATING, GAWR - for 7400 SBA 6X4 : Code 04WYB BRAKE CHAMBERS, SPRING - for 7400 SBA 4X2 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NCZ	N/C 0/+48	N/C 0/+96
S-Cam; 16.5" x 7.0"; Includes 36/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes REQS: Code 04EXT BRAKE CHAMBERS, REAR AXLE REQS: Code 04773 BRAKE SHOES, REAR REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE REQS: Code 14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD, 14ATG, 14ERB or 14ERC AXLE, REAR, SINGLE N/A: Code 04774 SPECIAL RATING, GAWR : Code 04NNP BRAKE IDENTITY, REAR NOTE: Provides Rear Axle GAWR Up to 31,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDA	N/C 0/0	N/A
S-Cam; 16.5" x 8.625" Includes 30/30 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EVH or 04EXU(std) BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHL, 14AJY, 14ANK, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 04773 BRAKE SHOES, REAR : Code 32WAA WHEELS, REAR AVAIL: Code 04WYB BRAKE CHAMBERS, SPRING - for 7400 SBA 4X2	04NDH	\$111 0/+10	\$222 0/+20
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-40

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE CHAMBERS, REAR AXLE Bendix - EverSure - 30/30 Spring Brake REQS: Code 04NDB(std) or 04NDH BRAKES, REAR, AIR CAM AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL - for 7400 SBA 6X4 36/36 Spring Brake REQS: Code 04NDA BRAKES, REAR, AIR CAM MGM - MJS3024ET - 30/24 Piston Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7400 SBA 6X4 REQS: Code 04NDL or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL - MJS3028ET - 30/28 Piston Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7400 SBA 6X4 REQS: Code 04NCZ or 04NDN BRAKES, REAR, AIR CAM N/A: Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL - TR3030LP3TSHD - 30/30 Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7400 SBA 6X4 REQS: Code 04NDB(std) or 04NDH BRAKES, REAR, AIR CAM (SEE NEXT PAGE)	04EXU	STD	STD
	04EXT	\$144 0/0	N/A
	04EVP	\$454 0/0	\$908 0/0
	04EVR	\$458 0/0	\$916 0/0
	04EVH	\$150 0/0	\$300 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-42

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE CHAMBERS, REAR AXLE (SEE PREV PAGE) MGM - TR3030LP3TSHD - AVAIL: Code 04AAA BRAKE CHAMBERS, ADDITIONAL - for 7400 SBA 6X4	04EVH		
BRAKES, AIR CAM, PUSHER AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JBR 04JBU 04JCK 04JBS	N/A N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0 N/C 0/0
BRAKES, AIR CAM, TAG AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WLR AXLE, TAG, LIFT TYPE	04JBW 04JBT	N/A N/A	N/C 0/0 N/C 0/0
DRAIN VALVE Berg with Pull Chain, for Air Tank INCLS: DRAIN VALVE Mounted in Wet Tank No Vendor Identified (03) Petcocks, for Air Tanks Automatic, with (3) Pull Chains, for Air Tanks (03) with Pull Chains for Air Tanks	04732 04WDA 04WRP 04WWZ	STD N/C 0/0 \$44 0/0 \$105 0/0	STD N/C 0/0 \$44 0/0 \$105 0/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
DRAIN VALVE (CONTINUED) Bendix - DV-2 - (1) Automatic, with Heater, with (2) Berg Pull Chains, for Air Tank Automatic, with Heater, for Air Tank INCLS: DRAIN VALVE Mounted in Wet Tank	 04WXX 04722	 \$112 \$119 0/0	 \$112 \$119 0/0
DUST SHIELDS, FRONT BRAKE for Air Brakes REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW, 02ARX(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC	04WBX	\$35 + 4/0	\$35 + 4/0
DUST SHIELDS, REAR BRAKE for Air Brakes	04WDM	\$70 0/+6	\$102 0/+12
HAND CONTROL VALVE, AIR for Trailer Brakes, Omit Item. REQS: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR For Rear Chassis Brakes; with Pressure Reducing Valve INCLS: HAND CONTROL VALVE, AIR Mounted on Steering Column REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04619 TRAILER CONNECTIONS NOTE: Not Intended to be Used for Locally Installed Trailer Connections	04WDU 04583	N/C - 2/0 \$255 + 5/0	N/C - 2/0 \$255 + 5/0
HOSE TENDER Flexible Pogo Stick Type REQS: Code 16ZGM ACCESS, FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 07BEM, 07BEP, 07BJX, 07BKN, 07BKP, 07BKS, 07BKY or 07BLH EXHAUST SYSTEM	04692	\$76 0/0	\$76 0/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SLACK ADJUSTERS, FRONT Haldex Automatic REQS: Code 04LGA SLACK ADJUSTERS, REAR REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW, 02ARX(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT	04LAA	\$138 + 6/0	\$138 + 6/0
SLACK ADJUSTERS, REAR Haldex Automatic REQS: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JDD or 04JDE BRAKES, FRONT, AIR DISC	04LGA	\$188 0/0	\$268 0/0
SLACK ADJUSTER, PUSHER AXLE Haldex Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL 04JNJ	N/A N/A	\$98 0/0 \$58 0/0
SLACK ADJUSTER, TAG AXLE Haldex Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	N/A	\$58 0/0
SPECIAL RATING, GAWR WARNING; Rear Axle Limited to 34,000 lb 6x4 Tandem Tractor REQS: Code 04092 BRAKE SYSTEM, AIR NOTE: 010002 Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem REQS: Code 04NDB(std), 04NDH or 04NDP BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR NOTE: Provides Rear Axle GAWR Up to 23,000-Lb. - for 7400 SBA 4X2 (SEE NEXT PAGE)	04795 04774	N/A N/C 0/0	N/C 0/0 N/C 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-45

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SPECIAL RATING, GAWR (SEE PREV PAGE) NOTE: Provides Rear Axle GAWR Up to 46,000-Lb. - for 7400 SBA 6X4 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04774		
SPRING BRAKE MODULATOR VALVE with Relay function REQS: Code 04092 BRAKE SYSTEM, AIR or Code 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SJM, 15SJM, 15SJR, 15SJR, 15SJM, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 04092 BRAKE SYSTEM, AIR	04WDT	\$151 0/0	\$151 0/0
TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck REQS: Code 08HAA BODY BUILDER WIRING or Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS or Code 08TME or 08TMG TRAILER CONNECTION SOCKET, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW, 12EHX, 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 08TKK TRAILER AUXILIARY FEED CIRCUIT, when in combination with Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS and Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW, 12EHX, 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04AZS AIR BRAKE ABS, when in combination with Code 04091 BRAKE SYSTEM, AIR - for 7400 SBA 4X2 : Code 01616 FRAME RAILS WITH TAPERED REAR AVAIL: Code 04WDU HAND CONTROL VALVE, AIR	04619	\$542 +2/0	\$542 +2/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-46

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRAILER HOSES Glad Hands for Four-Wheel Connections, Temporarily Mounted with Bulkhead Connectors on End of Frame, Includes Additional Hosing and Dummy Glad Hands	04677	\$523 -6/+22	\$523 -5/+21
STEERING GEAR Sheppard - M100 - Power REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AGC, 02AGE, 02AGG, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 - M100/M80 - (02) Dual Power REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - M110 - Power REQS: Code 09WBC(std) FRONT END REQS: Code 02ARU AXLE, FRONT NON-DRIVING N/A: Code 09WBM FRONT END : Code 04AZS AIR BRAKE ABS	05PSA 05PTB 05PSL	STD \$1,169 +126/-7 \$315 0/0	STD \$1,169 +116/-6 \$315 +34/-4
STEERING COLUMN Stationary Tilting N/A: Code 04AZS and 04AZY AIR BRAKE ABS Tilting and Telescoping	05AAA 05708 05710	STD \$125 0/0 \$463 0/0	STD \$125 0/0 \$463 0/0
STEERING WHEEL 2-Spoke, 18" Dia., Black 2-Spoke; 18" Dia., Black, Leather Wrapped	05CAL 05CAN	STD \$69 +1/0	STD \$69 +1/0
DRIVESHAFT Dana Spicer SPL140 in lieu of 1710 Series	06DAZ	\$105	N/A

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-47

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
EXHAUST HEIGHT			
10' REQS: Code 07BEP, 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WDM	N/C	N/C
10' 11" REQS: Code 07BEP, 07BKE, 07BKG, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WCR	\$72 + 1/+1	\$72 + 1/+1
11' 6" REQS: Code 07BEP, 07BJX, 07BKE, 07BKG, 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WBU	\$118 + 2/0	\$118 + 2/0
13' 3" REQS: Code 07BEP, 07BKE, 07BKG, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WCC	\$176 + 3/0	\$176 + 3/0
8' 10" REQS: Code 07WAZ or 07WBA TAIL PIPE REQS: Code 07BEP, 07BKS or 07BLG EXHAUST SYSTEM AVAIL: Code 07WAZ, 07WBA and 07WDT TAIL PIPE	07WCM	\$35 + 1/+1	\$35 + 1/+1
MUFFLER/TAIL PIPE GUARD			
(1) Bright Stainless Steel REQS: Code 07BEP, 07BKG, 07BKN, 07BKS, 07BLG or 07BLH EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WBS	\$133 0/0	\$133 0/0
(1) Non-Bright Aluminum REQS: Code 07BEP, 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 08TST, 08TTR, 08VTK and 08XDZ BATTERY BOX : Code 07WBZ and 07WCA TAIL PIPE	07WDN	N/C	N/C
(2) Bright Stainless Steel REQS: Code 07BJX EXHAUST SYSTEM N/A: Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER AVAIL: Code 08TST, 08TTR, 08VTK, 08VUJ, 08VUL, 08VUM and 08WEL BATTERY BOX : Code 07WAY, 07WAZ and 07WBA TAIL PIPE	07WDL	\$383 0/0	\$383 0/0
RAIN CAP			
with Single Exhaust, Chrome Finish REQS: Code 07WAY TAIL PIPE REQS: Code 07BEP, 07BJX, 07BKE, 07BKG, 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WAY, 07WAZ and 07WBA TAIL PIPE	07WAG	\$62 + 2/0	\$62 + 2/0
with Single Exhaust, Non-Bright Finish REQS: Code 07BEP, 07BJX, 07BKE, 07BKG, 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WDT TAIL PIPE	07WAE	\$21 + 2/0	\$21 + 2/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-58

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SWITCH, FOR EXHAUST			
3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	07WZX	\$56 +2/0	\$56 +2/0
2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZY	\$31 +2/0	\$31 +2/0
TAIL PIPE			
(1) Straight Type, Bright, for Single Exhaust REQS: Code 07BEP, 07BJX, 07BKE, 07BKG, 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WCM EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP	07WAY	\$144 0/0	\$144 0/0
(1) Straight Type, Non-Bright, for Single Exhaust REQS: Code 07BEP, 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WDL MUFFLER/TAIL PIPE GUARD AVAIL: Code 07WAE RAIN CAP	07WDT	N/C	N/C
(1) Turnback Type, Bright, for Single Exhaust REQS: Code 07BEP, 07BJX, 07BKE, 07BKG, 07BKN, 07BKS or 07BLG EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP	07WBA	\$162 0/0	\$162 0/0
(1) Turnback Type, Non-Bright, for Single Exhaust REQS: Code 07BEP, 07BJX, 07BKE, 07BKG, 07BKN, 07BKS or 07BLG EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP	07WAZ	\$64 0/0	\$64 0/0
Horizontal, Exits Right Side Outside of Body, At Rear Wheels REQS: Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULP(std), 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BET, 07BKZ or 07BLH EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS, 07WDL and 07WDN MUFFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCM, 07WCR and 07WDM EXHAUST HEIGHT	07WBZ	\$361 0/0	\$361 0/0
Horizontal, Exits Right Side Outside of Body REQS: Code 07BET EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS, 07WDL and 07WDN MUFFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCM, 07WCR and 07WDM EXHAUST HEIGHT	07WCA	\$255 0/0	\$255 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-59

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ELECTRICAL SYSTEM 12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : JUMP START STUD Located on Positive Terminal of Outermost Battery : STARTER SWITCH Electric, Key Operated : WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : FUSES, ELECTRICAL SAE Blade-Type : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	08000	STD	STD
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened	08WXD	\$42 0/0	\$42 0/0
ALTERNATOR <i>Leece-Neville</i> - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, With Remote Sense	08GXD 08GXJ 08GXB 08GXC 08GXE	STD N/C \$601 +1/0 \$476 +1/0 \$368 0/0	STD N/C \$601 +1/0 \$476 +1/0 \$368 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-60

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BATTERY BOX (SEE PREV PAGE)			
AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08WGU BATTERY BOX COVER : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 08WBW JUMP START STUD	08TST		
Aluminum With Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 07BJY(std), 07BKG, 07BKP, 07BKS, 07BKY, 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15SGE, 15SGH, 15SGK(std), 15SME, 15SNU, 15SSC, 15SVN or 15SWS FUEL TANK N/A: Code 08RMH BATTERY DISCONNECT SWITCH : Code 08RMH BATTERY DISCONNECT SWITCH, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL : Code 04VCL, 04VDU, 04VHZ and 04WZJ AIR TANK LOCATION : Code 08TNR and 08TRV BATTERY CABLES : Code 07WDL MUFLER/TAIL PIPE GUARD : Code 15WCN and 15WDG DEF TANK AVAIL: Code 08WGU BATTERY BOX COVER : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 08WBW JUMP START STUD	08WJN	\$590 - 9/- 21	\$590 - 11/- 19
Aluminum With Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Left Side Back of Fuel Tank REQS: Code 16196 CAB REQS: Code 07BEM, 07BEP, 07BET, 07BJY(std), 07BKP, 07BKS, 07BKY, 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DPL, 15DPM, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SNU, 15SRE, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 07WDL MUFLER/TAIL PIPE GUARD AVAIL: Code 04VDU and 04WZJ AIR TANK LOCATION : Code 08WGU BATTERY BOX COVER : Code 08WBW JUMP START STUD : Code 15WDG DEF TANK	08WRG	\$545 - 39/- 2	\$545 - 40/- 1
Aluminum With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab REQS: Code 16VBU ACCESS, CAB, when in combination with Code 07BJX EXHAUST SYSTEM REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE, 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SNU, 15SRE, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK	08VUM	\$410 - 39/- 2	\$410 - 39/- 2
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-63

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BATTERY BOX (SEE PREV PAGE)			
N/A: Code 16ZBA ACCESS, CAB : Code 16196 CAB : Code 14WLU AXLE, PUSHER, LIFT TYPE AVAIL: Code 04VCL and 04WZJ AIR TANK LOCATION : Code 08WBW JUMP START STUD : Code 15DYP and 15WDG DEF TANK	08VUM		
Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab REQS: Code 16VBU ACCESS, CAB, when in combination with Code 07BJX EXHAUST SYSTEM REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE, 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SNU, 15SRE, 15SVM, 15SWD, 15SWE, 15SWG, 15SWU or 15SWY FUEL TANK N/A: Code 16ZBA ACCESS, CAB : Code 16196 CAB : Code 14WLU AXLE, PUSHER, LIFT TYPE AVAIL: Code 04VCL and 04WZJ AIR TANK LOCATION : Code 08WBW JUMP START STUD : Code 15DYP and 15WDG DEF TANK	08VUL	\$69 - 32/+16	\$69 - 31/+15
Steel, with Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Left Side Back of Fuel Tank REQS: Code 16196 CAB REQS: Code 07BEM, 07BEP, 07BET, 07BJY(std), 07BKP, 07BKS, 07BKY, 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DPL, 15DPM, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SNU, 15SRE, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 07WDL MUFFLER/TAIL PIPE GUARD AVAIL: Code 04VDU and 04WZJ AIR TANK LOCATION : Code 08WGU BATTERY BOX COVER : Code 08WBW JUMP START STUD : Code 15WDG DEF TANK	08WDB	\$264 - 39/- 1	\$264 - 39/- 1
Aluminum with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 16030(std) CAB REQS: Code 07BEP, 07BKE, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB : Code 04VBE and 04VGJ AIR DRYER LOCATION, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL (SEE NEXT PAGE)	08VUK	\$545 - 38/- 8	\$545 - 38/- 8

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-64

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BATTERY BOX (SEE PREV PAGE)			
N/A: Code 14WLU AXLE, PUSHER, LIFT TYPE : Code 07WDL MUFFLER/TAIL PIPE GUARD AVAIL: Code 04VHZ and 04WZJ AIR TANK LOCATION : Code 08TNR BATTERY CABLES - for 7400 SBA 4X2 : Code 15DYP and 15WDG DEF TANK	08VUK		
Steel with Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 07BJX, 07BJY(std), 07BKN, 07BKY or 07BLH EXHAUST SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SPS, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER : Code 07WDN MUFFLER/TAIL PIPE GUARD : Code 15DYR and 15WCN DEF TANK AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08WGU BATTERY BOX COVER : Code 08WBW JUMP START STUD	08TTR	\$507 0 / 0	\$507 0 / 0
Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 16030(std) CAB REQS: Code 07BEP, 07BKE, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB : Code 04VBE and 04VGJ AIR DRYER LOCATION, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL : Code 15DYR and 15WCN DEF TANK AVAIL: Code 04VHZ and 04WZJ AIR TANK LOCATION : Code 14WLM and 14WNH AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4	08VUJ	\$101 - 30/+10	\$101 - 29/+9
Aluminum, With Plastic Cover, Mounted 53" Back of Cab, Left Side Perpendicular to Frame Rail REQS: Code 16030(std) CAB REQS: Code 07BEM, 07BEP, 07BET, 07BJY(std), 07BKE, 07BKP, 07BKS, 07BKZ or 07BLG EXHAUST SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB : Code 08XHD BATTERY DISCONNECT SWITCH : Code 04VDU AIR TANK LOCATION : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	08VUN	\$642 - 38/- 1	\$642 - 38/- 1
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-65

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BATTERY SYSTEM (CONTINUED)			
<i>International</i>			
Maintenance-Free, (3) 12-Volt 2775CCA Total N/A: Code 08XDZ BATTERY BOX	08MKX	\$282 +45/+18	\$282 +45/+18
Maintenance-Free, (4) 12-Volt 2600CCA Total REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 08WEL, 08XDU and 08XDZ BATTERY BOX	08MUE	\$302 +77/+32	\$302 +63/+47
Maintenance-Free, (4) 12-Volt 3700CCA Total N/A: Code 08WEL, 08XDU and 08XDZ BATTERY BOX	08MHD	\$389 +89/+49	\$389 +92/+46
<i>JCI</i>			
Maintenance-Free (2) 12-Volt 1400CCA Total REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJR, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15SVM, 15SVN, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 08XDZ BATTERY BOX AVAIL: Code 08TNR BATTERY CABLES : Code 08WBW JUMP START STUD	08NBP	\$66 +10/+5	\$66 +11/+4
Maintenance-Free (3) 12-Volt 2100CCA Total REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 08XDZ BATTERY BOX AVAIL: Code 08WBW JUMP START STUD	08NBR	\$309 +8/+7	\$309 +9/+6
<i>Deka/EAST PENN</i>			
- 9A31 - Maintenance-Free (3) AGM 12-Volt 2775CCA Total REQS: Code 08GGG, 08GGN, 08GGR, 08GHK, 08GHP, 08GHU, 08GWY, 08GXB, 08GXC, 08GXD(std), 08GXE or 08GXJ ALTERNATOR N/A: Code 08VTN, 08WEJ and 08WEK BATTERY BOX	08MMG	\$752 +32/+268	\$752 +54/+246

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-72

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08TPA DATA RECORDER Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA 08RGA	\$163 +2/0 \$68 +1/0	\$163 +2/0 \$68 +1/0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	08XAH	\$99 0/0	\$99 0/0
CIGAR LIGHTER Includes Ash Cup	08518	\$18 +1/0	\$18 +1/0
CLEARANCE/MARKER LIGHTS Truck Lite (05) Amber LED Lights, Flush Mounted on Cab or Sunshade	08WPH	STD	STD
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WRX(std) or 16WSX CAB INTERIOR TRIM N/A: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium (04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 60AAM BDY INTG, POWER MODULE AUX NOTE: Feature included with CAB INTERIOR TRIM, Premium	08WTP 08WTR	\$48 +1/0 \$75 +2/0	\$48 +1/0 \$75 +2/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-74

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FOG LIGHTS			
(02) Amber, Oval, With H355W Halogen Bulb REQS: Code 09WBM FRONT END REQS: Code 01LLD, 01LLE, 01LNG, 01LNN, 01MDP or 01MDS BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT - for 7400 SBA 4X2 : FRAME EXTENSION, FRONT AVAIL: Code 08THJ AUXILIARY HARNESS NOTE: Fog Lights are Not Driving Lights	08WPL	\$133 +5/0	\$133 +5/0
(02) Clear Lens, Halogen, Rectangular, with White Light Source REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LLD, 01LLE, 01LMX, 01LNG, 01LNN, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT	08XJG	\$185	\$185
(02) Clear Lens, LED, Rectangular, with White Light Source REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LLD, 01LLE, 01LMX, 01LNG, 01LNN, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT AVAIL: Code 08THJ AUXILIARY HARNESS	08XJH	\$275	\$275
(02) Clear, Oval, With H355W Halogen Bulb REQS: Code 09WBM FRONT END REQS: Code 01LLD, 01LLE, 01LNG, 01LNN, 01MDP or 01MDS BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT - for 7400 SBA 4X2 : FRAME EXTENSION, FRONT AVAIL: Code 08THJ AUXILIARY HARNESS NOTE: Fog Lights are Not Driving Lights	08WPM	\$133 +5/0	\$133 +5/0
Prewire; Includes Auxiliary Switch and Wiring to Front Bumper, for Driving Lights or Fog Lights Mounted by Customer	08585	\$39 +1/0	\$39 +1/0
Peterson			
(02) Amber, Halogen, Rectangular REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT NOTE: Fog Lights are Not Driving Lights	08WLM	\$159 +5/0	\$159 +5/0
(02) Clear, Halogen, Rectangular REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT NOTE: Fog Lights are Not Driving Lights	08WLN	\$159 +5/0	\$159 +5/0
HEADLIGHT WARNING BUZZER			
Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	08WXB	\$49 0/0	\$49 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-76

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
HEADLIGHTS Long Life Halogen; for Two Light System	08WML	\$22 0/0	\$22 0/0
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$22 0/0	\$22 0/0
HORN, AIR (02) Single Tone, Rectangular; Chrome. Roof Mounted REQS: Code 16030(std) CAB N/A: Code 16917 MOUNTING BRACKETS ACCOMMODATION PACKAGE; less Horn N/A: Code 08695 SNOW SHIELD Black, Single Trumpet, Air Solenoid Operated N/A: Code 08695 SNOW SHIELD	08WVP 08WHE 08WCL	\$388 +1/-1 \$88 +2/0 \$94 0/0	\$388 +1/-1 \$88 +2/0 \$94 0/0
HORN, ELECTRIC Disc Style (02) Disc Style	08VAY 08541	STD \$29 +1/0	STD \$29 +1/0
IGNITION SWITCH Keyless N/A: Code 10943 KEYS - ALL ALIKE	08630	\$35 +2/0	\$35 +2/0
INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch REC: Code 08RMH, 08XHD or 08XHV BATTERY DISCONNECT SWITCH	08WZP	\$59 +1/0	\$59 +1/0
INDICATOR, LOW COOLANT LEVEL With Audible Alarm	08WWJ	STD	STD
JUMP START STUD (02) Remote Mounted REQS: Code 08VUJ, 08VUK or 08XDZ BATTERY BOX, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 08MHD, 08MKL, 08MKX, 08MMG or 08MUE BATTERY SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE, 15SSC, 15STM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16196 CAB : Code 08875 BATTERY TERMINALS (SEE NEXT PAGE)	08899	\$214	\$214

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-77

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
JUMP START STUD (SEE PREV PAGE) AVAIL: Code 08VUJ, 08VUK and 08XDZ BATTERY BOX Remote Mounted INCLS: JUMP START STUD Mounted to Battery Box N/A: Code 08XDZ BATTERY BOX	08899 08WBW	\$168 +2/0	\$168 +2/0
JUNCTION BLOCK Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab	08WZG	\$382 0/0	\$382 0/0
LIGHT, WORK (1) Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA SWITCH, TOGGLE, FOR WORK LIGHT Truck Lite - 81 Series - LED, Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA SWITCH, TOGGLE, FOR WORK LIGHT	08WLL 08WAA	\$119 +3/+2 \$169 +3/+2	\$119 +3/+2 \$169 +3/+2
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	\$30 +1/0	\$30 +1/0
POWER SOURCE, SPECIAL for Customer Installed Lift Gate; 200 Amp Max, Includes 00ga. Power Cable to End of Frame, Optional Power (PDM) for Power Source, Latched Switch on Instrument Panel, With a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power N/A: Code 08VTK and 08WEL BATTERY BOX : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4	08VBA	\$476 +1/+2	\$476 +1/+2
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	\$39 +1/0	\$39 +1/0
RADIO Accommodation Package; Less Radio, With Wiring and Antenna, Includes Multiple Speakers INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	08787	\$128 +2/0	\$128 +2/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-78

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
RADIO (CONTINUED)			
AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers	08RMD	\$368 + 1/0	\$368 + 1/0
AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player	08RME	\$474 + 1/0	\$474 + 1/0
AM/FM/CD/WB/SiriusXM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers REQS: Code 16SDT or 16SDU MIRRORS N/A: CURTAIN, WINDSHIELD	08RMC	\$886 + 1/0	\$886 + 1/0
AM/FM/CD/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers N/A: CURTAIN, WINDSHIELD	08RMB	\$763 + 1/0	\$763 + 1/0
AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers N/A: CURTAIN, WINDSHIELD	08RMA	\$483 + 1/0	\$483 + 1/0
Panasonic - CQ120 - AM/FM, Includes Multiple Speakers, Includes Auxiliary Input INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	08RKB	\$305 + 2/0	\$305 + 2/0
RUNNING LIGHT (02) Daytime	08WNH	\$58	\$58
SNOW SHIELD (02) Chrome; for Dual Air Horns REQS: Code 08WVP HORN, AIR N/A: Code 16917 MOUNTING BRACKETS	08695	\$33 + 2/0	\$33 + 2/0
SOLENOID, AIR for Customer Use; Provides (1) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGA	\$105 + 1/0	\$105 + 1/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
STARTING MOTOR (CONTINUED) Delco Remy - 39MT - 12 Volt; Gear Reduced, With Thermal Over-Crank Protection Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start	 08WTL 08WXG	 \$193 0/0 \$151 - 1/- 19 0/0	 \$193 0/0 \$151 0/0
STOP, TURN, TAIL & B/U LIGHTS Truck Lite Super 44, With LED Bulbs for Stop, Turn & Tail Lights, License Plate Light and Backup lights, With Power Module, "International" Termination and Less Junction Box N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR Super 44, With LED Bulbs for Stop, Turn & Tail Lights and Truck Lite Super 40 for Backup lights, With Power Module, "International" Termination and Less Junction Box N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01580 TOW LOOP, REAR - Super 40 - Less Power Module; Less Rubber Mount; Must Include Separate Rear Reflectors N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR AVAIL: Code 08THB BACK-UP ALARM Weldon - LED Multi-Function Lamp - Mounted Inside Rails N/A: Code 01553 TIRE CARRIER Mounted Outside Rails N/A: Code 01553 TIRE CARRIER : MUD FLAP HOLDER, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR	 08TKJ 08TKB 08THM 08TPS 08TPR	 \$476 - 1/+ 3 \$191 0/+ 5 \$98 0/+ 5 \$250 - 4/+ 15 \$178 - 4/+ 15	 \$476 - 2/+ 5 \$191 0/+ 5 \$98 0/+ 5 \$250 - 4/+ 15 \$178 - 4/+ 15
STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated	08VTV	\$22 0/0	\$22 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-81

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SWITCH, AIR HORN, PASSENGER Fire Truck Application; Momentary Switch Located in Instrument Panel Close to Passenger, Driver Also To Activate Switch at Steering Wheel REQS: Code 16WJS(std) INSTRUMENT PANEL REQS: Code 08WCL or 08WHE HORN, AIR N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 12VAG and 12VAL AIR CLEANER	08WEE	\$57 + 1/0	\$57 + 1/0
SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at PDC and Control in Cab N/A: Code 60ACW BDY INTG,I/O EXPANSION HARNESS : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 60ABB BDY INTG, PTO ACCOMMODATION Accessory Control; for Wiring in Roof, With Maximum of 20 amp Load With Switches In Instrument Panel REQS: Code 14RAA or 14RAB AXLE, LIFT, CONTROLS - for 7400 SBA 6X4	08XBK 08TMH	\$84 + 2/0 \$70 + 1/0	\$84 + 2/0 \$70 + 1/0
SWITCH, BODY CIRCUITS, MID for Bodybuilder, 6 Momentary Switches in Instrument Panel; One Power Module with 6 Channels, 20 Amp Max. Per Channel, 80 Amp Max Output, Switches Control Power Module Through Multiplex Wiring, Mounted in Cab Behind Driver Seat N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AAM BDY INTG, POWER MODULE AUX : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 16SBA BUNK, LOWER	08VZR	\$675 + 1/0	\$675 + 1/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-82

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-83

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SWITCH, BODY CIRCUITS, MID (SEE PREV PAGE) N/A: Code 60AAM BDY INTG, POWER MODULE AUX : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 16SBA BUNK, LOWER AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR	08VZS		
SWITCH, BODY CIRCUITS, REAR for Bodybuilder; With 6 Switches in Instrument Panel (2-position switches); One Power Module, With 6 Channels, 20 Amp per Channel and 80 Amp Max Output, Switches Control the Power Modules Through Multiplex Wiring, Mounted at Rear of Frame REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZH, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 01553 TIRE CARRIER : Code 10WPR and 10WPT MUD FLAP HOLDER - for 7400 SBA 6X4 AVAIL: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	08WTJ	\$650 +2/+2	\$650 +2/+2

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-84

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SWITCH, BODY CIRCUITS, REAR (CONTINUED) for Bodybuilder; With 6 Momentary Switches in Instrument Panel; One Power Module, With 6 Channels, 20 Amp Per Channel and 80 Amp Max Output, Switches Control the Power Modules Through Multiplex Wiring, Mounted at Rear on Frame REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU or 14UZV SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 08VZR SWITCH, BODY CIRCUITS, MID : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 01553 TIRE CARRIER : Code 10WPR and 10WPT MUD FLAP HOLDER - for 7400 SBA 6X4 AVAIL: Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	08WSK	\$575 +2/+2	\$575 +2/+2
SWITCH, MARKER INTERRUPT Interrupter; for Cab and Body Clearance/Marker Lights, Single Position Blinks Lights When Headlight Switch Is In "On" or "Off" Position REQS: Code 04091(std) BRAKE SYSTEM, AIR	08TMJ	\$24 +1/0	\$24 +1/0
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK	08WMA	\$59 +1/+2	\$59 +1/+2

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-85

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091(std) BRAKE SYSTEM, AIR AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08THB BACK-UP ALARM	08NAA	\$74 0/+2	\$74 0/+2
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	\$42 0/0
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch REQS: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091(std) BRAKE SYSTEM, AIR	08TKK	\$79 +1/0	\$79 +1/0
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR	08TMG	\$439 0/+7	\$439 0/+7
	08TME	\$439 0/+7	\$439 0/+7
TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender Sound Off Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	08XGT	STD	STD
	08VZK	\$187	\$187

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-87

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FRONT END (SEE PREV PAGE) N/A: Code 09585 FENDER EXTENSIONS : Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 05PSL STEERING GEAR : Code 13WBA HYDRAULIC RETARDER : Code 08VZK and 08XJE TURN SIGNALS, FRONT : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 10021 and 10022 CHASSIS COATING : Code 12851 PTO EFFECTS, ENGINE FRONT : Code 01586 TOW LOOP, FRONT AVAIL: Code 03770 SPRINGS, FRONT AUXILIARY : Code 08WPL, 08WPM and 08585 FOG LIGHTS	09WBM		
BUG DEFLECTOR Smoked Colored Plastic, Mounted on Hood REQS: Code 09WBC(std) FRONT END N/A: Code 09ANG HOOD, HATCH	09WAD	\$327 0/0	\$327 0/0
BUG SCREEN Mounted Behind Grille	09WAC	\$131 +5/0	\$131 +5/0
FENDER EXTENSIONS Rubber REQS: Code 09WBC(std) FRONT END	09585	\$104 +6/0	\$104 +6/0
GRILLE Stationary, Chrome REQS: Code 09WBC(std) FRONT END Chrome REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT Stationary, with Vendor Painted Grille & Headlight Bezels, Argent NAV 8752 REQS: Code 09WBC(std) FRONT END	09HBM 09HAD 09HAT	STD N/C 0/0 \$22CR 0/0	STD N/C 0/0 \$22CR 0/0
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 0/0	\$201 0/0
HOOD, HATCH (01) for Servicing N/A: Code 09WAD BUG DEFLECTOR : Code 12WZB EMISSION COMPLIANCE	09ANG	\$444 +5/0	\$444 +5/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
INSULATION, SPLASH PANELS for Sound Abatement REC: Code 09HAN INSULATION, UNDER HOOD	09HBN	\$76 +2/0	\$76 +2/0
INSULATION, UNDER HOOD for Sound Abatement REC: Code 09HBN INSULATION, SPLASH PANELS	09HAN	\$167 +10/0	\$167 +10/0
LOGOS EXTERIOR Badges	09AAB	\$115 0/0	\$115 0/0
QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	09505	\$233 0/+18	\$233 0/+18
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails REQS: Code 09WBC(std) FRONT END N/A: Code 01GBP FRAME REINFORCEMENT Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQS: Code 09WBC(std) FRONT END REQS: Code 01CBU(std) FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT	10021 10022	\$500 0/0 \$1,000 0/0	\$500 0/0 \$1,000 0/0
CUSTOMER SERVICES OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM 10ARN 10ARP	\$258 0/0 \$516 0/0 \$774 0/0	\$258 0/0 \$516 0/0 \$774 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-89

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-90

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section	
Fontaine	
- SL7LWB925024 - -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA FIFTH WHEEL MOUNTING ANGLES	10HJD
Holland	
- FW35A824XL00 - 24" Slide, 7.7" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA FIFTH WHEEL MOUNTING ANGLES	10GYJ
Jost	
- JSK37USL-A8PX24 - 24" Slide, Cast Top Plate, 7.75" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01GBP FRAME REINFORCEMENT	10HKJ

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-92

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section			
Fontaine			
- SL7FMA-D69-2 - N/A: Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14ULP SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4	10EYD		
- SL7FMA-D69-3 - Cast Top Plate, 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14ULP SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4	10EYC	\$1,945 +44/+348	\$1,945 +44/+348
Holland			
- FW35-S801XL - 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA FIFTH WHEEL MOUNTING ANGLES	10HKG	\$2,250 0/+330	\$2,250 0/+330
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-94

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FIFTH WHEEL LOCATION (CONTINUED)			
04.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810004	N/C 0/0	N/C 0/0
06.0" Ahead of Rear Axle Centerline AVAIL: Code 10HJD FIFTH WHEEL, AIR SLIDE	810006	N/C 0/0	N/C 0/0
08.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810008	N/C 0/0	N/C 0/0
10.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810010	N/C 0/0	N/C 0/0
12.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810012	N/C 0/0	N/C 0/0
14.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810014	N/C 0/0	N/C 0/0
16.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY, when in combination with Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2	810016	N/C 0/0	N/C 0/0
FIFTH WHEEL MOUNTING ANGLES			
Special; FMA MTG STYLE, Accommodate 38" Spread With 3/4" Bolts for Stationary 5th Wheel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY	10STA	\$281 +44/0	\$281 +44/0
FIRE EXTINGUISHER - Cinglar -	10WCU	\$120 +8/0	\$120 +8/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-97

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
HUBODOMETER Stemco English Reading (Miles) Mounted Rear Wheels Left Side REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4	10441	\$82 0/+2	\$82 0/+2
KEYS - ALL ALIKE Fleet - Includes Ignition and Cab Door Keys N/A: Code 08630 IGNITION SWITCH	10943	\$39 0/0	\$39 0/0
LANGUAGE IDENTITY for French NOTE: 010003	10WAW	N/C 0/0	N/C 0/0
MUD FLAP HOLDER Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR - for 7400 SBA 6X4 Spring Loaded, Painted Black; With 45-Degree End, With Red and White Reflective Tape; Less Flaps REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR - for 7400 SBA 6X4	10WPR 10WPT	\$105 0/+34 \$103 0/+34	\$105 0/+34 \$103 0/+34
MUD FLAPS, FRONT WHEELS (02) Rubber, Behind Front Wheels, Mounted on Fender Extension, for Tire Size 425/445	10WWP	\$114 +2/+1	\$114 +2/+1
MUD FLAPS, REAR Black Poly, With International Logo; Less Holders REQS: Code 10WPR or 10WPT MUD FLAP HOLDER	10WSX	\$58 0/+8	\$58 0/+8

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-98

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
OVER THE AIR PROGRAMMING			
for Cummins Engines REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL	10AAY	\$250	\$250
for Navistar Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	10AAX	\$250	\$250
PAINT, CAB SUNSHADE			
Single Color other than Cab Roof Color REQS: Code 16XWD SUNSHADE, EXTERIOR	10614	\$420 0/0	\$420 0/0
PAINT CLASS			
Premium Color	10769	\$500 0/0	\$500 0/0
Single Custom Color	10771	\$600 0/0	\$600 0/0
PAINT IDENTITY, PT-2			
Single Color, Instruction No. 932. Wheels N/A: Code 27DME, 27DPN, 27DPR and 27DTZ WHEELS, FRONT : Code 28DME, 28DPR, 32DPW and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2	10632	\$219 0/0	\$219 0/0
Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted N/A: Code 28DTC WHEELS, REAR	10636	\$500 0/0	\$500 0/0
Two Tone, Instruction No. 946. Frame/Running Gear and Wheels, Less Fuel Tank INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted N/A: Code 27DPN, 27DPR and 27DTZ WHEELS, FRONT : Code 28DPR and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2	10646	\$500 0/0	\$500 0/0
PAINT, NON-REFLECTING			
Non-Reflecting Paint	10661	\$462 0/0	\$462 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-99

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PAINT SCHEMATIC, PT-1			
Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "GN"	10060	STD	STD
Three Tone, Design 320 or 34S	10220	\$1,050 0/0	\$1,050 0/0
Three Tone, Design 321 or 34T	10221	\$1,050 0/0	\$1,050 0/0
Three Tone, Design 322 or 34U	10222	\$1,050 0/0	\$1,050 0/0
Two Tone, Design 208.	10208	\$500 0/0	\$500 0/0
Two Tone, Design 209.	10209	\$650 0/0	\$650 0/0
Two Tone, Design 211 or 2AF	10211	\$500 0/0	\$500 0/0
Two Tone, Design 212.	10212	\$500 0/0	\$500 0/0
Two Tone, Design 214.	10214	\$650 0/0	\$650 0/0
Two Tone, Design 216.	10216	\$650 0/0	\$650 0/0
PAINT TYPE			
Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
QUARTER FENDERS			
for Rear Wheels, Black Plastic; Frame Mounted N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	10WTR	\$188 0/+18	\$188 0/+18
SAFETY TRIANGLES			
	10WCY	\$29 +6/0	\$29 +6/0
SPECIAL RATING, GVWR			
Limited to 80,000-lb Maximum Capacity REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 16196 CAB : Code 01CAG FRAME RAILS	10NZL	N/A	N/C
TOOL KIT			
Rim Wrench and Handle Only	10506	\$69 +10/0	\$69 +10/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-100

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
VEHICLE REGISTRATION IDENTITY			
ID for the State of California REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL NOTE: 010002	10UAC	N/C	N/C
ID for 49 States, Excluding California REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL NOTE: 010002	10UAD	N/C	N/C
CLUTCH			
NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Eaton Fuller			
- SAS1402 - Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and With Kwik-Adjust(Manual) Feature 860 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 12EHS, 12EHT, 12EHU, 12NWC or 12NWK(std) ENGINE, DIESEL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC	11LEY	STD	STD
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 8-Spring Low Rate Damper, with 2" Spline, Mechanical Pull Type Control and with Kwik-Adjust (Manual) Feature, 1150 lb-ft Torque Capacity N/A: TRANSMISSION, AUTOMATIC	11LGN	\$227 + 7/-5	\$227 + 7/-5
- Solo 1402 - Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and Adjustment Free, 1000 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 13GHL, 13GHW, 13GJR or 13GJT TRANSMISSION, MANUAL REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHX, 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC	11LEU	\$369 + 25/-3	\$369 + 25/-3
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and Adjustment Free, 860 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 12EHS, 12EHT, 12EHU, 12NWC or 12NWK(std) ENGINE, DIESEL N/A: Code 11WAE GREASE FITTINGS	11LEV	\$81 + 32/-10	\$81 + 25/-3
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-101

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CLUTCH (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - Solo 1402 - N/A: TRANSMISSION, AUTOMATIC Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 8-Spring Low Rate Damper, with 2" Spline, Mechanical Pull Type Control and Adjustment Free, 1150 lb-ft Torque Capacity REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: TRANSMISSION, AUTOMATIC No Vendor Identified Omit Item (Clutch & Control) N/A: Code 11WAE GREASE FITTINGS : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	11LEV 11LGP 11001	\$251 + 5/- 5 N/C - 60/- 15	\$251 + 5/- 5 N/C - 60/- 15
GREASE FITTINGS Remote; for Clutch Cross Shaft REQS: Code 11LGN or 11LGP CLUTCH	11WAE	\$31 0/0	\$31 0/0
ACCESSORY WIRING, SPECIAL			
for Road Speed Wire Coiled Under Instrument Panel for Customer Use	12VYL	\$45 0/0	\$45 0/0
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N9 - EPA 2010, SCR, 275 HP @ 2000 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 275 Peak HP (MAX) INCLS: ENGINE SHUTDOWN Electric, Key Operated : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted (SEE NEXT PAGE)	12NWK	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-102

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N9 - INCLS: FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER SLEEVES : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL DRAIN PLUG Magnetic REQS: Code 40LBP, 40LBR, 40LBS, 40LBT, 40LBU, 40LBV, 40LBW, 40LBX, 40LBY, 40LBZ, 40LCA, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCL, 40LCM, 40LCN, 40LCP, 40LCR, 40LCS, 40LCT, 40LCU, 40LCV, 40LCW, 40LCX or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 12VGE FEDERAL EMISSIONS REQS: Code 04SBC(std) or 04SBD AIR COMPRESSOR REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE or 07BKG EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 40RAA SRV CONT, EXT AFTERTREATMENT : SRV CONTRACT, EXT CMMS ENGINE : Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR : Code 11LGP CLUTCH : Code 08GKK ALTERNATOR : Code 12UWY and 12UWZ RADIATOR : Code 12WUL and 12849 BLOCK HEATER, ENGINE : Code 12XAT ENGINE CONTROL, REMOTE MOUNTED : Code 15WCS FUEL COOLER AVAIL: Code 07SDM ENGINE EXHAUST BRAKE : Code 07SDL ENGINE COMPRESSION BRAKE : Code 15LGM, 15LKG, 15LKH and 15LKV FUEL/WATER SEPARATOR : Code 10AAX OVER THE AIR PROGRAMMING	12NWC		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-104

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N9 - EPA 2010, SCR, 315 HP @ 2000 RPM, 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 315 Peak HP (Max) INCLS: ENGINE SHUTDOWN Electric, Key Operated : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER SLEEVES : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL DRAIN PLUG Magnetic REQs: Code 40LBP, 40LBR, 40LBS, 40LBT, 40LBU, 40LBV, 40LBW, 40LBX, 40LBY, 40LBZ, 40LCA, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCL, 40LCM, 40LCN, 40LCP, 40LCR, 40LCS, 40LCT, 40LCU, 40LCV, 40LCW, 40LCX or 40MBV SRV CONTRACT, EXT ENGINE REQs: Code 04EBD, 04EBS or 04EBT AIR DRYER REQs: Code 11LEU, 11LGN or 11001 CLUTCH REQs: Code 12VGE FEDERAL EMISSIONS REQs: Code 04SBC(std) or 04SBD AIR COMPRESSOR REQs: Code 13GHJ, 13GHL, 13GHW, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL -OR- Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQs: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE or 07BKG EXHAUST SYSTEM REQs: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYU, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 40RAA SRV CONT, EXT AFTERTREATMENT (SEE NEXT PAGE)	12NWD	\$1,008 0/0	\$1,008 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-105

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Cummins			
- L9 270 -			
N/A: Code 16990 AIR CONDITIONER, PROVISION FOR	12EHT		
: Code 16HGG GAUGE, OIL TEMP, ENGINE			
: Code 08WPP ENGINE SHUTDOWN			
: Code 14WLU and 14WNJ AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4			
: Code 13WBA HYDRAULIC RETARDER			
: Code 08GWY ALTERNATOR			
: Code 08WEA ALTERNATOR PULLEY			
: Code 08NBP BATTERY SYSTEM			
: Code 12VVY OVER-TEMPERATURE PROTECTION			
: Code 12VZA ENGINE CONTROL, REMOTE MOUNTED			
: Code 12WPY OIL PAN			
AVAIL: Code 12WUL and 12849 BLOCK HEATER, ENGINE			
: Code 07SCP ENGINE EXHAUST BRAKE			
: Code 07SDP ENGINE COMPRESSION BRAKE			
: Code 15LMN, 15LMR and 15LNG FUEL/WATER SEPARATOR			
: Code 10AAY OVER THE AIR PROGRAMMING			
- L9 300 -			
EPA 2017, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)	12EHU	\$613	\$613
REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER			
REQS: Code 12UAV, 12UAW, 12UWY or 12UWZ RADIATOR			
REQS: Code 12THT FAN DRIVE			
REQS: Code 15LMN, 15LMR or 15LNG FUEL/WATER SEPARATOR			
REQS: Code 12XZG FEDERAL EMISSIONS			
REQS: Code 16SMH, 16SMJ, 16SMK or 16SML SEAT, TWO-MAN PASSENGER			
-OR- SEAT, PASSENGER			
-OR- SEAT, FRONT BENCH			
REQS: Code 04SPA AIR COMPRESSOR			
REQS: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GMJ(std) or 13GMZ TRANSMISSION, MANUAL			
-OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4			
-OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2			
REQS: Code 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM			
N/A: SRV CONTRACT, EXT ENGINE			
: SRV CONT, EXT AFTERTREATMENT			
: Code 10UAC and 10UAD VEHICLE REGISTRATION IDENTITY			
: Code 16990 AIR CONDITIONER, PROVISION FOR			
: Code 16HGG GAUGE, OIL TEMP, ENGINE			
: Code 08WPP ENGINE SHUTDOWN			
: Code 14WLU and 14WNJ AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4			
: Code 13WBA HYDRAULIC RETARDER			
: Code 08GWY ALTERNATOR			
: Code 08WEA ALTERNATOR PULLEY			
: Code 08NBP BATTERY SYSTEM			
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-109

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Cummins			
- L9 300 -			
N/A: Code 12V VY OVER-TEMPERATURE PROTECTION	12EHU		
: Code 12VZA ENGINE CONTROL, REMOTE MOUNTED			
: Code 12WPY OIL PAN			
AVAIL: Code 12WUL and 12849 BLOCK HEATER, ENGINE			
: Code 07SCP ENGINE EXHAUST BRAKE			
: Code 07SDP ENGINE COMPRESSION BRAKE			
: Code 15LMN, 15LMR and 15LNG FUEL/WATER SEPARATOR			
: Code 10AAY OVER THE AIR PROGRAMMING			
- L9 330 -			
EPA 2017, 330 HP @ 2000 RPM, 1000 lb-ft Torque @ 1400 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max)	12EHV	\$2,020	\$2,020
REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER			
REQS: Code 11LEU, 11LGN, 11LGP or 11001 CLUTCH			
REQS: Code 12UAV, 12UAW, 12UWY or 12UWZ RADIATOR			
REQS: Code 12THT FAN DRIVE			
REQS: Code 15LMN, 15LMR or 15LNG FUEL/WATER SEPARATOR			
REQS: Code 12XZG FEDERAL EMISSIONS			
REQS: Code 16SMH, 16SMJ, 16SMK or 16SML SEAT, TWO-MAN PASSENGER			
-OR- SEAT, PASSENGER			
-OR- SEAT, FRONT BENCH			
REQS: Code 04SPA AIR COMPRESSOR			
REQS: Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL			
-OR- Code 13ATL, 13ATM, 13AUK, 13AUL, 13AVE, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4			
-OR- Code 13ATL, 13ATM, 13AUK, 13AUL, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2			
REQS: Code 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM			
N/A: SRV CONTRACT, EXT ENGINE			
: SRV CONT, EXT AFTERTREATMENT			
: Code 10UAC and 10UAD VEHICLE REGISTRATION IDENTITY			
: Code 16990 AIR CONDITIONER, PROVISION FOR			
: Code 16HGG GAUGE, OIL TEMP, ENGINE			
: Code 08WPP ENGINE SHUTDOWN			
: Code 14WLU and 14WNJ AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4			
: Code 13WBA HYDRAULIC RETARDER			
: Code 08GWY ALTERNATOR			
: Code 08WEA ALTERNATOR PULLEY			
: Code 08NBP BATTERY SYSTEM			
: Code 12V VY OVER-TEMPERATURE PROTECTION			
: Code 12VZA ENGINE CONTROL, REMOTE MOUNTED			
: Code 12WPY OIL PAN			
AVAIL: Code 12WUL and 12849 BLOCK HEATER, ENGINE			
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-110

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - L9 350 - AVAIL: Code 10AAY OVER THE AIR PROGRAMMING EPA 2017, 350 HP @ 2000 RPM, 1150 lb-ft Torque @ 1400 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max) REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 11LGN, 11LGP or 11001 CLUTCH REQS: Code 12UAV, 12UAW, 12UWY or 12UWZ RADIATOR REQS: Code 12THT FAN DRIVE REQS: Code 15LMN, 15LMR or 15LNG FUEL/WATER SEPARATOR REQS: Code 12XZG FEDERAL EMISSIONS REQS: Code 16SMH, 16SMJ, 16SMK or 16SML SEAT, TWO-MAN PASSENGER -OR- SEAT, PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 04SPA AIR COMPRESSOR REQS: Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL -OR- Code 13ATL, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- Code 13ATL, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQS: Code 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM N/A: SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 10UAC and 10UAD VEHICLE REGISTRATION IDENTITY : Code 16990 AIR CONDITIONER, PROVISION FOR : Code 16HGG GAUGE, OIL TEMP, ENGINE : Code 08WPP ENGINE SHUTDOWN : Code 14WLU and 14WNJ AXLE, PUSH, LIFT TYPE - for 7400 SBA 6X4 : Code 13WBA HYDRAULIC RETARDER : Code 08GWY ALTERNATOR : Code 08WEA ALTERNATOR PULLEY : Code 08NBP BATTERY SYSTEM : Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12VZA ENGINE CONTROL, REMOTE MOUNTED : Code 12WPY OIL PAN AVAIL: Code 12WUL and 12849 BLOCK HEATER, ENGINE : Code 07SCP ENGINE EXHAUST BRAKE : Code 07SDP ENGINE COMPRESSION BRAKE : Code 15LMN, 15LMR and 15LNG FUEL/WATER SEPARATOR : Code 10AAY OVER THE AIR PROGRAMMING	12EHX		
	12EHW	\$5,978	\$5,978

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-112

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
RADIATOR			
Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler REQS: Code 09WBC(std) FRONT END REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 13WGJ OIL COOLER MANUAL TRANSMISSION	12UCV	STD	STD
Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber REQS: Code 09WBC(std) FRONT END REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 13WGJ OIL COOLER MANUAL TRANSMISSION	12UWY	N/C +37/-19	N/C +20/-12
Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler and With Transmission Oil Cooler REQS: Code 09WBC(std) FRONT END REQS: Code 13GKJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 13WBA HYDRAULIC RETARDER : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION	12UCW	N/C 0/0	N/C 0/0
Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core With Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber REQS: Code 09WBC(std) FRONT END REQS: Code 13GHW or 13GJT TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 13WBA HYDRAULIC RETARDER : Code 13WAW OIL COOLER, AUTO TRANSMISSION	12UWZ	N/C +46/-20	N/C +20/-12
Aluminum; 2-Row, Cross Flow, Over Under System, 1045 SqIn Louvered, With 373 SqIn CAC REQS: Code 09WBM FRONT END REQS: Code 13GHJ, 13GHL, 13GJR, 13GJT, 13GKJ, 13GMJ(std) or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 12851 PTO EFFECTS, ENGINE FRONT	12UAV	N/C +16/-23	N/C +14/-21

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-113

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
RADIATOR (CONTINUED) Aluminum; 2-Row, Cross Flow, Over Under System, 1045 SqIn Louvered, With 373 SqIn CAC, With In Tank Oil Cooler REQS: Code 09WBM FRONT END REQS: Code 13GJT or 13GKJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 N/A: Code 13WBA HYDRAULIC RETARDER : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 12851 PTO EFFECTS, ENGINE FRONT	12UAW	N/C +30/-25	N/C +28/-23
FAN DRIVE Horton - Drivemaster Polar Extreme - Direct Drive Type, Two Speed, With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon REQS: Code 09WBC(std) FRONT END REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL - Drivemaster - Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon	12THZ 12THT	STD \$229CR -38/+4	STD \$229CR -38/+4
AIR CLEANER Single Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END Dual Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END Dual Element, with Integral Snow Valve and In-Cab Control INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END REQS: Code 14RAA, 14RAB, 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 N/A: Code 13WBA HYDRAULIC RETARDER : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP Dual Element, With Integral Pre Cleaner INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END	12VBC 12VBB 12VAL 12VBG	STD \$108 +4/0 \$334 +6/0 \$159 +12/0	STD \$108 +4/0 \$334 +6/0 \$159 +12/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-114

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BLOCK HEATER, ENGINE (SEE PREV PAGE) Phillips REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 12WTW BLOCK HEATER SOCKET 120V/1250W, With "Y" Cord From Socket in Standard Location, For a Dealer Installed Oil Pan Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door REQS: Code 08MEZ, 08MKL, 08MKX, 08MMG, 08MUE or 08NBR BATTERY SYSTEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL NOTE: MPM material is single sheet composite with two layers of sheet metal sandwiching plastic material. MPM material has electro-deposition prime coat with powder coating for the final finish coat.	12WDK 12WTH	\$115 + 4/0	\$115 + 4/0
BLOCK HEATER SOCKET Relocated to Front Bumper REQS: Code 12WTH BLOCK HEATER, ENGINE REQS: Code 01LLA(std), 01LLD, 01LLE, 01LMX, 01LNG, 01LNN, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT - for 7400 SBA 6X4 : Code 01586 TOW LOOP, FRONT or Code 01WAC and 01WMS BUMPER EXTENSION, FRONT	12WTW	\$48 + 2/0	\$48 + 2/0
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH NOTE: 010002 Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: 010002 Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations NOTE: 010002 Federal, Does Not Comply With California Clean Air Idle Regulations NOTE: 010002	12WZB 12WZJ 12WZD 12WZE	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-116

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce and Navistar post 2007 Emissions Electronic Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 08VTK and 08WEL BATTERY BOX	12VYP 12VZA 12XAT	N/C 0/0 \$45 0/0 \$45	N/C 0/0 \$45 0/0 \$45
ENGINE WATER COOLER Auxiliary, for Use with Auxiliary Water Source Sen-Dure Auxiliary, For Use With Fire Trucks	12WZG 12WYK	\$518 +11/-1 \$687 +6/0	\$518 +11/-1 \$687 +6/0
FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)	12WBR	\$29 0/0	\$29 0/0
FEDERAL EMISSIONS Cummins - L9 - EPA, OBD and GHG Certified for Calendar Year 2017 REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL Navistar - N9 & N10 - EPA, OBD and GHG Certified for Calendar Year 2017 REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12XZG 12VGE	\$350 N/C	\$350 N/C

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-117

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
HOSE CLAMPS, RADIATOR HOSES R.G. Ray - Mini Flex Seal - Coil Spring/"T"-Bolt Type, for Radiator Hoses over 1" I.D. REQS: Code 12WYK ENGINE WATER COOLER, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL REQS: Code 13WAW OIL COOLER, AUTO TRANSMISSION, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL REQS: Code 12UWY or 12UWZ RADIATOR, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: HYDRAULIC RETARDER or RADIATOR HOSES, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL	12WCG	\$54	\$54
OIL PAN Stainless Steel, for N9/N10 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12WPY	\$1,600	\$1,600
OVER-TEMPERATURE PROTECTION (For Engine Coolant) Omit Item REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12VVY	N/C 0/0	N/C 0/0
PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted REQS: Code 09WBC(std) FRONT END N/A: Code 16990 AIR CONDITIONER, PROVISION FOR : Code 12UAV and 12UAW RADIATOR	12851	\$353 +10/0	\$353 +10/0
RADIATOR HOSES Silicone; Molded REQS: Code 12UCV(std), 12UCW or 12UWY RADIATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 12UWY or 12UWZ RADIATOR, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL REQS: Code 12THZ FAN DRIVE, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL	12926	\$272 0/0	\$272 0/0
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	12VXT	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-118

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
THROTTLE, HAND CONTROL (CONTINUED) Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	12VXU 12VXV	N/C 0/0 N/C 0/0	N/C 0/0 N/C 0/0
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FSO-8406A - 6-Speed Manual; Fully Synchronized, Short Shift Stroke, With Overdrive INCLS: FILL PLUG, MAGNETIC - for 7400 SBA 4X2 REQS: Code 12UAV, 12UCV(std) or 12UWY RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION - for 7400 SBA 4X2 REQS: Code 12EHS, 12EHT, 12EHU, 12NWC or 12NWK(std) ENGINE, DIESEL N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 04AZV and 04AZY AIR BRAKE ABS : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7400 SBA 4X2 : Code 11LEU and 11001 CLUTCH : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WDC, 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBA HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GMJ	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-119

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - RTO(F)-14909ALL - N/A: Code 11LEU and 11001 CLUTCH : Code 13WDC, 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBA HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GMZ		
TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3000_HS - 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; Includes Oil Level Sensor, Less PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 6X4 REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL - for 7400 SBA 6X4 REQS: Code 13WLP TRANSMISSION OIL - for 7400 SBA 6X4 N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 13WAP TRANSMISSION LUBE PUMP : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 12UAV RADIATOR (SEE NEXT PAGE)	13AVE	N/A	\$6,987 +153/+56

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-124

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-125

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3000_HS - AVAIL: Code 13WLP TRANSMISSION OIL	13ATL		
- 3000_RDS_P - 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 7400 SBA 6X4 REQS: Code 13WDC, 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 7400 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 6X4 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 4X2 REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL - for 7400 SBA 6X4 REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL - for 7400 SBA 4X2 REQS: Code 13WLP TRANSMISSION OIL - for 7400 SBA 6X4 REQS: Code 13WLP TRANSMISSION OIL - for 7400 SBA 4X2 N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 13WAP TRANSMISSION LUBE PUMP : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 12UAV RADIATOR : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13WDH WIRING, TRANS, BODY BUILDER AVAIL: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WLP TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13AVR	\$8,255 +183/+66	\$8,255
5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; Refuse/Mixer; Includes Oil Level Sensor With PTO Provision, Less Retarder, With 62,000-lb GVW Max. REQS: Code 11001 CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 7400 SBA 6X4	13AVS	\$8,255 +183/+66	\$8,255 +206/+43
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-126

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-128

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500EVS_P - N/A: Code 13WYR, 13WYS and 13WYT SHIFT CONTROL PARAMETERS : Code 13AAZ AUTOMATIC NEUTRAL : Code 12UAV RADIATOR : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13WDH WIRING, TRANS, BODY BUILDER AVAIL: Code 13WUD, 13WUE, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 6X4 : Code 13WUD, 13WUE, 13WUT, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 4X2 : Code 13WLP TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13AUM		
TRANSMISSION TCM LOCATION Located Inside Cab N/A: Code 16KAY, 16RDZ, 16RZL and 16SMV SEAT, REAR : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAG, 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE, when in combination with Code 16LJX, 16LJY, 16LJZ or 16LKA SEAT, REAR and Code 16196 CAB : Code 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE, when in combination with Code 16PCS SEAT, REAR and Code 16196 CAB : Code 16SBA BUNK, LOWER	13WYH	\$141 0/0	\$141 0/0
ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Emergency Vehicle Series (EVS); without Split Shaft PTO REQS: Code 13ATN, 13AUK, 13AUL or 13AUM TRANSMISSION, AUTOMATIC N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUT	N/C 0/0	N/A

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ALLISON SPARE INPUT/OUTPUT (CONTINUED) NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
for Rugged Duty Series (RDS); Airport Refueler, Sewer Evac N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : TRANSMISSION, AUTOMATIC	13WUH	N/C 0/0	N/C 0/0
for Emergency Vehicle Series (EVS), 108/174 Includes J1939 Based Auto Neutral; Rescue, Ambulance REQS: Code 13ATN, 13AUK, 13AUL or 13AUM TRANSMISSION, AUTOMATIC N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL	13WVB	\$129 0/0	\$129 0/0
for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13ATN, 13AUK, 13AUL or 13AUM TRANSMISSION, AUTOMATIC N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUE	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); Front Loaders, Rear Loaders, Recycling/Packer Trucks REQS: Code 13AAZ AUTOMATIC NEUTRAL REQS: Code 13ATM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WUJ	N/C 0/0	N/C 0/0
for Highway Series (HS); General Purpose Trucks REQS: Code 13ATL TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 -OR- Code 13ATL or 13AVE TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUB	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); General Purpose Trucks, Construction REQS: Code 13ATM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC	13WUC	N/C 0/0	N/C 0/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-138

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ALLISON SPARE INPUT/OUTPUT (SEE PREV PAGE) NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book N/A: Code 13AAZ AUTOMATIC NEUTRAL	13WUV		
AUTOMATIC NEUTRAL Allison WT, 3000 & 4000 Series Transmission Shifts to Neutral When Parking Brake is Engaged REQS: Code 13ATM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL AVAIL: Code 13WUJ and 13WUK ALLISON SPARE INPUT/OUTPUT	13AAZ	\$34 0/0	\$34 0/0
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, without On/Off Switch REQS: Code 13WUS, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 6X4 REQS: Code 13WUS, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 4X2 N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL AVAIL: Code 13WUS, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 6X4 : Code 13WUS, 13WUV, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 4X2	13WEH	\$129 0/0	\$129 0/0
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged REQS: Code 13WUS, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 6X4 REQS: Code 13WUS, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 4X2 N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : HOURMETER, PTO, when in combination with Code 13ATL, 13AUK, 13AUL, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC AVAIL: Code 13WUS, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 6X4 : Code 13WUS, 13WUV, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT - for 7400 SBA 4X2	13WUA	\$129 0/0	\$129 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-140

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
HYDRAULIC RETARDER For Allison WT-MD & 3000 Series Transmission REQS: Code 09WBC(std) FRONT END REQS: Code 12UCV(std) or 12UWY RADIATOR REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE or 07BKG EXHAUST SYSTEM REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 04WZJ AIR TANK LOCATION or Code 08XBK SWITCH, AUXILIARY or Code 60ABB BDY INTG, PTO ACCOMMODATION : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 12VAG and 12VAL AIR CLEANER : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 07SCP and 07SDM ENGINE EXHAUST BRAKE AVAIL: Code 15LGM, 15LKG, 15LKH and 15LKV FUEL/WATER SEPARATOR : Code 13XAL and 13XAN PTO LOCATION	13WBA	\$8,654 +59/+21	\$8,654 +59/+21
OIL COOLER, AUTO TRANSMISSION - Modine - Water to Oil Type REQS: Code 09WBC(std) FRONT END REQS: Code 12UCV(std) or 12UWY RADIATOR N/A: Code 16990 AIR CONDITIONER, PROVISION FOR : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13WBA HYDRAULIC RETARDER	13WAW	\$667 +25/0	\$667 +25/0
OIL COOLER MANUAL TRANSMISSION NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP) REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GJT TRANSMISSION, MANUAL REQS: Code 12UAW or 12UWZ RADIATOR REQS: Code 13GHW or 13GJT TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WGJ	\$350 +12/+8	\$350 +12/+8
PROVISION FOR PTO Top Mount; With Allison 3000 Transmission REQS: Code 13XAL, 13XAP or 13XAT PTO LOCATION REQS: Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13WBA HYDRAULIC RETARDER AVAIL: Code 13XAL, 13XAP and 13XAT PTO LOCATION	13905	\$1,990	\$1,990

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-141

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PTO LOCATION (CONTINUED)			
Left Side of Transmission REQS: Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL	13XAL	N/C	N/C
No PTO REQS: Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAN	N/C	N/C
Rear of Transmission REQS: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAS	N/C	N/C
Right Side of Transmission REQS: Code 13GHJ, 13GHL, 13GJT or 13GMJ(std) TRANSMISSION, MANUAL -OR- Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 07BEM, 07BEP, 07BET, 07BKE, 07BKP, 07BKS, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM N/A: Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAK	N/C	N/C
Top of Transmission REQS: Code 13905 PROVISION FOR PTO REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE, 07BKG, 07BKN, 07BKP, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER	13XAP	N/C	N/C
SHIFT CONTROL PARAMETERS			
Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WDZ	\$33 0/0	\$33 0/0
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with EcoCal and Dynamic Shift Sensing (FuelSense Basic) REQS: Code 13ATL, 13ATM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2	13WYR	N/C 0/0	N/C 0/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-143

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION, AUXILIARY Fuller - AT-1202 - 2-Speed With Air Shift Controls REQS: Code 16030(std) CAB REQS: Code 14ERB, 14ERC or 14ERP AXLE, REAR, SINGLE - for 7400 SBA 4X2 REQS: Code 14UHC, 14UHD, 14UHK, 14ULP(std), 14ULX, 14ULY, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS or 14UZU SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- Code 14ULT, 14ULU, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14GXC(std), 14HRB, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7400 SBA 6X4 -OR- AXLE, REAR, SINGLE - for 7400 SBA 4X2 REQS: Code 13GHJ, 13GHL, 13GHW, 13GKJ, 13GMJ(std) or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQS: Code 07BEP, 07BJX, 07BKN or 07BKS EXHAUST SYSTEM REQS: Code 15DTA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS or 15SWY FUEL TANK N/A: Code 04ECH AIR DRYER or Code 08WJJ BATTERY BOX : Code 01WMA CROSSMEMBER, INTERMEDIATE or Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : CROSSMEMBER, INTERMEDIATE - for 7400 SBA 4X2 : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2	13607	\$10,524 -26/-9	\$10,524 -39/+4
TRANSMISSION DIPSTICK Relocated to Right Side of Transmission N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WGH	\$61 0/0	\$61 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-145

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION LUBE PUMP for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION REQ: Code 13GHJ, 13GHL, 13GHW, 13GJT or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WAP	\$324 +7/+3	\$324 +7/+3
TRANSMISSION OIL Synthetic; 29 thru 42 Pints N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL EmGard - 40W - Synthetic; 1 thru 21.99 Pints REQ: Code 13GJT or 13GMJ(std) TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC Synthetic; 22 thru 33.99 Pints REQ: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WLP 13WLW 13WLX	\$203 0/0 \$85 +15/+5 \$153 +24/+8	\$203 0/0 \$85 +15/+5 \$153 +24/+8
TRANSMISSION SHIFT CONTROL Allison Bump Shifter Type; for Allison 3000 & 4000 Transmission N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL Push-Button Type; for Allison 3000 & 4000 Series Transmission N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WVN 13WBL	\$496 0/0 N/C 0/0	\$496 0/0 N/C 0/0
WIRING, TRANS, BODY BUILDER Installed Wiring for Transmission/PTO Controls, for Allison 1000, 2000, 2100, 2200, 2400, 2500 Series Transmission N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	13WDH	\$24 +1/0	\$24 +1/0

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4			
AXLE, REAR, SINGLE						
<i>Meritor</i>						
- MS-17-14X-3DFL -						
Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends	14ANP	STD	N/A			
RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17						
REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM						
REQS: Code 14SAH(std), 14SAM, 14VAD or 14VAG SUSPENSION, RR, SPRING, SINGLE						
-OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE						
N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE						
: Code 29334 BRAKE DRUMS, REAR						
: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE						
: Code 14WCB AXLE STOPS, REAR REAR						
: Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR						
AVAIL: Code 14WMG AXLE, REAR, LUBE	14ANM	\$503 0/+31	N/A			
: Code 14881 DIFFERENTIAL, LOCKING						
NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance						
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.						
- MS-19-14X-3DCR -						
Single Reduction, 19,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential				14ANM	\$503 0/+31	N/A
RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17						
REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR						
REQS: Code 04NCZ, 04NDB(std), 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM						
REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD or 14VAG SUSPENSION, RR, SPRING, SINGLE						
-OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE						
N/A: Code 29334 BRAKE DRUMS, REAR						
: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE						
: Code 14WCB AXLE STOPS, REAR REAR						
: Code 14877 and 14881 DIFFERENTIAL, LOCKING						
AVAIL: Code 14WMG AXLE, REAR, LUBE	14ANM	\$503 0/+31	N/A			
NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance						
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.						

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-147

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (CONTINUED)			
<i>Meritor</i>			
- RS-21-160 -			
Single Reduction, 20,000-lb Capacity, 200 Wheel Ends, Driver Control Locking Differential RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63, 6.14,6.43,6.83 or 7.17 REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 32WAA WHEELS, REAR : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WMG AXLE, REAR, LUBE	14ATZ	\$1,743 0/+61	N/A
Single Reduction, 21,000-lb Capacity, 200 Wheel Ends RATIO: 2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91, 4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 30 Days Standard, 90 Days w/no Spin Option : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ATE	\$1,167 0/+227	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-151

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (CONTINUED) Meritor - RS-21-160 - Single Reduction, 21,000-lb Capacity, 200 Wheel Ends, Driver Control Locking Differential RATIO: 2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ATG	\$1,767 0/+241	N/A
- RS-21-230 - Two-Speed, 21,000-lb Capacity, R Wheel Ends RATIO: 4.56/6.36,4.88/6.80,5.38/7.50 or 5.86/8.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DMJ and 32WAA WHEELS, REAR AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 90 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CVB	\$3,257 0/+138	N/A



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - RS-23-160 - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ARB		
- RS-23-161 - Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAM, 14SAN, 14SCD, 14SCE or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14WCB AXLE STOPS, REAR REAR : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ARK	\$1,927 0/+266	N/A
Single Reduction, 23,000-lb Capacity, 200 Wheel Ends RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAM, 14SAN, 14SCD, 14SCE or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE N/A: Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14ASK	\$1,606 0/+252	N/A
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-154

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - RS-23-161 - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ASK		
- RS-23-186 - Single Reduction, 23,000-lb Capacity, 200 Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMH AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : Axle Lead Time is 60 Days : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ARX	\$2,045 0/+284	N/A
Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TBW SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 14WCB AXLE STOPS, REAR REAR : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMH AXLE, REAR, LUBE NOTE: Axle Lead Time is 60 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14ARY	\$1,907 0/+304	N/A
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-155

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - RS-23-186 - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ARY		
- RS-23-240 - Two-Speed, 23,000-lb Capacity, R Wheel Ends RATIO: 4.10/5.59, 4.30/5.86, 4.56/6.21, 4.88/6.55, 5.57/7.60 or 6.14/8.38 REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 90 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CVC	\$3,233 0/+235	N/A
- RS-26-185 - Single Reduction, Standard Track, 26,000-lb Capacity, R Wheel Ends RATIO: 3.42, 3.58, 4.30, 4.56, 4.89, 5.13, 5.38, 5.63, 5.86, 6.14, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 28DME, 28DMJ, 28DTE and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING (SEE NEXT PAGE)	14ARZ	\$3,947 0/+300	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-156

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-157 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-159 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - RS-38-380 - N/A: Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 29597 WHEEL SEALS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 29PBS COATING IDENTITY, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 120 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ERC		
Dana Spicer - S140 - Single Reduction, 17,500-lb Capacity, 190 Wheel Ends RATIO: 3.31,3.58,3.73,3.91,4.10,4.30,4.56,4.88, 5.29,5.57,6.14 or 6.50 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE REQS: Code 13GHJ, 13GHL, 13GHW, 13GJT, 13GKJ, 13GMJ(std) or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMN AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AJH	\$160CR 0/-103	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-161

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-162

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S23-190 - N/A: Code 14WCB AXLE STOPS, REAR REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHE		
- S23-190D - Single Reduction, Hypoid Gearing, 23,000-lb Capacity, R Wheel Ends, Driver Control Locking Differential RATIO: 2.69,2.87,2.93,3.07,3.21,3.42,3.58,3.73, 3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57, 6.14,6.83,7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHG	\$2,267 0/+396	N/A
- S26-190 - Single Reduction, 26,000-lb Capacity, R Wheel Ends RATIO: 2.69,2.87,2.93,3.07,3.21,3.42,3.58,3.73, 3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57, 6.14,6.83,7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle (SEE NEXT PAGE)	14AHK	\$2,651 0/+369	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-164

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S26-190 - REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TAX SUSPENSION, REAR, AIR, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14WCB AXLE STOPS, REAR REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHK		
- S26-190D - Single Reduction, 26,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 2.69,2.87,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83,7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHL	\$3,043 0/+379	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-165

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (CONTINUED) Dana Spicer - S30-190 - Single Reduction, 30,000-lb Capacity, W Wheel Ends RATIO: 2.69,2.87,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83,7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAN, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 29597 WHEEL SEALS, REAR : Code 28DME, 28DMK, 28DTC, 32DPW and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 10441 HUBODOMETER AVAIL: Code 14WMH AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHH	\$3,359 0/+388	N/A
Single Reduction, 31,000-lb Capacity, W Wheel Ends RATIO: 3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83,7.17 or 7.83 REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAN, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 29597 WHEEL SEALS, REAR : Code 28DME, 28DMJ, 28DMK, 28DTC, 32DPW and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING : Code 10441 HUBODOMETER AVAIL: Code 14WMH AXLE, REAR, LUBE : Code 06DAX DRIVESHAFT	14AJY	\$5,105	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-166

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Dana Spicer			
- 17060S - NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AGE		
- 19055 T - Two-Speed, 19,000-lb Capacity, 190 Wheel Ends RATIO: 3.90/5.32,4.11/5.61,4.33/5.91,4.63/6.31, 4.88/6.65,5.29/7.21,5.57/7.60,6.17/8.41, 6.50/8.86 or 7.17/9.77 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DTC, 28DTE, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CEG	\$2,711 0/+35	N/A
- 19060D - Single Reduction, 19,000-lb Capacity, 190 Wheel Ends, Driver Controlled Locking Differential RATIO: 3.36,3.55,3.70,3.90,4.11,4.33,4.63,4.88, 5.29,5.57,6.17,6.50 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR (SEE NEXT PAGE)	14AHP	\$698 0/+18	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-168

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM			
(SEE PREV PAGE)			
Meritor			
- MT-40-14X-4DCR - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVN		
- MT-40-14X-4DCR-P - Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, Lube Pump, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVL	N/A	\$2,074 0/+30
- MT-40-14X-4DER - Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential in Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY	14GVR	N/A	\$879 0/+124
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-175

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-177

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-178

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - MT-40-14X-5DFR - REQS: Code 14UHC, 14UHD, 14UHE, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZR, 14UZS or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVZ		
- RT-46-160 - Single Reduction 46,000-lb Capacity, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GRD	N/A	\$4,734 0/+516
Single Reduction, 46,000-lb Capacity, With Driver Controlled Main Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM	14GRP	N/A	\$5,363 0/+532
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-179

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - RT-46-160P - REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU or 14UZV SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNT, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 32DHY WHEELS, REAR : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14HRL		
- RT-46-164EH - Single Reduction, Standard Width, 46,000-lb Capacity, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING : Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 45 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14HRC	N/A	\$6,303 0/+629
Single Reduction, Standard Width, 46,000-lb Capacity, With Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle (SEE NEXT PAGE)	14HRD	N/A	\$5,736 0/+613

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-182

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM			
(SEE PREV PAGE)			
Dana Spicer			
- D46-170DHP/R46-170DH - NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJK		
- D46-170DP/R46-170D - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends, and Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJN	N/A	\$8,439 0/+437
- D46-170HP/R46-170DH - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends, With Driver Controlled Locking Differential in Rear-Rear Axle RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light	14GJJ	N/A	\$7,119 0/+618
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-186

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Dana Spicer - D46-170HP/R46-170DH - REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJJ		
- D46-170HP/R46-170H - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57, 6.14, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UNA, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 14877 DIFFERENTIAL, LOCKING : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14GJH	N/A	\$6,881 0/+562
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-187

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Dana Spicer - D46-170HP/R46-170H - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJH		
- D46-170P/R46-170 - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 14877 DIFFERENTIAL, LOCKING : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJL	N/A	\$6,039 0/+522
- D46-170P/R46-170D - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends, With Driver Controlled Locking Differential in Rear-Rear Axle RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM (SEE NEXT PAGE)	14GJM	N/A	\$7,089 0/+578

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-188

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Dana Spicer - D46-170P/R46-170D - -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJM		
SUSPENSION, REAR, AIR, SINGLE Hendrickson - HAS 230 - 23,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers REQS: Code 04LGA SLACK ADJUSTERS, REAR, when in combination with Code 04NDB BRAKES, REAR, AIR CAM and Code 14AHB, 14AHC, 14AHE or 14AHG AXLE, REAR, SINGLE REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14ARK, 14ARX, 14ARY, 14CDE, 14CDL or 14CVC AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 810008 FIFTH WHEEL LOCATION (SEE NEXT PAGE)	14TAX	\$2,415 0/+52	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-189

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, SINGLE (SEE PREV PAGE)			
Hendrickson			
- HAS 230 -			
NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TAX		
- PRIMAAX EX -			
23,000-lb Capacity, 9.0" Ride Height, with Shock Absorbers REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14AHE, 14AHG, 14AHL, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ATG or 14051 AXLE, REAR, SINGLE N/A: Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 13607 TRANSMISSION, AUXILIARY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBZ	\$2,489 0/-76	N/A
International			
Ride Optimized Suspension (IROS); 20,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHE, 14AHG, 14AHP, 14AJG, 14AJH, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARX, 14ARY, 14ATE, 14ATG, 14CDL, 14CEG, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE	14TBJ	\$1,374 0/-36	N/A
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-190

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, SINGLE (SEE PREV PAGE) International N/A: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBJ		
SUSPENSION, REAR, AIR, TANDEM Hendrickson - HAS-402-55 - 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQ: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQ: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULU	N/A	\$1,650 0/-199
- HAS-402-60 - 60" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece (SEE NEXT PAGE)	14ULV	N/A	\$1,725 0/-198

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-191

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - HAS-402-60 - REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULV		
- HAS-460-55 - 55" Axle Spacing; 46,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVK, 14GVM, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY <div style="text-align: right;">(SEE NEXT PAGE)</div>	14ULT	N/A	\$1,771 -2/-180

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-192

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - HAS-460-55 - AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULT		
- HAS-460-60 - 60" Axle Spacing; 46,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVK, 14GVM, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULS	N/A	\$1,848 0/-181
- PRIMAAX EX - 55" Axle Spacing; 46,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers Mounted in Standard Location INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	14UNX	N/A	\$3,378 0/+44
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-193

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - PRIMAAX EX - REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLU AXLE, PUSHER, LIFT TYPE : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. 60" Axle Spacing; 46,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers Mounted in Standard Location INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLU AXLE, PUSHER, LIFT TYPE (SEE NEXT PAGE)			
	14UNX		
	14UNY	N/A	\$3,565 0/-442

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-194

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-196 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) International REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. Ride Optimized Suspension (IROS) Heavy Duty; 60" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION 3-Piece with Steel C-Channel and Cast Iron Ends REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS (SEE NEXT PAGE)	14UNT		
Ride Optimized Suspension (IROS) Heavy Duty; 60" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION 3-Piece with Steel C-Channel and Cast Iron Ends REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS (SEE NEXT PAGE)	14UNS	N/A	\$260 0/-422

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-197

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) International N/A: Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNS		
SUSPENSION, REAR, SINGLE Chalmers - 1023 Series - 23,000 lb. Capacity, Shocks Mounted Ahead of Drive Axle, 10.97"/8.66" Unladen/Laden Ride Height REQs: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQs: Code 01GBP FRAME REINFORCEMENT or Code 01CAJ or 01CGA FRAME RAILS REQs: Code 04091(std) BRAKE SYSTEM, AIR REQs: Code 14ANV, 14ARK, 14ARY or 14ASK AXLE, REAR, SINGLE N/A: Code 16CAB CAB : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10HHY FIFTH WHEEL, AIR SLIDE or Code 09505 and 10WTR QUARTER FENDERS or FUEL TANK : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBW	\$1,883 0/-57	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-198

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, SINGLE (CONTINUED) Chalmers - 1030 Series - 30,000 lb. Capacity, With 21" Lower Torque Rods and with Forward Mounted Shock Absorbers and with 7" High Spring X-Low Mount, Provides 9.37" Ride Height REQS: Code 04AZA(std) AIR BRAKE ABS REQS: Code 01CBU FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARK, 14ARX, 14ARZ, 14ASA, 14ASD or 14ASK AXLE, REAR, SINGLE N/A: Code 16CAB CAB : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10HHY FIFTH WHEEL, AIR SLIDE or Code 09505 and 10WTR QUARTER FENDERS or FUEL TANK : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBU	\$2,492 0/-16	N/A
SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 18,500-lb Capacity REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHP, 14AJG, 14AJH, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANY, 14ATY, 14ATZ, 14CDL, 14CEG or 14CVB AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZS AIR BRAKE ABS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR (SEE NEXT PAGE)	14SAH	STD	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-199

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-202 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, RR, SPRING, SINGLE (SEE PREV PAGE)			
REQS: Code 14AET, 14AGA, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14AJY, 14ANK, 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VAH		
Vari-Rate; 31,000-lb Capacity; Includes (3) Torque Rods REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AET, 14AHK, 14AHL, 14ANV, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATG, 14CDE, 14CVC or 14051 AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY	14SCD	\$2,296 0/+167	N/A
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-203

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-400-52 - N/A: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR : Code 14WLU AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UMB		
- HMX-400-54 - Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 14WBS TRANSVERSE TORQUE RODS : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULX	N/A	\$1,103 0/-618

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-206

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-460-72.5 - N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UMC		
- RT-403 - Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJN, 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ or 14GXC(std) AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZV AIR BRAKE ABS : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WLU AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UHC	N/A	\$214 0/+56
Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING	14UHD	N/A	\$482 +2/+130
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-209

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - RT-403 - N/A: Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WLU AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UHE		
- RT-463 - Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity with Bronze Center Bushings INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZV AIR BRAKE ABS : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UHK	N/A	\$712 0/+102
Walking Beam Type; 60" Axle Spacing, 46,000-lb Capacity with Transverse Torque Rods and Rubber Center Bushings INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVL, 14GVM, 14GVU, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRW AXLE, REAR, TANDEM	14UHL	N/A	\$1,609 0/+369
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-211

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - RT-463 - REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UHL		
Chalmers - 854-40L - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 40,000-lb Capacity, With Standard Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE	14UZS	N/A	\$1,430 0/-282
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-212

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 854-40L - N/A: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZS		
- 854-40L-HS - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 40,000-lb Capacity, With High Stability (HS) Restrictor Cans, (8) Torque Rods Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR : Code 14WLU AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZR	N/A	\$1,430 0/-282

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-213

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-214 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 854-46H-HS - REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZB		
- 860-46H - Walking Beam Type, with Rubber Spring, 60" Axle Spacing; 46,000-lb Capacity, with Standard Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)	14UZV	N/A	\$2,204 0/-130

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-215

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 860-46H-HS - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZT		
- 872-46H-HS - Walking Beam Type, with Rubber Spring, 72" Axle Spacing; 46,000-lb Capacity, with High Stability Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZW	N/A	\$2,960 0/-333

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-217

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) International REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 01GBP FRAME REINFORCEMENT AVAIL: Code 01WBA CROSSMEMBER, SUSPENSION NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNA		
AXLE, PUSHER, LIFT TYPE NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - AL-2200 - 20,000-lb Capacity; Includes One Non-Steer Axle REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 14UHK, 14ULX, 14ULY or 14UZB SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 34AAX, 34AAY, 34ABU, 34ABW, 34ACB or 34ACD WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS (SEE NEXT PAGE)	14WLM	N/A	\$9,731 +420/+832

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-219

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, TAG, LIFT TYPE (SEE PREV PAGE) NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - SL1190SSR Tru-Trk Alumilite - REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZH, 14UZR, 14UZS, 14UZT or 14UZU SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 04JNJ and 04JNL SLACK ADJUSTER, PUSHER AXLE : Code 01CAG FRAME RAILS : WHEELS, LIFT AXLE PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 01553 TIRE CARRIER AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	14WNK		
AXLE SPACING, TAG 55" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE 67" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UAZ	N/A	N/C 0/0
	14UBB	N/A	N/C 0/0
TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAE	N/A	N/C 0/0
	14XAG	N/A	N/C 0/0
	14XAH	N/A	N/C 0/0
AXLE, LIFT, CONTROLS for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH (SEE NEXT PAGE)	14RAA	N/A	\$1,088 + 5/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-226

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, LIFT, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 10.99 Pints	14WNB	N/A	\$127
AXLE, REAR, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 29.99 Pints REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHP, 14AJG or 14AJH AXLE, REAR, SINGLE Synthetic Oil; 30 thru 39.99 Pints REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE Synthetic Oil; 40 thru 49.99 Pints REQS: Code 14AHH, 14AHJ, 14AJY, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC or 14ASD AXLE, REAR, SINGLE Synthetic Oil; 50 thru 64.99 Pints REQS: Code 14ERB, 14ERC or 14ERP AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ or 14GXC(std) AXLE, REAR, TANDEM - for 7400 SBA 6X4 Synthetic Oil; 65 thru 89.99 Pints REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	14WMN 14WMG 14WMH 14WMJ 14WMK	\$92 0/0 \$198 0/0 \$214 0/0 \$364 0/0 N/A	N/A N/A N/A \$364 0/0 \$488 0/0
AXLE STOPS, REAR REAR for Hendrickson HAS 230 Suspension REQS: Code 01CAJ FRAME RAILS REQS: Code 14TAX SUSPENSION, REAR, AIR, SINGLE REQS: Code 14AHL, 14ARB, 14ARX or 14ASK AXLE, REAR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE	14WCB	\$135 0/+24	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-228

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SHOCK ABSORBERS, REAR (CONTINUED) (04) for Chalmers Suspension Only, Mounted from Frame to Beam REQS: Code 14UZZB, 14UZZR, 14UZZS, 14UZZT, 14UZZU, 14UZZV or 14UZZW SUSPENSION, REAR, TANDEM N/A: Code 14UULS, 14UULT, 14UULU, 14UULV, 14UUNS, 14UUNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM (04) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM N/A: Code 14UULS, 14UULT, 14UULU, 14UULV, 14UUNS, 14UUNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM	14WBU 14WBV	N/A N/A	\$811 0/+24 \$878 0/+31
SPRINGS, REAR AUXILIARY Multileaf; 4,500-lb Capacity REQS: Code 14SAH(std), 14SAM or 14SAN SUSPENSION, RR, SPRING, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE	14SZB	\$208 0/+78	N/A
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab REQS: Code 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2	14899	\$163 +3/+5	\$163 +3/+5
SUSPENSION LEVELING VALVE Dual Height; One Additional, for Air Ride Suspension REQS: Code 04AZA(std), 04AZJ, 04AZS, 04AZU or 04AZV AIR BRAKE ABS, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- Code 14UULS, 14UULT, 14UULU, 14UULV, 14UUNS, 14UUNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4	14WAS	\$151 0/+3	\$151 0/+5
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-230

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (CONTINUED) (02) Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, (1) 40 U.S. Gal. 151 L Left Side, (1) 50 U.S. Gal. 189 L Right Side, Total Capacity 90 U.S. Gal. 340 L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BET, 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16XUG STEP, RELOCATED : Code 27DPR WHEELS, FRONT : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 16XTK and 16ZBB ACCESS, CAB : Code 04VDU and 04VHZ AIR TANK LOCATION : Code 08VUL, 08VUM, 08WDB and 08WRG BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DZT	\$1,012 +61/+71	\$1,012 +71/+67
(02) Top Draw; D-Style, Polished Aluminum, 16" Tank Depth, (1) 40 U.S. Gal. 151 L Left Side, (1) 50 U.S. Gal. 189 L Right Side, Total Capacity 90 U.S. Gal. 340 L; Mounted Under Cab Left and Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BJY(std), 07BKY or 07BLH EXHAUST SYSTEM N/A: Code 16VBU ACCESS, CAB : Code 16XUG STEP, RELOCATED : Code 13607 TRANSMISSION, AUXILIARY : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 04VDU and 04VHZ AIR TANK LOCATION : Code 08VUL, 08VUM, 08WDB and 08WRG BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DYU	\$1,572 +76/+36	\$1,572 +79/+33
(02) Top Draw; D-Style, Polished Aluminum, 16" Tank Depth, (1) 40 U.S. Gal. 151L Left Side, (1) 50 U.S. Gal. 189L Right Side, Total Capacity 90 U.S. Gal. 340 L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BET, 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16XUG STEP, RELOCATED : Code 27DPR and 27DTT WHEELS, FRONT : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 16XTK and 16ZBB ACCESS, CAB	15DZX	\$1,572 +76/+61	\$1,572 +85/+58

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-233

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 04VDU AIR TANK LOCATION : Code 08VUL, 08VUM, 08WDB and 08WRG BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DZX		
(02) Top Draw; D-Style, Non-Polished Aluminum, 19" Tank Depth, (1) 50 U.S. Gal. 189L Left Side, (1) 70 U.S. Gal. 265L Right Side, Total Capacity 120 U.S. Gal. 454L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BET, 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 27DPR and 27DTT WHEELS, FRONT : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 16XTK and 16ZBB ACCESS, CAB : Code 04VDU AIR TANK LOCATION : Code 08VUL, 08VUM, 08WDB and 08WRG BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DZV	\$1,159 +57/+91	\$1,159 +68/+86
(02) Top Draw; D-Style, Polished Aluminum, 19" Tank Depth, (1) 50 U.S. Gal. 189L Left Side, (1) 70 U.S. Gal. 265L Right Side, Total Capacity 120 U.S. Gal. 454L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BET, 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 27DPR and 27DTT WHEELS, FRONT : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 16XTK and 16ZBB ACCESS, CAB : Code 04VDU AIR TANK LOCATION : Code 08VUL, 08VUM, 08WDB and 08WRG BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DZZ	\$1,452 +66/+78	\$1,452 +76/+74

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-234

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (CONTINUED)			
Polished Aluminum, 26" Diam., 100 U.S. Gal., 378 L Capacity, Mounted Left Side Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEP, 07BJX, 07BJY(std), 07BKE, 07BKP, 07BKS or 07BKY EXHAUST SYSTEM N/A: Code 16XUG STEP, RELOCATED : Code 16196 CAB : Code 08VTK, 08VUL, 08VUM, 08WDB, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 32WAA WHEELS, REAR : Code 08NBP BATTERY SYSTEM AVAIL: Code 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP and 15DYR DEF TANK	15STM	\$681 +40/+38	\$681 +43/+35
Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Right Side BOC, 6" Above the frame rail REQS: Code 16030(std) CAB REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14UHC, 14UHD, 14UHK, 14ULP, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS or 14UZU SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 14UHC, 14UHD, 14UHK, 14ULP, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS or 14UZU SUSPENSION, REAR, TANDEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 07BKE or 07BLG EXHAUST SYSTEM N/A: QUARTER FENDERS : Code 16VBU, 16XTK, 16ZBA and 16ZBB ACCESS, CAB : Code 16ZGM ACCESS, FRAME : Code 04092 BRAKE SYSTEM, AIR : Code 01WMA CROSSMEMBER, INTERMEDIATE : SUSPENSION, REAR, SINGLE or SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 04VCL and 04VHZ AIR TANK LOCATION : Code 08WEJ BATTERY BOX : Code 07SDM ENGINE EXHAUST BRAKE : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG DEF TANK	15SNT	\$315 -32/+103	\$315 -20/+97
Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Left Side BOC, 6" Above the frame rail REQS: Code 16030(std) CAB REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 16030 CAB	15SNU	\$315 +48/+25	\$315 +54/+25
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-235

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
N/A: Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 04VDU and 04WZJ AIR TANK LOCATION : Code 08WBW JUMP START STUD : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG DEF TANK	15SWU		
Temporary; Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side Back of Cab REQS: Code 16030(std) CAB REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14UHC, 14UHD, 14UHK, 14ULP(std), 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS or 14UZU SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- Code 14ULT or 14UNX SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BKE or 07BLG EXHAUST SYSTEM N/A: QUARTER FENDERS : Code 16XUG STEP, RELOCATED : Code 08TST, 08TTTR, 08VUL, 08VUM, 08WDB, 08WRG, 08XDU and 08XDZ BATTERY BOX : Code 14WLU AXLE, PUSHER, LIFT TYPE : Code 15924 and 15960 FUEL TANK STRAPS : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 04VDU and 04VHZ AIR TANK LOCATION - for 7400 SBA 6X4 : Code 04VHZ AIR TANK LOCATION - for 7400 SBA 4X2 : Code 07SDM ENGINE EXHAUST BRAKE : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15WDG DEF TANK	15SSC	\$52CR +13/-2	\$52CR +13/-2
Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE, 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM N/A: Code 16XUG STEP, RELOCATED : Code 16196 CAB : Code 04VHZ AIR TANK LOCATION - for 7400 SBA 4X2 : Code 08WDB, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX AVAIL: Code 04VCL and 04WZJ AIR TANK LOCATION - for 7400 SBA 6X4 : Code 15WHV ANTI-SIPHON DEVICE	15SGJ	N/C +22/+2	N/C +11/-3
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-237

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG and 15WDH(std) DEF TANK	15SGJ		
Top Draw; D-Style, Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side Under Cab REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE, 07BKN, 07BKP, 07BKS, 07BKZ or 07BLG EXHAUST SYSTEM N/A: Code 16XUG STEP, RELOCATED : Code 16196 CAB : Code 08WDB, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 15924 and 15960 FUEL TANK STRAPS : Code 15LKV FUEL/WATER SEPARATOR	15SVM	\$280 +22/+2	\$280 +22/+2
AVAIL: Code 04WZJ AIR TANK LOCATION : Code 08WBW JUMP START STUD : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15WDG and 15WDH(std) DEF TANK			
Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Left Side Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BJY(std), 07BKE, 07BKP, 07BKS, 07BKY, 07BLG or 07BLH EXHAUST SYSTEM N/A: Code 16VBU ACCESS, CAB : Code 16ZGM ACCESS, FRAME : Code 16196 CAB : Code 04VHZ AIR TANK LOCATION - for 7400 SBA 4X2 : Code 08VUL, 08VUM, 08WDB, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 15LMV LOCATION FUEL/WATER SEPARATOR	15SGD	\$351 - 14/-2	\$351 +49/+23
AVAIL: Code 04VCL and 04WZJ AIR TANK LOCATION - for 7400 SBA 6X4 : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG DEF TANK			
Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Right Side Under Cab REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS, 14UZZ, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4	15SGE	\$351 +42/+23	\$351 +48/+23
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-238

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
N/A: Code 15WCS FUEL COOLER : Code 01553 TIRE CARRIER AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08TTR, 08VTN, 08VUJ, 08VUK, 08VUN, 08WEK and 08WJJ BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG DEF TANK	15SPS		
(02) Top Draw; D-Style, Non-Polished Aluminum, 19" Tank Depth, 70 U.S. Gal., 265L, Total Capacity 140 U.S. Gal., 530L; Mounted Under Cab Left and Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BJY(std), 07BKY or 07BLH EXHAUST SYSTEM N/A: Code 16VBU ACCESS, CAB : Code 16196 CAB : Code 13607 TRANSMISSION, AUXILIARY : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08VTK, 08VTN, 08VTR, 08VUL, 08VUM, 08WEJ, 08WEK and 08WEL BATTERY BOX : Code 08WWD BATTERY BOX COVER : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DMV	\$1,246 +35/+26	\$1,246 +100/+49
Top Draw; Non-Polished Aluminum, 26" Diam., 100 U.S. Gal., 378 L Capacity Mounted Left Side Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2	15SJR	\$401 +38/+40	\$401 +41/+37
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-240

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
<p>FUEL TANK (SEE PREV PAGE)</p> <p>N/A: Code 32WAA WHEELS, REAR : Code 08NBP BATTERY SYSTEM AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08XGJ(std) BATTERY BOX - for 7400 SBA 6X4 : Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDH(std) DEF TANK</p> <p>Top Draw; Non-Polished Aluminum, 26" Diam., 80 U.S. Gal., 302 L Capacity Mounted Left Side, Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKN, 07BKP, 07BKS, 07BKY or 07BKZ EXHAUST SYSTEM N/A: Code 16XUG STEP, RELOCATED : Code 16196 CAB : Code 08VTK, 08WDB, 08WEL, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 27DTE WHEELS, FRONT : Code 08NBP BATTERY SYSTEM AVAIL: Code 04VCL and 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP and 15DYR DEF TANK</p> <p>Top Draw; Polished Aluminum, 26" Diam., 80 U.S. Gal., 302 L Capacity Mounted Right Side, Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 01SAL or 01SAM CROSSMEMBER, REAR, AF REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU or 14UZV SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BJY(std) or 07BKY EXHAUST SYSTEM N/A: Code 16VBU ACCESS, CAB : Code 16XUG STEP, RELOCATED : Code 16196 CAB : BATTERY BOX - for 7400 SBA 4X2 : Code 27DPR WHEELS, FRONT : Code 32WAA WHEELS, REAR : Code 08MUE, 08NBP and 08NBR BATTERY SYSTEM AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08XGJ(std) BATTERY BOX - for 7400 SBA 6X4</p> <p>(SEE NEXT PAGE)</p>	<p>15SJM</p> <p>15SJZ</p> <p>15SJN</p>	<p>\$304 +31/+21</p> <p>\$583 +41/+14</p>	<p>\$304 +33/+19</p> <p>\$583 +42/+13</p>

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDH(std) DEF TANK	15SJN		
Top Draw; Polished Aluminum, 26" Diam., 80 U.S. Gal., 302 L Capacity Mounted Left Side, Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKN, 07BKP, 07BKS, 07BKY or 07BKZ EXHAUST SYSTEM N/A: Code 16XUG STEP, RELOCATED : Code 16196 CAB : Code 08VTK, 08WDB, 08WEL, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 08NBP BATTERY SYSTEM AVAIL: Code 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP and 15DYR DEF TANK	15SWD	\$583 +33/+22	\$583 +34/+21
(02) Top Draw; D-Style, Non-Polished Aluminum, 19" Tank Depth, 50 U.S. Gal. 189 L, Total Capacity 100 U.S. Gal., 378 L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BET, 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 27DPR WHEELS, FRONT : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 16XTK and 16ZBB ACCESS, CAB : Code 04VDU AIR TANK LOCATION : Code 08VUL, 08VUM, 08WDB and 08WRG BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DZU	\$1,061 +44/+68	\$1,061 +53/+65

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-245

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 08VUL and 08VUM BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DYS		
Top Draw, D-Style, Polished Aluminum, 19" Depth 70 U.S. Gal., 265L, Capacity; Mounted Left Side Under Cab REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKE, 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ, 07BLG or 07BLH EXHAUST SYSTEM N/A: Code 16196 CAB : Code 08WDB, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX - for 7400 SBA 6X4 : Code 08WDB, 08WEL, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX - for 7400 SBA 4X2 AVAIL: Code 04VCL and 04WZJ AIR TANK LOCATION : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG DEF TANK	15SMD	\$481 +12/+5	\$481 +20/+3
Top Draw, D-Style, Polished Aluminum, 19" Depth 70 U.S. Gal., 265L, Capacity; Mounted Right Side Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 01SAL or 01SAM CROSSMEMBER, REAR, AF REQS: Code 14UHC, 14UHD, 14UHK, 14ULP(std), 14ULX, 14ULY, 14UMB or 14UNA SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BJY(std), 07BKY or 07BLH EXHAUST SYSTEM N/A: Code 16VBU ACCESS, CAB : Code 16196 CAB : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 27DMJ, 27DMZ, 27DNZ, 27DPR, 27DTZ, 27DUA, 27DUM and 27DUN WHEELS, FRONT : Code 28DME, 28DMG, 28DMJ, 28DMK, 32DHY and 32WAA WHEELS, REAR : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 08MUE BATTERY SYSTEM AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08WJN and 08XGJ(std) BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHC and 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SME	\$481 +15/0	\$481 +15/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-250

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-253 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL/WATER SEPARATOR (CONTINUED) Davco - Fuel Pro 382 (382040) - with 120V Pre-Heater and Fuel Heated, Thermostatic Fuel Temperature Control Mounted In Standard Position REQS: Code 12WDK BLOCK HEATER, ENGINE REQS: Code 15LLY, 15LLZ, 15LMA, 15LMG or 15LMV LOCATION FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15LMG LOCATION FUEL/WATER SEPARATOR, when in combination with Code 07BJX EXHAUST SYSTEM and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15LLY, 15LLZ, 15LMA, 15LMG or 15LMV LOCATION FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 15LMG LOCATION FUEL/WATER SEPARATOR, when in combination with Code 07BJX EXHAUST SYSTEM and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 15LLZ LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16196 CAB and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 12VBR AIR CLEANER : Code 07BKE and 07BKG EXHAUST SYSTEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 : Code 07BKE and 07BKG EXHAUST SYSTEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 : Code 15SGE, 15SGH, 15SGK(std), 15SJM, 15SJN, 15SME, 15SXJ and 15SXX FUEL TANK, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 : Code 15SGE, 15SGH, 15SGK(std), 15SJM, 15SJN, 15SME, 15SXJ and 15SXX FUEL TANK, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 : Code 15LMU, 15LMW and 15LPE LOCATION FUEL/WATER SEPARATOR (SEE NEXT PAGE)	15LGM	\$362 +4/+13	\$362 +9/+8

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-255

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL/WATER SEPARATOR (CONTINUED) Racor - Model 32987 - 12 Volt Electric Heater, 40 Micron/60GPH Filter, and Drain for Midrange Diesels, Frame Mounted, In Addition to Engine Mounted Fuel/Water Separator REQS: Code 15LLY, 15LLZ, 15LMA, 15LMG or 15LMV LOCATION FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15LMG LOCATION FUEL/WATER SEPARATOR, when in combination with Code 07BJX EXHAUST SYSTEM and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15LLY, 15LLZ, 15LMA, 15LMG or 15LMV LOCATION FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 15LMG LOCATION FUEL/WATER SEPARATOR, when in combination with Code 07BJX EXHAUST SYSTEM and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 15LLZ LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16196 CAB and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJM, 15SJR, 15SJJ, 15SMD, 15SME, 15SRE, 15STM, 15SWD, 15SWE, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY or 15SXX FUEL TANK - for 7400 SBA 4X2 -OR- Code 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJM, 15SJR, 15SJJ, 15SMD, 15SME, 15SRE, 15STM, 15SWD, 15SWE, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK - for 7400 SBA 6X4 REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 07BKE and 07BKG EXHAUST SYSTEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 : Code 07BKE and 07BKG EXHAUST SYSTEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 : Code 15SGE, 15SGH, 15SGK(std), 15SJM, 15SJM, 15SME, 15SXJ and 15SXX FUEL TANK, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 : Code 15SGE, 15SGH, 15SGK(std), 15SJM, 15SJM, 15SME, 15SXJ and 15SXX FUEL TANK, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 : Code 15LMU, 15LMW and 15LPE LOCATION FUEL/WATER SEPARATOR (SEE NEXT PAGE)	15LKV	\$291 + 9/- 1	\$291 + 9/- 1

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-257

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-258 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
LOCATION FUEL/WATER SEPARATOR (CONTINUED)			
Mounted Outside Left Rail 15" Back of Cab REQS: Code 15LGM or 15LKV FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL N/A: Code 15LKG and 15LKH FUEL/WATER SEPARATOR	15LMA	\$50 +6/+10	\$50 +7/+9
Mounted Outside Left Rail 24" Back of Cab REQS: Code 15DPL, 15DPM, 15SGG, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15DPL, 15DPM, 15SGG, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 15LKV FUEL/WATER SEPARATOR, when in combination with Code 15SGG or 15SMD FUEL TANK and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15LKV FUEL/WATER SEPARATOR, when in combination with Code 15SGG or 15SMD FUEL TANK and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 15LGM or 15LKV FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 15LGM, 15LKV, 15LMN, 15LMP or 15LMR FUEL/WATER SEPARATOR, when in combination with Code 15DPL, 15DPM, 15SJM, 15SJN, 15SJR, 15SJZ, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL AVAIL: Code 15LGM, 15LKV, 15LMN and 15LMR FUEL/WATER SEPARATOR	15LMV	\$50	\$50
Mounted Outside Left Rail 34" Back of Cab AVAIL: Code 15LMN, 15LMP, 15LMR and 15LNG FUEL/WATER SEPARATOR	15LMW	\$50	\$50
Mounted Outside Left Rail 41" Back of Cab REQS: Code 15LGM or 15LKV FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL N/A: Code 15LKG and 15LKH FUEL/WATER SEPARATOR	15LLZ	\$50	\$50
Mounted Outside Left Rail 66" Back of Cab REQS: Code 15LGM or 15LKV FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL N/A: Code 15LKG and 15LKH FUEL/WATER SEPARATOR	15LLY	\$50	\$50
Mounted Outside Left Rail 8" Back of Cab AVAIL: Code 15LMN, 15LMP, 15LMR and 15LNG FUEL/WATER SEPARATOR	15LMU	\$50	\$50

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-259

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
LOCATION FUEL/WATER SEPARATOR (CONTINUED) Mounted Inboard of 5 Gallon DEF Tank, Under Cab REQS: Code 04VCL or 04WZJ AIR TANK LOCATION REQS: Code 15WCN DEF TANK AVAIL: Code 15LMN and 15LMR FUEL/WATER SEPARATOR NOTE: For Use With 5 Gallon DEF Tank Only	15LPE	\$50	\$50
CAB Conventional INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LKU, 16LLR, 16LRX, 16LSA or 16LSD SEAT, DRIVER REQS: Code 16WRX(std) or 16WRZ CAB INTERIOR TRIM REQS: Code 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PXG, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15S XK FUEL TANK N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16UZY and 16UZZ CURTAIN, WINDSHIELD : SEAT, REAR : Code 16ZBA ACCESS, CAB : Code 08XHV BATTERY DISCONNECT SWITCH, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 08SAJ or 08WSM SWITCH, BODY CIRCUITS, MID : Code 08VTK and 08WEL BATTERY BOX, when in combination with Code 15SSC FUEL TANK : Code 08WDB and 08WRG BATTERY BOX : Code 15DYR DEF TANK : Code 16SBA BUNK, LOWER	16030	STD	STD

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-260

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB (SEE PREV PAGE) REQS: Code 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 REQS: Code 16PJV, 16PJW, 16SMH or 16SMJ SEAT, TWO-MAN PASSENGER -OR- Code 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 07BEM, 07BEP, 07BET, 07BJY(std), 07BKP, 07BKS, 07BKY, 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK - for 7400 SBA 4X2 -OR- Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK - for 7400 SBA 6X4 N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16VBS CONSOLE, CENTER : Code 16SDC, 16SED and 16SEE GRAB HANDLE : Code 01WLZ and 01WMA CROSSMEMBER, INTERMEDIATE - for 7400 SBA 6X4 : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 13607 TRANSMISSION, AUXILIARY : BEACON MOUNTING BRACKET, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL - for 7400 SBA 6X4 : Code 08VZP BEACON MOUNTING BRACKET, when in combination with Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL - for 7400 SBA 4X2 : Code 15DYR and 15WCN DEF TANK - for 7400 SBA 6X4 : Code 15DYR DEF TANK - for 7400 SBA 4X2 : Code 08WVP HORN, AIR AVAIL: Code 16WJU WINDOW, POWER : Code 16KAY, 16SMV and 16615 SEAT, REAR : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 16XTK and 16ZBB ACCESS, CAB : Code 01WMA CROSSMEMBER, INTERMEDIATE - for 7400 SBA 4X2 : Code 08TST, 08TTR, 08VTR, 08VUL, 08VUM, 08WEJ and 08WJN BATTERY BOX - for 7400 SBA 6X4 (SEE NEXT PAGE)	16CAB		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-263

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ACCESS, CAB (CONTINUED) Bustin Driver & Passenger Sides, Two Aluminum, Self-Cleaning Steps Per Door, For Use With Crew Cabs REQS: Code 16196 CAB REQS: Code 15DMV, 15DPM, 15DYS, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 16ZGM ACCESS, FRAME : Code 08VUL, 08VUM, 08XDU and 08XDZ BATTERY BOX : Code 07BEV AFTERTREATMENT COVER	16ZBA	\$1,294 +10/+18	\$1,294 +10/+18
ACCESS, FRAME Non-Bright, Step Mounted Left Side, With One Flush Mounted Deck Plate and Grab Handle REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU, 16XTK, 16ZBA and 16ZBB ACCESS, CAB : Code 04VBD AIR DRYER LOCATION or Code 08VZP BEACON MOUNTING BRACKET or Code 08VTK, 08VTN, 08VTR, 08WEJ, 08WEK, 08WEL and 08WJJ BATTERY BOX : Code 01WLZ CROSSMEMBER, INTERMEDIATE - for 7400 SBA 4X2 : Code 08WJJ, 08XDU and 08XDZ BATTERY BOX : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 15SGD FUEL TANK, when in combination with Code 16030 CAB : Code 15LGM, 15LKV, 15LMN, 15LMP and 15LMR FUEL/WATER SEPARATOR, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL	16ZGM	\$227 +8/+6	\$227 +8/+6
AIR CONDITIONER - Blend-Air - With Integral Heater & Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A N/A: Code 16WCS(std) HEATER	16WCT	\$923 +42/+5	\$923 +43/+4

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-265

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AIR CONDITIONER, PROVISION FOR Accommodation Package, for Air Conditioning, Includes (1) SD7 Sanden Auxiliary Compressor in Secondary Compressor Position and Compressor Drive Effects for Vehicle with Primary Compressor Mounting REQs: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 16WCS(std) HEATER : ALTERNATOR PULLEY, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 12851 PTO EFFECTS, ENGINE FRONT	16990	\$689 0/0	\$689 0/0
AMMETER 150 Amp N/A: Code 16VSL WINDSHIELD : Code 16HLM GPS	16HHT	\$87 + 1/0	\$87 + 1/0
ARM REST, LEFT, PASSENGER SEAT REQs: Code 16LER, 16LGC, 16PPD, 16PPH, 16PPN, 16RPV, 16RPX or 16RXP SEAT, PASSENGER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBZ	\$39 + 3/0	\$39 + 3/0
ARM REST, RIGHT, DRIVER SEAT REQs: Code 16JJD, 16JNT, 16JNV, 16JYX, 16LJL, 16LJS, 16LKU, 16LLR, 16LRV, 16LRW or 16LSD SEAT, DRIVER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBY	\$39 + 3/0	\$39 + 3/0
BUNK, LOWER 26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQs: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRV, 16LRW, 16LRX, 16LSA or 16LSD SEAT, DRIVER REQs: Code 16WRX(std), 16WSX or 16WSY CAB INTERIOR TRIM REQs: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION AVAIL: Code 16615 SEAT, REAR : Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	16SBA	\$2,300 +15/+29	\$2,300 +15/+29

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-266

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB INTERIOR TRIM			
Deluxe INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : FLOOR COVERING Rubber, Black : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LKU, 16LLR, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16030(std) CAB REQS: Code 16JJU, 16LER, 16LGC, 16LPC, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WJU WINDOW, POWER : Code 16HCK SEATBELT WARNING PREWIRE : Code 08WTP COURTESY LIGHT	16WRX	STD	STD
Deluxe; for Crew Cab INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : FLOOR COVERING Rubber, Black : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors	16WSG	N/C 0/0	N/C 0/0

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-267

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-269 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB INTERIOR TRIM (SEE PREV PAGE) INCLS: CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16CAB CAB REQS: Code 16JJU, 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT AVAIL: Code 16WJU WINDOW, POWER	16WSY		
CAB REAR SUSPENSION Air Bag Type	16WSK	STD	STD
CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM NOTE: Feature included with CAB INTERIOR TRIM, Premium	16WEE	\$90 + 12/0	\$90 + 12/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CONSOLE, CENTER Polypropylene, With One Coin Holder, One Cup Holder and One Thermos Holder, With Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16030(std) CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 REQS: Code 16JAJ, 16JJU, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16VBS	\$64 +12/0	\$64 +12/0
CONTROLS, CENTER PANEL Includes Ignition Switch, Headlights and Power Mirror Controls Located in Center Panel REQS: Code 16WJS(std) INSTRUMENT PANEL REQS: Code 16SDT or 16SDU MIRRORS REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS or Code 08WLM, 08WLN, 08XJG or 08585 FOG LIGHTS, when in combination with Code 08THJ AUXILIARY HARNESS REQS: Code 16SNB or 16SNC MIRRORS, when in combination with Code 08WLM, 08WLN or 08585 FOG LIGHTS REQS: Code 16WRZ, 16WSJ or 16WSY CAB INTERIOR TRIM, when in combination with Code 16WJU or 16WJV WINDOW, POWER N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE or Code 08630 IGNITION SWITCH : Code 16HLM GPS	16VEX	\$666 0/0	\$666 0/0
COWL TRAY LID	16XXC	\$200 +6/+5	\$200 +7/+4
CURTAIN, WINDSHIELD Privacy for the Windshield and Door Windows REQS: Code 16CAB or 16196 CAB Privacy for Windshield, Doors and Rear Windows REQS: Code 16CAB or 16196 CAB	16UZY 16UZZ	\$250 +8/0 \$338 +10/0	\$250 +8/0 \$338 +10/0
FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood N/A: Code 09WBT GRILLE EMBER SCREEN	16WLS	\$76 0/0	\$76 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-272

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
GAUGE CLUSTER			
<p>English With English Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout</p>	16HBA	STD	STD
<p>English With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout NOTE: Standard in Canada</p>	16HBB	N/C 0/0	N/C 0/0
<p>Metric With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout N/A: GAUGE, AIR APPLICATION</p>	16HBC	N/C 0/0	N/C 0/0
GAUGE, AIR APPLICATION			
N/A: Code 16HLM GPS	16HGN	\$77 + 1/0	\$77 + 1/0
GAUGE, AIR CLEANER RESTRICTION			
<i>Filter-Minder</i>			
With Black Bezel Mounted in Instrument Panel	16HHE	\$30 + 2/0	\$30 + 2/0
GAUGE, DEF FLUID LEVEL			
N/A: GAUGE, OIL TEMP, AUTO TRANS or GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE	16HLJ	STD	STD
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-273

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
GAUGE, OIL TEMP, REAR AXLE (SEE PREV PAGE) REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJY, 14ANK, 14ANM, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 16HLM GPS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL		
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16HCS	\$71 0/0	\$71 0/0
GPS Rand McNally Flush Mounted Style In Wing Panel; Display with Color Touch Screen, Includes GPS Navigation, Rechargeable Battery, Internal Antenna & USB Port N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16HGN GAUGE, AIR APPLICATION : Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HHT AMMETER	16HLM	\$647 0/0	\$647 0/0
GRAB HANDLE (02) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar N/A: Code 16CAB CAB (02) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar N/A: Code 16CAB CAB	16SED 16SEE 16SDC	\$87 \$118 +3/0 \$236 +6/0	\$87 \$118 +3/0 \$236 +6/0
GRAB HANDLE, ADDITIONAL EXT (02) Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; Mounted Left and Right Side on Exterior, Rear of Rear Doors, With Crew Cab REQS: Code 16196 CAB N/A: Code 16SED GRAB HANDLE	16SDD	\$236 +5/0	\$236 +5/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-275

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
GRAB HANDLE, CAB INTERIOR			
(2) Safety Yellow N/A: Code 16196 CAB	16GHU	\$33 0/0	\$33 0/0
(4) Safety Yellow, Crew Cab REQS: Code 16196 CAB	16GHV	\$64 0/0	\$64 0/0
HEATER			
- Blend-Air - with Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps N/A: Code 16990 AIR CONDITIONER, PROVISION FOR : Code 16WCT AIR CONDITIONER	16WCS	STD	STD
HEATER HOSES			
Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78 0/0	\$78 0/0
HOSE CLAMPS, HEATER HOSE			
Breeze Belleville Washer Type	16WHJ	\$25 0/0	\$25 0/0
HEATER SHUT-OFF VALVES			
(1) Ball Valve Type, Supply Line	16564	\$69 +5/0	\$69 +5/0
HOURLY METER, PTO			
for Customer Provided PTO; With Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 +2/0	\$138 +2/0
HVAC FRESH AIR FILTER			
	16WKY	STD	STD
INSTRUMENT PANEL			
Center Section, Flat Panel	16WJS	STD	STD
Center Section, Ergonomic Panel N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 08WEE SWITCH, AIR HORN, PASSENGER	16WJT	\$330 0/0	\$330 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-276

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKT 16HKA	STD N/C 0/0	STD N/C 0/0
KEYLESS ENTRY SYSTEM REMOTE With Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB With Panic Alarm and Horn Beep Lock Confirmation, With Auxiliary Button for Work Light Function Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 08WLL LIGHT, WORK or Code 08WMA SWITCH, TOGGLE, FOR WORK LIGHT With Panic Alarm and Horn Beep Lock Confirmation, With Auxiliary Button for Trailer Accessory Function, Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB	16WKZ 16VCN 16VCP	\$328 + 2/0 \$390 + 1/0 \$390 + 2/0	\$328 + 2/0 \$390 + 1/0 \$390 + 2/0
MIRROR, CONVEX, LOOK DOWN <i>Lang Mekra</i> Right Side; 6" x 10 1/4" N/A: Code 16SDU MIRRORS Right Side; 6" x 10 1/4", With Bright Finish REQS: Code 16SDU MIRRORS	16SDE 16SDG	\$49 + 2/0 \$57 + 2/0	\$49 + 2/0 \$57 + 2/0
MIRRORS <i>Lang Mekra</i> (02) Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16VSL WINDSHIELD : Code 08RCB CB RADIO AVAIL: Code 16SDH, 16SDZ, 16SEA and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SNA	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-277

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-278

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
MIRROR, CONVEX, HOOD MOUNTED (CONTINUED) Lang Mekra Right Side; 7.44" Sq. N/A: Code 16SDU and 16SNC MIRRORS Right Side; 7.44" Sq., Bright Single, Heated, Bright, Right Side REQS: Code 16SDT or 16SDU MIRRORS (02) for Left and Right Sides 7.44" Sq. N/A: Code 16SDU and 16SNC MIRRORS	16SDH 16SEA 16SJV 16WSL	\$70 + 6/0 \$96 + 6/0 \$177 + 5/0 \$137 + 11/0	\$70 + 6/0 \$96 + 6/0 \$177 + 5/0 \$137 + 11/0
MOUNTING BRACKETS for Catwalk, Less Roof Catwalk REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std), 07BKN, 07BKP, 07BKS, 07BKY, 07BKZ or 07BLH EXHAUST SYSTEM N/A: Code 16196 CAB : Code 08VZP BEACON MOUNTING BRACKET : Code 08WVP HORN, AIR : Code 08695 SNOW SHIELD	16917	\$171 + 3/0	\$171 + 3/0
SEAT BELT All Orange; 1 to 3 AVAIL: Code 16615 SEAT, REAR All Orange; 4 to 6 REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16JAJ, 16JJU, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16615 SEAT, REAR All Red; 1 to 3 N/A: Code 16VZB SEAT BELT COMFORT CLIP AVAIL: Code 16615 SEAT, REAR All Red; 4 to 6 REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16JAJ, 16JJU, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16VZB SEAT BELT COMFORT CLIP (SEE NEXT PAGE)	16VCC 16VCB 16VBZ 16VCA	\$26 0/0 \$50 0/0 \$26 0/0 \$50 0/0	\$26 0/0 \$50 0/0 \$26 0/0 \$50 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-279

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT BELT (SEE PREV PAGE)			
N/A: Code 16615 SEAT, REAR	16VCA		
SEAT BELT COMFORT CLIP			
REQS: Code 16JJD, 16JNT, 16JNV, 16JYX, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16LER, 16LGC, 16LUM, 16LUN, 16PPD, 16PPN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY or 16SMZ SEAT, PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER AVAIL: Code 16VCB and 16VCC SEAT BELT	16VZB	\$9	\$9
SEAT, DRIVER			
Seats, Inc.			
- Universal Series - 911, NFPA Compliant, Air Suspension, High Back Vinyl with Covered Back and International Logo on Head Rest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16SML SEAT, TWO-MAN PASSENGER -OR- Code 16JAJ, 16JJU, 16LPC, 16LUM, 16PPH, 16PPY, 16PPZ, 16PXG, 16PXH, 16SMN, 16SMY or 16400 SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR	16KUW	\$342 +31/+19	\$342 +31/+19
National			
Non-Suspension, High Back With Integral Head Rest, Cloth, With Fixed Back REQS: Code 16PJV, 16SMJ or 16SMK SEAT, TWO-MAN PASSENGER -OR- Code 16SMM, 16SMR or 16400 SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH AVAIL: Code 16KAY, 16LJX, 16LJZ, 16SMU and 16615 SEAT, REAR	16KAU	\$25 -27/-75	\$25 -69/-33
Non-Suspension, High Back With Integral Head Rest, Vinyl, With Fixed Back REQS: Code 16PJW, 16SMH or 16SML SEAT, TWO-MAN PASSENGER -OR- Code 16JAJ, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16SMN, 16SMY or 16400 SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT (SEE NEXT PAGE)	16KAV	N/C -28/-75	N/C -69/-33

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-280

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, DRIVER (SEE PREV PAGE)			
National			
N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR	16KAV		
- Model HP - Air Suspension, High Back, with Mordura Cloth, No Arm Rest, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16WRX(std) or 16WRZ CAB INTERIOR TRIM REQS: Code 16030(std) CAB REQS: Code 16LVK, 16SMZ or 16400 SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : SEAT, REAR : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER	16LLR	\$354	\$354
- 2000 - Air Suspension, Hi Back, Vinyl W/Cloth Insert, 1 Inboard Arm Rest, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, -3 to 14 Degree Back Angle Adjustment, Adjust Side Bolster, Vinyl Suspension Cover, Heat INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16PJV or 16SML SEAT, TWO-MAN PASSENGER -OR- Code 16SMM, 16SMX or 16400 SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : SEAT, REAR : Code 16WSX CAB INTERIOR TRIM : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16JPY	\$422 +19/+33	\$422 +21/+31
Air Suspension, High Back With Integral Headrest, Mordura Cloth, Isolated, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumbar Support REQS: Code 16LER, 16LUN, 16SMZ or 16400 SEAT, PASSENGER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16KAY, 16LJX, 16LJZ, 16SMU and 16615 SEAT, REAR	16LSD	\$263 +15/-20	\$263 +13/-18

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-281

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, DRIVER (CONTINUED)			
<i>National</i>			
- 2000 -			
Air Suspension, High Back With Integral Head Rest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjustment, Dual Shocks INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16WBY ARM REST, RIGHT, DRIVER SEAT REQS: Code 16PJV, 16SMJ or 16SMK SEAT, TWO-MAN PASSENGER -OR- Code 16RPX, 16RXP, 16SMM, 16SMR, 16SMX or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH AVAIL: Code 16KAY, 16LJX, 16LJZ, 16SMU and 16615 SEAT, REAR	16JYX	\$374 +24/+15	\$374 +24/+15
Air Suspension, High Back With Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16WBY ARM REST, RIGHT, DRIVER SEAT REQS: Code 16PJV, 16SMJ or 16SMK SEAT, TWO-MAN PASSENGER -OR- Code 16RPX, 16RXP, 16SMM, 16SMR, 16SMX or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH AVAIL: Code 16KAY, 16LJX, 16LJZ, 16SMU and 16615 SEAT, REAR	16LJL	\$417 +25/+15	\$417 +25/+15
Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16PJV, 16SMJ or 16SMK SEAT, TWO-MAN PASSENGER -OR- Code 16RPX, 16RXP, 16SMM, 16SMR, 16SMX or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH AVAIL: Code 16KAY, 16LJX, 16LJZ, 16SMU and 16615 SEAT, REAR	16JNV	\$157 +24/+15	\$157 -1/0
Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, Extended Track INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16CAB or 16196 CAB REQS: Code 16PJV, 16SMJ or 16SMK SEAT, TWO-MAN PASSENGER	16LRW	\$190 +18/+31	\$190 +20/+19
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-282

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-286

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER (CONTINUED)			
Seats, Inc.			
- Universal Series -			
911, NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 0 Degree Back angle, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJG or 16KUW SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16196 CAB	16PPY	\$722 +38/+23	\$722 +38/+23
911, NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 5 Degree Back angle, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16CAB or 16196 CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16PPZ	\$722 +38/+23	\$722 +38/+23
National			
Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth REQS: Code 16JNV, 16JPY, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16SMM	\$398 +13/+10	\$398 +14/+9
Air-Suspension, High Back With Integral Headrest, Mordura Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjustment REQS: Code 16LSD SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LER	\$731	\$731

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-289

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER (CONTINUED)			
<i>National</i>			
Air-Suspension, High Back With Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJD, 16JNV, 16JYX, 16KAV, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16RPX	\$568 +49/+30	\$568 +49/+30
Non Suspension, High Back With Integral Headrest, Mordura Cloth, With Fixed Back REQS: Code 16LSD SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LUN	\$427 +14/+10	\$427 +14/+10
Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage REQS: Code 16JJD, 16JNV, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16SMR	\$504 +23/+18	\$504 +25/+16
Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16SMN	\$368 +13/+10	\$368 +14/+9
Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back, With Under Seat Storage REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16LUM	\$518 +23/+18	\$518 +25/+16

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-290

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER (SEE PREV PAGE)			
<i>National</i>			
- 2000 -			
N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16PPG		
Air Suspension, High Back, Prestige All Leather, International Logo on Headrest, 3 Chamber Lumbar Support, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Heater, Map Pocket INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16LSA SEAT, DRIVER REQS: Code 16WRZ, 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LPZ	\$1,414 +11/+25	\$1,414 +13/+23
Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JNT, 16KAV, 16LJS, 16LRV or 16LRW SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16RPV	\$508 +50/+30	\$508 +50/+30
Air Suspension, Mid Back, Mordura Cloth, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust REQS: Code 16LKU SEAT, DRIVER REQS: Code 16WRX(std) or 16WRZ CAB INTERIOR TRIM REQS: Code 16030(std) CAB N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LGC	\$663	\$663
Air Suspension, High Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Heat INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JPX SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER	16PNX	\$1,097 +27/+19	\$1,097 +27/+19
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-292

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER (SEE PREV PAGE)			
National			
- 2000 -			
N/A: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT	16PNX		
: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
- 2000 195 -			
Air-Suspension, High Back With Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjustment, Cushion and Back Bolsters	16PPD	\$885	\$885
INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type		+22/+17	+22/+17
REQS: Code 16JJD SEAT, DRIVER			
N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER			
: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
H.O. Bostrom			
- Sierra Air 100 -			
NFPA Compliant, Air Suspension, High Back, Vinyl with Covered Back and International on Headrest for Fire Truck	16PPH	\$790	\$790
INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type		+17/+11	+17/+11
REQS: Code 16JJG or 16KUW SEAT, DRIVER			
N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER			
: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
- Tanker 400 CT -			
for SCBA with SecureAll Locking System, Non-Suspension, High Back, Vinyl, Adjusters, 0-Degree Back Angle, with Covered Back, International Logo on Headrest	16JJU	\$1,813	\$1,813
REQS: Code 16JJG or 16KUW SEAT, DRIVER		+29/-15	+28/-14
N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER			
: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT			
: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
: Code 16WSG and 16WSJ CAB INTERIOR TRIM			
: Code 16CAB, 16030(std) and 16196 CAB			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-293

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER (CONTINUED)			
<i>H.O. Bostrom</i>			
- Tanker 400CT - for SCBA; Non-Suspension, High Back, Vinyl, Adjusters, 0-Degree Back Angle, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16WSG and 16WSJ CAB INTERIOR TRIM : Code 16196 CAB	16PXG	\$740 +81/+50	\$740 +81/+50
- Tanker 450 - for SCBA with SecureAll Locking System, Non-Suspension, High Back, Vinyl, Adjusters, 7-Degree Back Angle, With Covered Back, International Logo on Headrest REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16JAJ	\$1,728 +23/-15	\$1,728 +22/-14
for SCBA; Non-Suspension, High Back, Vinyl, Adjusters, 7-Degree Back Angle, With Covered Back, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 04SBC(std) or 04SBD AIR COMPRESSOR N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16PXH	\$740 +81/+50	\$740 +81/+50

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-294

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, REAR			
BENCH; Omit Item REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16CAB or 16196 CAB AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16HCK SEATBELT WARNING PREWIRE	16615	N/C 0/0	N/C 0/0
Seats, Inc.			
- Universal Series - 911, NFPA Compliant, Three Individual Seats on one Riser, Non-Suspension, High Back for SCBA, Vinyl With Covered Back, International Logo on Headrest INCLS: SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One 2-Point Lap Belt for Center Passenger REQS: Code 16JJE, 16JJG, 16JNT, 16JPX, 16KAV, 16KUW, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: BDY INTG, ADDITIONAL CAB HOLE : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16PCS	\$2,234 +212/+141	\$2,234 +212/+141
National			
BENCH; Full Width; Cloth, With Fixed Mid Back REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16CAB CAB REQS: Code 16KAX SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT	16KAY	\$1,057 +39/+55	\$1,057 +43/+51
BENCH; Full Width; Vinyl, With Fixed Mid Back REQS: Code 16JJE, 16JJG, 16JNT, 16JPX, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16CAB CAB REQS: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMV	\$980 +37/+54	\$980 +41/+50
BENCH; Full Width; Cloth, With Fixed Back and Two Integral Outboard Headrests REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW, 16LSA or 16LSD SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16KAX SEAT, FRONT BENCH	16SMU	\$931 +38/+56	\$931 +43/+51

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-295

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, REAR			
(SEE PREV PAGE)			
National			
- 2000 -			
-OR- Code 02AEU, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW(std) or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4	16LJY		
N/A: Code 16SBA BUNK, LOWER			
AVAIL: Code 16VCA and 16VCB SEAT BELT			
: Code 16HCL SEATBELT WARNING PREWIRE			
Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, Lumbar, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, with 18" Wide Cushion and 20" Seat Back	16LJZ	\$1,829 +105/+67	\$1,829 +105/+76
INCLS: SEAT BELT Two 3-Point Shoulder Belts			
REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW or 16LSD SEAT, DRIVER			
REQS: Code 16196 CAB			
REQS: Code 16KAX SEAT, FRONT BENCH			
-OR- SEAT, TWO-MAN PASSENGER			
REQS: Code 02AEU, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW, 02ARX(std) or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2			
-OR- Code 02AEU, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW(std) or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4			
N/A: Code 16SBA BUNK, LOWER			
AVAIL: Code 16VCA and 16VCB SEAT BELT			
: Code 16HCL SEATBELT WARNING PREWIRE			
Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Vinyl, Isolator, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, With 18" Wide Cushion and 20" Seat Back	16LKA	\$1,782 +105/+67	\$1,782 +105/+67
INCLS: SEAT BELT Two 3-Point Shoulder Belts			
REQS: Code 16JJE, 16JJG, 16JNT, 16JPX, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER			
REQS: Code 16196 CAB			
REQS: Code 16JXG(std) SEAT, FRONT BENCH			
-OR- SEAT, TWO-MAN PASSENGER			
REQS: Code 02AEU, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW, 02ARX(std) or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2			
-OR- Code 02AEU, 02AGC, 02AGE, 02AGG, 02ARU, 02ARV, 02ARW(std) or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4			
N/A: Code 16SBA BUNK, LOWER			
AVAIL: Code 16VCA and 16VCB SEAT BELT			
: Code 16HCL SEATBELT WARNING PREWIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-297

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, TWO-MAN PASSENGER (CONTINUED)			
National			
Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, With Under Seat Storage Compartment REQS: Code 16WJS(std) INSTRUMENT PANEL REQS: Code 16JJE, 16JNT, 16KAV, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE - for 7400 SBA 6X4	16SMH	\$576 +30/+41	\$576 +33/+37
Mid Back, Fixed Back, Cloth, With Under Seat Storage INCLS: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position) REQS: Code 16WJS(std) INSTRUMENT PANEL REQS: Code 16JNV, 16JPY, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE - for 7400 SBA 6X4	16PJV	\$610 +6/+4	\$610 +6/+4
Mid Back, Fixed Back, Vinyl, With Under Seat Storage INCLS: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position) REQS: Code 16WJS(std) INSTRUMENT PANEL REQS: Code 16JJE, 16JNT, 16KAV, 16LJS, 16LRV or 16LRX SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4	16PJW	\$563 +6/+4	\$563 +6/+4

(SEE NEXT PAGE)



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
STEP, RELOCATED Driver & Passenger Sides, Raises Lower Step Height 3" for Reduced Step to Step Distance, for use with 19" Fuel Tanks, for Regular, Extended, and Crew Cabs REQS: Code 15DMV, 15DTA, 15DYS, 15DZU, 15DZV, 15DZW, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB	16XUG	\$100	\$100
STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16WLE	\$25 0/0	\$25 0/0
SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights Bright Finish; Includes Integral Clearance/Marker Lights	16XWD 16XWE	\$253 +13/+4 \$688 +12/+5	\$253 +13/+4 \$688 +12/+5
WINDOW, POWER (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB (02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM N/A: Code 16196 CAB	16WJV 16WJU	\$866 +10/0 \$367 +5/0	\$866 +10/0 \$367 +5/0
WINDSHIELD Heated, Single Piece REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS N/A: Code 16VEX and 16VEX CONTROLS, CENTER PANEL : Code 16HHT AMMETER	16VSL	\$632 0/0	\$632 0/0
WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side	16XWY	\$61	\$61

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-302

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-305

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, FRONT (SEE PREV PAGE)			
Accuride - 29807 - N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PAW PAINT IDENTITY, FRONT WHEELS	27DUN		
- 41730 - DISC; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGG, 02ARU, 02ARV, 02ARW, 02ARX(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGG, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	27DUS	\$750	\$750
DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGG, 02ARU, 02ARV, 02ARW, 02ARX(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGG, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 N/A: Code 32WAA WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	27DUR	\$716	\$716

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-307

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, FRONT (CONTINUED)			
Accuride			
- 50408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 32WAA WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	27DUG	\$61CR	\$61CR
- 50409 - DISC; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	27DUP	\$7	\$7
No Vendor Identified			
DISC; 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRG, 26DRL, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARV, 02ARW, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 -OR- Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARV, 02ARW(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02AGG, 02ARV or 02ARW AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 : Code 04JCG(std) BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 : Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS	27DHK	\$914 - 8 / 0	\$914 - 8 / 0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-308

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-309

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-311

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-314

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-325

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEEL, SPARE, DISC (CONTINUED)			
22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMZ WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRN	\$585 +34/+35	\$585 +34/+35
22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMB, 27DMC or 27DME WHEELS, FRONT REQS: Code 28DMB, 28DMC, 28DME or 28DMG WHEELS, REAR - for 7400 SBA 6X4 REQS: Code 28DMB, 28DMC or 28DME WHEELS, REAR - for 7400 SBA 4X2 N/A: Code 27DTD, 27DTE and 27DTH WHEELS, FRONT : Code 28DTD, 28DTE, 28DTH and 28DTJ WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRB	\$424 +27/+27	\$424 +27/+27
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMC WHEELS, FRONT N/A: Code 28DTD, 28DTE, 28DTH and 28DTJ WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	26DRC	\$447 +27/+27	\$447 +27/+27
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Rear Application Only REQS: Code 28DEL, 28DEM or 28DMC WHEELS, REAR - for 7400 SBA 6X4 REQS: Code 28DMC WHEELS, REAR - for 7400 SBA 4X2 N/A: Code 27DTE WHEELS, FRONT : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRG	\$441 +27/+27	\$441 +27/+27
24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ WHEELS, REAR N/A: Code 27DTE WHEELS, FRONT : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DSB	\$340 +31/+31	\$340 +31/+31
24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMK WHEELS, FRONT or Code 28DMK WHEELS, REAR N/A: Code 27DTD, 27DTE, 27DTH and 27DTJ WHEELS, FRONT : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DSG	\$449 +31/+31	\$449 +31/+31

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-330

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEEL, SPARE, DISC (CONTINUED)			
Accuride			
- 28828 - 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DTT WHEELS, FRONT or Code 28DTT WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DTT	\$219	\$219
- 29039 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DPN WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DPN	\$268	\$268
- 29169 - 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DUK WHEELS, FRONT or Code 28DUK WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DUK	\$219	\$219
- 29300 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUL WHEELS, FRONT or Code 28DUL WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DUL	\$219	\$219
- 29806 - 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUM WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DUM	\$476	\$476
- 29807 - 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUN WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DUN	\$476	\$476

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-331

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PAINT IDENTITY, FRONT WHEELS (CONTINUED) Disc Front Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU(std) or 27DUG WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Wheels; With Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTE, 27DTH, 27DTJ, 27DTU(std), 27DUG, 27DUK or 27DUL WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAR 29PBA	\$24 0/0 \$24 0/0	\$24 0/0 \$24 0/0
PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied Gray Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU(std), 28DUG, 28DUK, 28DUL or 32DPW WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Rear Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTU(std) or 28DUG WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Wheels; With Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTC, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU(std), 28DUG or 28DUL WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Omit Paint on Rear Disc Wheels N/A: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ and 32DPW WHEELS, REAR	29PAX 29PAS 29PBB 29PAL	\$48 0/0 \$48 0/0 \$48 0/0 N/C 0/0	\$90 0/0 \$90 0/0 \$90 0/0 N/A
TIRE, SPARE Equal to Model Standard NOTE: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	29007	\$704 +45/+46	\$704 +45/+46
TIRE VALVE CAP Flo-Thru Design N/A: Code 27DTD WHEELS, FRONT	29ACD	\$24 0/0	\$24 0/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DRC, 26DRP, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DRC, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 REQS: Code 27DHz, 27DMB, 27DMC, 27DME, 27DMZ or 27DNZ WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29AAA	\$174 0/0	\$174 0/0
WHEEL BRAND, FRONT/REAR Alcoa Disc Wheels REQS: Code 26DTD, 26DTJ or 26DUS WHEEL, SPARE, DISC REQS: Code 27DMB, 27DMC or 27DME WHEELS, FRONT REQS: Code 28DMB, 28DMC, 28DME or 28DMG WHEELS, REAR - for 7400 SBA 6X4 REQS: Code 28DMB, 28DMC or 28DME WHEELS, REAR - for 7400 SBA 4X2 N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29174	\$523 0/0	\$872 0/0
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil	29WLK	\$59 0/0	\$59 0/0
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 +2/0	\$24 +2/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEEL GUARDS, REAR Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels N/A: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DRA, 28DUR, 28DUS and 32DHY WHEELS, REAR	29WAR	\$24 0/+4	\$47 0/+8
WHEEL IDENTITY Mark Rear Wheel "For Delivery Use Only" REQS: Code 32WAA WHEELS, REAR N/A: Code 27DHZ WHEELS, FRONT	29WAG	N/C 0/0	N/A
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK or 28DUS WHEELS, REAR - for 7400 SBA 6X4 REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK or 28DUS WHEELS, REAR - for 7400 SBA 4X2	29BAG	\$450CR 0/-40	\$898CR 0/-80
WHEEL SEALS, FRONT Stemco - Voyager - Oil Lubricated Wheel Bearings ILO Standard Oil Seals N/A: Code 29ADX HUB BRAND, FRONT - for 7400 SBA 6X4	29598	\$59 0/0	\$59 0/0
WHEEL SEALS, REAR Stemco - Voyager - Oil Lubricated Wheel Bearings REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7400 SBA 6X4	29597	\$60 0/0	\$80 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-337

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, LIFT AXLE PUSHER Accuride - 29300 - Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - 41362 - Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE	34ABV	N/A	\$4,525
	34ABU	N/A	\$2,263
	34ABH	N/A	\$5,278 +231/+219
	34AAM	N/A	\$2,639 +77/+148
	34ABJ	N/A	\$5,365 +230/+218
	34AAP	N/A	\$2,683 +77/+147

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-338

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, LIFT AXLE PUSHER (CONTINUED)			
Accuride			
- 41730 - Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ACE	N/A	\$5,651
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ACD	N/A	\$2,850
Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ACC	N/A	\$5,515
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ACB	N/A	\$2,782
- 50408 - Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	34ABW	N/A	\$4,269
Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ABX	N/A	\$4,314

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-340

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-341

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	\$800
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	\$560
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	\$1,100
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	\$780
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	\$1,300
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920	\$920
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMD	\$1,600	\$1,600
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMK	\$1,120	\$1,120

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-342

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONT, EXT AFTERTREATMENT			
Navistar			
To 36-Month/175,000 Miles (280,000 km), 6,300 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBS, 40LBT, 40LBX, 40LBY, 40LBZ, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCN, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVA	\$800	\$800
To 36-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBT, 40LBX, 40LBY, 40LBZ, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCN, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVB	\$900	\$900
To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBT, 40LBZ or 40LCK SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVC	\$1,800	\$1,800
To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBV, 40LBW, 40LBX, 40LBY, 40LBZ, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVD	\$600	\$600
To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBW, 40LBX, 40LBY, 40LBZ, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVE	\$800	\$800
To 48-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBX, 40LBY, 40LBZ, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCN, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVG	\$1,200	\$1,200

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-343

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONT, EXT AFTERTREATMENT (CONTINUED) Navistar To 48-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBY, 40LBZ, 40LCH, 40LCJ, 40LCK or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVH	\$1,600	\$1,600
To 48-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBZ or 40LCK SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVJ	\$2,000	\$2,000
To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LCA, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCL, 40LCM, 40LCN, 40LCP, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVK	\$900	\$900
To 60-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVL	\$800	\$800
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVM	\$1,000	\$1,000
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for Navistar N10 and Navistar N13 Engines REQS: Code 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS, 40LCX or 40MBV SRV CONTRACT, EXT ENGINE N/A: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW, 12EHX, 12NWC, 12NWD, 12NWE and 12NWK(std) ENGINE, DIESEL	40RAA	\$1,200	\$1,200

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-344

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED) Cummins To 36-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR	40SLY	\$2,400	\$2,400
To 48-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR	40SLZ	\$2,900	\$2,900
To 48-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR	40SMA	\$3,400	\$3,400
To 60-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR	40SMB	\$2,700	\$2,700
To 60-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR	40SMH	\$3,200	\$3,200
To 60-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR	40SMJ	\$3,700	\$3,700

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-349

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED) Cummins To 60-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR To 60-Month/300,000 Miles (480,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR To 72-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR To 84-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL N/A: Code 40SLM, 40SLN, 40SLP, 40SLR, 40SLS, 40SLT, 40SLU, 40SLV and 40SLW SRV CONTRACT, EXT CMMS AFTR To 36-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL AVAIL: Code 40SLM SRV CONTRACT, EXT CMMS AFTR To 36-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL AVAIL: Code 40SLM and 40SLN SRV CONTRACT, EXT CMMS AFTR To 48-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW or 12EHX ENGINE, DIESEL AVAIL: Code 40SLM, 40SLN and 40SLP SRV CONTRACT, EXT CMMS AFTR			
	40SMK	\$4,200	\$4,200
	40SML	\$4,700	\$4,700
	40SMM	\$4,500	\$4,500
	40SMN	\$5,000	\$5,000
	40SLB	\$2,700	\$2,700
	40SLC	\$3,700	\$3,700
	40SLD	\$4,350	\$4,350

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-350

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A PAGE 170-351 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT ENGINE (CONTINUED)			
Navistar			
To 36-Month/175,000 Miles (280,000 km), 6300 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce DT Engines with 660 lb-ft Torque or HIGHER N/A: SRV CONT, EXT AFTERTREATMENT : Code 12EHS, 12EHT, 12EHU, 12EHV, 12EHW, 12EHX, 12NWC, 12NWD, 12NWE and 12NWK(std) ENGINE, DIESEL	40HUP	\$4,120	\$4,120
To 36-Month/175,000 Miles (280,000 km), 6,300 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA SRV CONT, EXT AFTERTREATMENT	40LBS	\$4,120	\$4,120
To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVB and 40KVC SRV CONT, EXT AFTERTREATMENT	40LBT	\$8,080	\$8,080
To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVD SRV CONT, EXT AFTERTREATMENT	40LBV	\$4,000	\$4,000
To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVD and 40KVE SRV CONT, EXT AFTERTREATMENT	40LBW	\$4,400	\$4,400
To 48-Month/200,000 Miles (320,000 km), 7,200 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVB, 40KVD, 40KVE and 40KVG SRV CONT, EXT AFTERTREATMENT	40LBX	\$6,000	\$6,000

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-354

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT ENGINE (CONTINUED)			
Navistar			
To 36-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: SRV CONT, EXT AFTERTREATMENT	40LCT	\$3,680	\$3,680
To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Limited Plan for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: SRV CONT, EXT AFTERTREATMENT	40LCU	\$3,000	\$3,000
To 48-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: SRV CONT, EXT AFTERTREATMENT	40LCV	\$4,400	\$4,400
To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Limited Plan for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: SRV CONT, EXT AFTERTREATMENT	40LCW	\$2,800	\$2,800
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Limited Plan for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40RAA SRV CONT, EXT AFTERTREATMENT	40LCX	\$3,300	\$3,300
To 72-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 40KVC, 40KVJ, 40KVT, 40KVU, 40KVY, 40KVZ and 40KWA SRV CONT, EXT AFTERTREATMENT	40MBV	\$4,600	\$4,600
SRV CONTRACT, EXT FRAME			
To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less	40EUG	\$380	\$380
To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less	40EUD	\$240	\$240

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO 35A

PAGE 170-358

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT FRAME (CONTINUED) To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GXC(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7400 SBA 6X4 -OR- AXLE, REAR, SINGLE - for 7400 SBA 4X2	40EUE	\$300	\$300
SRV CONTRACT, EXT HTR/AC SYS Navistar - Prepackaged Components - To 24-Month/100,000 Miles (160,000 km) To 24-Month/150,000 Miles (240,000 km) To 24-Month/200,000 Miles (320,000 km) To 24-Month/50,000 Miles (80,000 km) To 36-Month/100,000 Miles (160,000 km) To 36-Month/150,000 Miles (240,000 km) To 36-Month/200,000 Miles (320,000 km) To 36-Month/50,000 Miles (80,000 km) To 48-Month/100,000 Miles (160,000 km) To 48-Month/150,000 Miles (240,000 km) To 48-Month/200,000 Miles (320,000 km) To 48-Month/50,000 Miles (80,000 km) To 60-Month/100,000 Miles (160,000 km) To 60-Month/150,000 Miles (240,000 km)	40NGR 40NGS 40NGT 40NGP 40NGV 40NGW 40NGX 40NGU 40NGZ 40NHA 40NHB 40NGY 40NHD 40NHE	\$160 \$200 \$220 \$120 \$220 \$260 \$380 \$180 \$380 \$460 \$660 \$300 \$460 \$580	\$160 \$200 \$220 \$120 \$220 \$260 \$380 \$180 \$380 \$460 \$660 \$300 \$460 \$580

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-359

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PHM	\$1,700	\$1,700
To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PHN	\$2,100	\$2,100
To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PHP	\$2,800	\$2,800
To 36-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PHL	\$1,380	\$1,380
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PHS	\$2,780	\$2,780
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PHT	\$3,440	\$3,440
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PHU	\$5,020	\$5,020
To 48-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PHR	\$2,260	\$2,260
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PHW	\$3,580	\$3,580
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PHX	\$4,420	\$4,420
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PHY	\$6,020	\$6,020
To 60-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission	40PHZ	\$7,620	\$7,620
To 60-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PHV	\$2,900	\$2,900
To 72-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PJA	\$4,640	\$4,640
To 72-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PJB	\$5,740	\$5,740
To 72-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PJC	\$7,820	\$7,820
To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PJD	\$6,500	\$6,500
To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PJE	\$8,020	\$8,020
To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PJG	\$10,940	\$10,940

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-363

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BDY INTG, REMOTE POWER MODULE			
<p>(02) Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp. Total per Power Module (Includes 12 Latched Switches)</p> <p>REQS: Code 14RAA, 14RAB, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4</p> <p>N/A: Code 08XDU BATTERY BOX</p> <p>: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p>	60AAB	\$1,265 +8/0	\$1,265 +8/0
<p>(02) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 2 Switch Packs With Latched Switches)</p> <p>N/A: Code 14RAA, 14RAB, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4</p> <p>: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX</p> <p>: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>: Code 60AAM BDY INTG, POWER MODULE AUX</p> <p>: Code 16SBA BUNK, LOWER</p>	60AAH	\$1,265	\$1,265
<p>(03) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 3 Switch Packs With Latched Switches)</p> <p>N/A: Code 14RAA, 14RAB, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4</p> <p>: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>: Code 60AAM BDY INTG, POWER MODULE AUX</p> <p>: Code 16SBA BUNK, LOWER</p>	60AAJ	\$1,840	\$1,840
<p>Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 1 Switch Pack With Latched Switches)</p> <p>N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>: Code 60AAM BDY INTG, POWER MODULE AUX</p> <p>: Code 16SBA BUNK, LOWER</p>	60AAG	\$690	\$690
<p>(02) SPECIAL; Mounted Inside Cab behind driver seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Module With Switch Pack Containing 6 Latched Switches and 1 Module With Hardware Only)</p> <p>N/A: Code 14RAA, 14RAB, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4</p> <p>: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX</p>	60AAK	\$1,215	\$1,215
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-364

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BDY INTG, DASH IND. LT RED (CONTINUED) (6) for Optional Usage Customer to Program	60AJU	\$266	\$266
BDY INTG, DASH IND. LT GREEN (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJV 60AJW 60AJX 60AJY	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, DASH IND. LT YELLOW (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJZ 60AKA 60AKB 60AKC	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, HEADLIGHTS, WIG WAG High Beam Wig Wag With Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag High Beam Wig Wag With Park Brake Interlock, Park Brake Disables Wig Wag	60AKL 60AKK	\$268 \$268	\$268 \$268
BDY INTG, INDICATOR LIGHTS NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE (02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJC	\$83 0/0	\$83 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-366

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BDY INTG, THROTTLE CONTROL (SEE PREV PAGE) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE REQS: Code 12VXU THROTTLE, HAND CONTROL, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AJG		
TIRES			
Continental Tire			
11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position	7372135415	N/A	STD
11R22.5 LR-G HDL2 DL 491 rev/mile 75 MPH Drive-Position	7372135417	\$84 +17	\$84 +17
11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position	7372135423	\$35 +15	\$35 +15
11R22.5 LR-G HDL2 DL ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135425	\$7CR +17	\$7CR +17
11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position	7372135428	\$16 +9	\$16 +9
11R22.5 LR-G ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7372135429	N/A	\$13CR +6
11R22.5 LR-G HDL2 493 rev/mile 75 MPH Drive-Position	7372135432	\$26CR +9	\$26CR +9
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$63 +15	\$63 +15
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$105 +3	\$105 +3
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$105 +18	\$105 +18
11R22.5 LR-H HSC1 496 rev/mile 75 MPH All-Position	7382135419	N/A	\$69 +10
11R22.5 LR-H HDC1 488 rev/mile 75 MPH Drive-Position	7382135420	N/A	\$134 +9
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$52 +15	\$52 +15
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-374

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-H ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7382135429	N/A	\$9 +6
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	N/A	\$65 +14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$5CR +6	\$5CR +6
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	N/A	\$18 +12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	N/A	\$180 +17
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$225 +31	\$225 +31
295/75R22.5 LR-G HDR2 ECO PLUS 509 rev/mile 75 MPH Drive-Position	7702495434	\$24 +8	\$24 +8
295/75R22.5 LR-G CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7702495436	N/A	\$6 0
295/75R22.5 LR-H CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7792495436	N/A	\$37 +5
255/70R22.5 LR-H HDR 565 rev/mile 81 MPH Drive-Position	7752525406	\$58 -24	\$58 -24
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	N/A	\$9CR -5
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	N/A	\$20 -4
315/80R22.5 LR-L HDR2 491 rev/mile 75 MPH Drive-Position	7772545423	\$453 +31	N/A
315/80R22.5 LR-L HSC1 484 rev/mile 68 MPH All-Position	7792545419	N/A	\$314 +41
315/80R22.5 LR-L CITY SERVICE HA3 480 rev/mile 68 MPH All-Position	7792545435	N/A	\$391 +41
275/70R22.5 LR-H HYBRID HD3 540 rev/mile 81 MPH Drive-Position	7792575428	\$148 -6	N/A
385/65R22.5 LR-L HTC1 495 rev/mile 68 MPH All-Position	7792655412	\$351CR +43	\$351CR +43
425/65R22.5 LR-L HTC1 465 rev/mile 68 MPH All-Position	7752665412	\$126CR +62	\$126CR +62
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-375

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
Continental Tire			
11R24.5 LR-G HSR2 476 rev/mile 75 MPH All-Position	7374225415	N/A	\$55 +9
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$14 +12	\$14 +12
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	N/A	\$74 +9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$9 +29	\$9 +29
11R24.5 LR-H HSC1 472 rev/mile 68 MPH All-Position	7384225419	N/A	\$57 +14
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$105 +25	\$105 +25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$125 +28	\$125 +28
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	N/A	\$18CR +17
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$37CR +15	\$37CR +15
285/75R24.5 LR-G HDR2 492 rev/mile 75 MPH Drive-Position	7704305423	\$39CR +13	\$39CR +13
285/75R24.5 LR-G CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7704305436	N/A	\$20CR +11
285/75R24.5 LR-H CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7784305436	N/A	\$13 +13
Michelin			
11R22.5 LR-G XDE M/S 498 rev/mile 75 MPH Drive-Position	7402133217	\$92 -7	\$92 -7
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	N/A	\$118 -2
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$235 +11	\$235 +11
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	\$117 -3	\$117 -3
11R22.5 LR-H XDE M/S 497 rev/mile 75 MPH Drive-Position	7452133217	\$143 +3	\$143 +3
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-376

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$242 +12	\$242 +12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	N/A	\$165 +5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$373 +33	\$373 +33
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	N/A	\$131 -3
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	N/A	\$253 +13
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	\$422 +27	\$422 +27
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	N/A	\$363 +30
275/80R22.5 LR-G XDE M/S 513 rev/mile 75 MPH Drive-Position	7602533217	\$89 -7	\$89 -7
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	N/A	\$104 -7
275/80R22.5 LR-G X LINE ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533279	\$190 +7	\$190 +7
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$304 +6	\$304 +6
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	N/A	\$203 -8
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	N/A	\$203 -4
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	N/A	\$121 -6
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	N/A	\$584 +42
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	N/A	\$891 +42
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$119CR +57	\$119CR +57
385/65R22.5 LR-L XFE 491 rev/mile 68 MPH All-Position	7792653282	\$9 +46	\$9 +46
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-377

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Michelin</i>			
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$1CR +89	\$1CR +89
425/65R22.5 LR-L XZL 467 rev/mile 65 MPH All-Position	7652663267	\$577 +94	\$577 +94
11R24.5 LR-G XDN2 473 rev/mile 75 MPH Drive-Position	7474223264	\$264 +19	\$264 +19
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	N/A	\$185 +6
11R24.5 LR-G X LINE ENERGY Z 479 rev/mile 75 MPH All-Position	7474223286	N/A	\$172 +8
11R24.5 LR-H XDE M/S 474 rev/mile 75 MPH Drive-Position	7484223217	\$352 +9	\$352 +9
11R24.5 LR-H X LINE ENERGY Z 479 rev/mile 75 MPH All-Position	7484223286	N/A	\$196 +6
11R24.5 LR-H X WORKS Z 473 rev/mile 65 MPH All-Position	7484223287	N/A	\$339 +20
<i>Bridgestone</i>			
11R22.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7372139003	\$200 +14	\$200 +14
11R22.5 LR-G M710 ECOPIA 497 rev/mile 75 MPH Drive-Position	7372139058	N/A	\$191 0
11R22.5 LR-G M760 ECOPIA 492 rev/mile 75 MPH Drive-Position	7372139060	N/A	\$224 +14
11R22.5 LR-H R283A ECOPIA 504 rev/mile 75 MPH All-Position	7382139045	N/A	\$213 -1
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	\$169 +10	\$169 +10
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	\$160 +8	\$160 +8
295/75R22.5 LR-G R283A ECOPIA 516 rev/mile 75 MPH All-Position	7702499045	N/A	\$179 -7
295/75R22.5 LR-G M710 ECOPIA 512 rev/mile 75 MPH Drive-Position	7702499058	\$191 -3	\$191 -3
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	N/A	\$152 -3
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-378

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
Bridgestone			
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$224 +5	\$224 +5
295/75R22.5 LR-H R283A ECOPIA 516 rev/mile 75 MPH All-Position	7792499045	N/A	\$245 -6
315/80R22.5 LR-L M843 480 rev/mile 65 MPH All-Position	7762549052	N/A	\$309 +35
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	N/A	\$368 +29
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	N/A	\$273 +11
285/75R24.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7704309003	\$192 +14	\$192 +14
Goodyear			
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$113 +5	\$113 +5
11R22.5 LR-G G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7372138118	\$92 +14	\$92 +14
11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position	7372138121	\$130 +1	\$130 +1
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	N/A	\$10CR 0
11R22.5 LR-H G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7382138118	\$202 +14	\$202 +14
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	N/A	\$270 +17
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	N/A	\$286 +17
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	N/A	\$351 +23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	N/A	\$370 +22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	N/A	\$84 -5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	N/A	\$31 0
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-379

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Goodyear</i>			
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$122 +20	\$122 +20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$247 +26	\$247 +26
12R22.5 LR-H G622 RSD 482 rev/mile 68 MPH Drive-Position	7382158102	\$365 +18	\$365 +18
12R22.5 LR-H G282 MSD 481 rev/mile 68 MPH Drive-Position	7382158105	\$335 +30	\$335 +30
12R22.5 LR-H G661 HSA 484 rev/mile 75 MPH All-Position	7382158107	N/A	\$346 +19
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	N/A	\$435 +29
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$245 +33	\$245 +33
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$149 +1	N/A
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	N/A	\$30 -7
295/75R22.5 LR-H G399A LHS FUEL MAX 517 rev/mile 75 MPH All-Position	7792498116	N/A	\$277 -10
255/70R22.5 LR-H G622 RSD 561 rev/mile 75 MPH Drive-Position	7752528102	\$62 -25	\$62 -25
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$42CR -28	N/A
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	N/A	\$464 +11
315/80R22.5 LR-L UNISTEEL G291 491 rev/mile 68 MPH All-Position	7772540190	\$452 +12	N/A
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	N/A	\$601 +33
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	N/A	\$707 +41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	N/A	\$635 +28
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	N/C -18	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-380

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
Goodyear			
265/75R22.5 LR-G G661 HSA 539 rev/mile 75 MPH All-Position	7702618107	\$38 -19	N/A
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$169CR +48	\$169CR +48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$37CR +67	\$37CR +67
445/65R22.5 LR-L G296 MSA 457 rev/mile 68 MPH All-Position	7702678113	\$659 +85	\$659 +85
445/65R22.5 LR-L G278 MSD 453 rev/mile 68 MPH Drive-Position	7702678130	\$834 +101	\$834 +101
11R24.5 LR-G G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7374228118	\$230 +24	\$230 +24
11R24.5 LR-G ENDURANCE RSA 473 rev/mile 75 MPH All-Position	7374228132	N/A	\$49 +9
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$335 +21	\$335 +21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$577 +24	\$577 +24
11R24.5 LR-H G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7384228118	\$258 +24	\$258 +24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	N/A	\$332 +22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	N/A	\$155 +4
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$171 +28	\$171 +28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$459 +43	\$459 +43
11.25X24 LR-D IMPLEMENT RIB 482 rev/mile 25 MPH All-Position	6104180115	\$226 -27	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35A

PAGE 170-381

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

Prepared For:

Jefferson Parish
Nicholas DiGerolamo
200 Derbigny St.
Gretna, LA 70053-5850
(504)364 - 2678
Reference ID: 52k 2017 JP

Presented By:

ITA-NOLA, LLC
Ben Springer
301 HORD
HARAHAN LA 70123 -
(504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 7400 SBA 6X4 (SF625)

APPLICATION:

Stake Flat

MISSION:

Requested GVWR: 52000. Calc. GVWR: 52000
Calc. Start / Grade Ability: 24.38% / 1.42% @ 55 MPH
Calc. Geared Speed: 83.6 MPH

DIMENSION:

Wheelbase: 181.00, CA: 113.90, Axle to Frame: 65.00

ENGINE, DIESEL:

{Cummins L9 300} EPA 2017, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM
Governed Speed, 300 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; On/
Off Hwy; Includes Oil Level Sensor, with PTO Provision, Less Retarder, with 80,000-lb GVW &
GCW Max.

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity

AXLE, REAR, TANDEM:

{Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb
Capacity, R Wheel Ends Gear Ratio: 4.88

CAB:

Conventional

TIRE, FRONT:

(2) 11R22.5 Load Range G ECOPLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position

TIRE, REAR:

(8) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position

SUSPENSION, REAR, TANDEM:

{Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber
Center Bushings

FRAME REINFORCEMENT:

Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312";
(274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL

PAINT:

Cab schematic 100GN

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

<u>Code</u>	<u>Description</u>
SF62500	Base Chassis, Model 7400 SBA 6X4 with 181.00 Wheelbase, 113.90 CA, and 65.00 Axle to Frame.
1572	TOW HOOK, REAR (2)
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WGX	WHEELBASE RANGE 169" (430cm) Through and Including 219" (555cm)
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6 <u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER {Bendix AD-9} with Heater <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 Sqn

<u>Code</u>	<u>Description</u>
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq. In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BEV	AFTERTREATMENT COVER Steel, Black
7BKS	EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7WDM	EXHAUST HEIGHT 10'
7WDN	MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum
7WDT	TAIL PIPE (1) Straight Type, Non-Bright, for Single Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense
8HAA	BODY BUILDER WIRING To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total

<u>Code</u>	<u>Description</u>
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8VAY	HORN, ELECTRIC Disc Style
8VUL	BATTERY BOX Steel with Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WML	HEADLIGHTS Long Life Halogen; for Two Light System
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection
8WVP	HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
9HAN	INSULATION, UNDER HOOD for Sound Abatement
9HBM	GRILLE Stationary, Chrome
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction; for WorkStar
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GN"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EHU	ENGINE, DIESEL {Cummins L9 300} EPA 2017, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon
12UWY	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

<u>Code</u>	<u>Description</u>
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines
12XZG	FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2017
13AVL	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, with PTO Provision, Less Retarder, with 80,000-lb GVW & GCW Max.
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming
13XAK	PTO LOCATION Right Side of Transmission
14GVY	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 4.88
	<u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14UHC	SUSPENSION, REAR, TANDEM {Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
	<u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions
15LLZ	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail 41" Back of Cab
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} Unheated, with Primer Pump, and WIF Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WDG	DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

<u>Code</u>	<u>Description</u>
	: GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door
16HBA	GAUGE CLUSTER English with English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel Mounted in Instrument Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back with Integral Head Rest, Vinyl, with Fixed Back
16SMH	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing
16WCT	AIR CONDITIONER {Blend-Air} with Integral Heater & Defroster
	<u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKY	HVAC FRESH AIR FILTER
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
26DUG	WHEEL, SPARE, DISC {Accuride 50408} 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted
27DTJ	WHEELS, FRONT {Maxion 90541} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

<u>Code</u>	<u>Description</u>
28DUG	WHEELS, REAR {Accuride 50408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint
7372135415	(8) TIRE, REAR 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
7372135429	(2) TIRE, FRONT 11R22.5 Load Range G ECOPLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position

Services Section:

40115	WARRANTY Standard for WorkStar 7300/7400 (4x2, 4x4, 6x4, 6x6), Effective with Vehicles Built January 2, 2015 or Later, CTS-2002U
1	Truck and Transportation Equipment Costs

LIMITED WARRANTY FOR MODELS WORKSTAR® SERIES, 7300/7400 (4x2, 6x4, 4x4, 6x6)

*Effective with vehicles built January 02, 2015 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (Feature Code 40010) (See exceptions listed below)	12	Unlimited
Basic Vehicle Warranty (WorkStar Only-Feature 40013)	12	Unlimited
Towing (Vehicles with MaxxForce®7 engine failures only)	24	Unlimited
Towing (Vehicles with MaxxForce®9 engine failures only)	24	250/400
Towing (Vehicles with Navistar® N 9 engine failures only)	24	250/400
Towing (Vehicles with MaxxForce®10 engine failures only)	24	250/400
Towing (Vehicles with Navistar® N 10 engine failures only)	24	250/400
Towing (Vehicles with MaxxForce®DT standard torque engine failures only)	24	Unlimited
Towing (Vehicles with MaxxForce®DT high torque engine failures only)	24	250/400
Towing (First 90 days see below) (Vehicle Down Situations Only)		
(See exceptions listed below)		
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non-Rescue Applications		
MaxxForce® 7 Engine	24	Unlimited
MaxxForce® 9 Engine	24	250/400
Navistar® N 9 Engine	24	250/400
MaxxForce® 10 Engine	24	250/400
Navistar® N 10 Engine	24	250/400
MaxxForce® DT Engine Standard Torque	24	Unlimited
MaxxForce® DT Engine High Torque	24	250/400
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
MaxxForce® 7 Engine	60	100/160
MaxxForce® 9 Engine	60	100/160
Navistar® N 9 Engine	60	100/160
MaxxForce® 10 Engine	60	100/160
Navistar® N 10 Engine	60	100/160
MaxxForce® DT Engine Standard Torque	60	100/160
MaxxForce® DT Engine High Torque	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
Spicer axles, Propeller shaft, Eaton clutch, TTC Transmission	24	Unlimited

Eaton/Fuller 6206/6306 Transmission	24	Unlimited
Meritor Axles	24	Unlimited
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)
Batteries	12	Unlimited
Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

Navistar Diesel Engine Coverage Includes:

Engine block, cylinder heads, internally lubricated components fuel pump, high pressure pump, air compressor, injectors/nozzles; electronic engine modules, engine relays, engine sensors and regulators required for electronic engine operation, and certain aftertreatment components. Excluding: attaching accessories (e.g., fan clutch, alternator, starter, etc.), and externally mounted electrical and filtration systems.

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (such as, non-International® brand engines, tires, Allison Transmissions, lubricants, etc.)
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment
- Front & Rear axle coverage excludes brakes, wheel ends, axle shafts, controls & attachments.

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension.

Other

- Vehicles sold and/or operated outside the United States and Canada
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note:The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

<hr/>		<hr/>	
Customer Signature		Date	
<hr/>		<hr/>	
Owner's Address	City	State/Prov	Postal Code
<hr/>		<hr/>	
Truck Model	Vehicle Identification Number		
<hr/>		<hr/>	
Engine Number	Engine Serial Number		
<hr/>		<hr/>	
Date Delivered to User (DTU)		Odometer Reading at Delivery	

IMPORTANT:The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FRAME RAILS (CONTINUED) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL REQS: Code 02AEU, 02AEV, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARZ, 02ATG or 02AUR AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 -OR- Code 02AEU, 02AEV, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7600 SBA 6X4 2010 REQS: Code 03ACP, 03ACR, 03ADC(std), 03ADD, 03ADE, 03ADG, 03AGA, 03AGU or 03AHU SUSPENSION, FRONT, SPRING REQS: Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010 N/A: Code 10NZL SPECIAL RATING, GWVR : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01GBP FRAME REINFORCEMENT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 01WDR and 01WDS FRAME EXTENSION, FRONT : Code 10021 CHASSIS COATING	01CAG	\$337 0/0	\$337 0/0



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FRAME RAILS (CONTINUED) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14VKL or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAN and 01WDT FRAME EXTENSION, FRONT : Code 01GBP FRAME REINFORCEMENT : Code 14WNL AXLE, PUSHER, LIFT TYPE AVAIL: Code 10021 CHASSIS COATING	01CAJ	\$665 0/0	\$665 0/0
FRAME REINFORCEMENT NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL REQS: Code 01CBU(std) FRAME RAILS REQS: Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for 7600 SBA 4X2 2010 : Code 01WDR FRAME EXTENSION, FRONT : Code 14UZW SUSPENSION, REAR, TANDEM or Code 14UNT SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR - for 7600 SBA 6X4 2010 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE (SEE NEXT PAGE)	01GBP	\$1,700 0/0	\$1,700 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-3

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FRAME REINFORCEMENT (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book N/A: Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 14UNA SUSPENSION, REAR, TANDEM AVAIL: Code 10022 CHASSIS COATING	01GBP		
BUMPER EXTENSION, FRONT 4.0" N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT	01WAC	\$50 +20/0	\$50 +20/0
BUMPER, FRONT Steel, Swept Back INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color Omit Item REQS: Code 09WBK(std) FRONT END N/A: Code 01LEH LICENSE PLATE HOLDER AVAIL: Code 08585 FOG LIGHTS Stainless Steel Clad Aluminum, Swept Back REQS: Code 09WBK(std) FRONT END Steel, Swept Back; Painted 0001 Canyon Black Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness, Includes Mounting Holes for 1 CPI Bumper Mounted Siren Full Width, Aerodynamic, Painted Steel; 0.189" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color Full Width, Aerodynamic, Steel, Painted 0001 Canyon Black; 0.189" Material Thickness	01LLA 01LLK 01LZD 01LNR 01MDP 01MDS 01LMX 01LNS	STD \$30CR -96/+20 \$469 0/0 N/C 0/0 \$362 \$414 \$79 -15/0 \$79 -15/0	STD \$30CR -96/+20 \$469 0/0 N/C 0/0 \$362 \$414 \$79 -15/0 \$79 -15/0
CROSSMEMBER, FRONT for Hydraulic Pump, Mounting Flange to Accommodate Pump REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT	01WDU	\$90 +40/+5	\$90 +40/+5

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-4

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CROSSMEMBER, INTERMEDIATE			
1st Located 16" Back of Cab, 2nd Located 56" Back of Cab REQS: Code 16030(std) CAB REQS: Code 14ULT, 14ULU, 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB or 14UZU SUSPENSION, REAR, TANDEM REQS: Code 15SGJ FUEL TANK REQS: Code 15LKU, 15LKW or 15LKY FUEL/WATER SEPARATOR N/A: Code 01CAW FRAME RAILS : Code 13607 TRANSMISSION, AUXILIARY or Code 08VTN, 08VTR, 08WEL and 08WJJ BATTERY BOX or AXLE, PUSHER, LIFT TYPE	01UBH	N/A	\$116 +10/+145
(1) 5-Piece ilo Each Single Dogbone with 4x2, 4x4 Chassis and Each Double Dogbone with 6x4, 6x6 and 8x6 Tridem Chassis REQS: Code 16030 CAB, when in combination with Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME REQS: Code 16030(std) CAB REQS: Code 01WPZ CROSSMEMBER, SUSPENSION, when in combination with Code 14UHL, 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME N/A: Code 14UHC, 14UMC, 14UNA and 14VKL SUSPENSION, REAR, TANDEM, when in combination with Code 16030 CAB and Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 16CAB or 16196 CAB : Code 13607 TRANSMISSION, AUXILIARY : Code 13607 TRANSMISSION, AUXILIARY or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME	01WMA	N/A	\$429 +24/+26
CROSSMEMBER, REAR, AF			
(02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAM	\$227 -15/+95	\$227 -15/+95
(1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAL	\$116 -5/+45	\$116 -5/+45
(1) 89" Rear of Center of Tandem Suspension or Single Rear Axle N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAZ	N/A	\$116 -8/+31

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-5

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CROSSMEMBER, SUSPENSION			
(1) 7-Piece Steel Replacing (1) Double Dogbone, Forward REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	01WBC	N/A	\$644 +9/+20
(02) 7-Piece Steel Replacing (2) Double Dogbone, Forward and Center REQS: Code 14UHK, 14UNA or 14VKL SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	01WBA	N/A	\$1,288 +9/+49
(02) 5-Piece Steel Replacing (2) Double Dogbone, Forward and Rear REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE REQS: Code 14UHL, 14ULX, 14ULY, 14UMB(std) or 14UZB SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01616 FRAME RAILS WITH TAPERED REAR or AXLE, TAG, LIFT TYPE	01WPZ	N/A	\$265 -3/+124
DECK PLATE			
Aluminum; (2) Section Flush Mounted REQS: Code 16ZHH ACCESS, CAB AND FRAME or Code 16ZGM ACCESS, FRAME N/A: Code 16XTK, 16XTM and 16ZBB ACCESS, CAB AVAIL: Code 16ZHH ACCESS, CAB AND FRAME	01WLS	N/A	\$96 +14/+8
Aluminum; (3) Section Flush Mounted REQS: Code 16ZHH ACCESS, CAB AND FRAME or Code 16ZGM ACCESS, FRAME - for 7600 SBA 6X4 2010 REQS: Code 16ZGM ACCESS, FRAME REQS: Code 14TBU or 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 16XTK, 16XTM and 16ZBB ACCESS, CAB : Code 16ZBP ACCESS, CAB AND FRAME	01WLT	\$251 +22/+11	\$251 +22/+11

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-6

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FRAME RAILS WITH TAPERED REAR (SEE PREV PAGE) N/A: Code 01580 TOW LOOP, REAR	01616		
FRAME, SPECIAL EFFECTS Bolt Transition Plates to Frame for Mixer Body REQS: Code 01CAW FRAME RAILS REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 07BEP EXHAUST SYSTEM REQS: Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK AVAIL: Code 08VUJ, 08VUK, 08VUL(std) and 08VUM BATTERY BOX	01UBG	N/A	\$205 +29/+24
REINFORCEMENT, PINTLE HOOK Ahead of Rear Crossmember for Pintle Hook N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01572 TOW HOOK, REAR	01GTA	N/A	\$176 0/+27
TIRE CARRIER Underslung Basket Type REQS: Code 14UNA SUSPENSION, REAR, TANDEM or Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 14UNA or 14VKL SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR or Code 01572 TOW HOOK, REAR or Code 01580 TOW LOOP, REAR, when in combination with Code 01CAW FRAME RAILS - for 7600 SBA 6X4 2010 : Code 14TAX SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 (SEE NEXT PAGE)	01553	\$199 -20/+97	\$199 -20/+97

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-8

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRE CARRIER (SEE PREV PAGE) N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	01553		
TOW HOOK, FRONT (02) Frame Mounted N/A: Code 01VAX TOW PIN, FRONT : Code 01586 TOW LOOP, FRONT	01570	\$118 +9/-1	\$118 +9/-1
TOW HOOK, REAR (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08THM and 08TKJ STOP, TURN, TAIL & B/U LIGHTS : Code 01GTA REINFORCEMENT, PINTLE HOOK - for 7600 SBA 6X4 2010 : Code 01580 TOW LOOP, REAR	01572	\$75 0/+10	\$75 0/+10
TOW LOOP, FRONT REQS: Code 09WBK(std) FRONT END N/A: Code 01WDR FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT	01586	\$375 +85/0	\$375 +85/0
TOW LOOP, REAR Heavy Duty REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZZ, 14UZZU, 14UZZV, 14UZZW, 14UZZX or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01572 TOW HOOK, REAR AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS	01580	\$408 0/+86	\$408 0/+86

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-9

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TOW PIN, FRONT (2) REQS: Code 09WBR FRONT END N/A: Code 01570 TOW HOOK, FRONT	01VAX	\$375 + 7/- 2	\$375 + 7/- 2
WHEELBASE RANGE 128" (325cm) Through and Including 146" (370cm) 152" (385cm) Through and Including 181" (460cm) 148" (375cm) Through and Including 193" (490cm) 183" (465cm) Through and Including 248" (630cm) 195" (495cm) Through and Including 264" (670cm) 250" (635cm) Through and Including 311" (790cm) 266" (675cm) Through and Including 311" (790cm)	01WHJ 01WHN 01WHK 01WHP 01WHL 01WHR 01WHM	STD N/A \$686 0/0 N/A \$1,124 0/0 N/A \$1,682 0/0	N/A STD N/A \$817 0/0 N/A \$1,390 0/0 N/A
LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT	01LEH	\$29 + 3/0	\$29 + 3/0
AXLE, FRONT NON-DRIVING <i>Meritor</i> - MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 03ADC(std) SUSPENSION, FRONT, SPRING N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 01CAW FRAME RAILS : Code 27DHZ, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 04WCC BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ARW	STD	STD

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-10

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AXLE, FRONT NON-DRIVING (CONTINUED) Meritor - MFS-13-143A - Wide Track, I-Beam Type, 13,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCG(std), 04JCJ or 04196 BRAKES, FRONT, AIR CAM REQS: Code 03AGU SUSPENSION, FRONT, SPRING N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04AZS AIR BRAKE ABS : Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT AVAIL: Code 04WCC BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ATG	\$192 0/0	N/A
- MFS-14-143A - Wide Track, I-Beam Type, 14,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7600 SBA 4X2 2010 -OR- Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7600 SBA 6X4 2010 REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION, FRONT, SPRING N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 27DHz, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHES, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 04WCC BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ARV	\$700 +69/0	\$700 +69/0
- MFS-16-133A - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14GVJ AXLE, REAR, TANDEM and Code 14GVK AXLE, REAR, TANDEM and Code 14GVL AXLE, REAR, TANDEM and Code 14GVN AXLE, REAR, TANDEM and Code 14GVR AXLE, REAR, TANDEM and Code 14GVU AXLE, REAR, TANDEM and Code 14GVY AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010	02AUR	\$2,717 +178/0	\$2,717 +178/0
(SEE NEXT PAGE)			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-11

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, FRONT, SPRING			
<p>Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGE or 02ARW(std) AXLE, FRONT NON-DRIVING N/A: Code 01CAW FRAME RAILS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.</p>	03ADC	STD	STD
<p>Multileaf, Shackle Type; 14,000-lb Capacity; with Shock Absorbers, for Reduced Deflection Vocational Use INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02ARV or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 -OR- Code 02ARV AXLE, FRONT NON-DRIVING - for 7600 SBA 6X4 2010 N/A: Code 04AZS AIR BRAKE ABS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.</p>	03AGU	\$244 +119/0	\$244 +119/0
<p>Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02ARV AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.</p>	03ADD	\$244 +28/0	\$244 +28/0
<p>Multileaf, Shackle Type; 16,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEU, 02ARU or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.</p>	03ACP	\$283 +139/0	\$283 +139/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-20

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, FRONT, SPRING (CONTINUED) Parabolic, Taper Leaf; 16,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEU, 02ARU, 02ARV or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADE	\$283 +87/0	\$283 +87/0
Multileaf, Shackle Type; 18,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEV or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACR	\$317 +175/0	\$317 +175/0
Parabolic, Taper Leaf; 18,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEV or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADG	\$450 +113/0	\$450 +113/0
Multileaf, Shackle Type, Single Stage Spring; 20,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEV, 02AEW, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS : Code 03WAM SPACER BLOCK, SPRING, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACS	\$528 +202/0	\$528 +202/0
Parabolic, Taper Leaf; 20,000-lb Capacity; with Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEW or 02ARY AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT <div style="text-align: right;">(SEE NEXT PAGE)</div>	03AGA	\$724 +73/0	\$724 +73/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-21

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4/8x6 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type REQS: Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 -OR- Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING - for 7600 SBA 6X4 2010 REQS: Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7600 SBA 6X4 2010 -OR- BRAKES, FRONT, AIR CAM - for 7600 SBA 4X2 2010 N/A: Code 04774 and 04795 SPECIAL RATING, GAWR : Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 16ZGM ACCESS, FRAME : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : BRAKE DRUMS, FRONT or BRAKE DRUMS, REAR : Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL : Code 04WDT SPRING BRAKE MODULATOR VALVE : Code 04692 HOSE TENDER : Code 14WLM AXLE, PUSHER, LIFT TYPE or Code 14WLR AXLE, TAG, LIFT TYPE, when in combination with Code 04AZS or 04AZY AIR BRAKE ABS - for 7600 SBA 6X4 2010 : Code 08WAA and 08WLL LIGHT, WORK : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 04WCC BRAKE PACKAGE, FRONT REC: Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 08HAA, 08HAB, 08HAE or 08HAU BODY BUILDER WIRING NOTE: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7600 SBA 4X2 2010 <div style="text-align: right;">(SEE NEXT PAGE)</div>	04091	STD	STD

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-23

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BRAKE SYSTEM, AIR (SEE PREV PAGE) -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEM(std), 07BEP or 07BJX EXHAUST SYSTEM - for 7600 SBA 6X4 2010 N/A: Code 10NZL SPECIAL RATING, GVWR : Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 08VZP BEACON MOUNTING BRACKET or Code 08TPS STOP, TURN, TAIL & B/U LIGHTS or Code 15LLP LOCATION FUEL/WATER SEPARATOR or Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 16196 CAB : Code 16917 MOUNTING BRACKETS : Code 04NDA BRAKES, REAR, AIR CAM - for 7600 SBA 4X2 2010 : Code 04AZE AIR BRAKE ABS : Code 04619 TRAILER CONNECTIONS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 : Code 32WAA WHEELS, REAR : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 15SNT and 15SNU FUEL TANK or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT : Code 08TMJ SWITCH, MARKER INTERRUPT AVAIL: Code 04WDU HAND CONTROL VALVE, AIR : Code 04ERC BRAKE CHAMBERS, SPRING - for 7600 SBA 4X2 2010 : Code 14881 DIFFERENTIAL, LOCKING - for 7600 SBA 4X2 2010 : Code 13WBA HYDRAULIC RETARDER : Code 08HAA BODY BUILDER WIRING REC: Code 10STA, 10WDA or 10WDN FIFTH WHEEL MOUNTING ANGLES or Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH or 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ or 10HKK FIFTH WHEEL, AIR SLIDE (SEE NEXT PAGE)	04092		

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-25

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AIR BRAKE ABS (SEE PREV PAGE) Meritor Wabco - AntiLock Brake System - -OR- Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- Code 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010	04AZE		
AIR COMPRESSOR Bendix - BA-921 Head Unload - 15.9 CFM Capacity, Single Cylinder REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 Knorr-Bremse - LP-720 DLU - 31.8 CFM Capacity, Dual Cylinder REQS: Code 04EBS or 04EBT AIR DRYER N/A: Code 04WRJ AIR COMPRESSOR DISCHARGE LINE	04SPM 04SBV	STD \$2,478 +22/0	STD \$2,478 +22/0
AIR COMPRESSOR DISCHARGE LINE 1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air Dryer REQS: Code 04SPM(std) AIR COMPRESSOR N/A: Code 04VHZ and 04WZJ AIR TANK LOCATION	04WRJ	\$100 0/0	\$100 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-30

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AIR DRYER Meritor Wabco - System Saver 1200 - with Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab REQS: Code 04SPM(std) AIR COMPRESSOR Bendix - AD-IP - with Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010 - AD-9 - With Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010	04EBD	\$497 +9/+9	\$497 +9/+9
	04EBT	\$526 +20/+5	\$526 +20/+5
	04EBS	\$450 +21/+6	\$450 +21/+6



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AIR DRYER LOCATION Mounted to Outside Left Rail on Fuel Water Separator Bracket REQS: Code 04VHZ AIR TANK LOCATION, when in combination with Code 15SSC FUEL TANK REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 15SGD FUEL TANK REQS: Code 04EBD AIR DRYER, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 04EBD AIR DRYER, when in combination with Code 15SSC FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 04EBT AIR DRYER, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 04EBT AIR DRYER, when in combination with Code 15SWJ or 15SWK FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 15SSC FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 08TST, 08TTR, 08VUJ, 08WEJ or 08WEK BATTERY BOX, when in combination with Code 15SNT or 15SNU FUEL TANK REQS: Code 08VUJ or 08VUK BATTERY BOX, when in combination with Code 15SGD FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM or 08WEL BATTERY BOX, when in combination with Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK REQS: Code 08VUN or 08WJJ BATTERY BOX, when in combination with Code 15SWJ or 15SWK FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 14UZB or 14UZU SUSPENSION, REAR, TANDEM, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 14VKL SUSPENSION, REAR, TANDEM or Code 14UPL SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 15SWJ or 15SWK FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 15SGD FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 15SGD, 15SJZ, 15SNT, 15SNU, 15SSC, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK (SEE NEXT PAGE)	04VHT	N/A	\$27 +37/+33

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-32

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AIR DRYER LOCATION (SEE PREV PAGE) REQS: Code 15LKU or 15LKW FUEL/WATER SEPARATOR, when in combination with Code 15SGD, 15SWJ or 15SWK FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 15LKU or 15LKW FUEL/WATER SEPARATOR, when in combination with Code 15SWJ or 15SWK FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 15LKU FUEL/WATER SEPARATOR, when in combination with Code 08VUL or 08WEL BATTERY BOX and Code 15SWE FUEL TANK and Code 15SWG FUEL TANK - for 7600 SBA 6X4 2010 REQS: Code 15LKX or 15LKY FUEL/WATER SEPARATOR, when in combination with Code 15SSC FUEL TANK - for 7600 SBA 6X4 2010 N/A: AIR COMPRESSOR DISCHARGE LINE or AXLE, PUSHER, LIFT TYPE : AIR TANK LOCATION, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SBA 6X4 2010 : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 15SWJ or 15SWK FUEL TANK : Code 15LLP LOCATION FUEL/WATER SEPARATOR or Code 16CAB and 16196 CAB, when in combination with Code 08VUL or 08WEL BATTERY BOX and Code 15SWE FUEL TANK and Code 15SWG FUEL TANK - for 7600 SBA 6X4 2010 : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15SGD, 15SWJ or 15SWK FUEL TANK	04VHT		
AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports N/A: Code 04VHZ AIR TANK LOCATION Polished Aluminum, with Straight Thread O-Ring Ports AVAIL: Code 04VCL AIR TANK LOCATION	04VGN 04VGM	\$432 - 11/-5 \$502 - 11/-5	\$432 - 11/-5 \$502 - 11/-5
AIR TANK LOCATION (02) Mounted Under Cab, Outside Left Rail, on Step Bracket, with Ground Clearance REQS: Code 04VHT AIR DRYER LOCATION, when in combination with Code 04EBD AIR DRYER - for 7600 SBA 6X4 2010 REQS: Code 04EBD or 04EBT AIR DRYER REQS: Code 04WDA, 04WWZ, 04722 or 04732 DRAIN VALVE REQS: Code 14SAL, 14SAN, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZH, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 (SEE NEXT PAGE)	04VHZ	\$434	\$434

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-33

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BRAKE PACKAGE, FRONT (SEE PREV PAGE) Meritor - EX225H2 - N/A: Code 04JCG(std), 04JCJ(std), 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04WCD and 04WXW BRAKE PACKAGE, REAR	04WZK		
BRAKE PACKAGE, REAR Dana Spicer - ES-165-7 - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04WCC BRAKE PACKAGE, FRONT REQS: Code 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04NAL BRAKE IDENTITY, REAR - for 7600 SBA 6X4 2010 : Code 04773 BRAKE SHOES, REAR : Code 04EUE BRAKE LININGS, REAR - ES-165-7H - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters, 52,000-lb Capacity Drive Tandem Axle Rating or 26,000 lb Drive Single Axle Rating REQS: Code 04NDB(std) BRAKES, REAR, AIR CAM N/A: Code 04EUE BRAKE LININGS, REAR AVAIL: Code 04WCC BRAKE PACKAGE, FRONT	04WCD 04WXW	\$368 N/A	\$736 \$2,656
BRAKE SHOES, REAR Cast REQS: Code 04NCZ, 04NDA, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7600 SBA 4X2 2010 -OR- Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7600 SBA 6X4 2010 AVAIL: Code 04WXW BRAKE PACKAGE, REAR - for 7600 SBA 6X4 2010 NOTE: Provides Rear Axle GAWR Up to 26,000-Lb. - for 7600 SBA 4X2 2010 : Provides Rear Axle GAWR Up to 52,000-Lb. - for 7600 SBA 6X4 2010	04773	\$1,021 0/+50	\$2,042 0/+100
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP(std) BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGE, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 -OR- Code 02AGE or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7600 SBA 6X4 2010 REQS: Code 04092 BRAKE SYSTEM, AIR - for 7600 SBA 6X4 2010 -OR- BRAKE SYSTEM, AIR - for 7600 SBA 4X2 2010 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC (SEE NEXT PAGE)	04JCG	STD	\$265CR 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-38

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake REQS: Code 04NAL BRAKE IDENTITY, REAR, when in combination with Code 04WXW BRAKE PACKAGE, REAR and Code 04091 or 04092 BRAKE SYSTEM, AIR - for 7600 SBA 6X4 2010 REQS: Code 04EVH or 04EXU(std) BRAKE CHAMBERS, REAR AXLE REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERB, 14ERP or 14051(std) AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 AVAIL: Code 04NAL BRAKE IDENTITY, REAR - for 7600 SBA 6X4 2010 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDB	STD	STD
S-Cam; 16.5" x 7.0"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE N/A: Code 04NAL and 04NNP BRAKE IDENTITY, REAR AVAIL: Code 04795 SPECIAL RATING, GAWR - for 7600 SBA 6X4 2010 : Code 04WCD BRAKE PACKAGE, REAR : Code 04WYB BRAKE CHAMBERS, SPRING - for 7600 SBA 4X2 2010 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDL	N/C 0/+36	N/C 0/+2
S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04NAL and 04NNP BRAKE IDENTITY, REAR : Code 04WCD and 04WXW BRAKE PACKAGE, REAR AVAIL: Code 04795 SPECIAL RATING, GAWR - for 7600 SBA 6X4 2010 : Code 04WYB BRAKE CHAMBERS, SPRING - for 7600 SBA 4X2 2010 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NCZ	N/C 0/+48	N/C 0/+96

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-41

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BRAKES, REAR, AIR CAM (CONTINUED) S-Cam; 16.5" x 7.0"; Includes 36/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes REQS: Code 04EXT BRAKE CHAMBERS, REAR AXLE REQS: Code 04773 BRAKE SHOES, REAR REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14SCD, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE REQS: Code 14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD, 14ERB or 14ERC AXLE, REAR, SINGLE N/A: Code 04774 SPECIAL RATING, GAWR : Code 04NNP BRAKE IDENTITY, REAR : Code 04WCD BRAKE PACKAGE, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDA	N/C 0/+64	N/A
S-Cam; 16.5" x 8.625" Includes 30/30 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EVH or 04EXU(std) BRAKE CHAMBERS, REAR AXLE N/A: Code 04WCD and 04WXW BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04NNP BRAKE IDENTITY, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDH	N/A	\$222 0/+80
S-Cam; 16.5" x 8.625"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE N/A: Code 04WCD and 04WXW BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04NNP BRAKE IDENTITY, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDP	\$111 0/+52	\$222 0/+2
S-Cam; 16.5" x 8.625"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE N/A: Code 04WCD and 04WXW BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR AVAIL: Code 04795 SPECIAL RATING, GAWR - for 7600 SBA 6X4 2010 : Code 04NNP BRAKE IDENTITY, REAR (SEE NEXT PAGE)	04NDN	\$111 0/+56	\$222 0/+112

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-42

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BRAKE CHAMBERS, REAR AXLE (CONTINUED) MGM - TR3030LP3TSHD - 30/30 Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7600 SBA 6X4 2010 REQS: Code 04NDB(std) BRAKES, REAR, AIR CAM - for 7600 SBA 4X2 2010 -OR- Code 04NDB(std) or 04NDH BRAKES, REAR, AIR CAM - for 7600 SBA 6X4 2010 AVAIL: Code 04AAA BRAKE CHAMBERS, ADDITIONAL - for 7600 SBA 6X4 2010	04EVH	\$150 0/0	\$300 0/0
BRAKES, AIR CAM, PUSHER AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Three Pusher Lift Axles AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JBR 04JBU 04JBV 04JCK 04JBS	N/A N/A N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0 N/C 0/0 N/C 0/0
BRAKES, AIR CAM, TAG AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WLR AXLE, TAG, LIFT TYPE	04JBW 04JBT	N/A N/A	N/C 0/0 N/C 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-44

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
DRAIN VALVE			
Berg			
with Pull Chain, for Air Tank	04732	STD	STD
No Vendor Identified			
(03) Petcocks, for Air Tanks	04WDA	N/C 0/0	N/C 0/0
Automatic, with (3) Pull Chains, for Air Tanks	04WRP	\$44 0/0	\$44 0/0
(03) with Pull Chains for Air Tanks	04WWZ	\$105 +2/+1	\$105 +2/+1
Bendix			
- DV-2 -			
(1) Automatic, with Heater, with (2) Berg Pull Chains, for Air Tank	04WXX	\$112	\$112
Automatic, with Heater, for Air Tank INCLS: DRAIN VALVE Mounted in Wet Tank	04722	\$119 +1/0	\$119 +1/0
DUST SHIELDS, FRONT BRAKE			
for Air Brakes REQS: Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 -OR- Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING - for 7600 SBA 6X4 2010 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC	04WBX	\$35 +4/0	\$35 +4/0
DUST SHIELDS, REAR BRAKE			
for Air Brakes	04WDM	\$70 0/+6	\$102 0/+12
HAND CONTROL VALVE, AIR			
for Trailer Brakes, Omit Item. REQS: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR	04WDU	N/C -2/0	N/C -2/0
For Rear Chassis Brakes; with Pressure Reducing Valve INCLS: HAND CONTROL VALVE, AIR Mounted on Steering Column REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04619 TRAILER CONNECTIONS NOTE: Not Intended to be Used for Locally Installed Trailer Connections	04583	\$255 +5/0	\$255 +5/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-45

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
HOSE TENDER Flexible Pogo Stick Type REQ: Code 16ZGM ACCESS, FRAME or Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 07BEM(std), 07BEP or 07BJX EXHAUST SYSTEM	04692	N/A	\$72 0/0
SLACK ADJUSTERS, FRONT Haldex Automatic REQ: Code 04LGA SLACK ADJUSTERS, REAR REQ: Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 -OR- Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING - for 7600 SBA 6X4 2010 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04WCC BRAKE PACKAGE, FRONT	04LAA	\$138 +6/0	\$138 +6/0
SLACK ADJUSTERS, REAR Haldex Automatic REQ: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JDD or 04JDE BRAKES, FRONT, AIR DISC	04LGA	\$188 0/0	\$268 0/0
SLACK ADJUSTER, PUSHER AXLE Haldex Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Automatic; for (3) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL 04JNM 04JNJ	N/A N/A N/A	\$98 0/0 \$147 0/0 \$58 0/0
SLACK ADJUSTER, TAG AXLE Haldex Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	N/A	\$58 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-46

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
STEERING WHEEL			
2-Spoke, 18" Dia., Black N/A: Code 16XVZ CAB INTERIOR TRIM	05CAL	STD	STD
2-Spoke; 18" Dia., Black, Leather Wrapped N/A: Code 16XVZ CAB INTERIOR TRIM	05CAN	\$69 + 1/0	\$69 + 1/0
4-Spoke; 18" Dia., Black Leather Wrapped REQS: Code 16XVZ CAB INTERIOR TRIM	05CBE	\$236	\$236
DRIVESHAFT			
Dana Spicer			
SPL140 in lieu of 1710 Series REQS: Code 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE	06DAZ	\$105 - 5/- 16	N/A
SPL170XL in lieu of 1710 Series	06DAX	\$445 0/+ 2	N/A
DRIVESHAFT SYSTEM			
SPL250XL Driveshaft and SPL170XL Interaxle Shaft in lieu of 1810 Driveshaft and 1710 Interaxle Shaft REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL	06DDC	N/A	\$532 - 2/- 2
EXHAUST SYSTEM			
Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab REQS: Code 13ATL, 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7600 SBA 4X2 2010 -OR- TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC - for 7600 SBA 6X4 2010 REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01UBG FRAME, SPECIAL EFFECTS - for 7600 SBA 6X4 2010 : Code 08TST, 08TTR, 08VTJ, 08VTN, 08VUJ, 08VUK, 08WEK and 08WEL BATTERY BOX	07BEM	STD	STD
(SEE NEXT PAGE)			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-49

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AFTERTREATMENT with Special Temperature Control, for Stationary Applications N/A: ACCESS, CAB or ACCESS, CAB AND FRAME, when in combination with Code 16030 CAB and Code 07BEP EXHAUST SYSTEM	07BEW	\$201 0/0	\$201 0/0
AFTERTREATMENT COVER Polished Aluminum REQS: Code 16XTK or 16ZBB ACCESS, CAB or Code 16ZBP or 16ZGR ACCESS, CAB AND FRAME, when in combination with Code 07BEM or 07BEP EXHAUST SYSTEM REQS: Code 07BEM(std), 07BEP or 07BKE EXHAUST SYSTEM N/A: Code 16XTM ACCESS, CAB : Code 08TST, 08TTR, 08VTJ and 08VUR BATTERY BOX AVAIL: Code 16ZGR ACCESS, CAB AND FRAME : Code 07WBS MUFFLER/TAIL PIPE GUARD	07BES	\$498 0/0	\$498 0/0
ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	07SDK	\$2,158 0/0	\$2,158 0/0
EXHAUST HEIGHT 10' 11" REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SBA 6X4 2010 11' 6" REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SBA 6X4 2010 13' 3" REQS: Code 07BEP EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEP or 07BJX EXHAUST SYSTEM - for 7600 SBA 6X4 2010	07WCR 07WBU 07WCC	\$72 +1/+1 \$118 +2/0 \$176 +3/0	\$72 +1/+1 \$118 +2/0 \$176 +3/0
MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel REQS: Code 07BEP or 07BKE EXHAUST SYSTEM (2) Bright Stainless Steel REQS: Code 07BJX EXHAUST SYSTEM - for 7600 SBA 6X4 2010 N/A: Code 07BES AFTERTREATMENT COVER : Code 07BEM(std), 07BEP and 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 AVAIL: Code 08TST, 08TTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUR and 08WEL BATTERY BOX	07WBS 07WDL	\$133 0/0 \$383 0/0	\$133 0/0 \$383 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-52

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
RAIN CAP with Single Exhaust, Chrome Finish REQS: Code 07WAY TAIL PIPE REQS: Code 07BEP or 07BKE EXHAUST SYSTEM with Single Exhaust, Non-Bright Finish REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SBA 6X4 2010 N/A: Code 07WAY, 07WAZ and 07WBA TAIL PIPE	07WAG 07WAE	\$62 +2/0 \$21 +2/0	\$62 +2/0 \$21 +2/0
SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZX 07WZY	\$56 +2/0 \$44 +2/0	\$56 +2/0 \$44 +2/0
TAIL PIPE (1) Straight Type, Bright, for Single Exhaust REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SBA 6X4 2010 AVAIL: Code 07WAG RAIN CAP (1) Turnback Type, Bright, for Single Exhaust REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SBA 6X4 2010 AVAIL: Code 07WAG RAIN CAP (1) Turnback Type, Non-Bright, for Single Exhaust REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SBA 6X4 2010 AVAIL: Code 07WAG RAIN CAP	07WAY 07WBA 07WAZ	\$144 0/0 \$162 0/0 \$64 0/0	\$144 0/0 \$162 0/0 \$64 0/0
ELECTRICAL SYSTEM 12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : JUMP START STUD Located on Positive Terminal of Outermost Battery : STARTER SWITCH Electric, Key Operated (SEE NEXT PAGE)	08000	STD	STD

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-53

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
ELECTRICAL SYSTEM (SEE PREV PAGE) INCLS: WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : FUSES, ELECTRICAL SAE Blade-Type : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	08000		
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened	08WXD	\$42 0/0	\$42 0/0
ALTERNATOR Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, With Remote Sense - BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense N/A: Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT and 12BDD(std) ENGINE, DIESEL - 14931PAH - Brush Type, 12 Volt 320 Amp. Capacity, Pad Mount	08GXJ 08GXB 08GXC 08GXE 08GXK 08GWY	STD \$450 0/0 \$325 0/0 \$217 -1/0 \$1,207 0/0 \$1,146 +17/-2	STD \$450 0/0 \$325 0/0 \$217 -1/0 \$1,207 0/0 \$1,146 +17/-1

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-54

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BATTERY SYSTEM			
<i>International</i>			
Maintenance-Free, (3) 12-Volt 1950CCA Total N/A: Code 08XDZ BATTERY BOX	08MKL	STD	STD
Maintenance-Free, (3) 12-Volt 2250CCA Total N/A: Code 08XDZ BATTERY BOX	08MLM	\$126 +8/+14	\$126 +10/+12
Maintenance-Free, (3) 12-Volt 2775CCA Total N/A: Code 08XDZ BATTERY BOX	08MKX	\$179 +8/+14	\$179 +10/+12
Maintenance-Free, (4) 12-Volt 2600CCA Total REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010 N/A: Code 08VTJ, 08VUR, 08WEL and 08XDZ BATTERY BOX	08MUE	\$199 +19/+34	\$199 +24/+29
Maintenance-Free, (4) 12-Volt 3700CCA Total REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010 N/A: Code 08VTJ, 08VUR, 08WEL and 08XDZ BATTERY BOX	08MHD	\$286 +105/-20	\$286 +103/-18
<i>JCI</i>			
Maintenance-Free (3) 12-Volt 2100CCA Total N/A: Code 08XDZ BATTERY BOX AVAIL: Code 08WBW JUMP START STUD	08NBR	\$206 +9/+15	\$206 +11/+13

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-66

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BATTERY SYSTEM (CONTINUED) Deka/EAST PENN - 9A31 - Maintenance-Free (3) AGM 12-Volt 2775CCA Total N/A: Code 08VTN, 08WEJ and 08WEK BATTERY BOX	08MMG	\$649 +16/+27	\$649 +19/+24
BATTERY TERMINALS Sealed N/A: Code 08WJA POWER SOURCE, SPECIAL	08875	\$51 +2/0	\$51 +2/0
BEACON MOUNTING BRACKET Cab Provision Includes Roof Fairing Extender Brackets for Use With Customer Lighting	08VZP	\$143	\$143
BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR	08HAA 08HAE 08HAU 08HAB	\$327 +2/0 \$209 0/+3 \$302 +1/0 \$100 +2/0	\$327 +2/0 \$209 0/+3 \$302 +1/0 \$100 +2/0
CB ANTENNA Pana-Pacific (02) Full Wave; 4.0' Length Includes "International" Name on Top REQS: Code 08RCB CB RADIO	08RBK	\$78 +3/0	\$78 +3/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-67

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases with Wiring REQ: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS AVAIL: Code 08TPB DATA RECORDER NOTE: NOT INCLUDED: Antenna	08RCB	\$359 + 2/0	\$359 + 2/0
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08TPA DATA RECORDER Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA 08RGA	\$163 + 2/0 \$68 + 1/0	\$163 + 2/0 \$68 + 1/0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	08XAH	\$99 0/0	\$99 0/0
CIGAR LIGHTER Includes Ash Cup N/A: Code 16XVZ CAB INTERIOR TRIM	08518	\$18 + 1/0	\$18 + 1/0
CLEARANCE/MARKER LIGHTS Truck Lite (05) Amber LED Lights, Flush Mounted on Cab or Sunshade	08WPH	STD	STD
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQ: Code 16WRX(std) or 16WSX CAB INTERIOR TRIM REQ: Code 16WRX(std) CAB INTERIOR TRIM, when in combination with Code 16030 CAB REQ: Code 16WSX CAB INTERIOR TRIM, when in combination with Code 16CAB CAB N/A: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium (04) Mounted In Front & Rear Map Pocket Left and Right Side REQ: Code 16WSG CAB INTERIOR TRIM, when in combination with Code 16196 CAB REQ: Code 16196 CAB N/A: Code 60AAM BDY INTG, POWER MODULE AUX (SEE NEXT PAGE)	08WTP 08WTR	\$48 + 1/0 \$75 + 2/0	\$48 + 1/0 \$75 + 2/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-68

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
COURTESY LIGHT (SEE PREV PAGE) NOTE: Feature included with CAB INTERIOR TRIM, Premium	08WTR		
DATA RECORDER Includes Display Mounted in Overhead Console REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08REA 2-WAY RADIO : Code 08RCB CB RADIO AVAIL: Code 08REA 2-WAY RADIO Less Display REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE	08TPA 08TPB	\$1,770 + 2/0 \$1,340 + 2/0	\$1,770 + 2/0 \$1,340 + 2/0
DISCONNECT, FRONT HARNESS for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation N/A: Code 08THJ and 08WEX AUXILIARY HARNESS	08THV	\$14 0/0	\$14 0/0
ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAG 08HAH	\$363 0/+2 \$363 0/+2	\$363 0/+2 \$363 0/+2
FOG LIGHTS (02) Clear Lens, Halogen, Rectangular, with White Light Source REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT	08XJG	\$185	\$185

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-69

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
LIGHT, WORK (CONTINUED) Truck Lite - 81 Series - LED, Pedestal Mounted BOC With Switch on Instrument Panel REQ: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	08WAA	\$248 +3/+2	\$248 +3/+2
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	\$30 +1/0	\$30 +1/0
POWER SOURCE, SPECIAL for Customer Installed Lift Gate; 200 Amp Max, Includes 2ga. Power Cable to End of Frame, Latched Switch on Instrument Panel, With a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 08VTN or 08WEK BATTERY BOX - for 7600 SBA 6X4 2010 : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 : Code 08875 BATTERY TERMINALS : Code 08WBW JUMP START STUD or Code 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 08VTN or 08WEK BATTERY BOX AVAIL: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WJN and 08XGJ BATTERY BOX : Code 08WTT SWITCH, TOGGLE, FOR WORK LIGHT - for 7600 SBA 6X4 2010	08WJA	\$377 +3/+6	\$377 +3/+6
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	\$39 +1/0	\$39 +1/0
RADIO Accommodation Package; Less Radio, With Wiring and Antenna, Includes Multiple Speakers INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player	08787 08RMD 08RME	\$128 +2/0 \$368 +1/0 \$474 +1/0	\$128 +2/0 \$368 +1/0 \$474 +1/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-72

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SOLENOID, AIR (CONTINUED) for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGC	\$207 + 2/0	\$207 + 2/0
for Customer Use; Provides (4) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGD	\$259 + 3/0	\$259 + 3/0
for Customer Use; Provides (5) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only with Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGP	\$311 + 4/0	\$311 + 4/0
for Customer Use; Provides (6) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only With Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGR	\$363 + 4/0	\$363 + 4/0
for Customer Use; Provides (6) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WKM	\$363 + 4/0	\$363 + 4/0
STARTING MOTOR Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start Delco Remy - 39MT - 12 Volt; Gear Reduced, With Thermal Over-Crank Protection	08WXG 08WTL	STD \$42 0/0	STD \$42 + 3/- 2

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-74

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SWITCH, MARKER INTERRUPT Interrupter; for Cab and Body Clearance/Marker Lights, Single Position Blinks Lights When Headlight Switch Is In "On" or "Off" Position REQS: Code 04091(std) BRAKE SYSTEM, AIR	08TMJ	\$24 +1/0	\$24 +1/0
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK : Code 08WJA POWER SOURCE, SPECIAL - for 7600 SBA 6X4 2010 Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light N/A: Code 08WAA and 08WLL LIGHT, WORK	08WMA 08WTT	\$59 +1/+2 \$66 +1/0	\$59 +1/+2 \$66 +1/0
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091(std) BRAKE SYSTEM, AIR AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08THB BACK-UP ALARM	08NAA	\$74 0/+2	\$74 0/+2
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	\$42 0/0
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch REQS: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091(std) BRAKE SYSTEM, AIR	08TKK	\$79 +1/0	\$79 +1/0
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING	08TMG 08TME	\$439 0/+7 \$439 0/+7	\$439 0/+7 \$439 0/+7
(SEE NEXT PAGE)			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-79

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRAILER CONNECTION SOCKET (SEE PREV PAGE) N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR	08TME		
TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender Sound Off Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used With Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	08XGT 08VZK 08XJE	STD \$187 \$187	STD \$187 \$187
TURN SIGNAL SWITCH With Hazard Flasher Overrides Brake, To be Done With Programming System Controller	08THN	\$42 + 1/0	\$42 + 1/0
WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	08WGL	\$26 0/0	\$26 0/0
WIRING, SPECIAL Includes Wires Installed Through the Dash Panel and End in Engine Compartment, In Cab Wire Ends Will Have ESC Input Terminals, Engine Compartment Wire Ends will have Sealed Connectors	08HAT	\$51 0/0	\$51 0/0
WORKLIGHT ON W/BACKUP Work Lights will Activate when Vehicle is in Reverse REQS: Code 08WAA or 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : ELECTRIC TRAILER BRAKE/LIGHTS	08WJZ	\$31 + 3/0	\$31 + 3/0
FRONT END Tilting, Fiberglass, With Three Piece Construction Includes Long Hood REQS: Code 12XAW(std) RADIATOR N/A: Code 09HAD GRILLE : Code 12WTA FAN DRIVE SPECIAL EFFECTS : Code 01VAX TOW PIN, FRONT	09WBK	STD	STD



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FRONT END (CONTINUED) Tilting, Fiberglass, With Three Piece Construction Includes Long Hood, Sloped Front REQS: Code 09HAD GRILLE REQS: Code 12XAV RADIATOR REQS: Code 09585(std) FENDER EXTENSIONS REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01MDP or 01MDS BUMPER, FRONT N/A: Code 09WAD BUG DEFLECTOR : Code 09ANG HOOD, HATCH : Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 10021 and 10022 CHASSIS COATING : Code 12850 PTO EFFECTS, ENGINE FRONT : Code 01586 TOW LOOP, FRONT AVAIL: Code 08WEX AUXILIARY HARNESS - for 7600 SBA 6X4 2010 : Code 13WAW OIL COOLER, AUTO TRANSMISSION	09WBR	\$207 +25/-1	\$207 +25/-1
BUG DEFLECTOR Smoked Colored Plastic, Mounted on Hood REQS: Code 09WBK(std) FRONT END N/A: Code 09ANG HOOD, HATCH	09WAD	\$327 0/0	\$327 0/0
BUG SCREEN Mounted Behind Grille	09WAC	\$131 +5/0	\$131 +5/0
FENDER EXTENSIONS Rubber Omit REQS: Code 09WBK(std) FRONT END	09585 09593	STD \$104CR -11/0	STD \$104CR -11/0
GRILLE Stationary, Chrome REQS: Code 09WBK(std) FRONT END Chrome REQS: Code 09WBR FRONT END Stationary, with Vendor Painted Grille & Headlight Bezels, Argent NAV 8752 REQS: Code 09WBK(std) FRONT END	09HBM 09HAD 09HAT	STD N/C -5/0 \$22CR 0/0	STD N/C -5/0 \$22CR 0/0
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 0/0	\$201 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-81

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
HOOD, HATCH (01) for Servicing REQ: Code 09WBK(std) FRONT END N/A: Code 09WAD BUG DEFLECTOR : Code 12WZB EMISSION COMPLIANCE	09ANG	\$444 +5/0	\$444 +5/0
INSULATION, SPLASH PANELS for Sound Abatement	09HBN	\$76 +3/0	\$76 +3/0
LOGOS EXTERIOR Badges	09AAB	\$115 0/0	\$115 0/0
QUARTER FENDERS for Lift Axle, Mirror-Finished Stainless Steel Frame Mounted N/A: SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted REQ: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	09512 09505	N/A \$233 0/+18	\$297 \$233 0/+18
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails REQ: Code 09WBK(std) FRONT END N/A: Code 01GBP FRAME REINFORCEMENT Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQ: Code 09WBK(std) FRONT END REQ: Code 01CBU(std) FRAME RAILS REQ: Code 01GBP FRAME REINFORCEMENT	10021 10022	\$500 0/0 \$1,000 0/0	\$500 0/0 \$1,000 0/0
CUSTOMER SERVICES OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$258 0/0	\$258 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-82

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CUSTOMER SERVICES (CONTINUED)			
OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARN	\$516 0/0	\$516 0/0
OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARP	\$774 0/0	\$774 0/0
OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARR	\$1,032 0/0	\$1,032 0/0
OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARS	\$1,290 0/0	\$1,290 0/0
FIFTH WHEEL, AIR SLIDE NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Fontaine - SL7LWB675024 - 24" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES	10HJA	\$2,531 +8/+450	\$2,531 +8/+450

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-83

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FIFTH WHEEL, STATIONARY (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section			
Holland			
- FW35-S801XL - 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010	10HKG	\$2,250 0/+330	\$2,250 0/+330
Jost			
- JSK36NSL-DB7-N001 - 7.25" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES	10HKP	\$1,686 0/+296	\$1,686 0/+296
- JSK37USL-PM-003 - 7.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010	10HKH	\$1,735 0/+309	\$1,735 0/+309

(SEE NEXT PAGE)

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-88

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FIFTH WHEEL LOCATION (CONTINUED)			
04.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810004	N/C 0/0	N/C 0/0
06.0" Ahead of Rear Axle Centerline AVAIL: Code 10HJD FIFTH WHEEL, AIR SLIDE	810006	N/C 0/0	N/C 0/0
08.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810008	N/C 0/0	N/C 0/0
10.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810010	N/C 0/0	N/C 0/0
12.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810012	N/C 0/0	N/C 0/0
14.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810014	N/C 0/0	N/C 0/0
16.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY, when in combination with Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010	810016	N/C 0/0	N/C 0/0
FIFTH WHEEL MOUNTING ANGLES			
for Manual Sliding Type Fifth Wheels Only REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHE, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UXZ, 14VKL or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY	10WDA	\$294 +10/+34	\$294 +10/+34

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-90

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
PAINT IDENTITY, PT-2 (SEE PREV PAGE) N/A: Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS	10646		
PAINT, NON-REFLECTING Non-Reflecting Paint	10661	\$462 0/0	\$462 0/0
PAINT SCHEMATIC, PT-1 Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "GS" Three Tone, Design 320 or 34S Three Tone, Design 321 or 34T Three Tone, Design 322 or 34U Two Tone, Design 208. Two Tone, Design 209. Two Tone, Design 211 or 2AF Two Tone, Design 212. Two Tone, Design 214. Two Tone, Design 216.	10060 10220 10221 10222 10208 10209 10211 10212 10214 10216	STD \$1,050 0/0 \$1,050 0/0 \$1,050 0/0 \$500 0/0 \$650 0/0 \$500 0/0 \$500 0/0 \$650 0/0 \$650 0/0	STD \$1,050 0/0 \$1,050 0/0 \$1,050 0/0 \$500 0/0 \$650 0/0 \$500 0/0 \$650 0/0 \$650 0/0
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
QUARTER FENDERS for Rear Wheels, Black Plastic; Frame Mounted REQ: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	10WTR	\$188 0/+18	\$188 0/+18

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-93

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SAFETY TRIANGLES			
	10WCY	\$29 0/+62	\$29 0/+62
SPECIAL RATING, GVWR Limited to 80,000-lb Maximum Capacity REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 16196 CAB : Code 01CAG FRAME RAILS	10NZL	N/A	N/C
TOOL KIT Rim Wrench and Handle Only	10506	\$69 +10/0	\$69 +10/0
VEHICLE REGISTRATION IDENTITY ID for the State of California NOTE: 010002 ID for 49 States, Excluding California NOTE: 010002	10UAC 10UAD	N/C N/C	N/C N/C
CLUTCH NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - Easy-Pedal Advantage - Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, 1450 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ or 13GNA TRANSMISSION, MANUAL REQS: Code 12BCN, 12BCP, 12BCR or 12BDD(std) ENGINE, DIESEL N/A: TRANSMISSION, AUTOMATIC Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	11MHD 11MGZ	STD N/C +6/-3	STD N/C +1/+3

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-94

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CLUTCH EFFECTS (CONTINUED) Hydraulic Clutch Actuation System, with Air Assist REQS: Code 13WAS CLUTCH HOUSING REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC	11WAK	\$457 0/0	\$457 0/0
GREASE FITTINGS Remote; for Clutch Cross Shaft N/A: Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 11MGP and 11001 CLUTCH	11WAE	\$31 0/0	\$31 0/0
ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use N/A: Code 12VGA ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45 0/0	\$45 0/0
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N13 - EPA 2010, SCR, 365 HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max) REQS: Code 40MCG, 40MCH, 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCR, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDB, 40MDC, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 12WTA FAN DRIVE SPECIAL EFFECTS, when in combination with Code 09WBR FRONT END and Code 12XAV RADIATOR REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13ATL, 13AUK, 13AUL, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUZ, 13AVB, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXH TRANSMISSION, MANUAL (SEE NEXT PAGE)	12BDD	STD	STD

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-96

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N13 - N/A: Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08G XK ALTERNATOR EPA 2010, SCR, 370 HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 12WTA FAN DRIVE SPECIAL EFFECTS, when in combination with Code 09WBR FRONT END and Code 12XAV RADIATOR REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXH TRANSMISSION, MANUAL : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08G XK ALTERNATOR EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 12WTA FAN DRIVE SPECIAL EFFECTS, when in combination with Code 09WBR FRONT END and Code 12XAV RADIATOR REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXH TRANSMISSION, MANUAL : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08G XK ALTERNATOR EPA 2010, SCR, 410 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 12WTA FAN DRIVE SPECIAL EFFECTS, when in combination with Code 09WBR FRONT END and Code 12XAV RADIATOR REQS: Code 09HBN INSULATION, SPLASH PANELS (SEE NEXT PAGE)	12BDD		
	12BCN	N/C 0/0	N/C 0/0
	12BCP	\$224 0/0	\$224 0/0
	12BCR	\$1,962 0/0	\$1,962 0/0

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SECTION 515

PRICES EFFECTIVE 01/02/2017

PAGE 515-97

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N13 - REQS: Code 13GHS, 13GHX, 13GJS, 13GKL, 13GKM, 13GNB, 13GWR, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXH TRANSMISSION, MANUAL : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08G XK ALTERNATOR	12BCT		
RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1593 SqIn, 1012 SqIn CAC, 1543 SqIn 3 Core LTR REQS: Code 09WBK(std) FRONT END AVAIL: Code 13WAN OIL COOLER MANUAL TRANSMISSION Aluminum; Welded, Front to Back Down Flow System, 1429 SqIn, 740 SqIn CAC, 1099 SqIn 3 Core LTR REQS: Code 09WBR FRONT END N/A: Code 12WYK ENGINE WATER COOLER : Code 12850 PTO EFFECTS, ENGINE FRONT AVAIL: Code 13WGJ OIL COOLER MANUAL TRANSMISSION	12XAW 12XAV	STD N/C	STD N/C
FAN DRIVE Horton - Drivemaster - Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon	12THT	STD	STD
AIR CLEANER Single Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted : AIR CLEANER with Vacuator Dual Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted Dual Element, with Integral Snow Valve and In-Cab Control INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 (SEE NEXT PAGE)	12VBC 12VBB 12VAL	STD \$108 + 4/0 \$334 + 6/0	STD \$108 + 4/0 \$334 + 6/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-99

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
EMISSION COMPLIANCE			
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH NOTE: 010002	12WZB	\$62 0/0	\$62 0/0
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: 010002	12WZJ	\$62 0/0	\$62 0/0
Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations NOTE: 010002	12WZD	N/C 0/0	N/C 0/0
Federal, Does Not Comply With California Clean Air Idle Regulations NOTE: 010002	12WZE	N/C 0/0	N/C 0/0
ENGINE CONTROL, REMOTE MOUNTED			
for PTO with N13/A26 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VGA	\$82 0/0	\$82 0/0
ENGINE WATER COOLER			
Sen-Dure Auxiliary, For Use With Fire Trucks REQS: Code 13WDM HYDRAULIC RETARDER, when in combination with Code 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 08GWY ALTERNATOR REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WCT OIL COOLER, AUTO TRANSMISSION, when in combination with Code 13WDM HYDRAULIC RETARDER REQS: Code 12XAW RADIATOR, when in combination with Code 13WDM HYDRAULIC RETARDER REQS: Code 12XAW(std) RADIATOR N/A: RADIATOR HOSES	12WYK	\$687 +6/0	\$687 +6/0
FAN DRIVE SPECIAL EFFECTS			
Fan Cooling Ring with Fan Shroud Effects, Engine Mounted REQS: Code 09WBR FRONT END	12WTA	N/C 0/0	N/C 0/0
FAN OVERRIDE			
Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)	12WBR	\$29 0/0	\$29 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-101

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FEDERAL EMISSIONS Navistar - N13 - EPA, OBD and GHG Certified for Calendar Year 2017	12UNT	N/C 0/0	N/C 0/0
HOSE CLAMPS, RADIATOR HOSES R.G. Ray - Mini Flex Seal - Coil Spring/"T"-Bolt Type, for Radiator Hoses over 1" I.D.	12WCG	\$54	\$54
OIL LEVEL SENSOR Displays warning in cluster when Oil Level is low	12WEL	\$157 0/0	\$157 0/0
OIL PAN Rust Protected (Resistive Coating), For N13 Engines	12WPX	\$381 0/0	\$381 0/0
PTO EFFECTS, ENGINE FRONT for N13 Engines, Less PTO Unit, Includes Adapter Plate on Engine Front Mounted REQS: Code 09WBK(std) FRONT END REQS: Code 12XAW(std) RADIATOR N/A: Code 12WPU PTO, ENGINE REAR	12850	\$257 0/0	\$257 0/0
PTO, ENGINE REAR for N13 Engines (Ratio 1.276:1) REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010 N/A: Code 16CAB CAB	12WPU	\$3,839 0/0	\$3,839 0/0
RADIATOR HOSES Silicone; Molded	12926	\$272 0/0	\$272 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-102

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - Advantage FAO-14810C-EA3 - N/A: Code 04VCL AIR TANK LOCATION or Code 14ULS, 14ULV and 14UNY SUSPENSION, REAR, AIR, TANDEM or Code 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 14UHE, 14UHL, 14UMC, 14UNA, 14UZW and 14VKL SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VCL AIR TANK LOCATION or Code 14TBZ SUSPENSION, REAR, AIR, SINGLE or Code 15LLP LOCATION FUEL/WATER SEPARATOR or SUSPENSION, RR, SPRING, SINGLE - for 7600 SBA 4X2 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WAN and 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GYC		

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-114

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - Advantage FAO-16810C-EA3 - 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SBA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SBA 4X2 2010 REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER - for 7600 SBA 6X4 2010 REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER - for 7600 SBA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VCL AIR TANK LOCATION or Code 14ULS, 14ULV and 14UNY SUSPENSION, REAR, AIR, TANDEM or Code 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 14UHE, 14UHL, 14UMC, 14UNA, 14UZW and 14VKL SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VCL AIR TANK LOCATION or Code 14TBZ SUSPENSION, REAR, AIR, SINGLE or Code 15LLP LOCATION FUEL/WATER SEPARATOR or SUSPENSION, RR, SPRING, SINGLE - for 7600 SBA 4X2 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION (SEE NEXT PAGE)	13GYD	\$11,322	\$11,322

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-115

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-117

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-118

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-12E308LL-VCS - REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 4X2 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 4X2 2010 REQS: Code 12BCN, 12BCP, 12BCR or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GWM		

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-119

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-12E309ALL-VMS - 11-Speed Fully Automatic Manual; with Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SBA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SBA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 6X4 2010 REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 4X2 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 4X2 2010 REQS: Code 07BEM(std), 07BEP or 07BKE EXHAUST SYSTEM REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER (SEE NEXT PAGE)	13GWU	\$16,637 +178/-6	\$16,637 +294/-56

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-120

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-124

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-16E309ALL-VMS - REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 6X4 2010 REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 4X2 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 4X2 2010 REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16GHG GAUGE, OIL TEMP, AUTO TRANS : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GWW		

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

SECTION 515

PRICES EFFECTIVE 01/02/2017

PAGE 515-125

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-16E313A-MHP - 13-Speed Fully Automated Manual; With Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SBA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SBA 4X2 2010 REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER - for 7600 SBA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 6X4 2010 REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 4X2 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 4X2 2010 REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VCL AIR TANK LOCATION or Code 14TBZ SUSPENSION, REAR, AIR, SINGLE or Code 15LLP LOCATION FUEL/WATER SEPARATOR or SUSPENSION, RR, SPRING, SINGLE - for 7600 SBA 4X2 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS (SEE NEXT PAGE)	13GWZ	\$11,773	\$11,773 +252/+51

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-126

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-17E309ALL-VMS - REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 4X2 2010 REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 12BCN, 12BCP or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GWX		

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

SECTION 515

PRICES EFFECTIVE 01/02/2017

PAGE 515-129

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-18E318B-MXP - 18-Speed Fully Automated Manual; With Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SBA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SBA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 6X4 2010 REQS: Code 13WAN or 13WGJ OIL COOLER MANUAL TRANSMISSION - for 7600 SBA 4X2 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL - for 7600 SBA 4X2 2010 N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 6X4 2010 : Code 08WEL BATTERY BOX - for 7600 SBA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SBA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP (SEE NEXT PAGE)	13GXD	\$16,626	\$16,626 +107/+11

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-130

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-18E318B-VXP - N/A: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GXH		
TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3000_HS - 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; Includes Oil Level Sensor, Less PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 07BKE EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- EXHAUST SYSTEM - for 7600 SBA 6X4 2010 REQS: Code 12BDD(std) ENGINE, DIESEL N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 06DDC DRIVESHAFT SYSTEM : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT (SEE NEXT PAGE)	13AVE	\$9,945 -103/+7	\$9,945 -67/-39

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-132

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 4500EVS_P - 5th Generation Controls; Wide Ratio, 5-Speed; With Overdrive; Includes Oil Level Sensor, With Provision for PTO, Less Retarder REQS: Code 11001 CLUTCH REQS: Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WAN and 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13XAK, 13XAM, 13XAR and 13XAS PTO LOCATION AVAIL: Code 13WDT, 13WDZ and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL	13AUP	\$27,194 +138/+167	\$27,194 +186/+109
TRANSMISSION TCM LOCATION Located Inside Cab N/A: Code 16KAY, 16RDZ, 16RZL and 16SMV SEAT, REAR : Code 16196 CAB : TRANSMISSION, MANUAL : Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAG, 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE, when in combination with Code 16LJX, 16LJY or 16LJZ SEAT, REAR and Code 16196 CAB : Code 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE, when in combination with Code 16PCS SEAT, REAR and Code 16196 CAB : Code 16SBA BUNK, LOWER	13WYH	\$141 0/0	\$141 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-148

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
for Rugged Duty Series (RDS); Airport Refueler, Sewer Evac N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : TRANSMISSION, AUTOMATIC	13WUH	N/C 0/0	N/C 0/0
for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUK, 13AUL, 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUE	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); Front Loaders, Rear Loaders, Recycling/Packer Trucks REQS: Code 13AAZ AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WUJ	N/C 0/0	N/C 0/0
for Highway Series (HS); General Purpose Trucks REQS: Code 13ATL, 13AUZ, 13AVA, 13AVB, 13AVC or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL NOTE: 010002 - for 7600 SBA 4X2 2010	13WUB	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); General Purpose Trucks, Construction REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUC	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral REQS: Code 13WEH or 13WUA AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL	13WUS	N/C 0/0	N/C 0/0
for Emergency Vehicle Series (EVS), 127/198 Includes J1939 Based Auto Neutral; Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUK, 13AUL, 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL	13WUZ	\$129 0/0	\$129 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-149

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
PTO CONTROL, DASH MOUNTED			
For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring N/A: Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION	13XAA	\$116 + 3/0	\$116 + 3/0
PTO LOCATION			
Bottom of Transmission REQS: Code 13AUT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAR	N/C	N/C
Dual, Left and Right Side of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUK, 13AUL, 13AUT, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAM	N/C	N/C
Dual, Left Side and Top of Transmission REQS: Code 13905 PROVISION FOR PTO or Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC REQS: Code 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13XAT	N/C	N/C
Dual, Right Side and Bottom of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUP or 13AUW TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAV	N/C	N/C
Dual, Right Side and Rear of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUP or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAJ	N/C	N/C
Left Side of Transmission REQS: Code 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL	13XAL	N/C	N/C
No PTO REQS: Code 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAN	N/C	N/C

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-153

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
PTO LOCATION (CONTINUED) Rear of Transmission N/A: TRANSMISSION, AUTOMATIC : Code 13905 PROVISION FOR PTO Right Side of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUK, 13AUL, 13AUS, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO Top of Transmission REQS: Code 13905 PROVISION FOR PTO or Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC REQS: Code 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13XAS 13XAK 13XAP	N/C N/C N/C	N/C N/C N/C
SHIFT CONTROL PARAMETERS Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary N/A: TRANSMISSION, MANUAL Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with EcoCal and Dynamic Shift Sensing (FuelSense Basic) REQS: Code 13ATL, 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with EcoCal, Dynamic Shift Sensing and Neutral at Stop-Premium (FuelSense Plus) REQS: Code 13ATL, 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with EcoCal, Dynamic Shift Sensing, Neutral at Stop-Premium and Acceleration Rate Management (FuelSense Max) REQS: Code 13ATL, 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WDZ 13WYR 13WYS 13WYT	\$33 0/0 N/C 0/0 \$350 0/0 \$450 0/0	\$33 0/0 N/C 0/0 \$350 0/0 \$450 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-154

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SHIFT CONTROL PARAMETERS (CONTINUED) Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming N/A: TRANSMISSION, MANUAL Allison 3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions N/A: TRANSMISSION, MANUAL	13WYU 13WDT	N/C 0/0 \$48	N/C 0/0 \$48
THRU-SHAFT PTO Provision; Left Side; With Fuller Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13901	\$48 0/0	\$48 0/0
TRANSMISSION, AUXILIARY Fuller - AT-1202 - 2-Speed With Air Shift Controls REQS: Code 16030(std) CAB REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB(std), 14UNA, 14UZH, 14UZR, 14UZS, 14UZU, 14UZV or 14698 SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- Code 14ULT, 14ULU, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 07BEP EXHAUST SYSTEM REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 08WJJ BATTERY BOX : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010	13607	\$11,524 -330/-10	\$11,524 -183/-167
(SEE NEXT PAGE)			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-155

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TRANSMISSION, AUXILIARY (SEE PREV PAGE) Fuller - AT-1202 - N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010	13607		
TRANSMISSION LUBE PUMP for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION REQS: Code 13GHJ(std), 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WAP	\$324 +7/+3	\$324 +7/+3
TRANSMISSION OIL Synthetic; 29 thru 42 Pints REQS: Code 13ATL, 13AUK, 13AUL, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL Synthetic; 63 thru 76 Pints REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL EmGard - 40W - Synthetic; 1 thru 21.99 Pints REQS: Code 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC Synthetic; 22 thru 33.99 Pints REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WLP 13WLM 13WLW 13WLX	\$203 0/0 \$405 0/0 \$85 +15/+5 \$153 +24/+8	\$203 0/0 \$405 0/0 \$85 +15/+5 \$153 +24/+8
TRANSMISSION SHIFT CONTROL Allison Bump Shifter Type; for Allison 3000 & 4000 Transmission N/A: TRANSMISSION, MANUAL Push-Button Type; for Allison 3000 & 4000 Series Transmission N/A: TRANSMISSION, MANUAL	13WVN 13WBL	\$496 0/0 N/C 0/0	\$496 0/0 N/C 0/0

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-156

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - MT-40-14X-3DCR - N/A: Code 28DTE and 28DTU WHEELS, REAR : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GWZ		
- MT-40-14X-3DCR-P - Single Reduction, 0.374"(9.5mm) Wall Housing Thickness, 40,000-lb Capacity, Lube Pump, R Wheel Ends, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UNA SUSPENSION, REAR, TANDEM -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 40EUE SRV CONTRACT, EXT FRAME : Code 28DTE and 28DTU WHEELS, REAR : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GWW	N/A	\$1,868 0/+63
- MT-40-14X-3DER - Single Reduction, 0.374"(9.5mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential in Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UNA SUSPENSION, REAR, TANDEM	14GWY	N/A	\$673 0/+63
(SEE NEXT PAGE)			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-170

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - MT-40-14X-3DER - -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 40EUE SRV CONTRACT, EXT FRAME : Code 28DTE and 28DTU WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GWY		
- MT-40-14X-3DFR - Single Reduction, 0.374"(9.5mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UNA SUSPENSION, REAR, TANDEM -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE and 28DTU WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVX	N/A	\$167 0/+141
- MT-40-14X-4DCR - Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UNA, 14UZH, 14UZR, 14UZZ, 14UZZT, 14UZZU, 14UZZV, 14UZZW, 14VKL or 14698 SUSPENSION, REAR, TANDEM	14GVN	N/A	\$1,505 0/+141
(SEE NEXT PAGE)			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-171

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AXLE, REAR, TANDEM (CONTINUED)			
Meritor			
- RT-46-160P -			
Single Reduction, 46,000-lb Capacity, With Lube Pump, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 32DHY WHEELS, REAR : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14HRL	N/A	\$6,599 0/+444
- RT-46-164EH -			
Single Reduction, Standard Width, 46,000-lb Capacity, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING : Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 45 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14HRC	N/A	\$6,229 0/+541

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-178

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AXLE, REAR, TANDEM (SEE PREV PAGE) Dana Spicer - D46-170P/R46-170D - -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE and 28DTU WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14GJM		
SUSPENSION, REAR, AIR, SINGLE Hendrickson - HAS 230 - 23,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers REQ: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14ARK, 14ARX, 14ARY, 14CDE or 14CVC AXLE, REAR, SINGLE REQ: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 810008 FIFTH WHEEL LOCATION NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TAX	\$2,328 0/+17	N/A

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-185

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, AIR, SINGLE (CONTINUED) Hendrickson - PRIMAAX EX - 23,000-lb Capacity, 9.0" Ride Height, with Shock Absorbers REQS: Code 04NCZ, 04NDB(std), 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14AHE, 14AHG, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY or 14051(std) AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 01CAG FRAME RAILS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 13607 TRANSMISSION, AUXILIARY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBZ	\$2,402 0/-111	N/A
International Ride Optimized Suspension (IROS); 20,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers REQS: Code 14AHB, 14AHE, 14AHG, 14ARB, 14ARX, 14ARY, 14ATE, 14CVC or 14051(std) AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE	14TBJ	\$1,287 0/-71	N/A
(SEE NEXT PAGE)			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-186

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, AIR, SINGLE (SEE PREV PAGE) International N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBJ		
SUSPENSION, REAR, AIR, TANDEM Hendrickson - HAS-402-55 - 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 04AZE AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 01WPZ CROSSMEMBER, SUSPENSION : Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULU	N/A	\$618 +32/+177

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-187

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - PRIMAAX EX - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNW		
International Ride Optimized Suspension (IROS) Heavy Duty; 52" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION 3-Piece with Steel C-Channel and Cast Iron Ends REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 10WPR or 10WPT MUD FLAP HOLDER REQS: Code 14GSX, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWW, 14GWY, 14GWZ or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 04AZE AIR BRAKE ABS : Code 01UBG FRAME, SPECIAL EFFECTS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 01WPZ CROSSMEMBER, SUSPENSION NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNU	N/A	\$1,246CR -36/+176

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-193

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, AIR, TANDEM (CONTINUED) <i>International</i> Ride Optimized Suspension (IROS) Heavy Duty; 55" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION 3-Piece with Steel C-Channel and Cast Iron Ends REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE REQS: Code 14GJR, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 04VHT AIR DRYER LOCATION or Code 04WZJ AIR TANK LOCATION or Code 16CAB and 16196 CAB or Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT and 12BDD ENGINE, DIESEL or Code 08VTR, 08VUL, 08VUM, 08VUN, 08WEJ, 08WEL, 08WJJ and 08WJN BATTERY BOX or Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SNT, 15SNU and 15SSC FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04091 BRAKE SYSTEM, AIR : Code 04VHT AIR DRYER LOCATION or Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION or Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT and 12BDD ENGINE, DIESEL or Code 08VTR, 08VUL, 08VUM, 08VUN, 08WEJ, 08WEL, 08WJJ and 08WJN BATTERY BOX or Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SNT, 15SNU and 15SSC FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE : Code 04AZE AIR BRAKE ABS : Code 01UBG FRAME, SPECIAL EFFECTS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS (SEE NEXT PAGE)	14UNT	N/A	\$1,097CR + 16/-47

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-194

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity REQ: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14SAN	STD	N/A
Vari-Rate; 23,000-lb Capacity; Includes (3) Torque Rods REQ: Code 04NCZ, 04NDB(std), 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQ: Code 04091(std) BRAKE SYSTEM, AIR REQ: Code 04SBV AIR COMPRESSOR REQ: Code 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE REQ: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC and 10EYD FIFTH WHEEL, STATIONARY : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14SCE	\$1,713 0/+47	N/A

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-197

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, RR, SPRING, SINGLE (CONTINUED) Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VAH	\$82 0/+27	N/A
Vari-Rate; 31,000-lb Capacity; Includes (3) Torque Rods REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 04SBV AIR COMPRESSOR REQS: Code 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC and 10EYD FIFTH WHEEL, STATIONARY : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14SCD	\$2,209 0/+80	N/A

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-198

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-460-54 - N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 01WBA CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER AVAIL: Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULY		
- HMX-460-60 - Walking Beam Type 60" Axle Spacing; 46,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZU and 04AZV AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULZ	N/A	\$890 0/+63

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-201

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - RT-523 - REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZV AIR BRAKE ABS : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14698		
Chalmers - 854-40L - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 40,000-lb Capacity, With Standard Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std) or 14GVZ AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZS	N/A	\$398 0/+345

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-206

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 854-46H - N/A: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZU		
- 854-46H-HS - Walking Beam Type, Rubber Spring, 54" Axle Spacing; 46,000-lb Capacity, With High Stability (HS) Restrictor Cans and (8) Torque Rods Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01WBA CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZB	N/A	\$984 0/+479
- 854-52-H-HS - Walking Beam Type, with Rubber Spring, 54" Axle Spacing; 52,000-lb Capacity, with High Stability Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 01WBC CROSSMEMBER, SUSPENSION REQS: Code 14GTS, 14GTW or 14GVL AXLE, REAR, TANDEM (SEE NEXT PAGE)	14UZX	N/A	\$3,278 0/+260

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-208

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) International N/A: Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 01GBP FRAME REINFORCEMENT : Code 10WDA FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01WBA CROSSMEMBER, SUSPENSION NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNA		
AXLE, PUSHER, LIFT TYPE NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - AL-2200 - 20,000-lb Capacity; Includes One Non-Steer Axle REQS: Code 16030(std) CAB REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 08VUJ, 08VUK, 08VUL, 08VUM or 08XGJ BATTERY BOX REQS: Code 14UHK, 14ULX, 14ULY, 14UZB or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 34AAX, 34AAY, 34ABU, 34ABW, 34ACB or 34ACD WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)	14WLM	N/A	\$9,731 +385/+837

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-213

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AXLE SPACING, FIRST PUSHER (CONTINUED)			
54" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE	14UAC	N/A	N/C 0/0
55" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE	14UAD	N/A	N/C 0/0
AXLE SPACING, SECOND PUSHER			
42" Ahead of First Pusher Axle AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE	14UAJ	N/A	N/C 0/0
46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAK	N/A	N/C 0/0
48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAL	N/A	N/C 0/0
AXLE SPACING, THIRD PUSHER			
42" Ahead of Second Pusher Axle AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAM	N/A	N/C 0/0
PUSHER LIFT AXLE TIRE SLR NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WNL AXLE, PUSHER, LIFT TYPE	14XAB	N/A	N/C 0/0
2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WNL AXLE, PUSHER, LIFT TYPE	14XAC	N/A	N/C 0/0
4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WNM AXLE, PUSHER, LIFT TYPE	14XAD	N/A	N/C 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-219

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
AXLE SPACING, TAG			
55" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE	14UAZ	N/A	N/C 0/0
61" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UBA	N/A	\$50 0/0
67" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UBB	N/A	N/C 0/0
TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAE	N/A	N/C 0/0
2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAG	N/A	N/C 0/0
4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAH	N/A	N/C 0/0
AXLE, LIFT, CONTROLS			
for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16CAB CAB : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAA	N/A	\$1,088 +5/0
for Three Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAL	N/A	\$1,673 +15/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-221

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SBA 4X2 2010
7600 SBA 6X4 2010
PLH-284 REVISION NO. 34A

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 15960 FUEL TANK STRAPS	15DMV		
(02) Top Draw; Non-Polished Aluminum, 26" Diam., 100 U.S. Gal., 378L Capacity; Total Capacity 200 U.S. Gal., 757L; with Dual Supply & Return Lines and Less Equalizer Line, Mounted Back of Cab Left & Right Side REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01CAW FRAME RAILS : Code 12WPU PTO, ENGINE REAR AVAIL: Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX : Code 14WLM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15DYR DEF TANK	15DRC	\$1,784 +13/+171	\$1,784 +27/+157
(02) Top Draw; Polished Aluminum, 26" Diam., 100 U.S. Gal., 379L Capacity, Total Capacity 200 U.S. Gal. 757L, with Dual Supply & Return Lines, Less Equalizer Line, Mounted Back of Cab Right & Left Side REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01CAW FRAME RAILS : Code 12WPU PTO, ENGINE REAR AVAIL: Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX	15DYM	\$2,344 +13/+171	\$2,344 +27/+164
(SEE NEXT PAGE)			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FUEL TANK (SEE PREV PAGE)			
-OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01CAW FRAME RAILS : Code 15LML FUEL/WATER SEPARATOR : Code 12WPU PTO, ENGINE REAR AVAIL: Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX : Code 14WLM AXLE, PUSHHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15DYR DEF TANK	15DYL		
Top Draw; Non-Polished Aluminum, 26" Diam., 80 U.S. Gal., 302 L Capacity Mounted Left Side, Under Cab REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM N/A: Code 16196 CAB : Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX : Code 27DTE WHEELS, FRONT AVAIL: Code 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP(std) DEF TANK	15SJZ	\$150 +25/+21	\$150 +27/+19
Top Draw; Non-Polished Aluminum, 26" Diam., 80 U.S. Gal., 302L Capacity Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 07BEM(std) EXHAUST SYSTEM N/A: Code 16XTK, 16XTM and 16ZBB ACCESS, CAB : Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 16ZGM ACCESS, FRAME : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01CAW FRAME RAILS : Code 14WLM, 14WNH, 14WJN, 14WNL and 14WNN AXLE, PUSHHER, LIFT TYPE : Code 08MHD and 08MUE BATTERY SYSTEM : Code 15LML FUEL/WATER SEPARATOR AVAIL: Code 08VTJ and 08VUR BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYR DEF TANK	15SVR	\$468 -27/+51	\$468 -23/+47



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
FUEL/WATER SEPARATOR (SEE PREV PAGE)			
Davco			
- Fuel Pro 382 - REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16CAB CAB	15LKX		
Unheated, Includes Water-In-Fuel Light, Mounted In Standard Position REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK	15LKZ	\$298 + 2/0	\$298 + 2/0
120 Volt Pre-Heater and Fuel Heated, Thermostatic Fuel Temperature Control, Includes Water-In-Fuel Light, Mounted In Standard Position REQS: Code 12WCT BLOCK HEATER, ENGINE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK - for 7600 SBA 6X4 2010	15LKY	\$437 + 3/- 2	\$437 + 3/- 2
with 120V Pre-Heater and Coolant Heated, Thermostatic Fuel Temperature Control, Includes Water-in-Fuel Light, Mounted In Standard Position REQS: Code 15DRC, 15DYM, 15SJR, 15SJZ, 15STM or 15SWD FUEL TANK N/A: Code 15LLP LOCATION FUEL/WATER SEPARATOR	15LML	\$623	\$623

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-246

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
LOCATION FUEL/WATER SEPARATOR or Fuel Filter, Mounted Inside Left Rail, Back of Cab REQS: Code 14ULT, 14ULU, 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for 7600 SBA 6X4 2010 REQS: Code 15SJR FUEL TANK, when in combination with Code 16CAB CAB N/A: Code 15LML FUEL/WATER SEPARATOR	15LLP	\$50 0/0	\$50 0/0
CAB Conventional INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16WRX(std), 16WRZ or 16XVZ CAB INTERIOR TRIM REQS: Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PXG, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SBA 6X4 2010 N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT (SEE NEXT PAGE)	16030	STD	STD

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-247

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CAB (SEE PREV PAGE)			
N/A: Code 16UZY and 16UZZ CURTAIN, WINDSHIELD : Code 16LRV and 16LRW SEAT, DRIVER : SEAT, REAR : Code 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 08SAJ or 08WSM SWITCH, BODY CIRCUITS, MID : Code 08VTJ BATTERY BOX : Code 08WEL BATTERY BOX, when in combination with Code 15SSC FUEL TANK : Code 16SBA BUNK, LOWER AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WJU WINDOW, POWER : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 16HCK SEATBELT WARNING PREWIRE : Code 08WTP COURTESY LIGHT	16030		
Conventional 6-Man Crew Cab INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (4) Two Each Side, Rear Door Mounted at Hinge Side and "C" Pillar Mounted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (8) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16RDZ, 16RZL, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16JAJ, 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPZ, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16SMR SEAT, PASSENGER - for 7600 SBA 4X2 2010 -OR- Code 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPZ, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16SMR SEAT, PASSENGER - for 7600 SBA 6X4 2010 REQS: Code 02AEU, 02AEV, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARZ, 02ATG or 02AUR AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 -OR- Code 02AEU, 02AEV, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - for 7600 SBA 6X4 2010 REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 07BEM(std) EXHAUST SYSTEM (SEE NEXT PAGE)	16196	\$12,234 +234/+120	\$12,234 +234/+120

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-248

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CAB (SEE PREV PAGE) INCLS: STEP (4) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16RDZ, 16RZL, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 08VUJ, 08VUK, 08VUL(std) or 08VUM BATTERY BOX, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWW, 13GWW, 13GWW, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for 7600 SBA 6X4 2010 REQS: Code 08VUJ, 08VUK, 08VUL(std) or 08VUM BATTERY BOX, when in combination with Code 14TBJ SUSPENSION, REAR, AIR, SINGLE and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWW, 13GWW, 13GWW, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for 7600 SBA 4X2 2010 REQS: Code 14TBJ SUSPENSION, REAR, AIR, SINGLE, when in combination with Code 08VUJ, 08VUK, 08VUL or 08VUM BATTERY BOX and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWW, 13GWW, 13GWW, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for 7600 SBA 4X2 2010 REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 08VUJ, 08VUK, 08VUL or 08VUM BATTERY BOX and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWW, 13GWW, 13GWW, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for 7600 SBA 6X4 2010 REQS: Code 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 REQS: Code 16HYA, 16HYB, 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER REQS: Code 14TBU SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SBA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SBA 6X4 2010 REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM <div style="text-align: right;">(SEE NEXT PAGE)</div>	16CAB		

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-250

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CAB (SEE PREV PAGE) REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16VBS CONSOLE, CENTER : Code 16JYM, 16LKU, 16LLR, 16LRX and 16LSA SEAT, DRIVER : Code 16XTM ACCESS, CAB : Code 16SDC and 16SEE GRAB HANDLE : Code 16SDC, 16SED and 16SEE GRAB HANDLE : BATTERY DISCONNECT SWITCH, when in combination with Code 08TST, 08TTR, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEL or 08WJJ BATTERY BOX : Code 04VHT AIR DRYER LOCATION - for 7600 SBA 6X4 2010 : Code 04WZJ AIR TANK LOCATION - for 7600 SBA 4X2 2010 : Code 04VCL and 04VHZ AIR TANK LOCATION : Code 01CAW FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 13607 TRANSMISSION, AUXILIARY : BEACON MOUNTING BRACKET, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL : Code 08WVP HORN, AIR : Code 12WPU PTO, ENGINE REAR AVAIL: Code 16WJU WINDOW, POWER : Code 16KAY, 16SMV and 16615 SEAT, REAR : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 08VTN, 08VUL(std), 08VUM, 08VUR, 08WEK, 08WJJ, 08WJN and 08XGJ BATTERY BOX : Code 08WTP COURTESY LIGHT NOTE: 26" CA Loss	16CAB		
ACCESS, CAB Aluminum; Driver & Passenger Sides, Two Steps Per Door, for use with Daycab or Sleeper Cabs REQS: Code 16030(std) CAB REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 16ZGM ACCESS, FRAME : Code 01WLS, 01WLT and 01WLY DECK PLATE : Code 08VTJ and 08VUR BATTERY BOX : Code 07BES AFTERTREATMENT COVER	16XTM	\$471 +36/+17	\$471 +37/+16

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-251

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
ACCESS, FRAME Non-Bright, Step Mounted Left Side, With One Flush Mounted Deck Plate and Grab Handle REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16XTK, 16XTM and 16ZBB ACCESS, CAB : Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 01WLY DECK PLATE : Code 01WLY DECK PLATE, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL : Code 01CAW FRAME RAILS or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SBA 6X4 2010 : Code 08XDZ BATTERY BOX : Code 08VZP BEACON MOUNTING BRACKET : Code 15SGD FUEL TANK, when in combination with Code 16030 CAB	16ZGM	\$227 +8/+6	\$227 +8/+6
AIR CONDITIONER - Blend-Air - With Integral Heater & Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A N/A: Code 16WCS(std) HEATER	16WCT	\$1,187 +45/+9	\$1,187 +46/+8
ARM REST, LEFT, PASSENGER SEAT REQS: Code 16LER, 16LGC, 16PPD, 16PPH, 16PPN, 16RPV, 16RPX or 16RXP SEAT, PASSENGER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER	16WBZ	\$39 +3/0	\$39 +3/0
ARM REST, RIGHT, DRIVER SEAT REQS: Code 16JJD, 16JNT(std), 16JNV, 16JYX, 16LJL, 16LJS, 16LKU, 16LLR, 16LRV, 16LRW or 16LSD SEAT, DRIVER	16WBY	\$39 +3/0	\$39 +3/0
BUNK, LOWER 26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQS: Code 16WRX(std), 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB CAB N/A: Code 16LKU and 16LLR SEAT, DRIVER : Code 13WYH TRANSMISSION TCM LOCATION AVAIL: Code 16615 SEAT, REAR <div style="text-align: right;">(SEE NEXT PAGE)</div>	16SBA	\$2,300 +15/+29	\$2,300 +15/+29

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-255

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
CONSOLE, CENTER Polypropylene, With One Coin Holder, One Cup Holder and One Thermos Holder, With Laptop PC or Clipboard Storage, Includes small Storage Area REQ: Code 16030(std) CAB REQ: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 REQ: Code 16HYA, 16HYB, 16JAJ, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER - for 7600 SBA 4X2 2010 -OR- Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER - for 7600 SBA 6X4 2010 N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16XVZ CAB INTERIOR TRIM	16VBS	\$64 +4/+2	\$64 +4/+2
COWL TRAY LID	16XXC	\$200 +8/+2	\$200 +8/+2
CURTAIN, WINDSHIELD Privacy for the Windshield and Door Windows REQ: Code 16CAB or 16196 CAB Privacy for Windshield, Doors and Rear Windows REQ: Code 16CAB or 16196 CAB	16UZY 16UZZ	\$250 +8/0 \$338 +10/0	\$250 +8/0 \$338 +10/0
FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood N/A: Code 09WBT GRILLE EMBER SCREEN	16WLS	\$76 0/0	\$76 +1/0
GAUGE CLUSTER English With English Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout N/A: Code 16XVZ CAB INTERIOR TRIM	16HBA	STD	STD

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-263

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
GAUGE CLUSTER (CONTINUED)			
English With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout N/A: Code 16XVZ CAB INTERIOR TRIM NOTE: Standard in Canada	16HBB	N/C 0/0	N/C 0/0
Metric With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout N/A: Code 16XVZ CAB INTERIOR TRIM : GAUGE, AIR APPLICATION	16HBC	N/C 0/0	N/C 0/0
- Chrome Bezel - Black Face; All Metric Gauges With Electronic Speedometer and Tachometer for Air Brake Chassis, Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ N/A: Code 16WRZ and 16WSY CAB INTERIOR TRIM NOTE: 010003	16GCS	\$243 0/0	\$243 0/0
Ivory Face; All Metric Gauges With Electronic Speedometer and Tachometer for Air Brake Chassis, Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ REQS: Code 16WSG, 16WSJ, 16WSX, 16WSY or 16XVZ CAB INTERIOR TRIM NOTE: 010003	16GCY	\$243 0/0	\$243 0/0
Ivory Face; English with English Electronic Speedometer and Tachometer for Air Brake Chassis, Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ REQS: Code 16WSG, 16WSJ, 16WSX, 16WSY or 16XVZ CAB INTERIOR TRIM NOTE: 010002	16GCW	\$243 0/0	\$243 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-264

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-265

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
GAUGE, DEF FLUID LEVEL (SEE PREV PAGE) N/A: Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN	16HLJ		
GAUGE, LOAD INDICATING REAR Text Message in Cluster Display, for use with Rear Air Suspension N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SBA 4X2 2010 : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SBA 4X2 2010 : SUSPENSION, REAR, TANDEM - for 7600 SBA 6X4 2010	16HKE	\$128	\$128
GAUGE, OIL TEMP, AUTO TRANS , for Allison Transmission REQS: Code 16HLJ(std) GAUGE, DEF FLUID LEVEL or Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16XVZ CAB INTERIOR TRIM N/A: Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : TRANSMISSION, MANUAL	16HGH	\$48 + 1/0	\$48 + 1/0
GAUGE, OIL TEMP, ENGINE N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS or Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGH GAUGE, OIL TEMP, AUTO TRANS	16HGG	\$54 + 1/0	\$54 + 1/0
GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission REQS: Code 16HLJ(std) GAUGE, DEF FLUID LEVEL or Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16XVZ CAB INTERIOR TRIM N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HGJ	\$48 + 1/0	\$48 + 1/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-266

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
GAUGE, OIL TEMP, REAR AXLE N/A: Code 16HLM GPS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL	\$95 + 1/0	\$190 + 1/0
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16HCS	\$71 0/0	\$71 0/0
GPS <i>Rand McNally</i> Flush Mounted Style In Wing Panel; Display with Color Touch Screen, Includes GPS Navigation, Rechargeable Battery, Internal Antenna & USB Port N/A: Code 16HGN GAUGE, AIR APPLICATION : Code 16HGL GAUGE, OIL TEMP, REAR AXLE	16HLM	\$897 0/0	\$897 0/0
GRAB HANDLE (02) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar N/A: Code 16ZHH ACCESS, CAB AND FRAME : Code 16CAB CAB (02) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar N/A: Code 16CAB CAB AVAIL: Code 16ZBP ACCESS, CAB AND FRAME	16SED 16SEE 16SDC	\$87 \$118 + 3/0 \$236 + 6/0	\$87 \$118 + 3/0 \$236 + 6/0
GRAB HANDLE, ADDITIONAL EXT (02) Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; Mounted Left and Right Side on Exterior, Rear of Rear Doors, With Crew Cab REQS: Code 16196 CAB N/A: Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 16SED GRAB HANDLE	16SDD	\$236 + 5/0	\$236 + 5/0
GRAB HANDLE, CAB INTERIOR (2) Safety Yellow N/A: Code 16196 CAB (4) Safety Yellow, Crew Cab REQS: Code 16196 CAB	16GHU 16GHV	\$33 0/0 \$79 0/0	\$33 0/0 \$79 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-267

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
HEATER - Blend-Air - with Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps N/A: Code 16WCT AIR CONDITIONER	16WCS	STD	STD
HEATER HOSES Silicone REQ: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78 0/0	\$78 0/0
HOSE CLAMPS, HEATER HOSE Breeze Belleville Washer Type	16WHJ	\$25 0/0	\$25 0/0
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$30 0/0	\$30 0/0
HOURLMETER, PTO for Customer Provided PTO; With Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 + 2/0	\$138 + 2/0
HVAC FRESH AIR FILTER	16WKY	STD	STD
INSTRUMENT PANEL Center Section, Flat Panel Center Section, Ergonomic Panel N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 08WEE SWITCH, AIR HORN, PASSENGER	16WJS 16WJT	STD \$330 0/0	STD \$330 0/0
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKT 16HKA	STD N/C 0/0	STD N/C 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-268

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
MIRRORS (CONTINUED)			
Lang Mekra			
(02) Rectangular, Thermostatically Controlled Heated Heads, Bright Finish Heads, with Black Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing, AVAIL: Code 16SDZ, 16SEA and 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SNC	\$245 - 2 / - 1	\$245 - 2 / - 1
(02) Styled; Rectangular, Power Both Sides, Thermostatically Controlled Heated Heads, Clearance Lights LED, Bright Finish Heads & Brackets, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16SDH, 16SJW and 16WSL MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SDG MIRROR, CONVEX, LOOK DOWN	16SDU	\$744 + 8 / 0	\$744 + 8 / 0
(02) Styled; Rectangular, Power Both Sides Flat Glass Only, Thermostatically Controlled Heated Heads, Clearance Lights LED, Black Heads, Brackets and Arms, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16XVZ CAB INTERIOR TRIM AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SDT	\$650 + 1 / 0	\$650 + 1 / 0
MIRROR, CONVEX, HOOD MOUNTED			
SPECIAL; Wiring Only for Right Side Heated Mirror, Mirror and Mounting Brackets Provided by the Customer REQS: Code 16SDT, 16SDU or 16SNB MIRRORS	16SBY	\$21 + 6 / - 1	\$21 + 6 / - 1
Lang Mekra			
(02) Bright, Heated, Left and Right Sides 7.44" Sq REQS: Code 16SDU or 16SNC MIRRORS	16SJX	\$337 + 20 / - 1	\$337 + 20 / - 1
(02) Heated, Left and Right Sides 7.44" Sq REQS: Code 16SDT or 16SNB MIRRORS	16SJW	\$265 + 9 / 0	\$265 + 9 / 0
Less Mirror; Single, Heated, Left Side REQS: Code 16SDT, 16SDU or 16SNB MIRRORS	16SBZ	\$21 + 5 / 0	\$21 + 5 / 0
Right and Left Side; 7.44" Sq., Bright	16SDZ	\$190 + 11 / 0	\$190 + 11 / 0
Right Side; 7.44" Sq. N/A: Code 16SDU and 16SNC MIRRORS NOTE: 010003 - for 7600 SBA 4X2 2010	16SDH	\$70 + 6 / 0	\$70 + 6 / 0
Right Side; 7.44" Sq., Bright	16SEA	\$96 + 6 / 0	\$96 + 6 / 0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-270

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
MIRROR, CONVEX, HOOD MOUNTED (CONTINUED) Lang Mekra Single, Heated, Bright, Right Side REQ: Code 16SDT or 16SDU MIRRORS (02) for Left and Right Sides 7.44" Sq. N/A: Code 16SDU and 16SNC MIRRORS	16SJV 16WSL	\$177 + 5/0 \$137 + 11/0	\$177 + 5/0 \$137 + 11/0
MODESTY PANEL Painted	16XRX	\$217 0/0	\$217 0/0
MOUNTING BRACKETS for Catwalk, Less Roof Catwalk REQ: Code 04091(std) BRAKE SYSTEM, AIR REQ: Code 07BEM(std) or 07BEP EXHAUST SYSTEM - for 7600 SBA 4X2 2010 -OR- Code 07BEM(std), 07BEP or 07BJX EXHAUST SYSTEM - for 7600 SBA 6X4 2010 N/A: Code 16196 CAB : Code 08VZP BEACON MOUNTING BRACKET : Code 08WVP HORN, AIR : Code 08695 SNOW SHIELD	16917	\$171 + 3/0	\$171 + 3/0
SEAT BELT All Orange; 1 to 3 AVAIL: Code 16615 SEAT, REAR All Orange; 4 to 6 REQ: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQ: Code 16CAB or 16196 CAB REQ: Code 16JAJ, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER - for 7600 SBA 4X2 2010 -OR- SEAT, TWO-MAN PASSENGER -OR- Code 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER - for 7600 SBA 6X4 2010 N/A: Code 16HXB, 16JCP, 16JCR, 16JYL and 16JYM SEAT, DRIVER : Code 16615 SEAT, REAR All Red; 1 to 3 REQ: Code 16JAJ, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER - for 7600 SBA 4X2 2010 -OR- SEAT, TWO-MAN PASSENGER (SEE NEXT PAGE)	16VCC 16VCB 16VBZ	\$26 0/0 \$50 0/0 \$26 0/0	\$26 0/0 \$50 0/0 \$26 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-271

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SEAT, DRIVER (CONTINUED)			
National			
- 2000 -			
NFPA Compliant, Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JAJ, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER - for 7600 SBA 4X2 2010 -OR- Code 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER - for 7600 SBA 6X4 2010 N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16XVZ CAB INTERIOR TRIM AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER	16JJE	\$49 0/0	\$49 0/0
Air Suspension, Hi Back, Prestige All Leather, International Logo on Headrest, Isolator, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to 14 Degree Back Angle Adj., Vinyl Suspension Cover, Bolsters, Heater, Map Pocket INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16LPZ SEAT, PASSENGER - for 7600 SBA 4X2 2010 REQS: Code 16WRZ, 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16LPZ SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJZ, 16SMV and 16615 SEAT, REAR : Code 16CAB CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LSA	\$783 - 2/- 1	\$783 - 2/- 1
Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust, Dual Shocks INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16WBY ARM REST, RIGHT, DRIVER SEAT REQS: Code 16JAJ, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER - for 7600 SBA 4X2 2010	16LJS	\$218 +21/+13	\$218 +21/+13

(SEE NEXT PAGE)

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-275

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SEAT, DRIVER			
(SEE PREV PAGE)			
National			
- 2000 -			
N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER	16LKU		
: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
: Code 16SBA BUNK, LOWER			
AVAIL: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR			
Air Suspension, Hi Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type	16JPX	\$696 - 1 / 0	\$696 - 1 / 0
REQS: Code 16PNX or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER			
: Code 16WBY ARM REST, RIGHT, DRIVER SEAT			
: Code 16XVZ CAB INTERIOR TRIM			
: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
Non-Suspension, High Back With Integral Head Rest, Cloth, With Fixed Back	16KAU	\$25 - 17 / - 40	\$25 - 20 / - 37
REQS: Code 16SMM, 16SMR or 16400(std) SEAT, PASSENGER			
N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16WBY ARM REST, RIGHT, DRIVER SEAT			
: Code 16XVZ CAB INTERIOR TRIM			
AVAIL: Code 16PJV SEAT, TWO-MAN PASSENGER			
: Code 16KAY, 16LJX, 16LJZ, 16SMU and 16615 SEAT, REAR			
Non-Suspension, High Back With Integral Head Rest, Vinyl, With Fixed Back	16KAV	N/C - 17 / - 40	N/C - 20 / - 37
REQS: Code 16JAJ, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER - for 7600 SBA 4X2 2010			
-OR- Code 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER - for 7600 SBA 6X4 2010			
N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16WBY ARM REST, RIGHT, DRIVER SEAT			
: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR			
: Code 16XVZ CAB INTERIOR TRIM			
AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SEAT, DRIVER (CONTINUED)			
National			
- Model HP -			
Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16HYA or 16RAM SEAT, PASSENGER REQS: Code 16XVZ CAB INTERIOR TRIM REQS: Code 16HYA, 16RAM or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : SEAT, REAR : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT	16JCR	\$445 - 3/- 10	\$445 - 3/- 10
Air Suspension, High Back, Vinyl boxing with cloth facing, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cyclor REQS: Code 16RAD or 16RAN SEAT, PASSENGER REQS: Code 16XVZ CAB INTERIOR TRIM REQS: Code 16030(std) CAB REQS: Code 16RAD, 16RAN or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : SEAT, REAR : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT	16JYM	\$528 - 5/- 12	\$528 - 6/- 11
Air Suspension, High Back, Vinyl Boxing With Cloth Facing, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16RAD or 16RAN SEAT, PASSENGER REQS: Code 16XVZ CAB INTERIOR TRIM REQS: Code 16RAD, 16RAN or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : SEAT, REAR : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT	16JYL	\$342 + 4/- 2	\$342 + 3/- 1



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SEAT, PASSENGER (SEE PREV PAGE) National N/A: Code 16XVZ CAB INTERIOR TRIM Air-Suspension, High Back With Integral Headrest, Mordura Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjustment REQS: Code 16LSD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16XVZ CAB INTERIOR TRIM : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE Air-Suspension, High Back With Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment REQS: Code 16JJD, 16JNV, 16JYX, 16KAV, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16XVZ CAB INTERIOR TRIM Non Suspension, High Back With Integral Headrest, Mordura Cloth, With Fixed Back REQS: Code 16LSD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16XVZ CAB INTERIOR TRIM : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage REQS: Code 16JJD, 16JNV, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16XVZ CAB INTERIOR TRIM : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl REQS: Code 16JJE, 16JJG, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16XVZ CAB INTERIOR TRIM	16SMM 16LER 16RPX 16LUN 16SMR 16SMN	\$877 +58/+34 \$568 +49/+30 \$427 \$546 +23/+18 \$400 +13/+10	\$877 +61/+31 \$568 +49/+30 \$427 \$546 +25/+16 \$400 +14/+9

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-283

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SEAT, PASSENGER (CONTINUED)			
National			
- Model HP -			
Air Suspension, High Back, Vinyl Boxing With Cloth Facings, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjustment, 3-14 Degree Back Angle Adjustment, Bellows REQS: Code 16JYL or 16JYM SEAT, DRIVER REQS: Code 16XVZ CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT	16RAD	\$953 +43/+52	\$953 +48/+48
- 2000 -			
Air-Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Dual Shocks INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT REQS: Code 16JNV, 16JYX, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16XVZ CAB INTERIOR TRIM	16RXP	\$794 +50/+31	\$794 +50/+31
Air-Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, Dual Shocks INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16XVZ CAB INTERIOR TRIM	16PPN	\$623 +50/+31	\$623 +50/+31
NFPA Compliant, Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16XVZ CAB INTERIOR TRIM	16PPG	\$528 +43/+26	\$528 +43/+26

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

SECTION 515

PRICES EFFECTIVE 01/02/2017

PAGE 515-285

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SEATBELT WARNING PREWIRE (CONTINUED) Includes Seat Belt Switches and Seat Sensors for all Belted Positions in the Cab and a Harness Routed to the Center of the Dash for the Aftermarket Installation of the Data Recorder and Seatbelt Indicator Systems, for 4 to 6 Seat Belts REQS: Code 16VCA or 16VCB SEAT BELT REQS: Code 16JJE, 16JJG, 16JNT(std), 16JNV, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL or 16LJS SEAT, DRIVER REQS: Code 16LJX, 16LJY, 16LJZ, 16PCS, 16RDZ, 16RZL, 16SMT, 16SMU or 16SMV SEAT, REAR, when in combination with Code 16CAB or 16196 CAB REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16JAJ, 16LPC, 16LUM, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400(std) SEAT, PASSENGER - for 7600 SBA 4X2 2010 -OR- Code 16LPC, 16LUM, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400(std) SEAT, PASSENGER - for 7600 SBA 6X4 2010 N/A: Code 16KAY and 16615 SEAT, REAR	16HCL	\$1,483 0/0	\$1,483 0/0
STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16WLE	STD	STD
SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights Bright Finish; Includes Integral Clearance/Marker Lights	16XWD 16XWE	\$253 +13/+4 \$688 +12/+5	\$253 +13/+4 \$688 +12/+5
WINDOW, POWER (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM - for 7600 SBA 4X2 2010 REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB (02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature REQS: Code 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM - for 7600 SBA 4X2 2010 N/A: Code 16196 CAB	16WJV 16WJU	\$866 +10/0 \$367 +5/0	\$866 +10/0 \$367 +5/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-293

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
WINDSHIELD Heated, Single Piece REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS AVAIL: Code 08THJ AUXILIARY HARNESS	16VSL	\$632 + 1/0	\$632 + 1/0
WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side	16XWY	\$61	\$61
WINDSHIELD WIPER BLADES Snow Type	16XWJ	\$26 + 2/0	\$26 + 2/0
WHEELS, FRONT <i>Accuride</i> - 50408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 32WAA WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WCC BRAKE PACKAGE, FRONT - 28828 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29331 BRAKE DRUMS, FRONT : Code 28DEL WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS - 29001 - DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 02AGE, 02ARU, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SBA 4X2 2010 (SEE NEXT PAGE)	27DUG 27DTT 27DTU	STD \$145 \$61	STD \$145 \$61

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-294

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7600 SBA 2010 4X2	7600 SBA 2010 6X4
WHEELS, REAR (SEE PREV PAGE)			
Accuride			
- 28827 - N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS AVAIL: Code 10636 PAINT IDENTITY, PT-2 : Code 29PBB PAINT IDENTITY, REAR WHEELS	28DPR		
- 28828 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29334 BRAKE DRUMS, REAR - for 7600 SBA 6X4 2010 : Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DDT	\$231	\$462
- 29001 - DUAL DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 14AHB, 14AHC, 14AHH, 14AHJ, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- Code 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GVL, 14GVN, 14GVR, 14GVU, 14GVV(std), 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DTU	\$104	\$208

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO 34A

Printed in the United States of America

SECTION 515

PAGE 515-307

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
WHEELS, REAR (SEE PREV PAGE) Maxion - 90541 - N/A: Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS - 90542 - DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERB, 14ERP or 14051(std) AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DTJ 28DTD	\$176 0/+848	\$352 0/+231
WHEEL, SPARE, DISC 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DHK WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMZ WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMB, 27DMC, 27DME or 27DMG WHEELS, FRONT or Code 28DMB, 28DMC, 28DME or 28DMG WHEELS, REAR N/A: Code 27DTD, 27DTE and 27DTH WHEELS, FRONT : Code 28DTD, 28DTE, 28DTH and 28DTJ WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRL 26DRN 26DRB	\$605 +34/+35 \$625 +34/+35 \$464 +27/+27	\$605 +34/+35 \$625 +34/+35 \$464 +27/+27

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-316

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
WHEEL, SPARE, DISC (CONTINUED)			
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMC or 27DMG WHEELS, FRONT N/A: Code 28DTD, 28DTE, 28DTH and 28DTJ WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	26DRC	\$487 +27/+27	\$487 +27/+27
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Rear Application Only REQS: Code 28DEL, 28DEM or 28DMC WHEELS, REAR - for 7600 SBA 6X4 2010 REQS: Code 28DMC WHEELS, REAR - for 7600 SBA 4X2 2010 N/A: Code 27DTE WHEELS, FRONT : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRG	\$481 +27/+27	\$481 +27/+27
24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ WHEELS, REAR N/A: Code 27DTE WHEELS, FRONT : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DSB	\$380 +31/+31	\$380 +31/+31
24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMK WHEELS, FRONT or Code 28DMK WHEELS, REAR N/A: Code 27DTD, 27DTE, 27DTH and 27DTJ WHEELS, FRONT : Code 28DUH WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DSG	\$489 +31/+31	\$489 +31/+31
Accuride			
- 28828 - 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DTT WHEELS, FRONT or Code 28DTT WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DTT	\$259	\$259
- 29039 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DPN WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DPN	\$308	\$308

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-317

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
HUB BRAND, FRONT ConMet Steel Front Hubs, With Pre-Adjusted Bearings In Lieu of Standard Source Steel Hubs REQS: Code 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING N/A: Code 29598 WHEEL SEALS, FRONT : Code 27DEL, 27DEM, 27DHK, 27DHz, 27DME, 27DMG and 27DNZ WHEELS, FRONT	29ADX	N/A	\$248 0/0
PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; With Vendor Applied Gray Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU, 27DUG(std), 27DUK, 27DUL or 27DUN WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Front Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU or 27DUG(std) WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Wheels; With Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTE, 27DTH, 27DTJ, 27DTU, 27DUG(std), 27DUK or 27DUL WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAW 29PAR 29PBA	\$24 0/0 \$24 0/0 \$24 0/0	\$24 0/0 \$24 0/0 \$24 0/0
PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied Gray Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUG(std), 28DUH, 28DUK or 28DUL WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Rear Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTU or 28DUG(std) WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Wheels; With Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTC, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUG(std), 28DUH or 28DUL WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX 29PAS 29PBB	\$48 0/0 \$48 0/0 \$48 0/0	\$48 0/0 \$90 0/0 \$90 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-321

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRE, SPARE Equal to Model Standard NOTE: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	29007	\$822 +45/+46	\$822 +45/+46
TIRE VALVE CAP Flo-Thru Design N/A: Code 27DTD WHEELS, FRONT	29ACD	\$24 0/0	\$24 0/0
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DRC, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 27DHZ, 27DMB, 27DMC, 27DME, 27DMG, 27DMZ or 27DNZ WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29AAA	\$174 0/0	\$174 0/0
WHEEL BRAND, FRONT/REAR Alcoa Disc Wheels REQS: Code 26DTD, 26DTJ or 26DUS WHEEL, SPARE, DISC REQS: Code 27DMB, 27DMC, 27DME or 27DMG WHEELS, FRONT REQS: Code 28DMB, 28DMC, 28DME or 28DMG WHEELS, REAR N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29174	\$523 0/0	\$872 0/0
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil	29WLK	\$59 0/0	\$59 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-322

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 + 2/0	\$24 + 2/0
WHEEL GUARDS, REAR Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels N/A: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DRA, 28DUR, 28DUS and 32DHY WHEELS, REAR	29WAR	\$24 0/+4	\$47 0/+8
WHEEL IDENTITY Mark Rear Wheel "For Delivery Use Only" REQS: Code 32WAA WHEELS, REAR N/A: Code 27DHZ WHEELS, FRONT	29WAG	N/C 0/0	N/A
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK or 28DUS WHEELS, REAR	29BAG	\$450CR 0/-46	\$898CR 0/+124
WHEEL SEALS, FRONT Stemco - Voyager - Oil Lubricated Wheel Bearings ILO Standard Oil Seals N/A: Code 29ADX HUB BRAND, FRONT - for 7600 SBA 6X4 2010	29598	\$59 0/0	\$59 0/0
WHEEL SEALS, REAR Stemco - Voyager - Oil Lubricated Wheel Bearings REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 -OR- Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010	29597	\$60 0/0	\$80 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-323

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	\$800
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	\$560
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	\$1,100
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	\$780
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	\$1,300
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920	\$920
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMD	\$1,600	\$1,600
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMK	\$1,120	\$1,120

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-328

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONT, EXT AFTERTREATMENT Navistar To 36-Month/175,000 Miles (280,000 km), 6,300 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQ: Code 40MCH, 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDB, 40MDC, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQ: Code 40MCH, 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCU, 40MCV, 40MCW, 40MDB, 40MDC, 40MDD, 40MDE, 40MDG, 40MDK or 40MDL SRV CONTRACT, EXT ENGINE To 36-Month/350,000 Miles (560,000 km), 12,600 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQ: Code 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCV, 40MCW, 40MDC, 40MDD, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE To 36-Month/400,000 Miles (640,000 km), 14,400 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQ: Code 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCV, 40MCW, 40MDC, 40MDD, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE To 36-Month/500,000 Miles (800,000 km), 18,000 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQ: Code 40MCL, 40MCP, 40MCW, 40MDD or 40MDL SRV CONTRACT, EXT ENGINE To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQ: Code 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQ: Code 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWB	\$700	\$700
	40KWC	\$950	\$950
	40KWD	\$1,100	\$1,100
	40KWE	\$1,400	\$1,400
	40KWG	\$2,300	\$2,300
	40KWH	\$950	\$950
	40KWJ	\$1,000	\$1,000

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-329

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONT, EXT AFTERTREATMENT (CONTINUED)			
Navistar			
To 48-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCV, 40MCW, 40MCY, 40MDA, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWK	\$1,100	\$1,100
To 48-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDD, 40MDE, 40MDG, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWL	\$1,200	\$1,200
To 48-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCU, 40MCV, 40MCW, 40MDD, 40MDE, 40MDG, 40MDK or 40MDL SRV CONTRACT, EXT ENGINE	40KWM	\$1,300	\$1,300
To 48-Month/400,000 Miles (640,000 km), 14,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCV, 40MCW, 40MDD, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWN	\$2,000	\$2,000
To 48-Month/450,000 Miles (720,000 km), 16,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCN, 40MCP, 40MCW, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWP	\$2,300	\$2,300
To 48-Month/500,000 Miles (800,000 km), 18,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCP, 40MCW, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWR	\$2,800	\$2,800
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for Navistar N10 and Navistar N13 Engines REQS: Code 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40RAA	\$1,200	\$1,200
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWT	\$1,300	\$1,300

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-330

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONT, EXT AFTERTREATMENT (CONTINUED) Navistar To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWU	\$1,400	\$1,400
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCU, 40MCV, 40MCW, 40MDK or 40MDL SRV CONTRACT, EXT ENGINE	40KWV	\$1,650	\$1,650
To 60-Month/400,000 Miles (640,000 km), 14,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCV, 40MCW or 40MDL SRV CONTRACT, EXT ENGINE	40KWW	\$2,300	\$2,300
To 60-Month/500,000 Miles (800,000 km), 18,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCW or 40MDL SRV CONTRACT, EXT ENGINE	40KWX	\$3,200	\$3,200
To 72-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCX, 40MCY, 40MCZ, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWY	\$1,200	\$1,200
To 72-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCX, 40MCY, 40MCZ, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWZ	\$1,300	\$1,300
To 72-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCY, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KXA	\$1,400	\$1,400
To 72-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCY, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KXB	\$1,500	\$1,500
To 84-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCZ, 40MDA or 40MDN SRV CONTRACT, EXT ENGINE	40KXC	\$1,300	\$1,300

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-331

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONT, EXT AFTERTREATMENT (CONTINUED) Navistar To 84-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCZ, 40MDA or 40MDN SRV CONTRACT, EXT ENGINE To 84-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MDA or 40MDN SRV CONTRACT, EXT ENGINE To 84-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxFord 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MDA or 40MDN SRV CONTRACT, EXT ENGINE	40KXD 40KXE 40KXG	\$1,400 \$1,500 \$1,600	\$1,400 \$1,500 \$1,600
SRV CONTRACT, EXT CAB Navistar To 120-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, With Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010 To 72-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, With Rear Axle Capacity of 52,000-lb or Less To 96-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, With Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010	40EUC 40EUA 40EUB	\$1,500 \$940 \$1,240	\$1,500 \$940 \$1,240
SRV CONTRACT, EXT COOLING SYS Navistar To 24-Month/100,000 Miles (160,000 km)	40MHR	\$220	\$220

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-332

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT COOLING SYS (CONTINUED)			
<i>Navistar</i>			
To 24-Month/150,000 Miles (240,000 km)	40MHS	\$260	\$260
To 24-Month/200,000 Miles (320,000 km)	40MHV	\$560	\$560
To 36-Month/100,000 Miles (160,000 km)	40MHT	\$460	\$460
To 36-Month/150,000 Miles (240,000 km)	40MHU	\$520	\$520
To 48-Month/100,000 Miles (160,000 km)	40MKC	\$700	N/A
To 48-Month/150,000 Miles (240,000 km)	40MKD	\$760	N/A
To 48-Month/200,000 Miles (320,000 km)	40MKE	\$840	N/A
To 60-Month/100,000 Miles (160,000 km)	40MKG	\$800	N/A
To 60-Month/150,000 Miles (240,000 km)	40MKH	\$860	N/A
To 60-Month/200,000 Miles (320,000 km)	40MJH	\$940	\$940
SRV CONTRACT, EXT ELECTRICAL			
<i>Navistar</i>			
- Prepackaged Components -			
Excludes Starter and Alternator, To 24-Month/100,000 Miles (160,000 km)	40NLR	\$360	\$360
Excludes Starter and Alternator, To 24-Month/150,000 Miles (240,000 km)	40NLS	\$440	\$440
Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km)	40NLT	\$760	\$760
Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km)	40NLU	\$860	\$860
Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km)	40NLV	\$940	\$940
Excludes Starter and Alternator, To 48-Month/100,000 Miles (160,000 km)	40NLW	\$1,160	\$1,160
Excludes Starter and Alternator, To 48-Month/150,000 Miles (240,000 km)	40NLX	\$1,260	\$1,260

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-333

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT ELECTRICAL (CONTINUED) Navistar - Prepackaged Components - Excludes Starter and Alternator, To 48-Month/200,000 Miles (320,000 km) Excludes Starter and Alternator, To 60-Month/100,000 Miles (160,000 km) Excludes Starter and Alternator, To 60-Month/150,000 Miles (240,000 km) Excludes Starter and Alternator, To 60-Month/200,000 Miles (320,000 km)	40NLY 40NLZ 40NMA 40NMB	\$1,380 \$1,320 \$1,420 \$1,580	\$1,380 \$1,320 \$1,420 \$1,580
SRV CONTRACT, EXT ENGINE Navistar To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB and 40KWC SRV CONT, EXT AFTERTREATMENT To 36-Month/350,000 Miles (560,000 km), 12,600 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC and 40KWD SRV CONT, EXT AFTERTREATMENT To 36-Month/400,000 Miles (640,000 km), 14,400 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD and 40KWE SRV CONT, EXT AFTERTREATMENT To 36-Month/500,000 Miles (800,000 km), 18,000 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE and 40KWG SRV CONT, EXT AFTERTREATMENT To 48-Month/400,000 Miles (640,000 km), 14,400 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM and 40KWN SRV CONT, EXT AFTERTREATMENT	40MCH 40MCJ 40MCK 40MCL 40MCM	\$1,800 \$2,200 \$2,700 \$4,300 \$3,600	\$1,800 \$2,200 \$2,700 \$4,300 \$3,600

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-334

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT ENGINE (CONTINUED)			
Navistar			
To 48-Month/450,000 Miles (720,000 km), 16,200 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN and 40KWP SRV CONT, EXT AFTERTREATMENT	40MCN	\$4,200	\$4,200
To 48-Month/500,000 Miles (800,000 km), 18,000 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWG, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN, 40KWP and 40KWR SRV CONT, EXT AFTERTREATMENT	40MCP	\$5,000	\$5,000
To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40MCR	\$1,500	\$1,500
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWT and 40RAA SRV CONT, EXT AFTERTREATMENT	40MCS	\$2,100	\$2,100
To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWT, 40KWU and 40RAA SRV CONT, EXT AFTERTREATMENT	40MCT	\$2,600	\$2,600
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWT, 40KWU, 40KWV and 40RAA SRV CONT, EXT AFTERTREATMENT	40MCU	\$3,000	\$3,000
To 60-Month/400,000 Miles (640,000 km), 14,400 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines N/A: Code 40KWG, 40KWP, 40KWR, 40KWX, 40KWY, 40KWZ, 40KXA, 40KXB, 40KXC, 40KXD, 40KXE and 40KXG SRV CONT, EXT AFTERTREATMENT	40MCV	\$4,200	\$4,200

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-335

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT ENGINE (CONTINUED)			
Navistar			
To 48-Month/450,000 Miles (720,000 km), 16,200 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN and 40KWP SRV CONT, EXT AFTERTREATMENT	40MDE	\$2,600	\$2,600
To 48-Month/500,000 Miles (800,000 km), 18,000 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN, 40KWP and 40KWR SRV CONT, EXT AFTERTREATMENT	40MDG	\$3,000	\$3,000
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK and 40KWT SRV CONT, EXT AFTERTREATMENT	40MDH	\$1,400	\$1,400
To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWT and 40KWU SRV CONT, EXT AFTERTREATMENT	40MDJ	\$1,600	\$1,600
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWT, 40KWU and 40KWV SRV CONT, EXT AFTERTREATMENT	40MDK	\$1,800	\$1,800
To 60-Month/500,000 Miles (800,000 km), 18,000 Hours; Limited Plan for Navistar N13 Engines N/A: Code 40KWY, 40KWZ, 40KXA, 40KXB, 40KXC, 40KXD, 40KXE, 40KXG and 40RAA SRV CONT, EXT AFTERTREATMENT	40MDL	\$3,500	\$3,500
To 72-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWT, 40KWU, 40KWY, 40KWZ, 40KXA, 40KXB and 40RAA SRV CONT, EXT AFTERTREATMENT	40MDM	\$2,900	\$2,900
To 84-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for Navistar N13 Engines N/A: Code 40KWC, 40KWD, 40KWE, 40KWG, 40KWM, 40KWN, 40KWP, 40KWR, 40KWV, 40KWW and 40KWX SRV CONT, EXT AFTERTREATMENT	40MDN	\$3,500	\$3,500
Comprehensive 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Limited 60-Month/500,000 Miles (800,000 km), 18,000 Hours (Excludes Turbo, Injectors, Water Pump) for N13 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40MCG	\$4,200	\$4,200

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-337

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT ENG M/COMP Navistar To 72-Month/600,000 Miles (960,000 km), 21,600 Hours; Major Components Plan for Navistar N13 Engines To 84-Month/700,000 Miles (1,120,000 km), 25,200 Hours; Major Components Plan for Navistar N13 Engines	40MDP 40MDR	\$1,000 \$1,500	\$1,000 \$1,500
SRV CONTRACT, EXT FRAME To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SBA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SBA 4X2 2010	40EUG 40EUD 40EUE	\$380 \$240 \$300	\$380 \$240 \$300
SRV CONTRACT, EXT HTR/AC SYS Navistar - Prepackaged Components - To 24-Month/100,000 Miles (160,000 km) To 24-Month/150,000 Miles (240,000 km) To 36-Month/100,000 Miles (160,000 km) To 36-Month/150,000 Miles (240,000 km) To 36-Month/200,000 Miles (320,000 km) To 48-Month/100,000 Miles (160,000 km) To 48-Month/150,000 Miles (240,000 km)	40NHJ 40NHK 40NHL 40NHM 40NHN 40NHP 40NHR	\$460 \$540 \$940 \$1,040 \$1,160 \$1,440 \$1,540	\$460 \$540 \$940 \$1,040 \$1,160 \$1,440 \$1,540

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-338

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT HTR/AC SYS (CONTINUED) Navistar - Prepackaged Components - To 48-Month/200,000 Miles (320,000 km) To 60-Month/100,000 Miles (160,000 km) To 60-Month/150,000 Miles (240,000 km) To 60-Month/200,000 Miles (320,000 km)	40NHS 40NHT 40NHU 40NHV	\$1,160 \$1,620 \$1,720 \$1,940	\$1,160 \$1,620 \$1,720 \$1,940
SRV CONTRACT, EXT MAJOR COMP Navistar - Prepackaged Components - To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less	40LWV 40LWW 40LWX 40LWY 40LWZ 40LXA 40LXB 40LXC 40LXD	\$280 \$320 \$580 \$640 \$700 \$880 \$940 \$1,040 \$980	\$280 \$320 \$580 \$640 \$700 \$880 \$940 \$1,040 \$980

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-339

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT MAJOR COMP (CONTINUED) Navistar - Prepackaged Components - To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less	40LXE 40LXG 40LXH	\$1,080 \$1,180 \$1,300	\$1,080 \$1,180 \$1,300
SRV CONTRACT, EXT STARTER/ALT Navistar - Prepackaged Components - Covers Starter and Alternator Only, To 24-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km)	40MEV 40MEW 40MEX 40MEY 40MEZ 40MGA 40MGB	\$240 \$400 \$620 \$620 \$720 \$700 \$840	\$240 \$400 \$620 \$620 \$720 \$700 \$840
SRV CONTRACT, EXT VEH COVERAGE Navistar To 24-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less To 24-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PJW 40PJX 40PJY	\$2,400 \$2,800 \$4,800	\$2,400 \$2,800 \$4,800

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-340

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PJZ	\$5,400	\$5,400
To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKA	\$6,000	\$6,000
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKB	\$7,400	\$7,400
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKC	\$8,000	\$8,000
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKD	\$8,800	\$8,800
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKE	\$8,400	\$8,400
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKG	\$9,000	\$9,000
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PGP	\$10,000	\$10,000
BDY INTG, REMOTE POWER MODULE			
(02) Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp. Total per Power Module (Includes 12 Latched Switches) N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAB	\$1,265 + 8/0	\$1,265 + 8/0
(02) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 2 Switch Packs With Latched Switches) N/A: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7600 SBA 6X4 2010 : Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : BDY INTG, POWER MODULE AUX : Code 60AAM BDY INTG, POWER MODULE AUX (SEE NEXT PAGE)	60AAH	\$1,265	\$1,265

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-341

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BDY INTG, REMOTE POWER MODULE (SEE PREV PAGE) N/A: Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches) N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID - SPECIAL - (02) Mounted Under Cab or On Battery Box; Max. 20 amp. per Channel, Max. 80 amp. Total per Power Module; Includes 1 Module With Switch Pack Containing 6 Latched Switches and 1 Module With Hardware Only N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAL 60AAA 60AAD	\$690 + 4/0 \$1,215	\$690 + 4/0 \$1,215
BDY INTG, ADDITIONAL CAB HOLE for Customer Use N/A: Code 13WYH TRANSMISSION TCM LOCATION	60AAT	\$50	\$50
BDY INTG, DASH IND. LT RED (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJR 60AJS 60AJT 60AJU	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, DASH IND. LT GREEN (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJV 60AJW 60AJX 60AJY	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, DASH IND. LT YELLOW (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program	60AJZ 60AKA	\$98 \$116	\$98 \$116



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BDY INTG, DASH IND. LT YELLOW (CONTINUED)			
(3) for Optional Usage Customer to Program	60AKB	\$133	\$133
(6) for Optional Usage Customer to Program	60AKC	\$266	\$266
BDY INTG, HEADLIGHTS, WIG WAG			
High Beam Wig Wag With Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag	60AKL	\$268	\$268
High Beam Wig Wag With Park Brake Interlock, Park Brake Disables Wig Wag	60AKK	\$268	\$268
BDY INTG, INDICATOR LIGHTS NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE			
(02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJC	\$83 0/0	\$83 0/0
(02) 1 for Body Up, 1 for Gate Open, Includes Audible Alarm, Programmable Mode for Various Switch Actions. (Requires 2 Remote Power Module Inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJK	\$83 0/0	\$83 0/0
(02) 1 for Boom Out of Stow, 1 for Outriggers Deployed, Includes Audible Alarm and Interlock to Parking Brake, Programmable Mode for Various Switch Actions (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJD	\$83 0/0	\$83 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-344

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BDY INTG, REMOTE START/STOP (CONTINUED) To Start and Stop Vehicle Engine, Will Start Emergency Pump Motor, Programmable Time Intervals REQS: Code 13WBL TRANSMISSION SHIFT CONTROL, when in combination with Code 13AAZ or 13WUA AUTOMATIC NEUTRAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : TRANSMISSION, MANUAL : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXPANSION HARNESS : Code 12VAG and 12VAL AIR CLEANER AVAIL: Code 08WEX AUXILIARY HARNESS - for 7600 SBA 6X4 2010 : Code 08TMH SWITCH, AUXILIARY	60ABD	\$563 0/0	\$563 0/0
BDY INTG, RPM I/O HARNESS Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM REQS: Code 60AAA or 60AAG BDY INTG, REMOTE POWER MODULE Includes Two Harnesses with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with Two RPM REQS: Code 60AAB, 60AAD, 60AAH or 60AAK BDY INTG, REMOTE POWER MODULE	60ABM 60ABN	\$40 \$62	\$40 \$62
BDY INTG, SWITCH DUAL OUTPUT NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE 2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 1; Auxiliary Load 40 amp Maximum; Power Available Only in "Ignition" or "Accessory" Position; Controls 2 Remote Power Modules (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACE	N/C 0/0	N/C 0/0
BDY INTG, SWITCH, INTERLOCKED NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE (02) 2 Position Latched Rockers, Backlit, with "ON" Indicator Mtd on Dash, for 2; Auxiliary Load each 20 amp Maximum; Outputs will Disengage when Vehicle Exceeds 30 MPH, Programmable; Power Available Only in "Ignition" or "Accessory" Position (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE (SEE NEXT PAGE)	60ACH	N/C 0/0	N/C 0/0

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-347

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
BDY INTG, SWITCH MOMNTRY 3POS (CONTINUED) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 2; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 2 Remote Power Module inputs & 2 outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACT	N/C 0/0	N/C 0/0
BDY INTG, THEFT DETERRENT SYS Includes one (1) Switch Pack of Six Momentary Switches N/A: Code 60ACW BDY INTG,I/O EXPANSION HARNESS AVAIL: Code 08THJ AUXILIARY HARNESS : Code 08TMH SWITCH, AUXILIARY NOTE: Programming the customer's security code is not included in the PDI reimbursement and is not a warranty expense. Sales persons must account for the labor in the sale price of the vehicle.	60ACX	\$430 0/0	\$430 0/0
TIRES Continental Tire 11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position 11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position 11R22.5 LR-G ECOPLUS HS3 495 rev/mile 75 MPH All-Position 11R22.5 LR-G HDL2 493 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135415 7372135423 7372135428 7372135429 7372135432 7372135434	N/A \$41 +15 \$17 +9 N/A \$32CR +9 \$73 +15	STD \$41 +15 \$17 +9 \$16CR +6 \$32CR +9 \$73 +15
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-349

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$122 +3	\$122 +3
11R22.5 LR-H HSR2 498 rev/mile 75 MPH All-Position	7382135415	N/A	\$23 +1
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$121 +18	\$121 +18
11R22.5 LR-H HSC1 496 rev/mile 75 MPH All-Position	7382135419	N/A	\$80 +10
11R22.5 LR-H HDC1 488 rev/mile 75 MPH Drive-Position	7382135420	\$156 +9	\$156 +9
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$60 +15	\$60 +15
11R22.5 LR-H ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7382135429	N/A	\$9 +6
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$75 +14	\$75 +14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$7CR +6	\$7CR +6
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	N/A	\$20 +12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	N/A	\$209 +17
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$262 +31	\$262 +31
295/75R22.5 LR-G HDR2 ECO PLUS 509 rev/mile 75 MPH Drive-Position	7702495434	N/A	\$27 +8
295/75R22.5 LR-G CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7702495436	N/A	\$6 0
295/75R22.5 LR-H CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7792495436	N/A	\$42 +5
255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position	7752525421	N/A	\$128CR -32
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	N/A	\$11CR -5
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	N/A	\$22 -4
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-350

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
<i>Continental Tire</i>			
315/80R22.5 LR-L HDR2 491 rev/mile 75 MPH Drive-Position	7772545423	\$527 +31	\$527 +31
315/80R22.5 LR-L HSC1 484 rev/mile 68 MPH All-Position	7792545419	N/A	\$366 +41
315/80R22.5 LR-L CITY SERVICE HA3 480 rev/mile 68 MPH All-Position	7792545435	N/A	\$456 +41
275/70R22.5 LR-H HYBRID HD3 540 rev/mile 81 MPH Drive-Position	7792575428	\$171 -6	N/A
385/65R22.5 LR-L HTC1 495 rev/mile 68 MPH All-Position	7792655412	\$411CR +43	\$411CR +43
425/65R22.5 LR-L HTC1 465 rev/mile 68 MPH All-Position	7752665412	\$148CR +62	\$148CR +62
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$16 +12	\$16 +12
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	N/A	\$86 +9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$10 +29	\$10 +29
11R24.5 LR-H HSC1 472 rev/mile 68 MPH All-Position	7384225419	N/A	\$65 +14
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$121 +25	\$121 +25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$145 +28	\$145 +28
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	N/A	\$21CR +17
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$44CR +15	N/A
285/75R24.5 LR-G HDR2 492 rev/mile 75 MPH Drive-Position	7704305423	\$46CR +13	N/A
285/75R24.5 LR-G CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7704305436	N/A	\$24CR +11
285/75R24.5 LR-H CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7784305436	N/A	\$15 +13
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-351

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-G XDE M/S 498 rev/mile 75 MPH Drive-Position	7402133217	\$107 -7	\$107 -7
11R22.5 LR-G XDN2 496 rev/mile 75 MPH Drive-Position	7472133264	N/A	\$234 +11
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	N/A	\$137 -2
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$274 +11	\$274 +11
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	N/A	\$136 -3
11R22.5 LR-H XDE M/S 497 rev/mile 75 MPH Drive-Position	7452133217	\$166 +3	\$166 +3
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$281 +12	\$281 +12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	N/A	\$191 +5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$435 +33	\$435 +33
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	N/A	\$153 -3
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	N/A	\$294 +13
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	\$492 +27	\$492 +27
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	N/A	\$423 +30
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	N/A	\$78 -26
275/80R22.5 LR-G XDE M/S 513 rev/mile 75 MPH Drive-Position	7602533217	\$103 -7	\$103 -7
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	N/A	\$121 -7
275/80R22.5 LR-G X LINE ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533279	N/A	\$221 +7
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-352

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
<i>Michelin</i>			
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	N/A	\$354 +6
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	N/A	\$236 -8
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	N/A	\$236 -4
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	N/A	\$140 -6
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	N/A	\$681 +42
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	N/A	\$1,038 +42
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	N/A	\$140CR +57
385/65R22.5 LR-L XFE 491 rev/mile 68 MPH All-Position	7792653282	\$9 +46	\$9 +46
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$3CR +89	\$3CR +89
425/65R22.5 LR-L XZL 467 rev/mile 65 MPH All-Position	7652663267	\$672 +94	\$672 +94
11R24.5 LR-G XDN2 473 rev/mile 75 MPH Drive-Position	7474223264	\$307 +19	\$307 +19
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	N/A	\$215 +6
11R24.5 LR-H XDE M/S 474 rev/mile 75 MPH Drive-Position	7484223217	\$410 +9	\$410 +9
11R24.5 LR-H X LINE ENERGY Z 479 rev/mile 75 MPH All-Position	7484223286	N/A	\$227 +6
11R24.5 LR-H X WORKS Z 473 rev/mile 65 MPH All-Position	7484223287	N/A	\$395 +20
<i>Bridgestone</i>			
11R22.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7372139003	\$231 +14	\$231 +14
11R22.5 LR-G M710 ECOPIA 497 rev/mile 75 MPH Drive-Position	7372139058	\$221 0	\$221 0
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-353

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
Bridgestone			
11R22.5 LR-G M760 ECOPIA 492 rev/mile 75 MPH Drive-Position	7372139060	\$259 +14	\$259 +14
11R22.5 LR-H R283A ECOPIA 504 rev/mile 75 MPH All-Position	7382139045	N/A	\$246 -1
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	\$194 +10	\$194 +10
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	\$184 +8	\$184 +8
295/75R22.5 LR-G R283A ECOPIA 516 rev/mile 75 MPH All-Position	7702499045	N/A	\$206 -7
295/75R22.5 LR-G M710 ECOPIA 512 rev/mile 75 MPH Drive-Position	7702499058	N/A	\$221 -3
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	N/A	\$175 -3
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$259 +5	\$259 +5
295/75R22.5 LR-H R283A ECOPIA 516 rev/mile 75 MPH All-Position	7792499045	N/A	\$284 -6
315/80R22.5 LR-L M843 480 rev/mile 65 MPH All-Position	7762549052	N/A	\$358 +35
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	N/A	\$427 +29
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	N/A	\$316 +11
285/75R24.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7704309003	\$222 +14	N/A
Goodyear			
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$131 +5	\$131 +5
11R22.5 LR-G G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7372138118	\$107 +14	\$107 +14
11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position	7372138121	\$151 +1	\$151 +1
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	N/A	\$13CR 0
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-354

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
<i>Goodyear</i>			
11R22.5 LR-H G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7382138118	\$235 +14	\$235 +14
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	N/A	\$314 +17
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	N/A	\$333 +17
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	N/A	\$409 +23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	N/A	\$431 +22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	N/A	\$98 -5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	N/A	\$36 0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$142 +20	\$142 +20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$288 +26	\$288 +26
12R22.5 LR-H G622 RSD 482 rev/mile 68 MPH Drive-Position	7382158102	\$425 +18	\$425 +18
12R22.5 LR-H G282 MSD 481 rev/mile 68 MPH Drive-Position	7382158105	\$390 +30	\$390 +30
12R22.5 LR-H G661 HSA 484 rev/mile 75 MPH All-Position	7382158107	N/A	\$403 +19
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	N/A	\$506 +29
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$285 +33	\$285 +33
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$173 +1	N/A
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	N/A	\$35 -7
295/75R22.5 LR-H G399A LHS FUEL MAX 517 rev/mile 75 MPH All-Position	7792498116	N/A	\$322 -10
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	N/A	\$49CR -28
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-355

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
Goodyear			
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	N/A	\$540 +11
315/80R22.5 LR-J REGIONAL RHDII HCT 483 rev/mile 75 MPH Drive-Position	7742548112	N/A	\$791 +37
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	N/A	\$701 +33
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	N/A	\$825 +41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	N/A	\$740 +28
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	N/C -18	N/A
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$199CR +48	\$199CR +48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$45CR +67	\$45CR +67
445/65R22.5 LR-L G296 MSA 457 rev/mile 68 MPH All-Position	7702678113	\$767 +85	\$767 +85
445/65R22.5 LR-L G278 MSD 453 rev/mile 68 MPH Drive-Position	7702678130	\$972 +101	\$972 +101
11R24.5 LR-G G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7374228118	\$268 +24	\$268 +24
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$390 +21	\$390 +21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$672 +24	\$672 +24
11R24.5 LR-H G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7384228118	\$300 +24	\$300 +24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	N/A	\$386 +22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	N/A	\$180 +4
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$199 +28	\$199 +28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$534 +43	\$534 +43
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SBA 4X2 2010

7600 SBA 6X4 2010

PLH-284 REVISION NO. 34A

Printed in the United States of America

SECTION 515

PAGE 515-356

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SBA 4X2 2010 AND 7600 SBA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SBA 4X2 2010	7600 SBA 6X4 2010
TIRES (CONTINUED)			
Goodyear			
12R24.5 LR-H G751 MSA 461 rev/mile 68 MPH All-Position	7384248123	N/A	\$348 +39
11.25X24 LR-D IMPLEMENT RIB 482 rev/mile 25 MPH All-Position	6104180115	\$270 -27	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

LIMITED WARRANTY FOR MODELS 5000 PAYSTAR®, 7500/7600, WORKSTAR®

*Effective with vehicles built January 02, 2015 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (See exceptions listed below)	12	Unlimited
Towing (Vehicles with MaxxForce® 10 engine failures only)	24	250/400
Towing (Vehicles with N10 engine failures only)	24	250/400
Towing (Vehicles with N13 engine failures only)	24	Unlimited
Towing (First 90 days see below) (Vehicle Down Situations Only)		
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	60	Unlimited
Frame side rails (7500 only)	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non-Rescue Applications		
MaxxForce® 10 Engine	24	250/400
Navistar® N10 Engine	24	250/400
Navistar® N13 Engine	24	Unlimited
Navistar® N13 Major Components	60	500/800
<i>Major Components are cylinder block, main bearing bolts, cylinder head casting and capscrews, crankshaft, camshaft, cam follower, connecting rods/caps/bolts, intake manifold castings, and gear train gears.</i>		
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
MaxxForce® 10 Engine	60	100/160
Navistar® N10 Engine	60	100/160
Navistar® N13 Engine	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
<u>Rear Axle Weight Ratings Greater than 52,000 lb</u>		
Front Axle Assembly	12	Unlimited
Rear Axle and Differential	12	Unlimited
Transmission	12	Unlimited
<u>Rear Axle Weight Ratings of 52,000 lb and Less</u>		
Front Axle Assembly	36	300/480
Rear Axle and Differential	36	300/480
Transmission	36	300/480
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)

Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless specific coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

Navistar Diesel Engine Coverage Includes:

Engine block, cylinder heads, internally lubricated components fuel pump, high pressure pump, turbocharger, water pump, air compressor, injectors/nozzles; electronic engine modules, engine relays, engine sensors and regulators required for electronic engine operation, and certain aftertreatment components. Excluding: attaching accessories (e.g., fan clutch, alternator, starter, etc.), and externally mounted electrical and filtration systems.

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (such as non-International® brand engines, tires, Allison Transmissions, lubricants,
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment
- Front & Rear axle coverage excludes brakes, wheel ends, axle shafts, controls & attachments

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension

Other

- Vehicles sold and/or operated outside the United States and Canada
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note:The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

<hr/>		<hr/>	
Customer Signature		Date	
<hr/>		<hr/>	
Owner's Address	City	State/Prov	Postal Code
<hr/>		<hr/>	
Truck Model	Vehicle Identification Number		
<hr/>		<hr/>	
Engine Number	Engine Serial Number		
<hr/>		<hr/>	
Date Delivered to User (DTU)	Odometer Reading at Delivery		

IMPORTANT:The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

248513

Form W-9 (Rev. October 2007) Department of the Treasury Internal Revenue Service	Request for Taxpayer Identification Number and Certification	Give form to the requester. Do not send to the IRS.
Name (as shown on your income tax return) ITA-AXLA		
Business name, if different from above		
Check appropriate box: <input type="checkbox"/> Individual/sole proprietor <input type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Limited liability company. Enter the tax classification (D=disregarded entity, C=corporation, P=partnership) > <input type="checkbox"/> Exempt payee <input type="checkbox"/> Other (see instructions) >		
Address (number, street, and apt. or suite no.) 301 Herd St		Requester's name and address (optional)
City, state, and ZIP code Herndon, VA 20123		
List account number(s) here (optional)		
Part I Taxpayer Identification Number (TIN)		
Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see How to get a TIN on page 3. Note: If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.		
Social security number <div style="border: 1px solid black; height: 20px; width: 100%;"></div>		Or Employer identification number <div style="border: 1px solid black; padding: 2px;">27-2447953</div>
Part II Certification		
Under penalties of perjury, I certify that: 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and 3. I am a U.S. citizen or other U.S. person (defined below). Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. See the instructions on page 4.		
Sign Here	Signature of U.S. person	Date 9-20-10
General Instructions Section references are to the Internal Revenue Code unless otherwise noted.		
Purpose of Form A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA. Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to: 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued), 2. Certify that you are not subject to backup withholding, or 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income. Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.		
Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are: • An individual who is a U.S. citizen or U.S. resident alien. • A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States. • An estate (other than a foreign estate), or • A domestic trust (as defined in Regulations section 301.7701-7). Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income. The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases: • The U.S. owner of a disregarded entity and not the entity.		