



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000140873 Furnish Labor, Materials and Equipment to Provide and
Install Play Equipment and a One Layer Bonded Rubber Surfacing on
Two Areas on Existing Concrete Slab for the Jefferson Parish
Department of Parks and Recreation
Jefferson Parish Government**

Project documents obtained from www.CentralBidding.com

25-Jan-2023 04:02:10 PM



Bid Number 50-00140873

Furnish Labor, Materials and Equipment to Provide and Install Play Equipment and a One Layer Bonded Rubber Surfacing on Two Areas on Existing Concrete Slab for the Jefferson Parish Department of Parks and Recreation.

Bid Due: FEBRUARY 23, 2023 at 2:00 pm

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Donna M Evans, Buyer II
Buyer Email: DMEVANS@jeffparish.net
Buyer Phone: 504-364-2691**

DATE: 1/25/2023
BID NO.: 50-00140873

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DMEVANS@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 2/23/2023 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

BID NO.: 50-00140873

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. For purchases of labor and materials, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

3, 4, 5, 6, 7, 10, 11, 13, 14, 17

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: Jefferson Parish Purchasing Department
200 Derbigny St.
Gretna, la 70053
Suite 4400
(Owner to provide name and address of owner)

BID FOR: Jefferson Parish Recreation Department
7437 Lapalco Blvd.
Marrero, LA 70072
Bid# 50-140873
(Owner to provide name of project and other identifying information)

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: Jefferson Parish Recreation Department and dated: 10/27/22
(Owner to provide name of entity preparing bidding documents.)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following ADDENDA: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) ADDENDUM 1.

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:

Two hundred forty thousand five hundred and 00/100 Dollars (\$ 240,000.00)

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$)

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$)

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$)

NAME OF BIDDER: Evergreen Landscape + Management, LLC

ADDRESS OF BIDDER: 27368 E Main St
West Point, MS 39773

LOUISIANA CONTRACTOR'S LICENSE NUMBER: 70531

NAME OF AUTHORIZED SIGNATORY OF BIDDER: Jeff Hairston

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: Owner

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: 

DATE: 2/23/23

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** A **CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA R.S. 38:2218(A) attached to and made a part of this bid.


CORPORATE RESOLUTION


EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Evergreen Landscaping & Management, LLC
~~INCORPORATED.~~

AT THE MEETING OF DIRECTORS OF Evergreen Landscaping & Management, LLC
INCORPORATED, DULY NOTICED AND HELD ON 10/25/2022,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Jeff Hairston, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.


MEMBER, WILL STUART


SECRETARY-TREASURER
10/25/2022
DATE

Public Works Bid

AFFIDAVIT

STATE OF Mississippi

PARISH/COUNTY OF Clay

BEFORE ME, the undersigned authority, personally came and appeared: Jeff
Hairston, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Owner of Evergreen Landscaping & Management, LLC (Entity),
the party who submitted a bid in response to Bid Number 50-00140155, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____

Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X

there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of, or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67, 16)
- (c) Theft of a business record (R.S. 14:67.20)
- (d) False accounting (R.S. 14:70)
- (e) Issuing worthless checks (R.S. 14:71)
- (f) Bank fraud (R.S. 14:71.1)
- (g) Forgery (R.S. 14:72)
- (h) Contractors; misapplication of payments (R.S. 14:202)
- (i) Malfeasance in office (R.S. 14:134)


The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract cancelled, the awarded entity making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

[The remainder of this page is intentionally left blank.]



Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit verifying compliance with statements (1) and (2).




Signature of Affiant

Jeff Hairston
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 29th DAY OF November, 2022.



Notary Public

Frances Reynolds
Printed Name of Notary


291042
Notary/Bar Roll Number



My commission expires May 13th, 2025



DuraBound™
Fall Height Chart



- Porous
- Non-toxic
- ADA Approved
- 100% Recycled
- Low Maintenance
- ASTM F-1292 Compliant
- Seamless, Natural Appearance



DuraBound™ Color Choices:



Beige



Red



Brown



Black



Blue



Green



Yellow

DuraBound™

SURFACING SYSTEM

DuraBound™ Safety Surface is comprised of shredded rubber mulch mixed with aromatic polyurethane binder to form a single-layer unitary surfacing system. Mixed and poured onsite at varied thicknesses, DuraBound™ meets or exceeds ASTM 1292 standards while providing consistent fall protection for each designated fall height requirement. DuraBound™ is non-toxic and provides a natural appearance with 6 pigment options that can be combined or used individually.

512-847-2473 | www.DuraPlay.com



MANUFACTURER'S SPECIFICATIONS:

DuraBound Surfacing System

Part 1 – GENERAL

1.01 SCOPE:

Provide all materials, labor and equipment necessary to install the DuraBound Surfacing System, a poured-in-place, one-layer safety surface system.

1.02 DESCRIPTION:

DuraBound Surfacing System is a single layer poured-in-place safety surface which complies with CPSC standards, ADA accessibility, ASTM F1292 Impact Attenuation. The surface is comprised of a shredded pigmented post-consumer rubber mixed with a single component polyurethane binder that is troweled in place to produce a smooth, seamless safety surface.

1.03 COMPOSITION:

DuraBound Surfacing System consists of 100% recycled pigmented styrene butadiene rubber (SBR) mixed with a single component polyurethane binder.

1.04 QUALITY ASSURANCE:

A. Product:

1. The Applicator/ Installer shall be trained and certified by DuraPlay, Inc.
2. All components of the DuraBound Surfacing System shall be obtained from DuraPlay, Inc. or its authorized distributors. No substitutions or additions of other materials shall be submitted without prior written consent from DuraPlay, Inc.
3. Acceptable substrates for the DuraBound Surfacing System include asphalt, concrete and compacted stone. See construction detail.
4. Other substrates shall be approved by DuraPlay, Inc. prior to application.
5. Systems to be considered equal to those specified herein shall be approved by the Architect, in writing, at least ten working days prior to the project bid date.

B. Qualifications:

1. The manufacturer must be in business for at least 5 years.
2. The applicator/installer shall be trained and certified by DuraPlay, Inc. and must have installed a minimum of 10 applications.

C. Application:

1. Ambient air temperature shall be 40°F (4°C) or greater and rising at the time of installation of the DuraBound Surfacing System.
2. Adjacent materials and the DuraPlay, Inc. System shall be protected during installation while curing and/or unattended from weather and other damage.

3. Accessibility of Surface System. ASTM F1951: All playground surfacing products must pass testing to ensure wheelchair access.
4. Impact Attenuation: Playground shall comply with all performance requirements set forth by CPSC, ASTM F1292 and / or CSA Z614-98.

1.05 SUBMITTALS:

- A. Material Product data
- B. DuraBound Color Chart
- C. Sample colors if needed
- D. Warranty
- E. Product Liability Insurance Certificate

1.06 DELIVERY & STORAGE:

- A. Deliver all materials in original unopened packages with labels intact
- B. Store all materials protected from weather and at temperatures not less than 32° F (4° C)

1.07 JOB CONDITIONS:

- A. Ambient air temperature shall be 40° or greater and rising at the time of installation of the surface and shall remain at 40° F or greater for at least 48 hours after application.
- B. Adjacent materials and the surface shall be protected during installation, while curing and unattended, from weather and other damage, and is the contractor, and/or owner's responsibility.

1.08 ALTERNATES & ALLOWANCES:

- A. Systems to be considered equal to those specified herein shall be approved by the architect, in writing, at least ten working days prior to the project bid date.

Part 2 - PRODUCTS

2.01 MATERIALS:

- A. DuraPlay Primer: (only when concrete is the substrate) A single component moisture curing polyurethane.
- B. DuraPlay Binder: An elastic single component polyurethane pre-polymer, MDI based, low odor, capable of excellent weathering and binding characteristics. Binder shall contain no TDI Monomers (Toluene Diphenyl Isocyanate). Color treated binder will not be allowed.
- C. DuraBound Colored Rubber Mulch: a combination of +4 SBR recycled rubber, colored with a pigmented colorant and coated with a UV sealant. DuraBound Rubber Mulch is clean and free of foreign matter.
 1. Thicknesses: 2.25 inches to 5.25 inches, depending on the critical fall height of playground equipment. When applying over a compacted stone surface there is a 2.25" minimum thickness.
 2. Colors: Beige, Red, Brown, Black, Blue, Green & Yellow. Combinations of colors are allowable.

2.02 TECHNICAL INFORMATION:

A. Applicable Standards

1. Shock attenuation under ASTM-F-1292 – GMAX less than 200
2. ADA Accessibility - ASTM 1951
3. Head Injury Criteria – less than 1000
4. Non-slip characteristics under ASTM-E-303
5. Flammability under 8S -5696 and ASTM-D-2859

B. Physical properties:

1. Tensile Strength (ASTM D412) 60 psi
2. Elongation at break (ASTM D412) 40% minimum
3. Flammability: pass (ASTM D285)
4. Coefficient of friction
 - i. Wet 0.9 min
 - ii. Dry 0.1 min
5. Water permeability 0.4 gal./89.yd/sec. min.

C. Chemical properties:

1. 80% EPDM Rubber Granules, 20% Polyurethane Binder

2.03 INSTALLATION:

A. Inspection: Prior to application of DuraBound Surfacing System, the substrates shall be examined by DuraPlay installation technician for compliance with the contract document of DuraPlay specifications. The general contractor and architect shall be advised of all discrepancies. Work shall not proceed until unsatisfactory conditions are corrected.

B. DuraPlay Primer:

1. Apply primer by spray or short nap roller at the rate of 300 square feet per gallon. Do not over saturate substrate. Prime area 1 1/2-2 feet around perimeter and any adjacent vertical barriers such as playground equipment support legs, curbs or edging that will contact the surfacing system. NOTE: Do not use DuraPlay primer over compacted stone.

C. DuraBound Surface:

1. Apply mixed binder/SBR at desired thickness using a screed bar that is 1/8" thicker than the finished thickness.
2. Using a steel pool trowel, even binder/SBR mixture. Be sure to continuously lubricate trowel with kerosene, diesel fuel or soapy water. Do not saturate surface with these lubricants.
3. As the mixture is leveled apply a downward pressure onto the surface so that the mixture compacts tightly.
4. Check surface to be level.
5. Allow to cure for 48 hours.

2.04 WARRANTY:

Our standard warranty period is 3 years from the date of completion. See DuraBound Warranty.

2.05 PROTECTION:

It is the responsibility of the customer to provide security to protect the drying surface from footprints and vandalism while surface is curing.

2.06 CLEANING AND MAINTENANCE:

DuraPlay Surfaces are self-sufficient; therefore, excessive cleaning is needed only in some cases. Applying two clear coats of DuraSeal every two years will prolong the life of the DuraBound Surface.

2.07 WARNING:

High surface temperatures may occur due to the absorption of solar energy. To assure child safety and comfort, shade structures are recommended over all poured in place surfacing. All individuals must wear adequate foot protection while on a poured in place surface.

END OF SECTION

If any questions arise do not hesitate to contact DuraPlay Inc. for technical assistance
512.847.2473

V:4.22



INTERNATIONAL
PLAY EQUIPMENT
MANUFACTURERS
ASSOCIATION



IPEMA ASTM F3351-19E1 CERTIFICATE OF COMPLIANCE

ISSUE DATE: October 27, 2022

Requested By: Jennifer Cutrona

Project: na

In the interest of public playground safety, IPEMA provides a third-party certification service whereby TÜV SÜD American uses this test method to determine the shock absorption properties of a playground surface at a specific impact height in order to evaluate a particular playground surfacing system using the g-max and HIC values described in Specification F1292.

The manufacturers listed below have received written validation from TÜV SÜD America that the products listed conform with the requirements of ASTM F-3351-19e1.

TÜV SÜD America validates that the impact attenuating performance criterion specified by ASTM F3351-19e1 has been met or exceeded.

| MODEL # | COMMERCIAL NAME OF PRODUCT | PRODUCT LINE | THK/HT | MANUFACTURER |
|---------|----------------------------|---------------------------|---------|---------------|
| DBSS4.0 | DuraBound | Duraplay Surfacing system | 4" / 8" | DuraPlay Inc. |



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

10/25/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

| | |
|---|---|
| PRODUCER Lyon Insurance Agency Inc. PO BOX 762 451 Commerce Street West Point MS 39773 | CONTACT NAME: Gil Lyon PHONE (A/C, No, Ext): (662) 494-5576 FAX (A/C, No): (662) 494-2247 E-MAIL ADDRESS: INSURER(S) AFFORDING COVERAGE INSURER A: Builder's Mutual INSURER B: INSURER C: INSURER D: INSURER E: INSURER F: |
| INSURED EVERGREEN LANDSCAPING AND MANAGEMENT LLC PO BOX 1017 WEST POINT MS 39773 | NAIC # |

COVERAGES**CERTIFICATE NUMBER:** CL2283002586**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE | ADDL INSD | SUBR WVD | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS |
|----------|--|-----------|----------|---------------|-------------------------|-------------------------|---|
| A | <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER: | | | CPP0084930-02 | 07/15/2022 | 07/15/2023 | EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 rented or leased equip \$ 150,000 |
| A | <input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS ONLY | | | CAP0032008-02 | 07/15/2022 | 07/15/2023 | COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$ |
| A | <input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$ 10,000 | | | MUB0010337 02 | 07/15/2022 | 07/15/2023 | EACH OCCURRENCE \$ 2,000,000 AGGREGATE \$ 2,000,000 \$ |
| A | <input checked="" type="checkbox"/> WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below | Y/N Y | N/A | PWC1013309-03 | 07/15/2022 | 07/15/2023 | <input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000 |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER**CANCELLATION**Jefferson Parish Purchasing Department
200 Derbigny Street
Suite 4000
Gretna LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

WALLY PONTIFF PLAYGROUND
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 7 | 5/4 | 0 | 3/2 | 2/2 |


R5

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R50A823AA
PROJECT#: IRL234CE37A
DATE: 2/17/2023

MIN. USE ZONE: 48' x 38'

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 3 | 3/2 | 0 | 1/1 | 1/1 |


R5

FOR KIDS
AGES
2-5

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R509C12FA
PROJECT#: IRL234CE37A
DATE: 2/17/2023

MIN. USE ZONE: 27' x 30'

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND

TOP VIEW

| ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE | | | | |
|---|------------|-----------------|--------|-------|
| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
| 3 | 3/2 | 0 | 3/1 | 2/1 |


R5

FOR KIDS
AGES
2-5

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE#: R50BF77AA
PROJECT#: IRL234CE37A
DATE: 2/17/2023

MIN. USE ZONE: 24' x 24'

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP | ACCESSIBLE | GROUND | TYPES |
|----------|------------|------|------------|--------|-------|
| 0 | 0/0 | 0 | 1/0 | 1/0 | |

FOR KIDS
AGES
5-12

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (fall height) appropriate for the highest accessible part of this equipment. Refer to the CPSCS Handbook For Public Playground Safety, Section 4: Surfacing.



INCLUSIVE
MERRY-GO-

STRUCTURE#: FREPC2496
PROJECT#: IRL234CE37A
DATE: 2/17/2023

MIN. USE ZONE: 20' x 20'

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND

TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 0 | 0/0 | 0 | 2/0 | 1/0 |

FOR KIDS
AGES
2-5

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.

PC
2181-7
7ft Single
Post
Swing
Bay



BELT
SWING
SEAT

BELT
SWING
SEAT

STRUCTURE#: FREPC2181

PROJECT#: IRL234CE37A

DATE: 2/17/2023

MIN. USE ZONE: 25' x 27'

PLAYCRAFT REP:

Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND

TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


| ELEVATED | ACCESSIBLE | RAMP | ACCESSIBLE | GROUND | TYPES |
|----------|------------|------|------------|--------|-------|
| 0 | 0/0 | 0 | 0/0 | 0/0 | |

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (fall height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.

4286-6G 6FT
BENCH W/
BACK IN-
GROUND



STRUCTURE#: STAPC4286

PROJECT#: IRL234CE37A

DATE: 2/17/2023

PLAYCRAFT REP:

Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 0 | 0/0 | 0 | 0/0 | 0/0 |

4286-6G 6FT
BENCH W/
BACK IN-
GROUND



GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE#: STAPCA286
PROJECT#: IRL234CE37A
DATE: 2/17/2023

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE


| ELEVATED | ACCESSIBLE | RAMP | ACCESSIBLE | GROUND | TYPES |
|----------|------------|------|------------|--------|-------|
| 0 | 0/0 | 0 | 0/0 | 0/0 | |

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.

4286-6G 6FT
BENCH W/
BACK IN-
GROUND



STRUCTURE#: STAPCA286
PROJECT#: IRL234CE37A
DATE: 2/17/2023

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND
TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 0 | 0/0 | 0 | 0/0 | 0/0 |

4286-6G 6FT
BENCH W/
BACK IN-
GROUND



GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE#: STAPC4286
PROJECT#: IRL234CE37A
DATE: 2/17/2023

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND

TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP | ACCESSIBLE | GROUND | TYPES |
|----------|------------|------|------------|--------|-------|
| 0 | 0/0 | 0 | 0/0 | 0/0 | |

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNINGS: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.

1305 AGE
APPROPRIATE
SIGN



STRUCTURE#: STAPC1305
PROJECT#: IRL234CE37A
DATE: 2/17/2023

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND

TOP VIEW

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP ACCESSIBLE | GROUND | TYPES |
|----------|------------|-----------------|--------|-------|
| 0 | 0/0 | 0 | 0/0 | 0/0 |

GENERAL NOTES:

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.

1306 AGE
APPROPRIATE
SIGN



STRUCTURE#: STAPC1306

PROJECT#: IRL234CE37A

DATE: 2/17/2023

PLAYCRAFT REP:

Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND
SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

| ELEVATED | ACCESSIBLE | RAMP | ACCESSIBLE | GROUND | TYPES |
|----------|------------|------|------------|--------|-------|
| 13 | 11/7 | 0 | 10/4 | 5/3 | |

R5


FOR KIDS
AGES
[Mixed]

GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC's Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT#: IRL234CE37A
DATE: 2/17/2023


MIN. USE ZONE: 119' x 67'

PLAYCRAFT REP:
Innovative Recreation of Louisiana

WALLY PONTIFF PLAYGROUND
SW VIEW

R5


FOR KIDS
AGES
5-12



STRUCTURE#: R50A823AA
PROJECT#: IRL234CE37A
DATE: 2/17/2023


WALLY PONTIFF PLAYGROUND
NE VIEW

R5
FOR KIDS
AGES
5-12



STRUCTURE#: R50A823AA
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW




STRUCTURE#: R509C12FA
PROJECT#: IRL234CE37A
DATE: 2/17/2023

R5

FOR KIDS
AGES
2-5

WALLY PONTIFF PLAYGROUND
NE VIEW




R5

FOR KIDS
AGES
2-5

STRUCTURE#: R509C12FA
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW



R5

FOR KIDS
AGES
2-5

STRUCTURE#: R50BF77AA


PROJECT#: IRL234CE37A

DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
NE VIEW

R5


FOR KIDS
AGES
2-5



STRUCTURE#: R50BF77AA
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2496
PROJECT#: IRL234CE37A
DATE: 2/17/2023


WALLY PONTIFF PLAYGROUND
SW VIEW

FOR KIDS
AGES
2-5




STRUCTURE#: FREPC2181
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW




STRUCTURE#: STAPC4286
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW




STRUCTURE#: STAPC4286
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW




STRUCTURE#: STAPC4286
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW




STRUCTURE#: STAPC4286
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND SW VIEW



STRUCTURE#: STAPC1305
PROJECT#: IRL234CE37A
DATE: 2/17/2023

WALLY PONTIFF PLAYGROUND
SW VIEW



STRUCTURE#: STAPC1306
PROJECT#: IRL234CE37A
DATE: 2/17/2023



Bill of Materials

WALLY PONTIFF PLAYGROUND

Project# IRL234CE37A

2/17/2023

| Item | Description | Quantity |
|----------------|----------------------------------|----------|
| R50A823AA | | |
| HS-1004-R | Collars | 54 |
| GF-7002 | Dome Cap, R5 | 12 |
| S-1011-R5-11ft | Post, 11ft R5 | 2 |
| S-1012-R5-12ft | Post, 12ft R5 | 5 |
| S-1015-R5-15ft | Post, 15ft R5 | 1 |
| S-1017-R5-17ft | Post, 17ft R5 | 3 |
| S-1018-R5-18ft | Post, 18ft R5 | 2 |
| S-1020-R5-20ft | Post, 20ft R5 | 1 |
| S-1021-R5-21ft | Post, 21ft R5 | 2 |
| S-1101-R5 | Square Deck | 1 |
| S-1102-R5 | Tri-Deck | 4 |
| S-1110-R | Filler, 12in | 1 |
| S-1209-30-R5 | Transfer Station, 42in-C | 1 |
| S-1210-72 | Climber, Vertical Ladder 66-72in | 1 |
| S-1230-4R | Climber, Clover 42-48in | 1 |
| S-1281-R-7R5 | Climber, Arch Twist 84in (Right) | 1 |
| S-1309-2-R5 | Half Walls (Pair) R5 | 1 |
| S-1310-R5 | Transition Wall | 1 |
| S-1314-R5R | Access Wall (Right) | 2 |
| S-1316-RE-R5 | Roto Twister Entry Panel | 1 |
| S-1411-90-R5 | Traverse, Loop (90 Degree) | 1 |
| S-1509-R5-45 | Bridge, Burma (45in) | 1 |
| S-1525-R5 | Link, Ramp (Inclined 24in) | 1 |
| S-1702-1122-3 | Slide, Double 42in (w/ Extn) | 1 |
| S-1706-S6R-R5 | Slide, Twister Spiral 72in (R) | 1 |



Bill of Materials (continued)

| Item | Description | Quantity |
|----------------|--------------------------------|----------|
| S-1710-7-LSSR | Slide, Twister 84in (L-S-S-R) | 1 |
| S-18014-R5 | Metal Roof, Slanted Shade | 1 |
| S-1812-R5 | Driver Wheel (Post Mounted) | 1 |
| S-1847-LR5 | Evergreen Topper (Large) | 2 |
| S-1847-S-R5 | Evergreen Topper (Small) | 2 |
| S-1937-R5 | Crunch Handle | 1 |
| S-1952-R5 | Net Wall, Steel | 1 |
| S-1962-R5 | Playseat | 2 |
| R509C12FA | | |
| HS-1004-R | Collars | 25 |
| GF-7002 | Dome Cap, R5 | 3 |
| S-1012-R5-12ft | Post, 12ft R5 | 3 |
| S-1017-R5-17ft | Post, 17ft R5 | 4 |
| S-1102-R5 | Tri-Deck | 1 |
| S-1105-R5 | Half Deck | 2 |
| S-1206-18R5 | ADA Stairs, 18in Rise w/ Walls | 1 |
| S-1209-24-R5 | Transfer Station, 36in-L | 1 |
| S-1301-R5-MT | Wall w/ Wheel | 1 |
| S-1303-R5 | Single Slide SitDown Hood | 1 |
| S-1306-R5 | Double Slide SitDown Hood | 1 |
| S-1621-R17 | House Panel | 1 |
| S-1645-R5G | Store Panel (Open) | 1 |
| S-1701-3 | Slide, Single 42in (Straight) | 1 |
| S-1702-5R5 | Slide, Double 60in | 1 |
| S-18021-R514 | Shade Canopy, 14ft Square | 1 |
| R50BF77AA | | |
| HS-1004-R | Collars | 42 |
| GF-7002 | Dome Cap, R5 | 4 |
| S-1008-R5-08ft | Post, 08ft R5 | 4 |
| S-1011-R5-11ft | Post, 11ft R5 | 4 |



Bill of Materials (continued)

| Item | Description | Quantity |
|------------------|--|----------|
| S-11011-13011-R5 | Half Square Deck w Walls R5 | 1 |
| S-1101-R5 | Square Deck | 1 |
| S-1313-R5 | Handle | 1 |
| S-1661-R5 | Panel Pal, Bell | 1 |
| S-16751-CHM | Train Engine Chime Panel | 1 |
| S-16751-CRWL-R5 | Crawl Tube (Engine) | 1 |
| S-16751-HRN-R5 | Train Horn Panel | 1 |
| S-1805-R5 | Roof, Arch (LDPE/Steel) | 1 |
| S-1932-R5 | Hand Spin Cycler (Post Mounted) | 1 |
| S-1937-R5 | Crunch Handle | 1 |
| FREPC2496-SL | | |
| A2-2496-SL | PC 2496-SL Inclusive Merry-Go-Round | 1 |
| FREPC2181+AB | | |
| A2-2181-7 | PC 2181 7ft Single Post Swing Bay (2 Seat) | 1 |
| A2-313010 | Belt Seat | 2 |
| STAPC4286/1 | | |
| A3-4286-6G | 4286-6G 6ft Bench (w/ Back, GM) | 1 |
| STAPC4286/2 | | |
| A3-4286-6G | 4286-6G 6ft Bench (w/ Back, GM) | 1 |
| STAPC4286/3 | | |
| A3-4286-6G | 4286-6G 6ft Bench (w/ Back, GM) | 1 |
| STAPC4286/4 | | |
| A3-4286-6G | 4286-6G 6ft Bench (w/ Back, GM) | 1 |
| STAPC1305 | | |
| A2-1305 | 1305 Safety Sign (2-5, Roto) | 1 |
| STAPC1306 | | |
| A2-1306 | 1306 Safety Sign (5-12, Roto) | 1 |

