

DATE: 2/14/2020

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00129841

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>Jimmy Gibbs</u>	
ADDRESS: <u>111 BURAS DR.</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>Jimmy.Gibbs@GasAndSupply.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 3475.86

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00129841

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF STOCK ITEMS FOR THE JEFFERSON PARISH EASTBANK WAREHOUSE		
1	8.00	EA	0010 BIT, HAMMER DRILL, 1-1/8 INCH DIAMETER X 21-1/2 INCH OVERALL LENGTH, SDS MAX SHANK, CARBIDE TIPPED, DEWALT #DW5822 STK. # 020011B	46.23	369.84
2	24.00	EA	0020 WRENCH, NO HUB TORQUE, 5/16 INCH DRIVE, T-HANDLE, DOUGLAS #6300, RIGID #31410 OR EQUAL STK. # 0591240	34.92	838.08
3	6.00	EA	0030 SOCKET, DEEP, CHROME, 3/8 INCH, 6 POINT, 1/4 IN DRIVE, PROTO #J4712L, GRAINGER #1AH09, WESTWARD/GRAINGER #5MV61 STK. # 0600100	4.75	28.50
4	48.00	EA	0040 LIGHT, HARD HAT, LED, PLASTIC, PELICAN #2745C, GRAINGER #49XK74 STK. # 0588100	21.40	1027.20
5	240.00	EA	0050 PAIL, 5 GALLON, WHITE HIGH DENSITY POLYETHYLENE, .090 MIL THICKNESS, NO LID WITH WIRE HANDLE, CENTURY BRAND OR EQUAL STK. # 0480980	3.69	885.60
6	60.00	EA	0060 SEALANT, URETHANE FOAM INSULATION BIG GAP FILLER, 12 OZ. CAN, GREAT STUFF RED DEVIL 0909 DOW #157906, GRAINGER #48WK16 STK. # 0329250	4.17	250.20
7	16.00	EA	0070 LAMP, FLUORESCENT, 42 WATTS, COMPACT 4-PIN SOCKET, PHILLIPS #PL-T 42W/35/4P STK. # 048221G	N/A	—
8	2.00	EA	0080 TARPAULIN, 8 FT X 16 FT, NYLON MESH 16 FT BY 8 FT, WITH GROMMETS, POLYETHELENE IS NOT ACCEPTABLE STK. # 0969050	N/A	—
9	12.00	EA	0090 BROOM, STREET, 16 IN WIDE X 6-1/4 IN NATURAL PALMYRA STALK, HARDWOOD BLOCK	6.37	76.44

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



Devil

e® Brand Adhesive Sealant

High quality siliconized acrylic formula can be used in freezing temperatures and summer heat. Excellent adhesion to most surfaces and is paintable. Lasts as long as you own your home.

• Up to 50 years
• Prior to 1990

• Passes 5 freeze/thaw stability cycles.

• e: Cartridge

• ne @ Temp.: 72 h @ 77 °F

• mpound: Silicone-Acrylic

• Water; Mildew; Weather

Capacity Vol.	Color	Temp. Range	Fix Cure Time @ Temp.
---------------	-------	-------------	-----------------------

and Adhesive Caulk

1 oz	Cream	-40 °F to 200 °F	30 min @ 77 °F
------	-------	------------------	----------------

and Ultra Clear Caulk

1 oz	Clear	0 °F to 200 °F	2 h @ 77 °F
------	-------	----------------	-------------

• Meets the requirements of TT-S-00230C, Class B.

• Meets the requirements of ASTM C-920, Class 12.5.

• Meets the performance requirements of ASTM 920.

• Meets the requirements of ASTM C-834-00, Type P.

• at 5,000 hrs. in weather tester.

y & Concrete Repair

• Blends with mortar

• up

• Cartridge

• mpound: Acrylic

• Joint; Brick; Stairs; Sidewalk; Wall

• Water; Weather

Capacity Vol.	Temp. Range	Fix Cure Time @ Temp.	Full Cure Time @ Temp.
1 oz	0 °F to 200 °F	30 min @ 77 °F	72 h @ 77 °F

rpose Construction

e

• Interior and exterior applications, this adhesive works well in colder temperatures. • Excellent water resistance

• Passes 3 freeze/thaw stability cycles.

• Meets performance requirements of ASTM C-557.

• Cartridge

• Panel; Brick; Subfloor; Floor; Tile; Plaster

• ater

• icity

• il.

• 2 oz



Prefix: 630

ONETIME® Lightweight Spackling

Features:

- Pre-mixed formula fills cracks, nailheads, and most holes in just a single application
- Won't shrink or crack
- No sanding required
- Eliminates the need for secondary patching
- Can be used indoors and out

Packing Type: Tub

Color: Bright White

Chemical Compound: Acrylic

Applications: Plaster

Resistance: Weather; Ultraviolet; Water

Catalog Number	Capacity Vol.	Full Cure Time @ Temp.
0541	1 gal	30 min @ 77 °F
0542	1/2 pt	30 min @ 77 °F
0544	1 qt	30 min @ 77 °F



Prefix: 630

Painter's Caulk

Features:

- A caulk designed for easy paintability
- Provides tight, waterproof seals and can be used on most common construction surfaces
- Takes all types of paint when dry
- Interior/exterior use
- Water clean up

Packing Type: Cartridge

Color: White

Chemical Compound: Acrylic-Latex

Catalog Number	Capacity Vol.	Temp. Range
0746	10.1 oz	0 °F to 200 °F



Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Prefix: 630

Polyurethane Triple Expanding Foam

Features:

- Seals, bonds, and insulates, filling large and small holes in ceilings, floorboards, concrete or cinder block walls, and around ducts, cables, plumbing areas, and central heating pipes
- Can be used indoors or outdoors

Test & Approvals: UL

Packing Type: Aerosol Can

Chemical Compound: Polyurethane

Catalog Number	Capacity Wt.	Fix Cure Time @ Temp.	Full Cure Time @ Temp.
0909	12 oz	25 min @ 77 °F	24 h @ 77 °F
0912	20 oz	25 min @ 77 °F	24 h @ 77 °F



Prefix: 630

RD PRO® Heat Resistant RTV Sealants

Features:

- High-performance industrial sealing and glazing compound that is ideal for use in most OEM and maintenance applications
- Offers excellent adhesion to most non-porous building substrates and remains permanently elastic

Test & Approvals: TT-S; ASTM; FDA; MIL

Color: Red

Full Cure Time @ Temp.: 24 h @ 77 °F

Chemical Compound: 100% Silicone

Applications: Oven Belts; Heating elements in appliances;

Flanged pipe joints; Fired Heaters; Access Doors; Drying Vents

Resistance: Chemicals; Heat; Water; Weather

Catalog Number	Capacity Vol.	Packing Type	Temp. Range	Fix Cure Time @ Temp.
0809/OI	10 1/2 oz	Cartridge	-60 °F to 500 °F	1 h @ 77 °F
0829/OI	2.8 oz	Tube	-60 °F to 500 °F	1 h @ 77 °F



ORS•Nasco

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00129841

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>TWO TAPERED HOLES, NO HANDLES, WEILER MODEL #42032, GRAINGER #3A324 STK. # 048033A (SHIP TO: JEFFERSON PARISH EASTBANK WAREHOUSE, 4901 JEFFERSON HWY JEFFERSON, LA 70121-MR. GERALD LOHNER)</p> <p>Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>		