

107

1.00

EA

0107 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 1-7/16 INCH

LAWSON #19388

**Williams® Wrench, Combination, Narrow
Head, 12pt, 1-7/16"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-
7/16" (Pack of 1)

Representative Image Only

Item# 19388
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 3.8
Brand : Williams®
Mfr Model# : 1246
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 670) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19388
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 1-7/16"
Style : Supercombo® Narrow Head
Size : 1-7/16 "
Overall Length : 19.25 "
Open End Width : 3.0625 "
Open End Thickness : 0.625 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

108

4.00

EA

**0108 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 1-1/2 INCH*******LAWSON #19389*******Williams® Wrench, Combination, Narrow
Head, 12pt, 1-1/2"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-1/2"
(Pack of 1)

Item# 19389
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 4.17
Brand : Williams®
Mfr Model# : 1248
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19389
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1-1/2"
Style : Supercombo® Narrow Head
Size : 1-1/2 "
Overall Length : 20.03125 "
Open End Width : 3.1875 "
Open End Thickness : 0.6875 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

109

2.00

EA

**0109 - WRENCHES, CONBINATION, CHROME,
LONG HANDLE, 12 POINT, 1-5/8 INCH*******LAWSON #19391*******Williams® Wrench, Combination, Narrow
Head, 12pt, 1-5/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-5/8"
(Pack of 1)

Item# 19391
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 3.66
Brand : Williams®
Mfr Model# : 1180
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)

DESCRIPTION

TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION

TECH SPECS

Item# : 19391
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1-5/8"
Style : Supercombo® Narrow Head
Size : 1-5/8 "
Overall Length : 21.5 "
Open End Width : 3.3125 "
Open End Thickness : 0.6875 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

110

1.00

EA

**0110 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 1-11/16 INCH*******LAWSON #19392*******Representative Image Only****Williams® Wrench, Combination, Narrow
Head, 12pt, 1-11/16"**

Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-11/16" (Pack of 1)

Item# 19392
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 4.85
Brand : Williams®
Mfr Model# : 1182
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19392
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 1-11/16"
Style : Supercombo® Narrow Head
Size : 1-11/16 "
Overall Length : 22.28125 "
Open End Width : 3.4375 "
Open End Thickness : 0.71875 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

111

1.00

EA

**0111 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 1-3/4 INCH*******LAWSON #19393*******Williams® Wrench, Combination, Narrow
Head, 12pt, 1-3/4"****Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-3/4"
(Pack of 1)****Representative Image Only**

Item# 19393
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 5.74
Brand : Williams®
Mfr Model# : 1184
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** Create a Re-order list.. **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19393
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1-3/4"
Style : Supercombo® Narrow Head
Size : 1-3/4 "
Overall Length : 22.875 "
Open End Width : 3.5625 "
Open End Thickness : 0.71875 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

112

1.00

EA

**0112 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 1-13/16 INCH*******LAWSON #19394*******Williams® Wrench, Combination, Narrow
Head, 12pt, 1-13/16"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-
13/16" (Pack of 1)

Item# 19394
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 6.28
Brand : Williams®
Mfr Model# : 1186
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** Create a Re-order list.. [▼](#) **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19394
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 1-13/16"
Style : Supercombo® Narrow Head
Size : 1-13/16 "
Overall Length : 23 46875 "
Open End Width : 3 6875 "
Open End Thickness : 0 75 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

113

1.00

EA

0113 - WRENCHES, COMBINATION, CHROME
LONG HANDLE, 1-7/8 INCH ***LAWSON #19395***



Representative Image Only



Williams® Wrench, Combination, Narrow Head, 12pt, 1-7/8"

Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-7/8"
(Pack of 1)

Item# 19395
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 6.75
Brand : Williams®
Mfr Model# : 1188
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19395
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1-7/8"
Style : Supercombo® Narrow Head
Size : 1-7/8 "
Overall Length : 24.03125 "
Open End Width : 3.8125 "
Open End Thickness : 0.78125 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

114

1.00

EA

**0114 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 2 INCH*******LAWSON #19396*****

0114

**Williams® Wrench, Combination, Narrow
Head, 12pt, 2"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 2"
(Pack of 1)**Representative Image Only**

Item# 19396
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 8.5
Brand : Williams®
Mfr Model# : 1190
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19396
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 2"
Style : Supercombo® Narrow Head
Size : 2 "
Overall Length : 25.25 "
Open End Width : 4.0625 "
Open End Thickness : 0.84375 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

115

1.00

EA

**0115 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 2-1/8 INCH*******LAWSON #19398*******Williams® Wrench, Combination, Narrow
Head, 12pt, 2-1/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 2-1/8"
(Pack of 1)

Item# 19398
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 9.85
Brand : Williams®
Mfr Model# : 1192
Catalog Page# : [14-22](#)
Usually Ships: Today



Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

DESCRIPTION

TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION

TECH SPECS

Item# : 19398
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 2-1/8"
Style : Supercombo® Narrow Head
Size : 2-1/8 "
Overall Length : 26.375 "
Open End Width : 4 3/125 "
Open End Thickness : 0 8/5 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

116

1.00

EA

0116 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 2-1/4 INCH

LAWSON #19400

Williams® Wrench, Combination, Narrow Head, 12pt, 2-1/4"

Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 2-1/4"
(Pack of 1)



Item# 19400
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 11.67
Brand : Williams®
Mfr Model# : 1194
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



Representative Image Only

TAA Compliant



Quantity: 1 [Check Stock](#) [?](#)

[Add to Cart](#) [▶](#)

Create a Re-order list.. [▼](#) [Add to List](#)

DESCRIPTION TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION TECH SPECS

Item# : 19400
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 2-1/4"
Style : Supercombo® Narrow Head
Size : 2-1/4 "
Overall Length : 27.5625 "
Open End Width : 4.5625 "
Open End Thickness : 0.9375 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

117

1.00

EA

0117 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 2-3/8 INCH

LAWSON #19401



Representative Image Only

**Williams® Wrench, Combination, Narrow
Head, 12pt, 2-3/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 2-3/8"
(Pack of 1)

Item# 19401
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 13.5
Brand : Williams®
Mfr Model# : 1195
Catalog Page# : 14-22
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

DESCRIPTION

TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION

TECH SPECS

Item# : 19401
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 2-3/8"
Style : Supercombo® Narrow Head
Size : 2-3/8 "
Overall Length : 28.75 "
Open End Width : 4 8125 "
Open End Thickness : 0 96875 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

118

1.00

EA

**0118 - WRENCHES, COMBINATION, CHROME,
LONG HANDLE, 12 POINT, 2-1/2 INCH*******LAWSON #19402*******Williams® Wrench, Combination, Narrow
Head, 12pt, 2-1/2"****Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 2-1/2"
(Pack of 1)****Representative Image Only**

Item# 19402
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 15.0
Brand : Williams®
Mfr Model# : 1197
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** Create a Re-order list.. **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19402
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 2-1/2"
Style : Supercombo® Narrow Head
Size : 2-1/2 "
Overall Length : 29.90625 "
Open End Width : 5.0625 "
Open End Thickness : 1.03125 "
Number of Points : 12
Finish : Satin Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

119

1.00

EA

**0119 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT LONG, 8MM*******LAWSON #19405*******Williams® Wrench, Combination, Narrow
Head, 12pt, 8mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 8"
(Pack of 1)

Item# 19405
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .08
Brand : Williams®
Mfr Model# : 1208MSC
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19405
Product Name : Williams® - Wrench. Combination. Narrow Head. 12pt. 8mm
Style : Supercombo® Narrow Head
Size : 8 mm
Overall Length : 5 78125 "
Open End Width : 0 71875 "
Open End Thickness : 0 15625 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

120

1.00

EA

0120 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 9 MM

LAWSON #19406

**Williams® Wrench, Combination, Narrow
Head, 12pt, 9mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 9"
(Pack of 1)

Item# 19406
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .05
Brand : Williams®
Mfr Model# : 1209MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107 6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19406
Product Name : Williams® - Wrench. Combination. Narrow Head. 12pt. 9mm
Style : Supercombo® Narrow Head
Size : 9 mm
Overall Length : 6 28125 "
Open End Width : 0 8125 "
Open End Thickness : 0 1875 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

121

1.00

EA

**0121 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 10 MM,*******LAWSON #19407*******Williams® Wrench, Combination, Narrow
Head, 12pt, 10mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 10"
(Pack of 1)

Item# 19407
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .14
Brand : Williams®
Mfr Model# : 1210MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** ▶Create a Re-order list.. ▼ **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19407
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 10mm
Style : Supercombo® Narrow Head
Size : 10 mm
Overall Length : 6 75 "
Open End Width : 0 875 "
Open End Thickness : 0 1875 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

122

1.00

EA

**0122 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 11 MM*******LAWSON #19408*******Williams® Wrench, Combination, Narrow
Head, 12pt, 11mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 11"
(Pack of 1)

Item# 19408
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .18
Brand : Williams®
Mfr Model# : 1211MSC
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19408
Product Name : Williams® - Wrench, Combination, Narrow Head 12pt. 11mm
Style : Supercombo® Narrow Head
Size : 11 mm
Overall Length : 7.25 "
Open End Width : 0.96875 "
Open End Thickness : 0.21875 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

123

1.00

EA

**0123 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 12 MM*******LAWSON #19409*******Williams® Wrench, Combination, Narrow
Head, 12pt, 12mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 12"
(Pack of 1)

Item# 19409
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .21
Brand : Williams®
Mfr Model# : 1212MSC
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19409
Product Name : Williams® - Wrench. Combination, Narrow Head, 12pt 12mm
Style : Supercombo® Narrow Head
Size : 12 mm
Overall Length : 7.6875 "
Open End Width : 1.03125 "
Open End Thickness : 0.21875 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

124

1.00

EA

**0124 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 13 MM*******LAWSON #19410*******Williams® Wrench, Combination, Narrow
Head, 12pt, 13mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 13"
(Pack of 1)

Item# 19410
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .25
Brand : Williams®
Mfr Model# : 1213MSC
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19410
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 13mm
Style : Supercombo® Narrow Head
Size : 13 mm
Overall Length : 6 03125 "
Open End Width : 1 125 "
Open End Thickness : 0 25 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

125

1.00

EA

0125 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 14 MM

LAWSON #19411

PROTO J1214MASD

**Williams® Wrench, Combination, Narrow Head, 12pt, 14mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 14"
(Pack of 1)

Item# 19411
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .33
Brand : Williams®
Mfr Model# : 1214MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19411
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 14mm
Style : Supercombo® Narrow Head
Size : 14 mm
Overall Length : 8 625 "
Open End Width : 1 21875 "
Open End Thickness : 0 25 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

126

1.00

EA

**0126 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 15 MM*******LAWSON #19412*******Williams® Wrench, Combination, Narrow
Head, 12pt, 15mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 15"
(Pack of 1)

Item# 19412
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .38
Brand : Williams®
Mfr Model# : 1215MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 670) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19412
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 15mm
Style : Supercombo® Narrow Head
Size : 15 mm
Overall Length : 9 09375 "
Open End Width : 1 28125 "
Open End Thickness : 0 28125 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

127

1.00

EA

**0127 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 16 MM*******LAWSON #19413*******Williams® Wrench, Combination, Narrow
Head, 12pt, 16mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 16"
(Pack of 1)

Item# 19413
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .45
Brand : Williams®
Mfr Model# : 1216MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19413
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 16mm
Style : Supercombo® Narrow Head
Size : 16 mm
Overall Length : 9.5"
Open End Width : 1.375"
Open End Thickness : 0.28125"
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

128

1.00

EA

**0128 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 17 MM*******LAWSON #19414*******Williams® Wrench, Combination, Narrow
Head, 12pt, 17mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 17"
(Pack of 1).

Item# 19414
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .5
Brand : Williams®
Mfr Model# : 1217MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) **Add to List****DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19414
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 17mm
Style : Supercombo® Narrow Head
Size : 17 mm
Overall Length : 10.0625 "
Open End Width : 1.46875 "
Open End Thickness : 0.3125 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

129

1.00

EA

0129 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 18 MM

LAWSON #19415

**Williams® Wrench, Combination, Narrow
Head, 12pt, 18mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 18"
(Pack of 1)

Item# 19415
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .56
Brand : Williams®
Mfr Model# : 1218MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19415
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 18mm
Style : Supercombo® Narrow Head
Size : 18 mm
Overall Length : 10.53125 "
Open End Width : 1.53125 "
Open End Thickness : 0.3125 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

130

1.00

EA

0130 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 19 MM

LAWSON #19416

**Williams® Wrench, Combination, Narrow
Head, 12pt, 19mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 19"
(Pack of 1)

Item# 19416
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .65
Brand : Williams®
Mfr Model# : 1219MSC
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

DESCRIPTION

TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION

TECH SPECS

Item# : 19416
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 19mm
Style : Supercombo® Narrow Head
Size : 19 mm
Overall Length : 11.03125 "
Open End Width : 1 625 "
Open End Thickness : 0 34375 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

131

1.00

EA

**0131 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 20 MM*******LAWSON #19417*******Williams® Wrench, Combination, Narrow
Head, 12pt, 20mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 20"
(Pack of 1)

Item# 19417
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .77
Brand : Williams®
Mfr Model# : 1220MSC
Catalog Page# : 14-22
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 670) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19417
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 20mm
Style : Supercombo® Narrow Head
Size : 20 mm
Overall Length : 11.5 "
Open End Width : 1 7/8" 16mm
Open End Thickness : 0.375 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

132

1.00

EA

**0132 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 21 MM*******LAWSON #19418*******Williams® Wrench, Combination, Narrow
Head, 12pt, 21mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 21"
(Pack of 1)

Item# 19418
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .84
Brand : Williams®
Mfr Model# : 1221MSC
Catalog Page# : [14-22](#)
Usually Ships: [Today](#)



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION **TECH SPECS**

Item# : 19418
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 21mm
Style : Supercombo® Narrow Head
Size : 21 mm
Overall Length : 11.78125 "
Open End Width : 1.75 "
Open End Thickness : 0.375 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

133

1.00

EA

0133 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 22 MM

LAWSON #19419

**Williams® Wrench, Combination, Narrow Head, 12pt, 22mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 22"
(Pack of 1)

Item# 19419
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.0
Brand : Williams®
Mfr Model# : 1222MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

DESCRIPTION

TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 670) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107 6 and SAE AS 954

DESCRIPTION

TECH SPECS

Item# : 19419
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 22mm
Style : Supercombo® Narrow Head
Size : 22 mm
Overall Length : 12.5 "
Open End Width : 1 9/16" [?](#)
Open End Thickness : 0 40/625 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

134	1.00	EA	0134 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 23 MM ***LAWSON #19420***
-----	------	----	--------------------------------------------------------------------------------------



Williams® Wrench, Combination, Narrow Head, 12pt, 23mm

Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 23"
(Pack of 1)

Item#	19420
Price :	Log In
Standard Pack :	1 ea.
Ship Weight :	1.11
Brand :	Williams®
Mfr Model# :	1223MSC
Catalog Page# :	14-22
Usually Ships:	Today

TAA Compliant

Quantity: 1

[Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

DESCRIPTION	TECH SPECS
<ul style="list-style-type: none">• Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application• High-polish chrome and satin chrome finish• Some sizes also available in red powder-coat finish• Outperforms competition by as much as 15%• Narrow head allows access in tight applications• Made in USA• Federal Specification B107.6 and SAE AS 954	

DESCRIPTION	TECH SPECS
Item# :	19420
Product Name :	Williams® - Wrench, Combination, Narrow Head, 12pt 23mm
Style :	Supercombo® Narrow Head
Size :	23 mm
Overall Length :	12.875 "
Open End Width :	1.96875 "
Open End Thickness :	0.4375 "
Number of Points :	12
Finish :	High-Polish Chrome
Specification :	B107.6 & SAE AS 954
UNSPSC #:	27111713
TAA Compliant:	Yes

135

1.00

EA

**0135 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 24 MM*******LAWSON #19421*******Williams® Wrench, Combination, Narrow
Head, 12pt, 24mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 24"
(Pack of 1)

Item# 19421
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.24
Brand : Williams®
Mfr Model# : 1224MSC
Catalog Page# : [14-22](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) **Add to Cart** Create a Re-order list.. **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19421
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 24mm
Style : Supercombo® Narrow Head
Size : 24 mm
Overall Length : 13 26125 "
Open End Width : 2 "
Open End Thickness : 0 4375 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

136

1.00

EA

**0136 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 26 MM*******LAWSON #19423*******Williams® Wrench, Combination, Narrow
Head, 12pt, 26mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 26"
(Pack of 1)

Item# 19423
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.6
Brand : Williams®
Mfr Model# : 1226MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107 6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19423
Product Name : Williams® - Wrench. Combination. Narrow Head. 12pt. 26mm
Style : Supercombo® Narrow Head
Size : 26 mm
Overall Length : 14.3125 "
Open End Width : 2 1875 "
Open End Thickness : 0.5 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

137

1.00

EA

0137 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 27 MM

LAWSON #19424

**Williams® Wrench, Combination, Narrow Head, 12pt, 27mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 27"
(Pack of 1)

Item# 19424
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.77
Brand : Williams®
Mfr Model# : 1227MSC
Catalog Page# : 14-22
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107 6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19424
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 27mm
Style : Supercombo® Narrow Head
Size : 27 mm
Overall Length : 14.78125 "
Open End Width : 2.28125 "
Open End Thickness : 0.5 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107 6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

138

1.00

EA

**0138 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 30 MM*******LAWSON #19426*******Williams® Wrench, Combination, Narrow
Head, 12pt, 30mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 30"
(Pack of 1)

Item# 19426
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 2.25
Brand : Williams®
Mfr Model# : 1230MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19426
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 30mm
Style : Supercombo® Narrow Head
Size : 30 mm
Overall Length : 16.28125 "
Open End Width : 2 53125 "
Open End Thickness : 0 53125 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

139

1.00

EA

**0139 - METRIC CHROME COMBINATION
WRENCHES, 12 POINT, 32 MM*******LAWSON #19427*******Williams® Wrench, Combination, Narrow
Head, 12pt, 32mm**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 32"
(Pack of 1)

Item# 19427
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 2.55
Brand : Williams®
Mfr Model# : 1232MSC
Catalog Page# : [14-22](#)
Usually Ships: [?](#) Today



TAA Compliant


Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 670) to provide accurate torque/tension relationship for precision application
- High-polish chrome and satin chrome finish
- Some sizes also available in red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

DESCRIPTION**TECH SPECS**

Item# : 19427
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 32mm
Style : Supercombo® Narrow Head
Size : 32 mm
Overall Length : 17.03125 "
Open End Width : 2 6875 "
Open End Thickness : 0 5625 "
Number of Points : 12
Finish : High-Polish Chrome
Specification : B107.6 & SAE AS 954
UNSPSC #: 27111713
TAA Compliant: Yes

140	1.00	EA	0140 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 3/8 INCH PROTO J3751	NO BID	NO BID
141	1.00	EA	0141 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 7/16 INCH PROTO J3753	NO BID	NO BID
142	1.00	EA	0142 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 1/2 INCH	NO BID	NO BID
143	1.00	EA	0143 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 9/16 INCH PROTO J3754	NO BID	NO BID
144	1.00	EA	0144 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 5/8 INCH PROTO J3755	NO BID	NO BID
145	1.00	EA	0145 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 11/16 INCH PROTO J3756	NO BID	NO BID
146	1.00	EA	0146 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 3/4 INCH	NO BID	NO BID



Eklind® Hex Key, Short Arm, Straight Hex, .028"

Eklind® - .028" Short Arm Straight Hex Key (Pack of 5)

Item#

92465

Price :

[Log In](#)

Standard Pack :

5 ea.

Ship Weight :

.005

Brand :

Eklind®

Mfr Model# :

15101

Catalog Page# :

[14-44](#)

Usually Ships:

[?](#) Today

Representative Image Only

TAA Compliant

Quantity: 1

[Check Stock](#) [?](#)

Create a Re-order list.. [▼](#)

[Add to List](#)

[Add to Cart](#) [▶](#)

TECH SPECS	
Item# :	92465
Product Name :	Eklind® - Hex Key, Short Arm, Straight Hex, .028"
Key Size :	0.028 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	0.22 "
Leg Length :	1-7/32 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

148

1.00

EA

0148 - L SHAPED HEX WRENCHES, .035

LAWSON #92466



Eklind® Hex Key, Short Arm, Straight Hex, .035"

Eklind® - .035" Short Arm Straight Hex Key (Pack of 5)

Item# 92466
Price : [Log In](#)
Standard Pack : 5 ea.
Ship Weight : .01
Brand : Eklind®
Mfr Model# : 15102
Catalog Page# : [14-44](#)
Usually Ships: Today

Representative Image Only

TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

TECH SPECS

Item# : 92466
Product Name : Eklind® - Hex Key, Short Arm, Straight Hex, .035"
Key Size : 0.035"
Hex Type : Straight
Style : Short Arm
Arm Length : 0.34"
Leg Length : 1-7/32"
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

149

1.00

EA

0149 - L SHAPED HEX WRENCHES, 1/16

LAWSON #15300

**Eklind® Hex Key, Fractional, Short Arm, 1/16"**Eklind® - Hex Key, Fractional, Short Arm, 1/16", 1-3/4" Nominal Length
(Pack of 5)

Item#	15300
Price :	Log In
Standard Pack :	5 ea.
Ship Weight :	.02
Brand :	Eklind®
Mfr Model# :	15104
Catalog Page# :	14-44
Usually Ships:	Today

Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) ▶Create a Re-order list.. ▼ [Add to List](#)**TECH SPECS**

Item# :	15300
Product Name :	Eklind® - Hex Key, Fractional Short Arm 1/16"
Key Size :	1/16 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	0.56 "
Leg Length :	1-3/4 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

150

1.00

EA

0150 - L SHAPED HEX WRENCHES, 5/64

LAWSON #15301



Representative Image Only



Eklind® Hex Key, Fractional, Short Arm, 5/64"

Eklind® - Hex Key, Fractional, Short Arm, 5/64", 1-7/8" Nominal Length
(Pack of 5)

Item# 15301
Price : [Log In](#)
Standard Pack : 5 ea.
Ship Weight : .02
Brand : Eklind®
Mfr Model# : 15105
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

TAA Compliant

Quantity: 1 [Check Stock ?](#)

[Add to Cart](#) ▶

Create a Re-order list.. ▼ [Add to List](#)

TECH SPECS

Item# : 15301
Product Name : Eklind® - Hex Key, Fractional, Short Arm, 5/64"
Key Size : 5/64 "
Hex Type : Straight
Style : Short Arm
Arm Length : 0.61 "
Leg Length : 1-7/8 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

151

1.00

EA

0151 - L SHAPED HEX WRENCHES, 3/32

LAWSON #15302

**Eklind® Hex Key, Fractional, Short Arm, 3/32"**

Eklind® - Hex Key, Fractional, Short Arm, 3/32", 2" Nominal Length (Pack of 5)

Item# 15302
Price : [Log In](#)
Standard Pack : 5 ea.
Ship Weight : .03
Brand : Eklind®
Mfr Model# : 15106
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**TECH SPECS**

Item# : 15302
Product Name : Eklind® - Hex Key, Fractional Short Arm 3/32"
Key Size : 3/32 "
Hex Type : Straight
Style : Short Arm
Arm Length : 0.66 "
Leg Length : 2 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

152

1.00

EA

0152 - L SHAPED HEX WRENCHES, 7/64

LAWSON #15315



Representative Image Only

Eklind® Hex Key, Fractional, Short Arm, 7/64"Eklind® - Hex Key, Fractional, Short Arm, 7/64", 2-1/8" Nominal Length
(Pack of 5)

Item#	15315
Price :	Log In
Standard Pack :	5 ea.
Ship Weight :	.04
Brand :	Eklind®
Mfr Model# :	15107
Catalog Page# :	14-44
Usually Ships: ?	Today

TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) ▶Create a Re-order list.. ▼ [Add to List](#)**TECH SPECS**

Item# :	15315
Product Name :	Eklind® - Hex Key, Fractional, Short Arm 7/64"
Key Size :	7/64 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	0.70 "
Leg Length :	2-1/8 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

153

1.00

EA

0153 - L SHAPED HEX WRENCHES, 1/8

LAWSON #15303



Eklind® Hex Key, Fractional, Short Arm, 1/8"

Eklind® - Hex Key, Fractional, Short Arm, 1/8", 2-1/4" Nominal Length
(Pack of 5)

Item# 15303
Price : [Log In](#)
Standard Pack : 5 ea.
Ship Weight : .07
Brand : Eklind®
Mfr Model# : 15108
Catalog Page# : [6-43](#), [6-44](#), [14-44](#)
Usually Ships: [?](#) Today

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

TECH SPECS

Item# :	15303
Product Name :	Eklind® - Hex Key, Fractional Short Arm 1/8"
Key Size :	1/8 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	0.75 "
Leg Length :	2-1/4 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

154	1.00	EA	0154 - L SHAPED HEX WRENCHES, 9/64
LAWSON #15316			



Representative Image Only

Eklind® Hex Key, Fractional, Short Arm, 9/64"

Eklind® - Hex Key, Fractional, Short Arm, 9/64", 2-3/8" Nominal Length (Pack of 1)

Item#	15316
Price :	Log In
Standard Pack :	1 ea.
Ship Weight :	.02
Brand :	Eklind®
Mfr Model# :	15109
Catalog Page# :	14-44
Usually Ships:	Today

TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

TECH SPECS

Item# :	15316
Product Name :	Eklind® - Hex Key Fractional Short Arm 9/64"
Key Size :	9/64 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	0.80 "
Leg Length :	2-3/8 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

155

1.00

EA

0155 - L SHAPED HEX WRENCHES, 5/32

LAWSON #15304

**Eklind® Hex Key, Fractional, Short Arm, 5/32"**

Eklind® - Hex Key, Fractional, Short Arm, 5/32", 2-1/2" Nominal Length
(Pack of 1)

Item# 15304
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .03
Brand : Eklind®
Mfr Model# : 15110
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**TECH SPECS**

Item# : 15304
Product Name : Eklind® - Hex Key, Fractional, Short Arm 5/32"
Key Size : 5/32 "
Hex Type : Straight
Style : Short Arm
Arm Length : 0.84 "
Leg Length : 2-1/2 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

156

1.00

EA

0156 - L SHAPED HEX WRENCHES, 3/16

LAWSON #15305



Representative Image Only



TECH SPECS

Item# :	15305
Product Name :	Eklind® - Hex Key, Fractional Short Arm 3/16"
Key Size :	3/16 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	0 94 "
Leg Length :	2 3/4 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

Eklind® Hex Key, Fractional, Short Arm, 3/16"

Eklind® - Hex Key, Fractional, Short Arm, 3/16", 2-3/4" Nominal Length
(Pack of 1)

Item# 15305
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .4
Brand : Eklind®
Mfr Model# : 15112
Catalog Page# : [14-44](#)
Usually Ships: [Today](#)

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)Create a Re-order list.. [Add to List](#)[Add to Cart](#) [▶](#)

157

1.00

EA

0157 - L SHAPED HEX WRENCHES, 7/32

LAWSON #15306



Representative Image Only

Eklind® Hex Key, Fractional, Short Arm, 7/32"

Eklind® - Hex Key, Fractional, Short Arm, 7/32", 3" Nominal Length (Pack of 1)

Item# 15306
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .05
Brand : Eklind®
Mfr Model# : 15114
Catalog Page# : [14-44](#)
Usually Ships: Today

TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)**TECH SPECS**

Item# : 15306
Product Name : Eklind® - Hex Key, Fractional Short Arm, 7/32"
Key Size : 7/32 "
Hex Type : Straight
Style : Short Arm
Arm Length : 1.03 "
Leg Length : 3 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

158

6.00

EA

0158 - L SHAPED HEX WENCHES, 1/4

LAWSON #15307




Eklind® Hex Key, Fractional, Short Arm, 1/4"

Eklind® - Hex Key, Fractional, Short Arm, 1/4", 3-1/4" Nominal Length
(Pack of 1)

Item# 15307
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .07
Brand : Eklind®
Mfr Model# : 15116
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

Representative Image Only

TAA Compliant



Quantity: 1 [Check Stock](#) [?](#)

[Add to Cart](#) [▶](#)

Create a Re-order list.. [▼](#) [Add to List](#)

TECH SPECS

Item# : 15307
Product Name : Eklind® - Hex Key, Fractional, Short Arm, 1/4"
Key Size : 1/4 "
Hex Type : Straight
Style : Short Arm
Arm Length : 1 1/2 "
Leg Length : 3-1/4 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

159

1.00

EA

0159 - L SHAPED HEX WRENCHES, 5/16

LAWSON #15308

**Eklind® Hex Key, Fractional, Short Arm, 5/16"**

Eklind® - Hex Key, Fractional, Short Arm, 5/16", 3-3/4" Nominal Length
(Pack of 1)

Item# 15308
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .12
Brand : Eklind®
Mfr Model# : 15120
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**TECH SPECS**

Item# : 15308
Product Name : Eklind® - Hex Key, Fractional Short Arm 5/16"
Key Size : 5/16 "
Hex Type : Straight
Style : Short Arm
Arm Length : 1 1/4 "
Leg Length : 3-3/4 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

160

1.00

EA

0160 - L SHAPED HEX WRENCHES, 3/8

LAWSON #15309



Representative Image Only



TECH SPECS

Item# :	15309
Product Name :	Eklind® - Hex Key, Fractional Short Arm 3/8"
Key Size :	3/8 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	1 3/8 "
Leg Length :	4-1/4 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

Eklind® Hex Key, Fractional, Short Arm, 3/8"

Eklind® - Hex Key, Fractional, Short Arm, 3/8", 4-1/4" Nominal Length
(Pack of 1)

Item# 15309
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .2
Brand : Eklind®
Mfr Model# : 15124
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)

161

1.00

EA

0161 - L SHAPED HEX WRENCHES, 7/16

LAWSON #60745

**Eklind® Hex Key, Short Arm, Straight Hex, 7/16"**

Eklind® - 7/16" Short Arm Straight Hex Key (Pack of 1)

Item# 60745
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .3
Brand : Eklind®
Mfr Model# : 15128
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**TECH SPECS**

Item# : 60745
Product Name : Eklind® - Hex Key, Short Arm, Straight Hex 7/16"
Key Size : 7/16 "
Hex Type : Straight
Style : Short Arm
Arm Length : 1 1/2 "
Leg Length : 4-3/4 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

162

1.00

EA

0162 - L SHAPED HEX WRENCHES, 1/2

LAWSON #15310



Representative Image Only

**Eklind® Hex Key, Fractional, Short Arm, 1/2"**Eklind® - Hex Key, Fractional, Short Arm, 1/2", 5-1/4" Nominal Length
(Pack of 1)

Item# 15310
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .42
Brand : Eklind®
Mfr Model# : 15132
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**TECH SPECS**

Item# : 15310
Product Name : Eklind® - Hex Key. Fractional Short Arm 1/2"
Key Size : 1/2 "
Hex Type : Straight
Style : Short Arm
Arm Length : 1 63 "
Leg Length : 5-1/4 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes



Representative Image Only

Eklind® Hex Key, Fractional, Short Arm, 9/16"

Eklind® - Hex Key, Fractional, Short Arm, 9/16", 5-3/4" Nominal Length (Pack of 1)

Item#15311

Price :[Log In](#)

Standard Pack :1 ea.

Ship Weight :.58

Brand :Eklind®

Mfr Model# :15136

Catalog Page# :[14-44](#)

Usually Ships:🕒Today

TAA Compliant



Quantity: 1 [Check Stock ?](#)

Add to Cart ▶

Create a Re-order list.. ▼ [Add to List](#)

TECH SPECS

Item# :15311

Product Name :Eklind® - Hex Key, Fractional, Short Arm, 9/16"

Key Size :9/16 "

Hex Type :Straight

Style :Short Arm

Arm Length :1 75 "

Leg Length :5-3/4 "

Handle Type :L-Handle

Finish :Black Oxide

UNSPSC #:27111710

TAA Compliant:Yes

164

1.00

EA

0164 - L SHAPED HEX WRENCHES, 5/8

LAWSON #15312



Representative Image Only



TECH SPECS

Item# :	15312
Product Name :	Eklind® - Hex Key, Fractional Short Arm 5/8"
Key Size :	5/8 "
Hex Type :	Straight
Style :	Short Arm
Arm Length :	1 88 "
Leg Length :	6-1/4 "
Handle Type :	L-Handle
Finish :	Black Oxide
UNSPSC #:	27111710
TAA Compliant:	Yes

Eklind® Hex Key, Fractional, Short Arm, 5/8"

Eklind® - Hex Key, Fractional, Short Arm, 5/8", 6-1/4" Nominal Length
(Pack of 1)

Item#	15312
Price :	Log In
Standard Pack :	1 ea.
Ship Weight :	.79
Brand :	Eklind®
Mfr Model# :	15140
Catalog Page# :	14-44
Usually Ships:?	Today

TAA Compliant

Quantity: 1 [Check Stock](#) ?[Add to Cart](#) ▶Create a Re-order list.. ▼ [Add to List](#)

165

1.00

EA

0165 - L SHAPED HEX WRENCHES, 3/4

LAWSON #15317



Representative Image Only

**Eklind® Hex Key, Fractional, Short Arm, 3/4"**Eklind® - Hex Key, Fractional, Short Arm, 3/4", 7-1/4" Nominal Length
(Pack of 1)

Item# 15317
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.31
Brand : Eklind®
Mfr Model# : 15148
Catalog Page# : [14-44](#)
Usually Ships: [?](#) Today

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**TECH SPECS**

Item# : 15317
Product Name : Eklind® - Hex Key, Fractional Short Arm, 3/4"
Key Size : 3/4 "
Hex Type : Straight
Style : Short Arm
Arm Length : 2 13 "
Leg Length : 7-1/4 "
Handle Type : L-Handle
Finish : Black Oxide
UNSPSC #: 27111710
TAA Compliant: Yes

166	1.00	EA	0166 - HEX KEY WRENCH SETS, STANDARD T-HANDLE, 10 PIECES, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 ***LAWSON #15797***
-----	------	----	------------------------------------------------------------------------------------------------------------------------------------------



Eklind® Hex Key Set, Fractional, T-Handle, Ball End, 11pc

Eklind® - 11pc Hex Key Set, Fractional, T-Handle with Stand, Ball End, Includes: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" 9" L (Pack of 1)

Item# 15797
 Price : [Log In](#)
 Standard Pack : 1 ea.
 Ship Weight : 4.61
 Brand : Eklind®
 Mfr Model# : 60814
 Catalog Page# : [14-41](#)
 Usually Ships: 2 Today

TAA Compliant

Quantity: 1 [Check Stock](#) 2

[Add to Cart](#) ▶

Create a Re-order list.. ▼ [Add to List](#)

DESCRIPTION **TECH SPECS** **ACCESSORIES**

- Universal stand can be attached to a wall, bench or another stand
- Includes Sizes 5/64" 3/32" 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

ITEM#	DESCRIPTION	QTY
15803	5/64"	1
15804	3/32"	1
15805	7/64"	1
15806	1/8"	1
15807	9/64"	1
15808	5/32"	1
15809	3/16"	1
15810	7/32"	1
15811	1/4"	1
15812	5/16"	1
15813	3/8"	1
15802	Hex Key Stand, Universal For Inch, Metric and Torx Hex Keys up to 3/8" Hex (Empty)	1

167	17.00	EA	0167 - RATCHETING BOX WRENCH, 12 POINT, 5/8 INCH X 3/4 INCH, CHROME 8-1/8 LENGTH PROTO J1186	NO BID	NO BID
168	1.00	EA	0168 - 1/4 INCH NUT DRIVERS, 6 POINT, 3/16 PROTO J9206	NO BID	NO BID
169	1.00	EA	0169 - 1/4 INCH NUT DRIVERS, 6 POINT, 7/32 PROTO J9207	NO BID	NO BID
170	1.00	EA	0170 - 1/4 INCH NUT DRIVERS, 6 POINT, 1/4 PROTO J9208	NO BID	NO BID
171	1.00	EA	0171 - 1/4 INCH NUT DRIVERS, 6 POINT, 9/32 PROTO J9209	NO BID	NO BID
172	25.00	EA	0172 - 1/4 INCH NUT DRIVERS, 5/16 PROTO J9210	NO BID	NO BID
173	1.00	EA	0173 - 1/4 INCH NUT DRIVERS, 6 POINT, 11/32 PROTO J9211	NO BID	NO BID
174	45.00	EA	0174 - 1/4 INCH NUT DRIVERS, 6 POINT, 3/8 PROTO J9212	NO BID	NO BID
175	1.00	EA	0175 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 4 MM PROTO J9204M	NO BID	NO BID
176	1.00	EA	0176 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 5 MM PROTO J9205M	NO BID	NO BID
177	1.00	EA	0177 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 5.5 MM	NO BID	NO BID

178	1.00	EA	0178 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 7 MM PROTO J9207M	NO BID	NO BID
179	1.00	EA	0179 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 8 MM PROTO J9208M	NO BID	NO BID
180	1.00	EA	0180 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 10 MM PROTO J9210M	NO BID	NO BID
181	1.00	EA	0181 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 11 MM PROTO J9211	NO BID	NO BID
182	1.00	EA	0182 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 12 MM PROTO J9212M	NO BID	NO BID
183	1.00	EA	0183 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 13 MM PROTO J9213M	NO BID	NO BID
184	1.00	EA	0184 - 3/8 INCH NUT DRIVERS, 3/8 INCH STANDARD, SOCKET NUT DRIVER PROTO J9212H	NO BID	NO BID
185	185.00	EA	0185 - SCREWDRIVER, STANDARD BLADE, ROUND SHANK, BLADE LENGTH (APPROXIMATELY 4 INCH) PROTO JC31604R	NO BID	NO BID

186	62.00	EA	0186 - SCREWDRIVER, STANDARD BLADE, ROUND SHANK, BLADE LENGTH, APPROX . 8 INCH PROTO JK3808R	NO BID	NO BID
187	8.00	EA	0187 - SCREWDRIVER, PHILIPS, ROUND SHANK BLADE LENGTH (APPROXIMATELY 3 IN.), NO. 1 HEAD PROTO JP0103R	NO BID	NO BID
188	55.00	EA	0188 - SCREWDRIVER, PHILLPS, ROUND SHANK, BLADE LENGTH, (APPROXIMATELY 8 IN.), NO. 2 HEAD PROTO JP0208R	NO BID	NO BID
189	70.00	EA	0189 - SCREWDRIVER, PHILLIPS, ROUND SHANK, BLADE LENGTH, (APPROX. 6 INCH), NO. 3 HEAD PROTO JP0306R	NO BID	NO BID
190	2.00	EA	0190 - SCREWDRIVER, PHILLIPS, ROUND SHANK, BLADE LENGTH (APPROX. 8 INCH), NO. 4 HEAD PROTO JP0408R	NO BID	NO BID
191	500.00	EA	0191 - SCREWDRIVER, STANDARD BLADE, SQUARE SHANK, BLADE LENGTH (APPROXIMATELY 12 INCH) PROTO J88112	NO BID	NO BID

192

6.00

EA

0192 - PLIERS AND CUTTERS,
CHROME COMBINATION, CHAIN NOSE PLIERS

APPROXIMATELY 5-3/4 INCH LENGTH;
APPROX. 3/8 INCH JAW WIDTH

***LAWSON #1226490**



Proto® 6 5/8" Ergonomics™ Side Cutting Needle Nose Plier

Proto® - 6 5/8" Ergonomics™ Side Cutting Needle Nose Plier (Pack of 1)

Item# 1226490
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J226G
Usually Ships: 48 Hours

CHROME
PROTO

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ►

Create a Re-order list.. ▼ Add to List

DESCRIPTION TECH SPECS

- Induction hardened cutting edges
 - Diamond serrated jaws
 - Plastisol grips for added comfort
- ASME B107.13

DESCRIPTION TECH SPECS

Item# : 1226490
Product Name : Proto® - 6 5/8" Ergonomics™ Side Cutting Needle Nose Plier
Type : Needle Nose
Size : 6 5/8"
Material : Forged Alloy Steel
UPC : 582579030414
Jaw Length : 1 7/8"
Jaw Width : 11/16"
Jaw Thickness : 3/8"
Jaw Shape : Needle Nose
Jaw Type : Diamond Serrated
Handle Type : Cushion Grip
UNSPSC #: 27000000
TAA Compliant: Yes

193

15.00

EA

0193 - PLIERS COMBINATION, SLIP JOINT
8-1/16 INCH LONG, CHROME PLASTISOL

LAWSON #1227735

HANDLES

Proto® 8" Combination Plier

Proto® - 8" Combination Plier (Pack of 1)



Item# 1227735
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J278
Usually Ships: 48 Hours

Proto

Representative Image Only

TAA Compliant



Quantity: 1

Add to CartCreate a Re-order list.. **Add to List**

DESCRIPTION TECH SPECS

- Precision machined mating surfaces

DESCRIPTION TECH SPECS

Item# : 1227735
Product Name : Proto® - 8" Combination Plier
Type : Slip Joint
Size : 8"
Material : Forged Alloy Steel
UPC : 682676031350
Jaw Length : 1 3/4"
Jaw Width : 1 13/16"
Jaw Thickness : 3/8"
Jaw Shape : Combination
Cut Type : Shear Wire Cutter
Number of Adjustments : 2
UNSPSC #: 27000000
TAA Compliant: Yes

194

115.00

EA

0194 - PLIERS AND CUTTERS, DIAGONAL
CUTTING PLIERS, APPROXIMATELY 6 INCHLENGTH APPROXIMATELY 13/16 INCH LONG JAW
LAWSON #99048

Plier Diagonal Cutting 6"

6" Diagonal Cutting Plier (Pack of 1)



Item# 99048
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .42
Catalog Page# : 14-48
Usually Ships: Today

TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- General-purpose diagonals have narrow jaws for working in confined areas
- Heavy-duty diagonals have high-leverage jaws

DESCRIPTION**TECH SPECS**

Item# : 99048
Product Name : Plier Diagonal Cutting 6"
Type : Diagonal Cutting Plier
Size : 6"
UNSPSC #: 27111511
TAA Compliant: Yes

195

14.00

EA

0195 - PLIERS AND CUTTERS, LINEMAN
PLIERS, INSULATED, APPROX. 7-3/8 INCH

***LAWSON #1281625*

LENGTH

**Crescent® 7 1/4In Side Cutting Solid Joint
Pliers Grips**

Crescent® - 7 1/4In Side Cutting Solid Joint Pliers Grips (Pack of 1)



Item# 1281625

Price : [Log In](#)

Standard Pack : 1 ea.

Brand : Crescent®

Mfr Model# : 507CVN

Usually Ships: 19 to 21 Business Days

Crescent®

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ▶Create a Re-order list... ▼ **Add to List****TECH SPECS**

Item# :	1281625
Product Name :	Crescent® - 7 1/4In Side Cutting Solid Joint Pliers Grips
Type :	Cushion Grip
Size :	7-1/4"
UPC :	37103213440
Cut Type :	Bevel
Cutting Length :	5 3/8"
Handle Color :	Red
Height :	1-7/8"
Jaw Length :	1-9/32"
Jaw Shape :	Straight
Jaw Thickness :	1/2"
Jaw Width :	1"
Material :	Forged Alloy Steel
Width :	2-7/8"
UNSPSC #:	27000000
TAA Compliant:	Yes

196

37.00

EA

0196 - PLIERS AND CUTTERS, LINEMAN
PLIERS, INSULATED, APPROX. 9-1/4 INCH

LENGTH

LAWSON #97934



Plier New England Style 9-1/2"

9-1/2" New England Style Plier (Pack of 1)

Item# 97934
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.08
Catalog Page# : [14-48](#)
Usually Ships: Today

TAA Compliant:

Quantity: 1 [Check Stock](#) [Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

-A larger version of our Lineman's Pliers with a narrower nose for access into tighter areas and electrical boxes

DESCRIPTION**TECH SPECS**

Item# : 97934
Product Name : Plier New England Style 9-1/2"
Type : New England Style
Size : 9-1/2"
UNSPSC #: 27112100
TAA Compliant: Yes

197

335.00

EA

0197 - CUTTER, RATCHET TUBING,
CORROSIVE RESISTENT PLATED STEEL
***LAWSON #1282899*



Representative Image Only



Ridgid® Rc 1625 Ratchet Cutter

Ridgid® - Rc 1625 Ratchet Cutter (Pack of 1)

Item# 1282899
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 23498
Usually Ships: 48 Hours

RIDGID

Quantity: 1

[Add to Cart](#)[Create a Re-order list..](#) [Add to List](#)

DESCRIPTION TECH SPECS

- Ergonomic grips on bottom handle are spaced at 1/2" increments to act as a quick pipe measuring scale
- Easy turn-thumb latch for reliable storage
- X-CEL® quick change blade

DESCRIPTION TECH SPECS

Item# : 1282899
Product Name : Ridgid® - Rc 1625 Ratchet Cutter
Type : Ratcheting Plastic Pipe & Tubing Cutters
UNSPSC #: 27000000
TAA Compliant: No

198

40.00

EA

0198 - PLIERS AND CUTTERS, STACKEON
PLIERS

LAWSON #56542



Crimp Tool-26-10 AWG

Crimp Tool-26-10 AWG (Pack of 1)

Item# 56542
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .51
Catalog Page# : 17-72
Usually Ships: ? Today

TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) ►[Create a Re-order list.. ▼](#) [Add to List](#)

DESCRIPTION TECH SPECS ACCESSORIES

- Crimping, cutting, stripping and rethreading tool
- Heat-treated steel with padded vinyl handles
- Wire cutter is located at tip for easy access
- Wire stripper makes a complete cut of wire insulation with one stroke
- Cuts, crimps and strips 26 to 10 Ga. wire and crimps ignition terminals
- Cuts and rethreads 4-40, 6-32, 8-32, 10-24 and 10-32 machine screws

DESCRIPTION TECH SPECS ACCESSORIES

Item# : 56542
Product Name : Crimp Tool-26-10 AWG
Style : Crimp Tool
Cuts : 4-40, 6-32, 8-32, 10-24 and 10-32 machine screws
Crimp Tool Die Setting : 26 to 10 Ga. ignition terminals
Description : Crimp Tool
Type : Crimping Tools
UNSPSC #: 27111500
TAA Compliant: Yes

199

1.00

EA

0199 - PLIERS AND CUTTERS, TUBING CUTTER
PIPE CAPACITY: 1/8 INCH - 1-1/4 INCH*****LAWSON #57597*****

Tubing and Pipe Cutters Standard Tube Cutter

Tubing and Pipe Cutters Standard Tube Cutter (Pack of 1)



Item# 57597
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.45
Catalog Page# : 9-64
Usually Ships: Today

TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)

DESCRIPTION TECH SPECS ACCESSORIES

- General-purpose cutting wheel included – cuts copper, brass, aluminum, thinwall steel and stainless steel
- Specially-designed, material-specific cutting wheels are available for optimal performance
- Die-cast bodies and handles
- Powder-coated finish, laser-inscribed logo
- Alloy steel rollers and cutting wheels
- Cuts tubing 1/8" to 1-3/4" O.D.
- Free-spinning retractable reamer in body
- Includes special PVC cutting wheel stored in handle
- Features four rollers to hold tube in place

DESCRIPTION TECH SPECS ACCESSORIES

Item# : 57597
Product Name : Tubing and Pipe Cutters Standard Tube Cutter
Description : Standard Tube Cutter
Type : Tubing and Pipe Cutters
Capacity : 1/8 - 1-3/4"
UNSPSC #: 40163000
TAA Compliant: Yes

200

4.00

EA

**0200 - PLIERS AND CUTTERS, TUBING
CUTTERS, PIPE CAPACITY: 1/4 INCH TO 2****INCH (RIGID NO. 31647)*******LAWSON #57598*****

Tubing and Pipe Cutters Quick Cutter

Tubing and Pipe Cutters Professional Quick Cutter (Pack of 1)



Item# 57598
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 2.11
Catalog Page# : 9-64
Usually Ships: Today

Quantity: 1 [Check Stock](#) [Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)**DESCRIPTION**

TECH SPECS

ACCESSORIES

- General-purpose cutting wheel included – cuts copper, brass, aluminum, thinwall steel and stainless steel
- Specially-designed, material-specific cutting wheels are available for optimal performance
- Die-cast bodies and handles
- Powder-coated finish, laser-inscribed logo
- Alloy steel rollers and cutting wheels
- Cuts tubing 1/4" to 2-5/8" O.D.
- Quick-release spring system for faster adjustments
- Includes special PVC wheel stored in handle
- Features four rollers to hold tube in place

DESCRIPTION**TECH SPECS**

ACCESSORIES

Item# : 57598
Product Name : Tubing and Pipe Cutters Quick Cutter
Description : Professional Quick Cutter
Type : Tubing and Pipe Cutters
Capacity : 1/4 - 2-5/8"
UNSPSC #: 40163000
TAA Compliant: No

201	100.00	EA	0201 - PLIERS, 9-9/16 INCH LENGTH
			CHANNELLOCK 420 ***LAWSON #1280589***

Home > Hand Tools > Cutters & Pliers > Pliers

Channellock® 9.5 In. Tongue And Groove Pliers

Channellock® - 9.5 In. Tongue And Groove Pliers (Pack of 1)



Item# 1280589
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Channellock®
Mfr Model# : 420
Usually Ships: 48 Hours



TAA Compliant



Quantity: 1

Add to Cart ▶

Create a Re-order list.. ▼ Add to List

TECH SPECS

Item# : 1280589
Product Name : Channellock® - 9.5 In. Tongue And Groove Pliers
Type : Tongue & Groove Pliers
Size : 9-9/16"
Material : High Carbon 1050 Steel
Finish : Polish
Handle Type : Plastic-Dipped
Jaw Length : 1-1/8"
UNSPSC #: 27000000
TAA Compliant: Yes

202	68.00	EA	0202 - PLIERS, 12 INCH LENGTH
			LAWSON #1282475
			CHANNELLOCK 440

Channellock® 12 In. Gm Pliers

Channellock® - 12 In Gm Pliers (Pack of 1)



Item# 1282475
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Channellock®
Mfr Model# : 440
Usually Ships: 48 Hours



TAA Compliant



Quantity: 1

Add to Cart ▶

Create a Re-order list.. ▼ Add to List

TECH SPECS

Item# : 1282475
Product Name : Channellock® - 12 In. Gm Pliers
Type : Tongue & Groove Pliers
Size : 12"
Material : High Carbon 1080 Steel
Finish : Polish
Handle Type : Plastic-Dipped
Jaw Length : 1-1/2"
UNSPSC #: 27000000
TAA Compliant: Yes

203

60.00

EA

0203 - PLIERS, CHANNEL LOCK NO. 460
16-7/8 INCH LENGTH ***LAWSON #1281925**

Channellock® 16 In.

Channellock® - 16 In. (Pack of 1)



Item# 1281925
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Channellock®
Mfr Model# : 460
Usually Ships: 48 Hours



TAA Compliant



Quantity: 1

Add to Cart ►

Create a Re-order list.. ▼ [Add to List](#)

TECH SPECS

Item# : 1281925
Product Name : Channellock® - 16 In
Type : Tongue & Groove Pliers
Size : 16"
Material : High Carbon 1050 Steel
Finish : Polish
Handle Type : Plastic-Dipped
Jaw Length : 2-9/16"
UNSPSC #: 27000000
TAA Compliant: Yes

204

154.00

EA

0204 - PLIERS AND CUTTERS, VISE GRIP
PLIERS, WITH WIRE CUTTERS,

10 INCH LENGTH, 1-5/8 INCH JAW CAPACITY

VISE GRIP NO. 10WR


LAWSON #99951

IRWIN NO. 502L3

Plier Locking Curved Jaw 10"

10" Locking Curved Jaw Plier (Pack of 1)



Item# 99951
Price : [Log in](#)
Standard Pack : 1 ea.
Ship Weight : 1.24
Catalog Page# : 14-50
Usually Ships:  Today

TAA Compliant



Quantity: 1 [Check Stock](#) 

[Add to Cart](#) 

Create a Re-order list..  [Add to List](#)

DESCRIPTION TECH SPECS

- Large, plastic-coated red tail eases release of locking pressure quickly and safely – skin pinching is virtually eliminated
- Curved jaw style for gripping round or flat pieces such as pipes and bolts – includes built-in 16–10 Ga. wire cutter

DESCRIPTION TECH SPECS

Item# : 99951
Product Name : Plier Locking Curved Jaw 10"
Type : Curved Jaw
Size : 10"
Length : 10"
Jaw Thickness : 9/16"
Clamping Range Diameter : 3/8 - 1-5/8"
Clamping Range Height : 0 - 3/4"
Weight : 1.2 lb
UNSPSC #: 27112115
TAA Compliant: Yes

205

1.00

EA

0205 - BOLT CUTTERS, JAWS ARE MADE
OR HARDENED ALLOY STEEL, CENTER CUT,

15 INCH LENGTH, (RIDGID NEW NO. 14213)

LAWSON #1280254

Ridgid® S14 Bolt Cutter

Ridgid® - S14 Bolt Cutter (Pack of 1)



Item# 1280254
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 14213
Usually Ships: 48 Hours

RIDGID

Representative Image Only



Quantity: 1

Add to Cart ►

Create a Re-order list.. ▼ Add to List

DESCRIPTION TECH SPECS

- Slim heads permit cutting close to surfaces
- Hardened jaws manufactured to assure the longest possible blade
- One-step internal cam mechanism provides the quickest and simplest way to keep the blades precisely aligned
- Handles and grips designed to allow greater mechanical advantage for crisp controlled cutting

DESCRIPTION TECH SPECS

Item# : 1280254
Product Name : Ridgid® - S14 Bolt Cutter
Type : Bolt & Chain Cutters
Size : 14"
UPC : 05691142139
Cut Type : Center Cut
Jaw Material : Alloy Steel
UNSPSC #: 27030000
TAA Compliant: No

206

1.00

EA

0206 - BOLT CUTTERS, JAWS ARE MADE
OF HARDENED ALLOY STEEL, CENTER CUT,

19 INCH LENGTH, (RIDGID NEW NO. 14218)
***LAWSON #1281868**



Ridgid® S18 Bolt Cutter

Ridgid® - S18 Bolt Cutter (Pack of 1)

Item# 1281868
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 14218
Usually Ships: 48 Hours

RIDGID

Representative Image Only



Quantity: 1

Add to Cart ►

Create a Re-order list.. ▼ Add to List

DESCRIPTION

TECH SPECS

- Slim heads permit cutting close to surfaces
- Hardened jaws manufactured to assure the longest possible blade
- One-step internal cam mechanism provides the quickest and simplest way to keep the blades precisely aligned
- Handles and grips designed to allow greater mechanical advantage for crisp, controlled cutting

DESCRIPTION

TECH SPECS

Item# : 1281868
Product Name : Ridgid® - S18 Bolt Cutter
Type : Bolt & Chain Cutters
Size : 18"
UPC : 05621142184
Cut Type : Center Cut
Jaw Material : Alloy Steel
UNSPSC #: 27030000
TAA Compliant: No

207	52.00	EA	0207 - BOLT CUTTERS, JAWS ARE MADE OF HARDENED ALLOY STEEL, CENTER CUT, 26 INCH LENGTH, (RIDGID NEW NO. 14223) ***LAWSON #1593245**
-----	-------	----	-------------------------------------------------------------------------------------------------------------------------------------------



Ridgid® S24 Bolt Cutter

Ridgid® - S24 Bolt Cutter (Pack of 1)

Item# 1593245
 Price : [Log In](#)
 Standard Pack : 1 ea.
 Ship Weight : 6.37
 Brand : Ridgid®
 Mfr Model# : 14223
 Usually Ships: 7 Today

Representative Image Only



Quantity: 1 [Check Stock](#) 7

[Add to Cart](#) ▶

Create a Re-order list.. ▼ [Add to List](#)

DESCRIPTION

TECH SPECS

- Slim heads permit cutting close to surfaces
- Hardened jaws manufactured to assure the longest possible blade
- One-step internal cam mechanism provides the quickest and simplest way to keep the blades precisely aligned
- Handles and grips designed to allow greater mechanical advantage for crisp, controlled cutting

DESCRIPTION

TECH SPECS

Item# : 1593245
 Product Name : Ridgid® - S24 Bolt Cutter
 Type : Bolt & Chain Cutters
 Size : 24"
 Cut Type : Center Cut
 UPC : 095691142236
 Jaw Material : Alloy Steel
 UNSPSC #: 27000000
 TAA Compliant: No

208

5.00

EA

0208 - BOLT CUTTERS, JAW ARE MADE
OF HARDENED ALLOY STEEL, CENTER CUT,

31 INCH LENGTH, (RIDGID NEW NO. 14228)

***LAWSON #1281319**



Ridgid® S30 Bolt Cutter

Ridgid® - S30 Bolt Cutter (Pack of 1)

Item# 1281319
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 14228
Usually Ships: 48 Hours

RIDGID

Representative Image Only



Quantity: 1

Add to Cart ►

Create a Re-order list... ▼ Add to List

DESCRIPTION TECH SPECS

- Slim heads permit cutting close to surfaces
- Hardened jaws manufactured to assure the longest possible blade
- One-step internal cam mechanism provides the quickest and simplest way to keep the blades precisely aligned
- Handles and grips designed to allow greater mechanical advantage for crisp, controlled cutting

DESCRIPTION TECH SPECS

Item# : 1281319
Product Name : Ridgid® - S30 Bolt Cutter
Type : Bolt & Chain Cutters
Size : 30"
UPC : 09521142283
Cut Type : Center Cut
Jaw Material : Alloy Steel
UNSPSC #: 27000000
TAA Compliant: No

209

22.00

EA

0209 - BOLT CUTTERS, JAWS ARE MADE
OF HARDENED ALLOY STEEL, CENTER CUT,

38 INCH LENGTH (RIDGID NEW NO. 14233)

***LAWSON #1281905**



Ridgid® S36 Bolt Cutter

Ridgid® - S36 Bolt Cutter (Pack of 1)

Item# 1281905
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 14.52
Brand : Ridgid®
Mfr Model# : 14233
Usually Ships: ② Today

RIDGID

Representative Image Only



Quantity: 1 [Check Stock](#) ②

Add to Cart ►

Create a Re-order list.. ▼ [Add to List](#)

DESCRIPTION

TECH SPECS

- Slim heads permit cutting close to surfaces
- Hardened jaws manufactured to assure the longest possible blade
- One-step internal cam mechanism provides the quickest and simplest way to keep the blades precisely aligned
- Handles and grips designed to allow greater mechanical advantage for crisp, controlled cutting

DESCRIPTION

TECH SPECS

Item# : 1281905
Product Name : Ridgid® - S36 Bolt Cutter
Type : Bolt & Chain Cutters
Size : 38"
UPC : 09821142337
Cut Type : Center Cut
Jaw Material : Alloy Steel
UNSPSC #: 27000000
TAA Compliant: No

210	4.00	EA	0210 - BOLT CUTTERS, JAWS ARE MADE OF HARDENED ALLOY STEEL, CENTER CUT, 44 INCH LENGTH, (RIGID NEW NO. 14238)	NO BID	NO BID
211	1.00	ST	0211 - CORRESPONDING REPLACEMENT JAW SETS FOR 15 INCH BOLT CUTTERS JAW SET FOR CAT. NO. 98920, RIGID NEW NO. 18363	NO BID	NO BID
212	1.00	ST	0212 - CORRESPONDING REPLACEMENT JAW SETS FOR 19 INCH BOLT CUTTERS JAW SET FOR CAT. NO. 98935, RIGID NEW NO. 18368	NO BID	NO BID
213	1.00	ST	0213 - CORRESPONDING REPLACEMENT JAW SETS FOR 26 INCH BOLT CUTTERS JAW SET FOR CATALOG NO. 98950, RIGID NEW NO. 18373	NO BID	NO BID
214	1.00	ST	0214 - CORRESPONDING REPLACEMENT JAW SETS FOR 31 INCH BOLT CUTTERS	NO BID	NO BID
215	1.00	ST	JAW SET FOR CAT. NO. 98970, RIGID NEW NO. 18378 0215 - CORRESPONDING REPLACEMENT JAW SETS FOR 38 INCH BOLT CUTTERS	NO BID	NO BID

217	4.00	EA	0217 - SNAP RING PLIERS, .090 TIP, APPROXIMATELY 9 IN. LENGTH, 90 DEGREE TIP ANGLE PROTO J379	NO BID	NO BID
218	1.00	EA	0218 - SNAP RING PLIERS, .047 TIP, APPROXIMATELY 6 INCH LENGTH, 90 DEGREE TIP ANGLE PROTO J374	NO BID	NO BID
219	1.00	EA	0219 - SNAP RING PLIERS, .090 TIP, APPROXIMATELY 9 INCH LENGTH, 45 DEGREE TIP ANGLE PROTO J378	NO BID	NO BID
220	1.00	EA	0220 - SNAP RING PLIERS, .047 TIP, APPROXIMATELY 6 INCH LENGTH, 45 DEGREE TIP ANGLE PROTO J373	NO BID	NO BID

221

1.00

EA

0221 - PIPE WRENCHES, EXTERNAL MODELS,
6 INCH LENGTH, 3/4 INCH JAW CAPACITY

***LAWSON #1281342**



Ridgid® 6 Steel Hd Pipe Wrench

Ridgid® - 6 Steel Hd Pipe Wrench (Pack of 1)

Item# 1281342
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 31000
Usually Ships: 48 Hours

RIDGID

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ►

Create a Re-order list.. ▼ Add to List

DESCRIPTION

- Instant grip release
- Heat-treated replaceable jaw
- Easy spin nonstick adjustment nut
- Fully floating forged hook jaw
- Replaceable hook and heel jaws

222

8.00

EA

0222 - PIPE WRENCHES, EXTERNAL MODELS,
8 INCH LENGTH, 1 INCH JAW CAPACITY

RIGID 31005

***LAWSON #1282068*

Ridgid® 8 Steel Hd Pipe Wrench

Ridgid® - 8 Steel Hd Pipe Wrench (Pack of 1)



Item# 1282068
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 31005
Usually Ships: 48 Hours

RIDGID

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ►

Create a Re-order list.. ▼ Add to List

DESCRIPTION

- Instant grip release
- Heat-treated replaceable jaw
- Easy spin nonstick adjustment nut
- Fully floating forged hook jaw
- Replaceable hook and heel jaws

223

52.00

EA

**0223 - PIPE WRENCHES, EXTERNAL MODELS,
12 INCH LENGTH, 1-1/2 INCH JAW CAPACITY*******LAWSON #1224685****

Proto® 12" Malleable Alloy Pipe Wrench

Proto® - 12" Malleable Alloy Pipe Wrench (Pack of 1)



Item# 1224685
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J812HD
Usually Ships: 19 to 21 Business Days

PROTO

Representative Image Only

TAA Compliant



Quantity: 1

Add to CartCreate a Re-order list.. **Add to List**

DESCRIPTION TECH SPECS

- Jaw provides maximum strength
- Instant grip, easy release full floating hook jaw
- Large knurl and power threads for positive jaw adjustment

DESCRIPTION TECH SPECS

Item# : 1224685
Product Name : Proto® - 12" Malleable Alloy Pipe Wrench
Style : Pipe Wrench
Length : 12"
Size : 2"
Finish : Enamel
UPC : 662670110086
Color : Red
Handle Type : I-Beam
Jaw Material : Forged Alloy Steel
Material : Malleable Alloy
UNSPSC #: 27111700
TAA Compliant: Yes

224

63.00

EA

0224 - PIPE WRENCHES, EXTERNAL MODELS,
14 INCH LENGTH, 2 INCH JAW CAPACITY

LAWSON #1282800

Ridgid® 14 Steel Hd Pipe Wrench

Ridgid® - 14 Steel Hd Pipe Wrench (Pack of 1)



Item# 1282800
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 31020
Usually Ships: ⓘ 48 Hours

RIDGID

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ▶

Create a Re-order list.. ▼ Add to List

DESCRIPTION

- Instant grip/release
- Heat-treated replaceable jaw
- Easy spin nonstick adjustment nut
- Fully floating forged hook jaw
- Replaceable hook and heel jaws

225	49.00	EA	0225 - PIPE WRENCHES, EXTERNAL MODELS, 18 INCH LENGTH, 2-1/2 INCH JAW CAPACITY ***LAWSON #1279985***
-----	-------	----	------------------------------------------------------------------------------------------------------------

Ridgid® 18 Steel Hd Pipe Wrench

Ridgid® - 18 Steel Hd Pipe Wrench (Pack of 1)



Item# 1279985
 Price : [Log in](#)
 Standard Pack : 1 ea.
 Brand : Ridgid®
 Mfr Model# : 31025
 Usually Ships: 48 Hours

RIDGID

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ▶

Create a Re-order list.. ▼ Add to List

DESCRIPTION

- Instant grip/release
- Heat-treated replaceable jaw
- Easy spin nonstick adjustment nut
- Fully floating forged hook jaw
- Replaceable hook and heel jaws

226

22.00

EA

0226 - PIPE WRENCHES, EXTERNAL MODELS,
24 INCH LENGTH, 3 INCH JAW CAPACITY
***LAWSON #1281056**



Ridgid® 24 Steel Hd Pipe Wrench

Ridgid® - 24 Steel Hd Pipe Wrench (Pack of 1)

Item# 1281056
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Ridgid®
Mfr Model# : 31030
Usually Ships: 48 Hours



Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ▶

Create a Re-order list.. ▼ Add to List

DESCRIPTION

- Instant grip/release
- Heat-treated replaceable jaw
- Easy spin nonstick adjustment nut
- Fully floating forged hook jaw
- Replaceable hook and heel jaws

227

1.00

EA

0227 - PIPE WRENCHES, EXTERNAL MODELS
36 INCH LENGTH, 5 INCH JAW CAPACITY

LAWSON #1226095

Proto® 36" Aluminum Pipe Wrench

Proto® - 36" Aluminum Pipe Wrench (Pack of 1)



Item# 1226095
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J836A
Usually Ships: 19 to 21 Business Days

PROTO

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart

Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

- Graduation markings on hook jaw show approximate opening for pipe sizes
- Large knurl and power threads provide fast positive jaw adjustment
- Light weight aluminum for less job fatigue
- Replacement parts available
- Standard handle lengths with wide gripping surface for increased comfort and one hand operation
- Meets Federal Spec GGG-W651

DESCRIPTION TECH SPECS

Item# : 1226095
Product Name : Proto® - 36" Aluminum Pipe Wrench
Style : Pipe Wrench
Length : 36"
Size : 5"
Finish : Aluminum
UPC : 682679905987
Handle Type : I-Beam
Jaw Material : Forged Steel
Material : Aluminum
UNSPSC #: 27111708
TAA Compliant: Yes

228

1.00

EA

0228 - PIPE WRENCHES, EXTERNAL MODELS,
48 INCH LENGTH, 7 INCH JAW CAPACITY,

***LAWSON #1228955**

Proto® 48" Aluminum Pipe Wrench

Proto® - 48" Aluminum Pipe Wrench (Pack of 1)



Item# 1228955
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J848A
Usually Ships: 19 to 21 Business Days

PROTO

Representative Image Only

TAA Compliant



Quantity: 1

Add to CartCreate a Re-order list.. **Add to List****DESCRIPTION** **TECH SPECS**

- Graduation markings on hook jaw show approximate opening for pipe sizes
- Large knurl and power threads provide fast, positive jaw adjustment
- Light weight aluminum for less job fatigue
- Replacement parts available
- Standard handle lengths with wide gripping surface for increased comfort and one hand operation
- Meets Federal Spec GGG-W-851

DESCRIPTION **TECH SPECS**

Item# : 1228955
Product Name : Proto® - 48" Aluminum Pipe Wrench
Style : Pipe Wrench
Length : 48"
Size : 8"
Finish : Aluminum
UPC : 652679998994
Handle Type : I-Beam
Jaw Material : Forged Steel
Material : Aluminum
UNSPSC #: 27111706
TAA Compliant: Yes

229

125.00

EA

0229 - ADJUSTABLE WRENCHES, CHROME
FINISH, 6 INCH LENGTH, 3/4 INCH

JAW CAPACITY

LAWSON #19611

BAHCO® Wrench, Adjustable, Slim Head, 6"
Length

BAHCO® - Wrench, Adjustable, Slim Head, 6" Length (Pack of 1)



Item# 19611
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .29
Brand : BAHCO®
Mfr Model# : 8070 RC US
Catalog Page# : [14-26](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Industrial grade steel handles
- Slim head with tapered jaws combine easy accessibility with extra turning strength
- Measurement scale on head conveniently shows fastener size
- Precision hardened and anti-corrosion treated

DESCRIPTION **TECH SPECS**

Item# : 19611
Product Name : BAHCO® - Wrench, Adjustable, Slim Head, 6" Length
Maximum Jaw Opening : 3/4"
Length : 6"
Finish : Chrome
Style : Slim Head
Head Thickness : 7/16"
Jaw Tip Thickness : 3/16"
UNSPSC #: 27112111
TAA Compliant: Yes

230	65.00	EA	0230 - ADJUSTABLE WRENCHES. CHROME FINISH, 8 INCH LENGTH, 15/16 INCH JAW CAPACITY ***LAWSON #19612***
-----	-------	----	-------------------------------------------------------------------------------------------------------------

BAHCO® Wrench, Adjustable, Slim Head, 8" Length

BAHCO® - Wrench, Adjustable, Slim Head, 8" Length (Pack of 1)



Item# 19612
 Price : [Log In](#)
 Standard Pack : 1 ea.
 Ship Weight : .58
 Brand : BAHCO®
 Mfr Model# : 8071 RC US
 Catalog Page# : 14-26
 Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

- Industrial grade steel handles
- Slim head with tapered jaws combine easy accessibility with extra turning strength
- Measurement scale on head conveniently shows fastener size
- Precision hardened and anti-corrosion treated

DESCRIPTION TECH SPECS

Item# : 19612
 Product Name : BAHCO® - Wrench Adjustable Slim Head 8" Length
 Maximum Jaw Opening : 1-1/16"
 Length : 8"
 Finish : Chrome
 Style : Slim Head
 Head Thickness : 1/2"
 Jaw Tip Thickness : 1/4"
 UNSPSC #: 27112111
 TAA Compliant: Yes

231	105.00	EA	0231 - ADJUSTABLE WRENCHES, CHROME FINISH, 10 INCH LENGTH, 1-1/8 INCH JAW CAPACITY	***LAWSON #19613***
-----	--------	----	------------------------------------------------------------------------------------------	---------------------

BAHCO® Wrench, Adjustable, Slim Head, 10" Length

BAHCO® - Wrench, Adjustable, Slim Head, 10" Length (Pack of 1)



Item# 19613
 Price : [Log In](#)
 Standard Pack : 1 ea.
 Ship Weight : .91
 Brand : BAHCO®
 Mfr Model# : 8072 RC US
 Catalog Page# : [14-26](#)
 Usually Ships: [?](#) Today



TAA Compliant



Quantity: 1 [Check Stock](#) [?](#)

[Add to Cart](#) [▶](#)

Create a Re-order list.. [▼](#) [Add to List](#)

DESCRIPTION TECH SPECS

- Industrial grade steel handles
- Slim head with tapered jaws combine easy accessibility with extra turning strength
- Measurement scale on head conveniently shows fastener size
- Precision hardened and anti-corrosion treated

DESCRIPTION TECH SPECS

Item# : 19613
 Product Name : BAHCO® - Wrench Adjustable, Slim Head, 10" Length
 Maximum Jaw Opening : 1-1/8"
 Length : 10"
 Finish : Chrome
 Style : Slim Head
 Head Thickness : 5/8"
 Jaw Tip Thickness : 5/16"
 UNSPSC #: 27112111
 TAA Compliant: Yes

232

88.00

EA

0232 - ADJUSTABLE WRENCHES, CHROME
FINISH, 12 INCH LENGTH, 1-5/16 INCH

LAWSON #19614

**BAHCO® Wrench, Adjustable, Slim Head,
12" Length**

BAHCO® - Wrench, Adjustable, Slim Head, 12" Length (Pack of 1)



Item# 19614
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.44
Brand : BAHCO®
Mfr Model# : 8073 RC US
Catalog Page# : [14-26](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Industrial grade steel handles
- Slim head with tapered jaws combine easy accessibility with extra turning strength
- Measurement scale on head conveniently shows fastener size
- Precision hardened and anti-corrosion treated

DESCRIPTION**TECH SPECS**

Item# : 19614
Product Name : BAHCO® - Wrench, Adjustable, Slim Head, 12" Length
Maximum Jaw Opening : 1-5/16"
Length : 12"
Finish : Chrome
Style : Slim Head
Head Thickness : 11/16"
Jaw Tip Thickness : 7/16"
UNSPSC #: 27112111
TAA Compliant: Yes

233

70.00

EA

0233 - ADJUSTABLE WRENCHES, CHROME
FINISH, 15 INCH LENGTH, 1-11/16 INCH

***LAWSON #1227660**

JAW CAPACITY

Proto® 15" Adjustable Wrench

Proto® - 15" Adjustable Wrench, Satin Finish, 1 11/16" Opening (Pack of 1)



Item# 1227660
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J715
Usually Ships: 48 Hours

PROTO

Representative Image Only

TAA Compliant



Quantity: 1

Add to CartCreate a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

- Satin finish provides corrosion resistance and a slip resistant grip
- Extra wide jaw capacity
- Square jaw opening provides greater strength and better fit
- Rugged I-beam style handle and reinforced stress areas
- Radius corner design
- ASME B107.3

DESCRIPTION TECH SPECS

Item# : 1227660
Product Name : Proto® - 15" Adjustable Wrench
Maximum Jaw Opening : 1 11/16"
Length : 15"
Finish : Satin
UPC : 682676100452
Handle Type : I-Beam
Head Angle : 15°
Material : Forged Alloy Steel
UNSPSC #: 27030000
TAA Compliant: Yes

234

40.00

EA

0234 - ADJUSTABLE WRENCHES, CHROME
FINISH, 18 INCH LENGTH, 2-1/16 INCH

JAW CAPACITY

LAWSON #19616

BAHCO® Wrench, Adjustable, Slim Head, 18" Length

BAHCO® - Wrench, Adjustable, Slim Head, 18" Length (Pack of 1)



Item# 19616
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 3.76
Brand : BAHCO®
Mfr Model# : 8075 RC US
Catalog Page# : [14-26](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

- Industrial grade steel handles
- Slim head with tapered jaws combine easy accessibility with extra turning strength
- Measurement scale on head conveniently shows fastener size
- Precision hardened and anti-corrosion treated

DESCRIPTION TECH SPECS

Item# : 19616
Product Name : BAHCO® - Wrench, Adjustable, Slim Head, 18" Length
Maximum Jaw Opening : 2-1/16"
Length : 18"
Finish : Chrome
Style : Slim Head
Head Thickness : 7/8"
Jaw Tip Thickness : 11/16"
UNSPSC #: 27112111
TAA Compliant: Yes

235	1.00	EA	0235 - ADJUSTABLE WRENCHES, CHROME FINISH, 24 INCH LENGTH, 2-1/2 INCH JAW CAPACITY PROTO J724	NO BID	NO BID
-----	------	----	--------------------------------------------------------------------------------------------------	--------	--------

236	1.00	EA	0236 - SPANNER WRENCHES, HOOK TYPE, 3/4 INCH TO 2 INCH CAPACITY, APROX. 6 INCH LENGTH	***LAWSON #19590***	
-----	------	----	------------------------------------------------------------------------------------------	---------------------	--

Williams® Wrench, Spanner, Adjustable Hook, 3/4 to 2"

Williams® - Wrench, Spanner Wrench, Adjustable Hook, 3/4 to 2" (Pack of 1)



Item# 19590
 Price : [Log In](#)
 Standard Pack : 1 ea.
 Ship Weight : .29
 Brand : Williams®
 Mfr Model# : 471
 Catalog Page# : 14-29
 Usually Ships: ⚙ Today



TAA Compliant



Quantity: 1 [Check Stock](#) ⚙

[Add to Cart](#) ▶

Create a Re-order list.. ▼ [Add to List](#)

DESCRIPTION TECH SPECS

- Industrial black finish
- Ideal for adjusting collars, lock nut rings and bearings
- Specifically engineered to hold up under the most rigorous industrial use
- Made in USA

DESCRIPTION TECH SPECS

Item# : 19590
 Product Name : Williams® - Wrench, Spanner, Adjustable Hook 3/4 to 2"
 Style : Adjustable Hook
 Capacity : 3/4 to 2"
 Hook Depth : 1/8"
 Hook Thickness : 11/32"
 Overall Length : 5-3/8"
 Finish : Black
 UNSPSC #: 27111726
 TAA Compliant: Yes

237	1.00	EA	0237 - SPANNER WRENCHES, HOOK TYPE, 1-1/4 INCH TO 3 INCH CAPACITY, APPROX. 8 INCH LENGTH	***LAWSON #19591***
-----	------	----	------------------------------------------------------------------------------------------------	---------------------

Williams® Wrench, Spanner, Adjustable Hook, 1-1/4 to 3"

Williams® - Wrench, Spanner Wrench, Adjustable Hook, 1-1/4 to 3" (Pack of 1)



Item# 19591
 Price : [Log In](#)
 Standard Pack : 1 ea.
 Ship Weight : .5
 Brand : Williams®
 Mfr Model# : 472
 Catalog Page# : 14-29
 Usually Ships: ⚙ Today



TAA Compliant



Quantity: 1 [Check Stock](#) ⓘ

[Add to Cart](#) ▶

Create a Re-order list.. ▼ [Add to List](#)

DESCRIPTION TECH SPECS

- Industrial black finish
- Ideal for adjusting collars, lock nut rings and bearings
- Specifically engineered to hold up under the most rigorous industrial use
- Made in USA

DESCRIPTION TECH SPECS

Item# : 19591
 Product Name : Williams® - Wrench, Spanner, Adjustable Hook 1-1/4 to 3"
 Style : Adjustable Hook
 Capacity : 1-1/4 to 3"
 Hook Depth : 5.32"
 Hook Thickness : 13.32"
 Overall Length : 7-1/4"
 Finish : Black
 UNSPSC #: 27111728
 TAA Compliant: Yes

238

1.00

EA

0238 - SPANNER WRENCHES, PIN TYPE,
2 INCH CAPACITY, APPROX. 6-3/8 INCH

LENGTH

LAWSON #1228439



Proto® 3/4 - 2" Adjustable Pin Spanner Wrench

Proto® - 3/4 - 2" Adjustable Pin Spanner Wrench, 6 3/8" Overall Length
(Pack of 1)

Item# 1228439
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : JC491
Usually Ships: 19 to 21 Business Days

PROTO

Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart

Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

• For servicing collars and lock nut rings

DESCRIPTION TECH SPECS

Item# : 1228439
Product Name : Proto® - 3/4 - 2" Adjustable Pin Spanner Wrench
Style : Adjustable Pin
Pin Diameter : 1/8"
Pin Length : 1/8"
Hook Thickness : 11/32"
Overall Length : 6 3/8"
Finish : Black Oxide
UPC : 662879121563
Material : Forged Alloy Steel
UNSPSC #: 27111728
TAA Compliant: Yes

239	1.00	EA	0239 - SPANNER WRENCHES, PIN TYPE, 3 INCH CAPACITY, APPROXIMATLEY 8-1/4 INCH LENGTH PROTO JC494	***LAWSON #1229923***
-----	------	----	------------------------------------------------------------------------------------------------------------------	-----------------------

Proto® 1 1/4 - 3" Adjustable Pin Spanner Wrench

Proto® - 1 1/4 - 3" Adjustable Pin Spanner Wrench, 8 1/8" Overall Length
(Pack of 1)



Item# 1229923
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : JC494
Usually Ships: 2 19 to 21 Business Days



Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart

Create a Re-order list.. [Add to List](#)


DESCRIPTION TECH SPECS

• For servicing collars and lock nut rings

DESCRIPTION TECH SPECS

Item# : 1229923
Product Name : Proto® - 1 1/4 - 3" Adjustable Pin Spanner Wrench
Style : Adjustable Pin
Pin Diameter : 3/16"
Pin Length : 3/16"
Hook Thickness : 13/32"
Overall Length : 8 1/8"
Finish : Black Oxide
UPC : 662876121567
Material : Forged Alloy Steel
UNSPSC #: 27111728
TAA Compliant: Yes


240	1.00	EA	0240 - PINCH OR PRY BARS, STOCK SIZE: 1/2 INCH 24 INCH LONG, INDUSTRIAL ***LAWSON #1224616**
-----	------	----	----------------------------------------------------------------------------------------------------



Proto® 16" Aligning Bar


Proto® - 16" Aligning Bar (Pack of 1)

Item#	1224616
Price :	Log In
Standard Pack :	1 ea.
Brand :	Proto®
Mfr Model# :	J2116
Usually Ships:	48 Hours



Representative Image Only

TAA Compliant



Quantity: 1

[Add to Cart](#)

Create a Re-order list.. ▾

[Add to List](#)

DESCRIPTION

TECH SPECS

- For prying, positioning, and aligning applications

DESCRIPTION	TECH SPECS
Item# :	1224616
Product Name :	Proto® - 16" Aligning Bar
Type :	Aligning
Blade Style :	Chisel - Straight Point - Straight Tapered
Body Size :	1/2 "
Overall Length :	16 "
Material :	Tool Steel
UPC :	662679010690
Finish :	Black Oxide
Stock Shape :	Hex
Tip Width :	1/2
UNSPSC #:	27112502
TAA Compliant:	Yes

241	1.00	EA	0241 - PINCH OR PRY BARS, STOCK SIZE: 5/8 INCH, APPROXIMATELY 18 INCH LENGTH ***LAWSON #93929***
-----	------	----	--------------------------------------------------------------------------------------------------------

Pinch Bar 19-1/2" Overall Length

19-1/2" Overall Length Pinch Bar, Hardened & Tempered Steel, 3/4" Body Size (Pack of 1)



Item# 93929
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 2.4
Catalog Page# : [14-61](#)
Usually Ships: Today

TAA Compliant

Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list... [Add to List](#)

DESCRIPTION TECH SPECS

- For adjusting and moving metals and woodwork pieces
- Also known as line-up pry bar

DESCRIPTION TECH SPECS

Item# : 93929
Product Name : Pinch Bar 19-1/2" Overall Length
Type : Pinch
Blade Style : Patch
Body Size : 3/4"
Overall Length : 19-1/2"
Material : Hardened & Tempered Steel
UNSPSC #: 27112502
TAA Compliant: Yes

242	1.00	EA
-----	------	----

0242 - PINCH OR PRY BARS, STOCK SIZE:
3/4 INCH, APPROXIMATELY 24 INCH LENGTH

***LAWSON #1229910*



Proto® 30" Aligning Bar

Proto® - 30" Aligning Bar (Pack of 1)

Item# 1229910
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J2125
Usually Ships: 48 Hours



Representative Image Only

TAA Compliant

Representative Image Only

Quantity: 1

Add to Cart

Create a Re-order list.. [Add to List](#)

DESCRIPTION

TECH SPECS

• For prying, positioning, and aligning applications

DESCRIPTION

TECH SPECS

Item# :	1229910
Product Name :	Proto® - 30" Aligning Bar
Type :	Aligning
Blade Style :	Chisel - Straight Point - Straight Tapered
Body Size :	7/8"
Overall Length :	30"
Material :	Tool Steel
UPC :	882879010720
Finish :	Black Oxide
Stock Shape :	Hex
Tip Width :	7/8"
UNSPSC #:	27112502
TAA Compliant:	Yes

243

52.00

EA

0243 - PINCH OR PRY BARS, PINCH POINT
CROW BAR, 5 FOOT X 1/4 INCH, 18 POUND,

AMES 1160100

LAWSON #18301

Prybar, Screwdriver-Type, Curved, 58"58" Curved Screwdriver-Type Prybar, 3/4" OD, 48" Blade Length, Hardened
& Tempered Steel (Pack of 1)

Item# 18301
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 10.0
Catalog Page# : [14-61](#)
Usually Ships: Today

TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Features a capped end allowing the user to strike the pry bar with a hammer without damaging the head
- Double-composite handle is ergonomically designed for a more comfortable, secure grip
- The blade is hardened and tempered the entire length for maximum durability
- Available with straight or curved blade

DESCRIPTION**TECH SPECS**

Item# : 18301
Product Name : Prybar, Screwdriver-Type, Curved, 58"
Type : Screwdriver-Type
Blade Style : Curved
Blade Length : 48"
Body Size : 3/4"
Overall Length : 58"
Material : Hardened & Tempered Steel
UNSPSC #: 27112502
TAA Compliant: Yes

244

2.00

EA


0244 - PINCH OR PRY BARS, STEEL WRECKING
BAR, 3/4 INCH X 300 INCH, AMES 1171000

LAWSON #18303

Prybar, Specialty, Die Bar, 30"


30" Die Bar Prybar, Hardened & Tempered Steel (Pack of 1)



Item# 18303
Price : [Log in](#)
Standard Pack : 1 ea.
Ship Weight : 3.5
Catalog Page# : 14-61
Usually Ships:  Today

TAA Compliant

Quantity: 1 [Check Stock](#) 

[Add to Cart](#) 

Create a Re-order list..  [Add to List](#)

TECH SPECS

Item# : 18303
Product Name : Prybar Specialty Die Bar, 30"
Type : Specialty
Blade Style : Die Bar
Overall Length : 30"
UNSPSC #: 27112502
TAA Compliant: Yes

245

4.00

EA

0245 - CUTTERS, ELECTRICIANS INSULATED
HIGH LEVERAGE CABLE CUTTERS, APPROX.

LAWSON #27873

9-1/4 INCH LENGTH, KLEIN NO. 63055



Knipex Insulated Cutter, Hi Leverage Diagonal Cutter, 8"

Knipex - 8" Insulated High Leverage Diagonal Cutter, Heavy Insulated
Composite Handle, 1000V Rating (Pack of 1)

Item# : 27873
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .69
Brand : Knipex
Mfr Model# : 74 08 200 US
Catalog Page# : [14-46](#)
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

DESCRIPTION TECH SPECS

- Heavy insulated composite handle
- Meets OSHA and ASTM S1505-84 requirements for working on or near energized conductors or circuit parts
- Resistance-tested at 10,000V, approved for 1,000V

DESCRIPTION TECH SPECS

Item# : 27873
Product Name : Knipex - Insulated Cutter Hi Leverage Diagonal Cutter 8"
Type : High Leverage Diagonal Cutter
Size : 8"
Voltage Rating : 1000 V
Handle Type : Heavy Insulated Composite
Specification : OSHA & ASTM S1505-84
UNSPSC #: 27112100
TAA Compliant: Yes

246

67.00

EA

0246 - CUTTERS, ELECTRICIANS INSULATED
DIAGONAL CUTTING PLIERS, APPROXIMATELY
LAWSON #27871
7 INCH LENGTH, KLEIN NO. D228-8-INS

Knipex Insulated Pliers, High Leverage Lineman's Plier, 9"

Knipex - 9" Insulated High Leverage Lineman's Plier, Heavy Insulated
Composite Handle, 1000V Rating (Pack of 1)



Item# 27871
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .95
Brand : Knipex
Mfr Model# : 02 09 225 US
Catalog Page# : [14-46](#)
Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

- Heavy insulated composite handle
- Meets OSHA and ASTM S1505-94 requirements for working on or near energized conductors or circuit parts
- Resistance-tested at 10,000V, approved for 1,000V

DESCRIPTION TECH SPECS

Item# : 27871
Product Name : Knipex - Insulated Pliers, High Leverage Lineman's Plier, 9"
Type : High Leverage Lineman's Plier
Size : 9"
Voltage Rating : 1000 V
Handle Type : Heavy Insulated Composite
Specification : OSHA & ASTM S1505-94
UNSPSC #: 27112100
TAA Compliant: Yes

247

26.00

EA

0247 - CUTTERS, ELECTRICIANS INSULATED
NEEDLE NOSE PLIERS, APPROXIMATELY 7 INCH
LAWSON #27872
LENGTH, KLEIN NO. D203-7-INS



Knipex Insulated Pliers, Long Nose Plier with Cutter, 8"

Knipex - 8" Insulated Long Nose Plier with Cutter, Heavy Insulated Composite Handle, 1000V Rating (Pack of 1)

Item# 27872
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .46
Brand : Knipex
Mfr Model# : 26 18 200 US
Catalog Page# : [14-46](#)
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

- Heavy insulated composite handle
- Meets OSHA and ASTM S1505-94 requirements for working on or near energized conductors or circuit parts
- Resistance-tested at 10,000V, approved for 1,000V

DESCRIPTION TECH SPECS

Item# : 27872
Product Name : Knipex - Insulated Pliers, Long Nose Plier with Cutter 8"
Type : Long Nose Plier with Cutter
Size : 8"
Voltage Rating : 1000 V
Handle Type : Heavy Insulated Composite
Specification : OSHA & ASTM S1505-94
UNSPSC #: 27112100
TAA Compliant: Yes

248

1.00

EA

0248 - ELECTRIC TOOLS, 1/2 INCH ELECTRIC
DRILL WITH REVERSE, DEWALT NO. 235G

***LAWSON #ZZ5487A1*

**DeWALT 1/2" (13mm) VSR Drill**

DeWALT - 1/2" (13mm) VSR Drill (Pack of 1)

Item# ZZ5487A15
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 6.25
Brand : DeWALT
Mfr Model# : DW235G
Usually Ships: 2 to 4 Business Days



Quantity: 1

[Add to Cart](#)[Create a Re-order list..](#) [Add to List](#)

TAA Compliant

DESCRIPTION **TECH SPECS**

- Helical-cut steel, heat-treated steel gears for long life and durability
 - Metal gear housing for jobsite durability and increased reliability
 - Two-finger, rubber trigger for increased comfort
 - 360° side handle for greater control and versatility
- Includes
- Chuck key with holder
 - 360° side handle

DESCRIPTION **TECH SPECS**

Item# : ZZ5487A15
Product Name : DeWALT - 1/2" (13mm) VSR Drill
Type : Drills
Style : 1/2" Drill
Chuck Type : Keyed
Amps : 7.8 A
No Load Speed : 0-850 RPM
Max Watts Out : 600 W
Capacity in Wood (Spade Bit) : 1-1/2"
Capacity in Wood (Hole Saw) : 3-1/2"
Capacity in Steel (Twist Bit) : 1-1/2"
Capacity in Wood (Self-Feed) : 2-1/8"
Capacity in Wood (Auger Bit) : 1-1/2"
Capacity in Steel (Hole Saw) : 2"
Gear Reduction : Double
Handle Style : Pistol Grip Design
UPC : 025575523504
UNSPSC #: 27000000
TAA Compliant: Yes

249	1.00	EA
-----	------	----

0249 - ELECTRIC TOOLS, 1/2 INCH ELECTRIC
IMPACT WRENCH, DEWALT NO. DW292

***LAWSON #ZZ7350A1*



DeWALT 1/2" (13mm) Impact Wrench with Hog Ring Anvil

DeWALT - 1/2" (13mm) Impact Wrench with Hog Ring Anvil (Pack of 1)

Item# : ZZ7350A15
 Price : [Log In](#)
 Standard Pack : 1 ea.
 Brand : DeWALT
 Mfr Model# : DW293
 Usually Ships: 2 to 4 Business Days



TAA Compliant



Quantity: 1

Add to Cart ►

Create a Re-order list.. ▼ Add to List

DESCRIPTION TECH SPECS

- 345 ft-lbs of deliverable torque in forward and reverse
- Hog Ring Anvil
- AC/DC forward/reverse rocking switch
- Soft grip handle for increased comfort
- Ball bearing construction for increased durability

Includes

- 1 impact wrench

DESCRIPTION TECH SPECS

Item# : ZZ7350A15
 Product Name : DeWALT - 1/2" (13mm) Impact Wrench wth Hog Ring Anvil
 Type : Impact Wrenches
 Style : 1/2" Impact Wrench
 No Load Speed : 2,100 RPM
 Max Torque : 345 ft lb!
 Impacts/Min : 2,700 ipm
 Tool Length : 11-1/4"
 UPC : 028877466753
 UNSPSC #: 27000000
 TAA Compliant: Yes

250

1.00

EA

0250 - FEELER GAUGE, 25 BLADES,
1/2 INCH X 3-1/4 INCH CAPACITY, 006

***LAWSON #1593285*



Representative Image Only

**Proto® 25 Blade Master Feeler Gauge Set**

Proto® - 25 Blade Master Feeler Gauge Set (Pack of 1)

Item# 1593285
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : .195
Brand : Proto®
Mfr Model# : J000AA
Usually Ships: 7 Today

PROTO

TAA Compliant

Quantity: 1 [Check Stock](#)**Add to Cart**Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Contains twenty-five short blades in holder
- Short blades etched with both decimal size and metric equivalent

DESCRIPTION **TECH SPECS**

Item# : 1593285
Product Name : Proto® - 25 Blade Master Feeler Gauge Set
Type : Feeler Gauge
Number of Blades : 25
Blade Thickness : 0.0015 - 0.0040"
Material : Steel
Measuring System : Inch/Metric
UPC : 682876530228
UNSPSC #: 27111801
TAA Compliant: Yes

251	2.00	EA	0251 - BALL PEIN HAMMER, HICKORY OR FIBERGLASS HANDLE, 8 OUNCE, ***LAWSON #1228312*** PLUMB NO. 11-496
-----	------	----	--------------------------------------------------------------------------------------------------------------

Proto® Hammer Ball Pein 8 Oz

Proto® - Hammer Ball Pein 8 Oz (Pack of 1)



Item# 1228312
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J1308PD
Usually Ships: 19 to 21 Business Days



Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ▶

Create a Re-order list.. ▼

Add to List

DESCRIPTION TECH SPECS

- Contoured handle with red lacquer grip
- Polished face, chamfer, cheeks, and peins
- Clear lacquer protective coating on face, chamfer, cheeks, and peins
- Rim tempered hardened face and peins
- ASME B107.53M

DESCRIPTION TECH SPECS

Item# :	1228312
Product Name :	Proto® - Hammer Ball Pein 8 Oz
Type :	Ball Pein Hammer
Head Weight :	8 Oz
Finish :	Polished
Handle Material :	Hickory
Head Material :	Drop Forged Steel
Overall Length :	12 "
UPC :	662676020026
UNSPSC #:	27000000
TAA Compliant:	Yes

252

18.00

EA

0252 - BALL PEIN HAMMER, HICKORY OR
FIBERGLASS HANDLE, 16 OUNCE

LAWSON #27845

Hammer, Ball Pein, Fiberglass Handle, 16oz Head

16oz Ball Pein Hammer, Fiberglass Handle (Pack of 1)



Item# 27845
Price : [Log In](#)
Standard Pack : 1 ea.
Ship Weight : 1.45
Catalog Page# : 14-77
Usually Ships: Today

WARNING
TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS RESTRICTIONS

- Rugged drop-forged carbon steel head is heat-treated for durability and safety
- Fiberglass handle adds strength and moisture resistance
- For forming, softening or bending steel

DESCRIPTION TECH SPECS RESTRICTIONS

Item# : 27845
Product Name : Hammer, Ball Pein, Fiberglass Handle, 16oz Head
Type : Ball Pein Hammer
Head Weight : 16 Oz
Handle Type : Fiberglass
Material : Carbon Steel
UNSPSC #: 27111802
TAA Compliant: Yes

DESCRIPTION TECH SPECS RESTRICTIONS

California Proposition 65:
WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

253	2.00	EA	0253 - BALL PEIN HAMMER, HICKORY OR FIBERGLASS HANDLE, 24 OUNCE PLUMB NO. 11-520	NO BID	NO BID
-----	------	----	-------------------------------------------------------------------------------------	--------	--------

254	1.00	EA	0254 - BALL PEIN HAMMER, HICKORY OR FIBERGLASS HANDLE, 32 OUNCE ***LAWSON #1282011* PLUMB NO. 11-521		
-----	------	----	------------------------------------------------------------------------------------------------------------	--	--

Plumb® 32 oz Ball Pein Hammer, 15" Overall Length, Fiberglass Handle

Plumb® - 32 oz Ball Pein Hammer, 15" Overall Length, Fiberglass Handle
(Pack of 1)



Item# : 1282011
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Plumb®
Mfr Model# : 11429
Usually Ships: 48 Hours

Plumb®

Representative Image Only



Quantity: 1

Add to Cart

Create a Re-order list.. [Add to List](#)

DESCRIPTION TECH SPECS

- Rust-resistant, forged black head with polished pole and peins
- Professional quality fiberglass handle
- Permabond® construction between head and handle
- Comfortable black cushion grip

DESCRIPTION TECH SPECS

Item# : 1282011
Product Name : Plumb® - 32 oz Ball Pein Hammer, 15" Overall Length, Fiberglass Handle
Type : Ball Pein Hammer
Head Weight : 32 Oz
Finish : Polished
Handle Material : Fiberglass
Handle Type : Straight, Cushion Grip
Head Material : Forged Steel
Overall Length : 15"
UPC : 37103114207
UNSPSC #: 27000500
TAA Compliant: No

255	3.00	EA	0255 - SLEDGE HAMMER, HICKORY HANDLE, 32 INCH TO 34 INCH, 8 POUND, ***LAWSON #1281280**
-----	------	----	-----------------------------------------------------------------------------------------------



Stanley® 8 lb Sledge Hammer

Stanley® - 8 lb Sledge Hammer (Pack of 1)

Item# 1281280

Price : [Log In](#)

Standard Pack : 1 ea.

Brand : Stanley®

Mfr Model# : 56-808

Usually Ships: 48 Hours



Representative Image Only



Quantity: 1

Create a Re-order list.. [Add to List](#)

[Add to Cart](#)

TAA Compliant

DESCRIPTION	TECH SPECS
<ul style="list-style-type: none">• Forged steel head is hardened and tempered• Faces machine finished	

DESCRIPTION	TECH SPECS
Item# :	1281280
Product Name :	Stanley® - 8 lb Sledge Hammer
Type :	Sledge Hammer
UPC :	76174568050
Head Weight :	8 lb
Overall Length :	34 1/2 "
Handle Material :	Hickory
Head Material :	Forged Steel
Finish :	Lacquered
Head Length :	6 1/2 "
UNSPSC #:	27000000
TAA Compliant:	Yes

256	1.00	EA	0256 - SLEDGE HAMMER, HICKORY HANDLE, 10 POUND, AMES NO. 1199100 ***LAWSON #1227633***
-----	------	----	----------------------------------------------------------------------------------------------

Proto® Hammer Sledge 10 Lb

Proto® - Hammer Sledge 10 Lb (Pack of 1)



Item# 1227633
Price : [Log In](#)
Standard Pack : 1 ea.
Brand : Proto®
Mfr Model# : J1438G
Usually Ships: 19 to 21 Business Days



Representative Image Only

TAA Compliant



Quantity: 1

Add to Cart ▶

Create a Re-order list.. ▼ Add to List

DESCRIPTION TECH SPECS

- Designed for striking metal, concrete and stone
- Strong fiberglass handle with slip-resistant cushion grip
- Federal Spec GGG-H-38c

DESCRIPTION TECH SPECS

Item# : 1227633
Product Name : Proto® - Hammer Sledge 10 Lb
Type : Sledge Hammer
Face Diameter : 2 1/2 "
Handle Length : 32 "
Handle Material : Fiberglass
Handle Type : Cushion Grip
Head Length : 7 1/2 "
Head Material : Drop Forged Steel
Head Weight : 10 lb
UPC : 882876020248
UNSPSC #: 27000000
TAA Compliant: Yes

257	1.00	EA	0257 - SLEDGE HAMMER, HICKORY HANDLE, 12 POUND, AMES NO. 1199400	NO BID	NO BID
258	1.00	EA	0258 - STARTER PUNCHES, 1/4 INCH HEX SIZE 3/32 INCH POINT, APPROX. 4-5/8 INCH LENGTH PROTO 50 1/4 S2	NO BID	NO BID
259	1.00	EA	0259 - STARTER PUNCHES, 7/16 INCH HEX SIZE, 7/32 INCH POINT, APPROX. 6 INCH LENGTH PROTO 50 7/16 S2	NO BID	NO BID