

DATE: 6/22/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00123462

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: CGASPER

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>5-7 DAYS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

Gas And Supply
Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BUREAS DR.</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>Jimmy.Gibbs@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 6566.04

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123462

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	3.00	EA	HANDLE, TORCH, HEAVY DUTY W/BUILT-IN REVERSE FLOW CHECK VALVES AND VARIOUS OTHER WAREHOUSE SUPPLIES FOR JEFFERSON PARISH PUBLIC WORKS ADMINISTRATION. 0010 - HANDLE, TORCH, HEAVY DUTY WITH BUILT-IN REVERSE FLOW CHECK VALVES AND	120.00	360.00
2	36.00	EA	FLASH BACK ARRESTORS, VICTOR #315FC, MODEL #0382G0034, GRAINGER #5KJ43 SK# 00-0306720 0020 - REPELLENT, DOG, 1-1/2 OUNCE SPRAY CAN, HALT SK# 00-0484880	N/B	—
3	12.00	EA	0030 - TWINE, NYLON, #18, 1/16 IN DIA., 550 FT PER ROLL, 165 LB TEST, DURALINE BRAND #00090 SK# 00-0490080	4.71	56.52
4	12.00	EA	0040 - GASKET MAKER, RTV SILICONE, HIGH TEMPERATURE, PERMATAX #26B-RED, 3 OZ. TUBE SK# 00-0491160	5.40	64.80
5	16.00	EA	0050 - TOOL, ZIP-FLARE, REED #SFPE-1 IN, FOR CTS POLYETHYLENE SDR9 WATER TUBING, ITEM CODE #04202, LINE# 310 SK# 00-0584900	112.71	1803.36
6	15.00	EA	0060 - HOIST, CHAIN, LEVER, HEAVY-DUTY, TEN FOOT LIFT, 1-1/2 TON, TUGIT RED LINE JET 287401 #R291B, ALL MATERIAL HANDLING #LAO16-100 SK# 00-0586080	217.12	3256.80
7	864.00	EA	0070 - BATTERY, ALKALINE, INDUSTRIAL, SIZE AA, 1.5 VOLTS, 24 PER PACK, DURACELL PROCELL #PC1500, GRAINGER #5LE23 SK# 00-0588220	.24	207.36
8	4.00	ROLL	0080 - CLOTH, ABRASIVE, 2 IN X 50 YDS, 220 GRIT, ALUMINUM OXIDE, NORTON #K224, FASTENAL #99338490, GRAINGER #11L402 SK# 00-0597680	20.46	81.84
9	30.00	EA	0090 - SPRAYER, GARDEN, COMPRESSED AIR, PLASTIC, ONE GALLON CAPACITY, CHAPIN #2601	23.37	701.10

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123462

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	3.00	EA	<p>SK# 00-0596340</p> <p>0110 - ADAPTOR, SOCKET, REDUCING, CHROME, 3/4 IN DR TO 1/2 IN DR, FED. SPEC. GGG-W-641E, PROTO #5453 SK# 00-0602860</p> <p style="text-align: center;"> Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com </p>	11.42	34.26

JLP-A SERIES LEVER HOISTS

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

SAFETY


- **NEW!** Innovative brake wear indicator provides a visual indication when the friction disks are worn and need replacing
- **NEW!** JET's improved easy free chain design is a two-step, no load, free chaining system. The system permits quicker hoist positioning and take up of slack chain. And it is engineered not to free chain under load.
- The Weston style double ratchet pawl brake design splits the load to opposite sides of the ratchet gear for greater load security and increased safety
- Alloy steel hooks rotate 360 degrees for easy rigging applications, and slowly stretch to indicate an overload situation
- **NEW!** Redesigned ergonomic grip allows for greater operator control and increased comfort

DURABILITY

- **NEW!** Secured with Allen screws and lock nuts, the cast-steel safety latches will not bend out of compliance with lifting regulations
- Grade 80 black oxide coated load chain for added durability
- Needle bearings support the load sheave to increase efficiency and promote smooth operation
- Impact resistant all steel construction for added durability and protection


STANDARDS

- This product complies with ANSI / ASME B30.21 and HST-3 Standards
- Load tested to 125% of capacity with certificate



SHIPYARD HOOK MODELS

The blunt tip of the point loading hooks virtually eliminates stretching to help reduce downtime for maintenance and repair.



BRAKE DISK WEAR INDICATOR

NEW! JLP-A Series lever hoists feature the innovative brake wear indicator that provides visual indication of when it is time to replace worn friction disks so routine maintenance and downtime are scheduled.



JLP-A SERIES LEVER HOIST MODELS

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



STOCK NO.	MODEL NO.	CAPACITY (TONS)	CAPACITY (LBS.)	STANDARD LIFT (FT.)	HEADROOM (IN.)	LOAD CHAIN (DIA/MM)	LEVER LENGTH (IN.)	POUNDS OF PULL TO LIFT CAPACITY	WEIGHT (LBS.)	REPLACEMENT PARTS	REPLACEMENT PART STOCK NO.
1/4-TON JLP-A SERIES LEVER HOISTS											
287100	JLP-025A-5	1/4	500	5	8-1/4	4 x 12	6	60	4-5/9	Top Hook	JLP25A-26G
287101	JLP-025A-10	1/4	500	10	8-1/4	4 x 12	6	60	5-5/6	Bottom Hook	JLP25A-38G
287102	JLP-025A-15	1/4	500	15	8-1/4	4 x 12	6	60	7	Safety Latch Kit	JLP25A-27-1
1/2-TON JLP-A SERIES LEVER HOISTS											
287200	JLP-050A-5	1/2	1,000	5	10	4.3 x 12	8-1/2	86	5-1/6	Top Hook	JLP25A-26G
287201	JLP-050A-10	1/2	1,000	10	10	4.3 x 12	8-1/2	86	6-5/6	Bottom Hook	JLP25A-38G
287202	JLP-050A-15	1/2	1,000	15	10	4.3 x 12	8-1/2	86	8-1/3	Safety Latch Kit	JLP25A-27-1
3/4-TON JLP-A SERIES LEVER HOISTS											
287300	JLP-075A-5	3/4	1,650	5	12-4/5	6 x 18	11	31	14	Top Hook	JLP75A-41G
287301	JLP-075A-10	3/4	1,650	10	12-4/5	6 x 18	11	31	17	Bottom Hook	JLP75A-49G
287302	JLP-075A-15	3/4	1,650	15	12-4/5	6 x 18	11	31	19	Safety Latch Kit	JLP75A-63-1
287303	JLP-075A-20	3/4	1,650	20	12-4/5	6 x 18	11	31	22	Safety Latch Kit	JLP75A-63-1
1-1/2-TON JLP-A SERIES LEVER HOISTS											
287400	JLP-150A-5	1-1/2	3,300	5	15	8 x 24	16-1/7	49	25	Top Hook	JLP75A-41G
287401	JLP-150A-10	1-1/2	3,300	10	15	8 x 24	16-1/7	49	30	Bottom Hook	JLP75A-49G
287402	JLP-150A-15	1-1/2	3,300	15	15	8 x 24	16-1/7	49	34	Safety Latch Kit	JLP75A-63-1
287403	JLP-150A-20	1-1/2	3,300	20	15	8 x 24	16-1/7	49	39	Safety Latch Kit	JLP75A-63-1
3-TON JLP-A SERIES LEVER HOISTS											
287500	JLP-300A-5	3	6,600	5	18-8/9	10 x 30	16-1/7	71	43	Top Hook	JLP75A-41G
287501	JLP-300A-10	3	6,600	10	18-8/9	10 x 30	16-1/7	71	50	Bottom Hook	JLP75A-49G
287502	JLP-300A-15	3	6,600	15	18-8/9	10 x 30	16-1/7	71	57	Safety Latch Kit	JLP75A-63-1
287503	JLP-300A-20	3	6,600	20	18-8/9	10 x 30	16-1/7	71	65	Safety Latch Kit	JLP75A-63-1
6-TON JLP-A SERIES LEVER HOISTS											
287600	JLP-600A-5	6	13,200	5	24-2/5	10 x 30	16-1/7	77	69	Top Hook	JLP75A-41G
287601	JLP-600A-10	6	13,200	10	24-2/5	10 x 30	16-1/7	77	84	Bottom Hook	JLP75A-49G
287602	JLP-600A-15	6	13,200	15	24-2/5	10 x 30	16-1/7	77	98	Safety Latch Kit	JLP75A-63-1
287603	JLP-600A-20	6	13,200	20	24-2/5	10 x 30	16-1/7	77	112	Safety Latch Kit	JLP75A-63-1

STOCK NO.	MODEL NO.	CAPACITY (TONS)	CAPACITY (LBS.)	STANDARD LIFT (FT.)	HEADROOM (IN.)	LOAD CHAIN (DIA/MM)	LEVER LENGTH (IN.)	POUNDS OF PULL TO LIFT CAPACITY	WEIGHT (LBS.)	REPLACEMENT PARTS	REPLACEMENT PART STOCK NO.
1-1/2-TON JLP-A SERIES LEVER HOISTS WITH SHIP YARD HOOKS											
287700	JLP-150A-5SH	1-1/2	3,300	5	15	8 x 24	16-1/7	49	20	Top Hook	JLP150A-41PHG
287701	JLP-150A-10SH	1-1/2	3,300	10	15	8 x 24	16-1/7	49	27	Bottom Hook	JLP150A-49PHG
287702	JLP-150A-15SH	1-1/2	3,300	15	15	8 x 24	16-1/7	49	31	Safety Latch Kit	JLP150A-63-1PH
287703	JLP-150A-20SH	1-1/2	3,300	20	15	8 x 24	16-1/7	49	39	Safety Latch Kit	JLP150A-63-1PH
3-TON JLP-A SERIES LEVER HOISTS WITH SHIP YARD HOOKS											
287800	JLP-300A-5SH	3	6,600	5	18-8/9	10 x 30	16-1/7	71	43	Top Hook	JLP300A-41PHG
287801	JLP-300A-10SH	3	6,600	10	18-8/9	10 x 30	16-1/7	71	50	Bottom Hook	JLP300A-49PHG
287802	JLP-300A-15SH	3	6,600	15	18-8/9	10 x 30	16-1/7	71	57	Safety Latch Kit	JLP300A-63-1PH
287803	JLP-300A-20SH	3	6,600	20	18-8/9	10 x 30	16-1/7	71	63	Safety Latch Kit	JLP300A-63-1PH