



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

Oliver
Van
Dyke

**5000118735 STOCK SUPPLIES NEEDED FOR THE JEFFERSON PARISH
PW WB ADMINISTRATION DEPARTMENT**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

23-Jan-2017 10:17:29 AM



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda J. Campos
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages.** NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.

Other Changes Continued:

- Effective June 1, 2017, bidders may no longer send bid responses via facsimile, as some bid solicitations may provide. Vendors responding to bid solicitations may only submit via USPS, courier service, hand delivery or via online by registering free of charge at www.jeffparishbids.net. For more information, please contact the Purchasing Department or visit jeffparish.net.
- Affidavits (Non-Public Works Affidavit or Public Works Affidavit) – as you are aware, bidders are required to submit affidavits pursuant to LA public bid law and Jefferson Parish Code of Ordinances. Bidders must read each bid package to ensure compliance. Effective August 1, 2016, **affidavits are required with bid submission**. While copies are acceptable to include with bid submission, original affidavits are required upon contract execution. Original affidavits are encouraged with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must continue producing final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

General Government Bldg. – 200 Darbigny St – Suite 4400 - Gretna, LA 70053

Office 504.364.2678 – Fax 504.364.2693

Email: Purchasing@jeffparish.net Website: www.jeffparish.net

DATE: 1/18/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00118735

JEFFERSON PARISHPURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SFOLSE

Bids will be received until 11:00 AM, 1/25/2017 via fax: 504-364-2693 or via online at www.jeffparishbids.net.

This site is free for all Jefferson Parish vendors. For additional information on registration or use of this free site, please see the text box highlighting electronic procurement.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.65 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1991).

DATE: 1/18/2017

BID NO.: 50-00118735

Page: 2

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

DATE: 1/18/2017

BID NO.: 50-00118735

Page: 3

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 1/18/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118735

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-384-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

30

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

ITEMS
FOR DEL.

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>OLIVER H VAN HORN</u>	
SIGNATURE: (Must be signed here) <u>Alan R. Smith</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>ALAN R. SMITH</u>	
ADDRESS: <u>4100 EUPHROSINE</u>	
CITY, STATE: <u>NEW ORLEANS</u>	ZIP: <u>70125</u>
TELEPHONE: <u>504, PAI-4100</u>	FAX: <u>504 822-2449</u>
EMAIL ADDRESS: <u>ALAN-SMITH@OHVANHORN.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ _____

DATE: 1/18/2017

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118735

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STOCK SUPPLIES NEEDED FOR THE JEFFERSON PARISH PW WB ADMINISTRATION DEPARTMENT		
1	2.00	EA	0010 - DRILL BIT, MASONRY, A-TAPER, 5/8 SIZE 6 1/2 IN USABLE LENGTH, 8 1/2 IN OVERALL LENGTH OUR STK # 19494	NO BID	
2	5.00	EA	0020 - PUNCH, CENTER, 1/8 IN POINT X 5/16 IN HEX SHAFT, SNAP-ON # PPC3A, MSC #81342907 OUR STK # 305950	NO BID	
3	3.00	EA	0030 - PUNCH, CENTER 5/16 IN, 4 1/2 LONG, KLEIN # 66311, MSC #53780433 OUR STK # 30596	NO BID	
4	3.00	EA	0040 - HOLDER, ELECTRODE, INSULATED, 250 AMPS MAX., 1/16 IN TO 7/32 IN ELCTRODES, DURO # 250-I OUR STK # 30685	NO BID	
5	4.00	EA	0050 - BIT, CARBIDE, 3/8 IN X 13 1/2 IN LONG, MILWAUKEE # 48-20-6382 OUR STK # 30780	NO BID	
6	24.00	EA	0060 - CABLE, BATTERY BOOSTER WITH INSULATED CLAMPS RATED 400 AMPS, 4 GA COOPER CONDUCTORS X 16 FT LONG, WESTWARD BRAND OR GRAINGER # 5RXF6. OUR STK NUMBER 48010	NO BID	
7	5.00	EA	0070 - PUMP, ROTARY HAND, FIL-RITE # 112C WITH COUNTER OURS STK # 48196	NO BID	
8	6.00	EA	0080 - BLADE, CIRCULAR SAW, 7 1/4 IN X 5/8 IN ARBOR, FOR METAL, 68 TOOTH, GRAINER # 4KX53 OUR STK # 48863	9.40 EA	
9	5.00	EA	0090 - CROW BAR, PINCH POINT, 3 FT LENGTH X 1 1/16 IN SQUARE STOCK SIZE	NO BID	
PACKS 5 ONLY					

DATE: 1/18/2017

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 6

BID NO.: 50-00118735

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	2.00	EA	LEETONIA # 215 OUR STK # 581000 0100 - CUTTER, Wire Rope, 1 1/2 IN CAPACITY, HAMMER TYPE, MORSE-STARRETT MODEL # 2 OUR STK # 58124	255.00	510.00
11	3.00	EA	0110 - Chisel, HAND 7/8 IN CUTTING WIDTH 7 1/2 IN LONG, WILLIAMS # C-28 OUR STK # 58150	NO BID	
12	3.00	EA	0120 - SHOVEL, FLAT, 30 IN ASH HANDLE, SQUARE POINT, STEEL AND WOOD D-GRIP, TURNED STEP, DOUBLE RIVET, OPEN BACK UNIONTOOLS # 42216 OUR STK # 58979	NO BID	
13	8.00	EA	0130 - SNIPS, TIN, DUCKBILL COMBO PATTERN, 10.25 IN LONG, WISS # V-10 OUR STK # 59040	NO BID	
14	5.00	EA	0140 - Vise, PIPE, BENCH, 5 IN JAW WIDTH, 360 DEGREE SWIVEL BAS, ATD MODEL 9305 SOUR STK # 59075	NO BID	
15	12.00	EA	0150 - TROWEL, CEMENT POINTING 7 IN X 2.75 IN, HYDE # 18110 OUR STK # 59102	NO BID	
16	6.00	EA	0160 - BRUSH, STANDARD TWIST Wire, Wheel 4 IN DIA. 7/8 IN TRIM, .020 WIRE SIZE 5/8 IN - 11 UNC ARBOR, 20,000 RPM, WEILER # 13120 OUR STK # 59737Q	12.15	72.90

doc10137520170125071652

1/25/2017 7:21 AM

Adobe Acrobat D...

693 KB

IND
WALPINE

DATE: 1/18/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118735

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: <u>Jimmy Gibbs</u> (Must be signed here)	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>Jimmy Gibbs</u>	
ADDRESS: <u>111 BURAS DR.</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>Jimmy.Gibbs@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 2777.45

DATE: 1/18/2017

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118735

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STOCK SUPPLIES NEEDED FOR THE JEFFERSON PARISH PW WB ADMINISTRATION DEPARTMENT		
1	2.00	EA	0010 - DRILL BIT, MASONRY, A-TAPER, 5/8 SIZE 6 1/2 IN USABLE LENGTH, 8 1/2 IN OVERALL LENGTH <i>NORSEMAN 31270</i> OUR STK # 19484	16.00	32.00
2	5.00	EA	0020 - PUNCH, CENTER, 1/8 IN POINT X 5/16 IN HEX SHAFT, SNAP-ON # PPC3A, MSC <i>PROTO J 505/16 S2</i> #81342907 OUR STK # 305850	4.96	24.80
3	3.00	EA	0030 - PUNCH, CENTER 5/16 IN, 4 1/2 LONG, KLEIN # 66311, MSC # 63780433 <i>PROTO J 415/16 S2</i> OUR STK # 30586	3.66	10.98
4	3.00	EA	0040 - HOLDER, ELECTRODE, INSULATED, 250 AMPS MAX., 1/16 IN TO 7/32 IN ELCTRODES, DURO # 250-I OUR STK # 30685	21.00	63.00
5	4.00	EA	0050 - BIT, CARBIDE, 3/8 IN X 13 1/2 IN LONG, MILWAUKEE # 48-20-8362 <i>DEWALT DW 5231</i> OUR STK # 30790	6.92	27.68
6	24.00	EA	0060 - CABLE, BATTERY BOOSTER WITH INSULATED CLAMPS RATED 400 AMPS, 4 GA COOPER CONDUCTORS X 16 FT LONG, WESTWARD BRAND OR GRAINGER # 6RXF6, OUR STK NUMBER 48010	N/A	—
7	5.00	EA	0070 - PUMP, ROTARY HAND, FIL-RITE # 112C WITH COUNTER OURS STK # 48196	233.35	1166.75
8	6.00	EA	0080 - BLADE, CIRCULAR SAW, 7 1/4 IN X 5/8 IN ARBOR, FOR METAL, 68 TOOTH, <i>DEWALT DW 3329</i> GRAINER # 4KX53 OUR STK # 48863	6.11	36.66
9	5.00	EA	0090 - CROW BAR, PINCH POINT, 3 FT LENGTH X 1 1/8 IN SQUARE STOCK SIZE <i>AMES 1161300</i>	17.52	87.60

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

DATE: 1/18/2017

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118735

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	2.00	EA	LEETONIA # 215 OUR STK # 581000 0100 - CUTTER, Wire Rope, 1 1/2 IN CAPACITY, HAMMER TYPE, MORSE-STARRETT MODEL # 2 OUR STK # 58124	221.31	442.62
11	3.00	EA	0110 - Chisel, HAND 7/8 IN CUTTING WIDTH 7 1/2 IN LONG, WILLIAMS # C-28 <i>PROTO 586A3/4XBS2</i> OUR STK # 58150	11.39	34.17
12	3.00	EA	0120 - SHOVEL, FLAT, 30 IN ASH HANDLE, SQUARE POINT, STEEL AND WOOD D-GRIP, TURNED STEP, DOUBLE RIVET, OPEN BACK UNIONTOOLS # 42216 OUR STK # 58979	N/B	—
13	8.00	EA	0130 - SNIPS, TIN, DUCKBILL COMBO PATTERN, 10.25 IN LONG, WISS # V-10 OUR STK # 59040	12.85	102.80
14	5.00	EA	0140 - Vise, PIPE, BENCH, 6 IN JAW WIDTH, 360 DEGREE SWIVEL BAS, ATD MODEL <i>WILTON 63301</i> 8306 SOUR STK # 59076	116.87	584.35
15	12.00	EA	0150 - TROWEL, CEMENT POINTING 7 IN X 2.75 IN, HYDE # 18110 <i>MARSHALLETOWN 16125</i> OUR STK # 59102	2.67	32.04
16	6.00	EA	0160 - BRUSH, STANDARD TWIST Wire, Wheel 4 IN DIA. 7/8 IN TRIM, .020 WIRE SIZE 5/8 IN - 11 UNC ARBOR, 20,000 RPM, WEILER # 13120 OUR STK # 59737Q <i>PFERD 82154</i>	22.00	132.00

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Masonry Tools

BID 50-00118235

LINE 0010

PERCUSSION BITS A-TAPER

Type 607

Heavy-Duty A-Taper

Gas And Supply


Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

- Percussion grade carbide tip and strong alloy steel body
- These taper shank bits are excellent performers in all types of masonry drilling applications.
- The bits are designed to fit all standard taper chucks.



Percussion Bits - Heavy-Duty, A-Taper

FRACTIONAL 3/16" - 9/16"					FRACTIONAL 9/16" - 7/8"				
Part No.	Diameter Inches	Overall Length Inches	Drilling Depth Inches	No. per/pack	Part No.	Diameter Inches	Overall Length Inches	Drilling Depth Inches	No. per/pack
31000	3/16	4	2-3/4	1	31450	9/16	19	17-3/4	1
31010	1/4	4	2-3/4	1	31130	5/8	6	4-3/4	1
31040	1/4	6	4-3/4	1	31270	5/8	9	7-1/2	1
31050	9/32	6	4-3/4	1	31380	5/8	12	10-3/4	1
31020	5/16	4	2-3/4	1	31460	5/8	19	17-3/4	1
31060	5/16	6	4-3/4	1	31140	21/32	6	4-3/4	1
31200	5/16	9	7-1/2	1	31280	21/32	9	7-1/2	1
31340	5/16	12	10-3/4	1	31150	11/16	6	4-3/4	1
31030	3/8	4	2-3/4	1	31290	11/16	9	7-1/2	1
31070	3/8	6	4-3/4	1	31390	11/16	13	11	1
31210	3/8	9	7-1/2	1	31470	11/16	19	17-3/4	1
31350	3/8	12	10-3/4	1	31160	3/4	6	4-3/4	1
31080	7/16	6	4-3/4	1	31300	3/4	9	7-1/2	1
31220	7/16	9	7-1/2	1	31400	3/4	13	11	1
31090	15/32	6	4-3/4	1	31480	3/4	19	17-3/4	1
31230	15/32	9	7-1/2	1	31170	13/16	6	4-3/4	1
31100	1/2	6	4-3/4	1	31320	13/16	9	7-1/2	1
31240	1/2	9	7-1/2	1	31410	13/16	13	11	1
31360	1/2	12	10-3/4	1	31180	27/32	6	4-3/4	1
31440	1/2	19	17-3/4	1	31310	27/32	9	7-1/2	1
31110	17/32	6	4-3/4	1	31420	27/32	13	11	1
31250	17/32	9	7-1/2	1	31190	7/8	6	4-3/4	1
31120	9/16	6	4-3/4	1	31330	7/8	9	7-1/2	1
31260	9/16	9	7-1/2	1	31430	7/8	13	11	1
31370	9/16	12	10-3/4	1					

STRIKING & PRYING**STARTING PUNCHES**

- Similar to drift punches, but with wider points and heavier, shorter body.
- Application: to align holes in two or more pieces of metal through which a bolt or screw is to be inserted.
- Application: for installing and removing pins and shafts.
- One-piece design for strength and durability.
- Reverse taper to help prevent binding.

Product #	Tip Width (in) (A)	Shank Width (in) (B)	Overall Length (in) (L)	Weight (lbs)
J503/16S2	1/16	1/4	4-1/8	0.03
J501/4S2	3/32	1/4	5	0.06
J505/16S2	1/8	5/16	5-1/8	0.10
J503/8S2	3/16	3/8	5-5/8	0.17
J507/16S2	7/32	7/16	6	0.24
J501/2S2	1/4	1/2	6-1/2	0.33

ASME B107.48

BID 50-00118135

LINE 0020

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

CENTER, STARTING, & PRICK PUNCHES

CENTER PUNCHES

- Application: metal working layout. Provides a broad dent in marking intersecting center lines, hole locations, and pilot drill starting point.
- One-piece design for strength and durability.

Product #	Shank Width (in) (B)	Overall Length (in) (L)	Weight (lbs)
J411/4S2	1/4	4-3/4	0.05
J415/16S2	5/16	4-5/8	0.09
J413/8S2	3/8	4-7/8	0.14
J417/16S2	7/16	5-1/4	0.19
J411/2S2	1/2	5-5/8	0.29
J415/8S2	5/8	6-1/4	0.45

ASME B107.48

LINE 0030

PRICK PUNCHES

- Application: sheet metal work for scribing and for punching starting holes for sheet metal screws.
- One-piece design for strength and durability.
- Reverse taper to help prevent binding.

Product #	Shank Width (in) (B)	Overall Length (in) (L)	Weight (lbs)
J441/4S2	1/4	4-3/4	0.06
J445/16S2	5/16	5	0.09
J443/8S2	3/8	5-1/4	0.14

ASME B107.48



ACCESSORIES**GUARANTEE
TOUGH****DEWALT'S MASONRY SOLUTIONS****CONCRETE & MASONRY DRILLING****Gas And Supply****Jimmy Gibbs****Phone 504-392-2400****Fax 504-392-1500****jimmy.gibbs@gasandsupply.com**

Fits all brands Electric and
Cordless Hammerdrills including
DEWALT, Bosch® and Hilti®.


*Bosch® is a registered trademark of Robert Bosch GmbH
and Hilti® is a registered trademark of Hilti Aktiengesellschaft

MULTI-MATERIAL

CAT #	DIA.	OVERALL LENGTH
DWA56084	1/8"	4-1/2"
DWA56104	5/32"	4"
DWA56124	3/16"	4-1/2"
DWA56144	7/32"	4-1/2"

CAT #	DIA.	OVERALL LENGTH
DWA56165	1/4"	4-3/4"
DWA56205	5/16"	5-1/4"
DWA56245	3/8"	5-1/4"
DWA56326	1/2"	6-1/4"

CAT #	DIA.	OVERALL LENGTH
5 Pc. Drill Bit Set		
DWA56015	1/8", 3/16", 1/4", 5/16", 3/8"	

MULTI-MATERIAL**PERCUSSION BITS**

CAT #	DIA.	USABLE LENGTH	OVERALL LENGTH
DW5221	1/8"	2"	3"
DW5208	5/32"	2"	3"
DW5227	5/32"	4"	6"
DW5222	3/16"	2"	3"
DW5223	3/16"	4"	6"
DW5211	7/32"	4"	6"
DW5224	1/4"	2"	4"
DW5225	1/4"	4"	6"
DW5226	1/4"	7"	12"
DW5228	5/16"	4"	6"
DW5229	5/16"	7"	12"
DW5230	3/8"	4"	6"
DW5231	3/8"	10"	12"


CAT #	DIA.	USABLE LENGTH	OVERALL LENGTH
DW5232	3/8"	16"	18"
DW5233	3/8"	22"	24"
DW5234	7/16"	4"	6"
DW5235	1/2"	4"	6"
DW5236	1/2"	10"	12"
DW5237	1/2"	16"	18"
DW5238	1/2"	22"	24"
DW5241	5/8"	4"	6"
DW5242	5/8"	7"	12"
DW5217	9/16"	4"	6"
DW5244	3/4"	4"	6"
DW5245	3/4"	7"	12"
DW5219	7/8"	7"	12"

CAT #	DIA.	USABLE LENGTH	OVERALL LENGTH
DW5249	1"	7"	12"
Bulk Packs			
DW5221B25	1/8"	2"	3"
DW5227B25	5/32"	4"	6"
DW5222B25	3/16"	2"	3"
DW5223B25	3/16"	4"	6"
DW5224B25	1/4"	2"	4"
DW5225B25	1/4"	4"	6"
DW5226B25	5/16"	4"	6"
DW5230B25	3/8"	4"	6"
DW5235B10	1/2"	4"	6"

PERCUSSION SETS

CAT #	DESCRIPTION	INCLUDES
DW5204	4 Pc. Premium Percussion Masonry Drill Bit Set	3/16" x 3", 1/4" x 4", 5/16" x 6", 3/8" x 6"
DW5205	5 Pc. Premium Percussion Masonry Drill Bit Set	5/32" x 6", 3/16" x 6", 1/4" x 6", 5/16" x 6", 3/8" x 6", Medium TOUGH CASE® Container
DW5207	7 Pc. Premium Percussion Masonry Drill Bit Set	3/16" x 3", (2) 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 6", 1/2" x 6"

BID 50-00118735
LINE 0050

**DW5205**

(continued on next page)

DEWALT**ACCESSORIES****WOODWORKING SAW BLADES** (continued)**COMBINATION**

CAT #	DESCRIPTION	KERF	DIA.	TEETH	ARBOR	HOOK ANGLE	KERF	PLATE THICKNESS	TOOTH GRIND
DW7640	Combination	Thin Kerf	10"	50	5/8"	15°	.110"	.069"	4ATB+R
DW7641	Combination	Thin Kerf	12"	60	1"	15°	.110"	.079"	4ATB+R
DW71050R	Combination	Full Kerf	10"	50	5/8"	15°	.125"	.087"	4ATB+R
DW71260R	Combination	Full Kerf	12"	60	1"	15°	.125"	.087"	4ATB+R

SPECIALTY APPLICATIONS


CAT #	DESCRIPTION	KERF	DIA.	TEETH	ARBOR	HOOK ANGLE	KERF	PLATE THICKNESS	TOOTH GRIND
Crosscutting Plywood									
DW7671	Plywood Crosscutting	Thin Kerf	10"	80	5/8"	-5°	.110"	.069"	HI-ATB
DW7672	Plywood Crosscutting	Thin Kerf	12"	96	1"	-5°	.110"	.079"	HI-ATB
DW71080HN5	Plywood Crosscutting	Full Kerf	10"	80	5/8"	-5°	.125"	.100"	HI-ATB
DW71296HN5	Plywood Crosscutting	Full Kerf	12"	96	1"	-5°	.125"	.100"	HI-ATB
Melamines									
DW7682	Melamines & Veneers	Thin Kerf	10"	80	5/8"	0°	.110"	.069"	H-ATB
DW7683	Melamines & Veneers	Thin Kerf	12"	80	1"	0°	.110"	.079"	H-ATB
DW722048HG	Melamines & Veneers	Full Kerf	220mm	48	30mm	10°	.125"	.087"	HG
DW730072HG	Melamines & Veneers	Full Kerf	300mm	72	30mm	10°	.125"	.087"	HG
DW71060HG	Melamines & Veneers	Full Kerf	10"	60	5/8"	10°	.125"	.087"	HG
DW71272HG	Melamines & Veneers	Full Kerf	12"	72	1"	10°	.125"	.087"	HG
Solid Surface & Plastics									
DW7667	Solid Surface & Plastics	Thin Kerf	10"	80	5/8"	0°	.110"	.069"	M-TCG
DW7668	Solid Surface & Plastics	Thin Kerf	12"	80	1"	0°	.110"	.079"	M-TCG
DW71080MT	Solid Surface & Plastics	Full Kerf	10"	80	5/8"	0°	.125"	.087"	M-TCG
DW71280MT	Solid Surface & Plastics	Full Kerf	12"	80	1"	0°	.125"	.087"	M-TCG
Laminates									
DW7660	Laminates	Thin Kerf	10"	80	5/8"	0°	.110"	.069"	TCG
DW7661	Laminates	Thin Kerf	12"	80	1"	0°	.110"	.079"	TCG
DW71080T0	Laminates	Full Kerf	10"	80	5/8"	0°	.125"	.087"	TCG
DW71280T0	Laminates	Full Kerf	12"	80	1"	0°	.125"	.087"	TCG

Gas And Supply**Jimmy Gibbs**


Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

STEEL CIRCULAR SAW BLADES**STEEL SAW BLADES**


CAT #	DESCRIPTION	DIA.	TEETH	ARBOR	CAT #	DESCRIPTION	DIA.	TEETH	ARBOR
V3310	Fast Cut	6-1/2"	24	5/8"	DW3350	Combination	10"	40	5/8"
V3323	Fast Cut	7-1/4"	26	5/8"	DW3370	Fast Cut	10"	28	5/8"
V3324	Crosscut	7-1/4"	100	5/8"	DW3372	Hollow Ground Planer	7-1/4"	80	5/8"
V3325	Combo	7-1/4"	40	5/8"	DW3523	Combo Bulk	7-1/4"	26	5/8"
V3326	Hollow Ground Plywood	7-1/4"	140	5/8"	DW3524	Crosscut	7-1/4"	100	5/8"
V3327	Hollow Ground Planer	7-1/4"	60	5/8"	DW3526	Hollow Ground Plywood Bulk	7-1/4"	140	5/8"
V3329	Non-Ferrous	7-1/4"	68	5/8"	DW3526L	Hollow Ground Plywood Bulk (Shrink Band on Teeth)	7-1/4"	140	5/8"
V3330	Iron/Steel	7-1/4"	16 Slots	5/8"					
V3332	Master Combo	8-1/4"	60	5/8"					

ACCESSORIES

www.DeWALT.com

BARS

BID 50-00118735
LINE 0090



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

ITEM	ITEM	BRAND	DESCRIPTION	UPC	STD PK QTY	STD PK LBS	PLT QTY	PLT WGT LBS
A	1161300	True Temper®	Pinch point crowbar, 6 Lb. 1" stock, 36" length.	049206116139	1	7.0	200	1278.0
	1161400		Pinch point crowbar, 10 Lb. 1" stock, 48" length.	049206116146	1	9.9	200	2020.0
	30648		Pinch point bar, 12 Lb. 1" Straight pattern blade 51" (2.25" x 1").	079617306645	1	14.0	100	1491.0
	1160100		Pinch point crowbar, 18 Lb. 1.25" stock, 60" length.	049206116016	1	18.4	100	1880.0
	1162500		Pinch point crowbar, 26 Lb. 1.5" stock, 66" length.	049206116252	1	26.6	100	2700.0
B	1160200	True Temper®	Wedge point crowbar, 18 Lb. 1" stock, 60" length.	049206116023	1	18.1	100	1850.0
	1163300		Wedge point crowbar, 26 Lb. 1.5" stock, 66" length.	049206116337	1	26.1	100	2653.0
C	1168800	True Temper®	Stripping bar with claw, 12 Lb. 1" Hex stock, 48" length.	049206116887	1	12.6	100	1295.0
D	1169000	True Temper®	Stripping bar without claw, 12 Lb. 1" Hex stock, 48" length.	049206116900	1	11.9	100	1234.0
E	1174300	True Temper®	Slate bar, 13 Lb. 1" Hex stock, 60" length.	049206117433	1	13.0	100	1415.0
F	1160900	True Temper®	Chisel pry bar, 1.5 Lb. 0.625" Hex stock, 20" length.	049206116092	10	17.3	1000	1801.0
	1161100		Chisel pry bar, 2.75 Lb. 0.75" Hex stock, 24" length.	049206116115	10	30.3	600	1900.0
G	1175300	True Temper®	Manhole cover bar, 3.75 Lb. 0.625" Hex stock, 24" length.	049206117532	10	33.7	400	1477.0
H	1165800	True Temper®	Ripping chisel, 0.75" stock, 12" Straight length.	049206116580	10	23.5	600	1450.0
I	1166100	True Temper®	Ripping chisel, 0.75" stock, 17" Offset length.	049206116610	10	24.9	600	1532.8
J	1166600	True Temper®	Molding tool, 0.5" stock, 10" length.	049206116665	10	6.0	800	520.0
K	1173900	True Temper®	Double edge scraper, 1.75" wide, 14.5" length.	049206117396	50	51.0	2000	2090.0

COLD CHISELS

COLD CHISELS

- Made from S2 steel and specially heat-treated for greater strength and durability.
- Hand ground cutting edge to the exact angle for cutting through tough metals.
- Modified parabolic striking end to help reduce mushrooming and chipping.
- Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.

BID 50-00118735
LINE 0110

Product #	Tip Width (in) (A)	Shank Width (in) (B)	Overall Length (in) (L)	Weight (lbs)
J86A3/16S2	1/4	3/16	4-7/8	0.04
J86A1/4S2	5/16	1/4	5-1/8	0.07
J86A5/16S2	3/8	5/16	5-3/8	0.12
J86A3/8S2	7/16	3/8	5-9/16	0.17
J86A7/16S2	1/2	7/16	6	0.25
J86A7/16X12S2	1/2	7/16	12	0.51
J86A1/2S2	5/8	1/2	6-3/4	0.37
J86A1/2X12S2	5/8	1/2	12	0.68
J86A5/8S2	3/4	5/8	6-7/8	0.54
J86A5/8X12S2	3/4	5/8	12	1.03
J86A3/4X8S2	7/8	3/4	8	0.89
J86A3/4X12S2	7/8	3/4	12	1.40
J86A7/8X8S2	1	7/8	18	2.42
J86A7/8X8S2	1	7/8	8	1.13
J86A7/8X12S2	1	3/4	12	1.54
J86A1X8S2	1-3/16	1	8-1/4	1.56

ASME B107.47M

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

5 PIECE SUPER-DUTY CHISELS SET

Product #: J86000

- Made from S2 steel and specially heat-treated for greater strength and durability.
- 20% Larger striking surface than standard chisels directs the power to the cutting edge.
- Longer shank features a knurl for better grip and easy positioning.
- Hand ground cutting edge to the exact angle for cutting through tough metals.
- Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- A polished identification panel on one of the flats is marked with the tool number and size in black inlay.
- Set offers a wide range of sizes to handle a variety of jobs.
- Includes a pouch for convenient storage solution.





Contents	Description	Tip Width (in) (A)	Shank Width (in) (B)	Overall Length (in) (L)
J86038	Chisel, Cold Super Duty 3/8"	3/8	5/16	6
J86012	Chisel, Cold Super Duty 1/2"	1/2	7/16	6-13/16
J86058	Chisel, Cold Super Duty 5/8"	5/8	1/2	7-5/8
J86034	Chisel, Cold Super Duty 3/4"	3/4	5/8	8-7/16
J86078	Chisel, Cold Super Duty 7/8"	7/8	3/4	9-1/4
J25TRD6C	Tool Roll, 5 Pocket			

Weight (lbs): 2.84


WILTON® SHOP

BUILT FOR YOUR WORKBENCH


Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



PIPE JAWS



POLISHED ANVIL



4 MOUNTING POSTS



FEATURES

HARDENED STEEL JAWS:

- Furnished with a serrated pattern to insure strength and long life

DOUBLE LOCK DOWNS:

- 2 Lockdowns for a sturdier base and less rotation

360° LOCKING SWIVEL BASE:

- 360° swivel ability for ideal positioning on workbench

IDEAL FOR

- General Purpose
- Light Tradesman
- Utility and Service
- Automotive


WILTONTOOLS.COM

Stock No.	Model	Jaw Width (in.)	Maximum Opening (in.)	Throat Depth (in.)	Pipe Jaw Capacity (in.)	Replacement Jaw Insert No.	Net Weight (lbs.)
SHOP VISES							
63300	WS4	4	4	2-3/4	5/8" - 2"	310041W	23
63301	WS5	5	5	3	5/8" - 2 3/8"	310051W	30
63302	WS6	6	6	3-1/2	5/8" - 2 1/2"	310061W	46
63304	WS8	8	8	4	3/4" - 3"	310081W	70

POINTING TROWELS

- Tempered blade is fully ground and polished
- Hardwood handle


*BID 50-00118735
LINE 0150*



EDI	Part #	UPC#	Size	Box	Case
16195	95	035965061957	5 1/2 X 2 3/4	12	120
16125	925	035965061254	7 X 3	12	120

POINTING TROWEL

- Hard temper steel blade
- Durable contoured plastic handle



EDI	Part #	UPC#	Size	Box	Case
16235	205	035965062350	5 1/2 X 2 3/4	12	120

PLASTIC POINTING TROWEL


- Durable plastic construction
- Won't rust or corrode
- Comfortable contoured handle
- Made in the U.S.A.



EDI	Part #	UPC#	Size	Box	Case
16282	PPT282	035965062824	6 X 3 3/4	24	144

MARGIN TROWELS, DURASOFT® HANDLE

- Forged from a single piece of high carbon steel
- Tempered, ground, and polished from toe to heel
- Resilient DuraSoft® handle provides a soft feel, reduces fatigue, and offers excellent durability
- Integral finger guard protects against calluses, heat, and cold
- U.S. Patent Nos. 5,327,612 and 5,446,941
- Made in the U.S.A.




EDI	Part #	UPC#	Size	Box	Case
11198	52D	035965011983	5 X 2	6	72
11205	54D	035965012058	5 X 1 1/2	6	72
11207	56D	035965012072	6 X 2	6	72
11209	58D*	035965012096	8 X 2	6	72

*New Size!

MARGIN TROWELS-WOOD HANDLE

- Forged from a single piece of high carbon steel
- Tempered, ground, and polished from toe to heel
- Hardwood handle
- Made in the U.S.A.



EDI	Part #	UPC#	Size	Box	Case
11202	52	035965012027	5 X 2	6	72
11204	54	035965012041	5 X 1 1/2	6	72
11206	56	035965012065	6 X 2	6	72
11208	58	035965012089	8 X 2	6	72

TO ORDER: Phone: (800) 888-0127 • Fax: (800) 477-6341

16 To ensure prompt shipment and to avoid errors, please order by EDI number

Bricklaying Tools

Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

PFERD**ADVANCE**
BRUSH**BID 50-00118735****Line 0160****Power Wire Brushes**
Threaded Knot Wheel Brushes


Standard twist knot wheel brushes with a threaded nut for easy change out. Features loosely twisted knots for aggressive brushing action with a good surface finish. They are ideal when heavy-duty or severe cleaning is required.

For weld cleaning, weld spatter removal, scale removal, cleaning, deburring, and flash removal.


Recommendation for Use
For optimal performance, use on angle grinders.

PFERD Specification Number
RBG

Standard Twist




Diameter d ₁ [Inches]	Thread Size d ₂ [Inches]	No. of Knots	Trim Length l ₂ [Inches]	Face Width b [Inches]	Wire Diameter and EDP Number				Recom. Speed [RPM]	MSFS Max. [RPM]	
					.014	.016	.020	.023			
Carbon Steel Wire											
3	3/8-24	18	5/8	7/16	82150	-	-	-	12,500 - 20,000	25,000	10
4	5/8-11	22	7/8	5/8	82153 P	-	82154	-	10,000 - 15,000	20,000	10/5
4	1/2-13	22	7/8	5/8	-	-	82156	-	10,000 - 15,000	20,000	10
4	3/8-24	22	7/8	5/8	82157	-	82158	-	10,000 - 15,000	20,000	10
5	5/8-11	24	5/8	5/8	-	-	82470	-	7,500 - 15,000	15,000	10
6	5/8-11	32	1-1/8	5/8	82471	82472	-	82473	4,500 - 9,000	9,000	10
Stainless Steel Wire (INOX)											
4	5/8-11	22	7/8	5/8	82283 P	-	82284	-	8,000 - 15,000	20,000	10/5
4	1/2-13	22	7/8	5/8	-	-	82286	-	8,000 - 15,000	20,000	10
4	3/8-24	22	7/8	5/8	-	-	82288	-	8,000 - 15,000	20,000	10
5	5/8-11	24	5/8	5/8	-	-	82596	-	6,000 - 15,000	15,000	10
6	5/8-11	32	1-1/8	5/8	-	82597	-	82598	3,500 - 9,000	9,000	10
Brass Wire											
4	5/8-11	22	7/8	5/8	82366	-	-	-	8,000 - 15,000	20,000	10

COMBITWIST®**Product Highlights:**


- ☑ More aggressive brushing
- ☑ Longer brush life
- ☑ Superior rotational balance
- ☑ Faster stock removal
- ☑ Reduced operator fatigue
- ☑ Better surface finish

Gas And Supply**Jimmy Gibbs****Phone 504-392-2400****Fax 504-392-1500****jimmy.gibbs@gasandsupply.com**

Standard Twist, COMBITWIST®



Diameter d ₁ [Inches]	Thread Size d ₂ [Inches]	No. of Knots	Trim Length l ₂ [Inches]	Face Width b [Inches]	Wire Diameter and EDP Number				Recom. Speed [RPM]	MSFS Max. [RPM]	
					.014	.016	.020	.023			
Carbon Steel Wire											
4	5/8-11	22	7/8	5/8	82383	-	82384	-	10,000 - 15,000	20,000	10
5	5/8-11	24	5/8	5/8	-	-	82680	-	7,500 - 15,000	15,000	10
6	5/8-11	32	1-1/8	5/8	82681	82682	-	82683	4,500 - 9,000	9,000	10
Stainless Steel Wire (INOX)											
4	5/8-11	22	7/8	5/8	82412	-	82413	-	8,000 - 15,000	20,000	10
5	5/8-11	24	5/8	5/8	-	-	82749	-	6,000 - 15,000	15,000	10
6	5/8-11	32	1-1/8	5/8	-	82752	-	82753	3,500 - 9,000	9,000	10



Brushes available in POP packaging are marked with a "P" in this catalogue. To order brushes in POP versions, please add a "P" to the end of the

EDP number. The minimum order quantity of POP items is printed in "blue" accordingly.