

DATE: 6/01/2016

Page: 5

BID NO.: 50-00116741

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

100 DAYS AFTER RECEIPT OF ORDER

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: EMERY EQUIPMENT SALES + RENTALS, INC.

ADDRESS: 12181 AIRLINE HWY

CITY, STATE: BATON ROUGE, LA ZIP: 70817

TELEPHONE: (225) 753-0541 FAX: (225) 756-8839

EMAIL ADDRESS: kelly@emeryequipment.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1 JPP-50-00116741-1
NUMBER: #2 JPP-50-00116741-2
NUMBER: #3 JPP-50-00116741-3
NUMBER: #4 JPP-50-00116741-4

TOTAL PRICE OF ALL BID ITEMS: \$ 4,296,036.50

AUTHORIZED SIGNATURE: Kenneth W. Hornsby

TITLE: PRESIDENT

KENNETH W. HORNSBY
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 6/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 6

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	10.00	EA	<p>ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - FOUR TON PAYLOAD CAPACITY TAG-ALONG LOWBOY TRAILER, 10,730 LBS.</p> <p>GVWR FT L X 74 FT W LOAD DECK PLUS 32 IN FULL WIDTH BEAVERTAIL WITH TWO 45 IN. L X 21 1/2 IN. W ADJUSTABLE, SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 21 IN MAXIMUM DECK HEIGHT 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D RINGS PER SIDE, DEXTER MULTI-POINT SPRING SUSPENSION WITH EQUALIZER, TANDEM 6,000 LB. AXLES WITH 12 IN. X 2 IN. ELECTRIC BRAKES TAG-A-LONG LOWBOY TRAILER 4 TON INCLUDING BREAK-A-WAY SYSTEM, FOUR 7.00 X 15D TIRES MOUNTED ON 6 HOLE STEEL DISC WHEELS, 5,000 LB. CAPACITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 2 5/8 IN. I.D.) WITH DUAL SAFETY CHAINS, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEO-PRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART #: <i>FT-12XP 16+3</i></p> <p>VENDOR PART #:</p>	<p><i>Length:</i> <i>16' Deck + 3' Dovetail</i></p> <p><i>Width:</i> <i>82" ID - 102" OD</i></p> <p><i>Tires:</i> <i>ST235/80R16 LRE on 8 Bolt White Mod wheels</i></p> <p><i>\$61,064.99</i></p>	
2	10.00	EA	<p>0002 - TEN TON PAYLOAD CAPACITY TAG-ALONG LOWBOY TRAILER, 25,900 LB. GVWR</p> <p>19 FT L X 8 FT W LOAD DECK PLUS 5 FT FULL WIDTH BEAVERTAIL WITH TWO 55 IN. L X 22 1/2 IN. W ADJUSTABLE, SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 34 IN. MAXIMUM DECK HEIGHT, 2 IN. NOMINAL OAK DECK MATERIAL FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD FIVE ROTATING D-RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 97 - MULTI-POINT SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING TANDEM 10,000 LB. AXLES WITH 12 1/4 IN. X 4 IN. ELECTRIC BRAKES, INCLUDING BREAK-A-WAY SYSTEM, EIGHT 235/85R16 E TIRES MOUNTED ON 8 HOLE STEEL DISC WHEELS, 12,000 LB. CAPACITY DROPLEG CRANK PARKING JACK, FOUR POSITION (3" I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING</p>	<p><i>19'x5'</i> <i>102" wide Deck</i></p> <p><i>Black Paint</i></p> <p><i>\$61,064.99</i></p>	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	10.00	EA	<p>IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART#: <i>FT-20-2LP</i></p> <p>VENDOR PART#:</p> <p>0003 - TWENTY TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 48,000 LB.</p>	<i>\$12,982.80</i>	<i>\$129,828.00</i>
<i>FT-45-2LP</i>			<p>GVWR 19F L X 8F W LOAD DECK PLUS 5FT FULL WIDTH BEAVERTRAIL WITH TOW 55 IN. L X 22 1/2 IN. W ADJUSTABLE, SPRINT-ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 34 IN. MAXIMUM DECK HEIGHT, 2IN NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN STEEL CHANNEL HEADBOARD, FIVE ROTATING D RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH H-9700 MULTI-POINT 50,000 LB. SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 22,500 LB. AXLES WITH 12 1/4 IN. X 7 1/2 IN. FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS EIGHT 215/75R17.5 16 PLY TIRES MOUNTED ON 8 BOLT HUB PILOTED STEEL DISC WHEELS SPRING BRAKES ON ALL WHEELS, 12,000 LB. CAPACITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FLUSH MOUNTED, FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART#: <i>FT-45-2LP</i></p> <p>VENDOR PART#:</p>	<p><i>19+5</i></p> <p><i>102"OD</i></p> <p><i>235/75R17.5" Tires</i></p> <p><i>25K 2 speed drop Leg Jack</i></p> <p><i>Black Paint</i></p>	
4	10.00	EA	<p>0004 - TWENTY-TWO PAYLOAD CAPACITY TAG-A-LONG TILT DECK LOWBOY TRAILER 50,000 LB</p> <p>GVWR 28FT L X 8FT W LOAD DOCK WITH 24FT. TILT DECK FOR 12 DEGREE LOAD ANGLE, DUAL ADJUSTABLE TOGGLE DECK LOCKS WITH RETAINER PIN, TWO 3 1/2 IN. BORE CUSHION CYLINDERS, 37 IN. MAXIMUM DECK HEIGHT, 2 IN. NOMINAL OAK DECK HEIGHT, 2" NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN STEEL CHANNEL HEADBOARD FIVE ROTATING D-RINGS PER SIDE, HUTCH H-9700 MULTI-POINT 50,000 LB. SPRING</p>	<p><i>\$18,600.40</i></p> <p><i>\$188,600.40</i></p>	
<i>FT-45-2T</i>			<p>GVWR 28FT L X 8FT W LOAD DOCK WITH 24FT. TILT DECK FOR 12 DEGREE LOAD ANGLE, DUAL ADJUSTABLE TOGGLE DECK LOCKS WITH RETAINER PIN, TWO 3 1/2 IN. BORE CUSHION CYLINDERS, 37 IN. MAXIMUM DECK HEIGHT, 2 IN. NOMINAL OAK DECK HEIGHT, 2" NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN STEEL CHANNEL HEADBOARD FIVE ROTATING D-RINGS PER SIDE, HUTCH H-9700 MULTI-POINT 50,000 LB. SPRING</p>	<p><i>4+24</i></p> <p><i>102"OD</i></p> <p><i>235/75 R17.5" Tires</i></p>	
<i>Ref# 79012-NMM</i>					
<i>Ref# 79013-NMM</i>					

DATE: 6/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 8

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
5	10.00	EA	<p>SUSPENSION WITH RADIUS ROD AXLE TRACKING TANDEM 20,000LB AXLES WITH 12 1/4IN X 7 1/2IN FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS, EIGHT 215/75R17.5 H TIRES MOUNTED ON 8-BOLT HUB PILOTED STEEL DISC WHEELS, SPRING BRAKES ON ALL WHEELS, 12,000 LB. CAPACITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8IN STOCK 3IN ID) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA FLUSH MOUNTED, FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMETS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART#: <i>FT-40-2 T</i></p> <p>VENDOR PART#:</p> <p>0005 - 3 TO 8 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p>	<p><i>Black Paint</i></p> <p><i>\$26,162.89</i></p>	<p><i>\$261,628.90</i></p>
			<p>REMOVAL OF DAMAGED TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TO W EYE OR COUPLER, ELECT- RICAL 6-WAY OR 7-WAY WIRE WITH PLUG, SAFETY CHAINS, ETC., TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSY. TO BE SWEEP BLASTED ZINC PHOSPHATE PRIMED AND FINISHED PAINTED 5 MILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER:</p> <p>MANUFACTURER PART #:</p> <p>VENDOR PART #:</p>	<p><i>No Bid</i></p>	
6	10.00	EA	<p>0006 - 9 TO 12 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p> <p>REMOVAL OF DAMAGED TONGUE AND REPLACE- MENT WITH 12IN STEEL "H" BEAM TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURA- TION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTABLE TOW EYE, ELECTRICAL 6-WAY OR 7-WAY WIRE WITH PLUG, AIR BRAKE LINE CONNECTIONS IF PRESENT, SAFETY CHAINS, ETC., TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEEP BLASTED, ZINC PHOSPHATE PRIMED AND FINISHED PAINTED 5 MILS. THICKNESS</p>	<p><i>No Bid</i></p>	

DATE: 6/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 9

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	10.00	EA	<p>IMRON TO MATCH ORIGINAL TRAILER COLOR.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER:</p> <p>MANUFACTURER PART #:</p> <p>VENDOR PART #:</p> <p>0007 - EXTRA HEAVY DUTY MECHANICAL FOLDING GOOSENECK LOWBOY TRAILER, 60 TON</p> <p>CAPACITY CONCENTRATED IN ANY 10FT. 0IN. SECTION, OVERALL DIMENSIONS 8FT. 6IN. WIDE BY 49FT. 2IN. LONG (11FT. 5IN. GOOSENECK, 24FT. 0IN. MAIN LOAD DECK, 13FT. 9IN. REAR DECK) 24IN. LOADED DECK HEIGHT, 6IN. GROUND CLEARANCE, 84IN. SWING CLEARANCE, THREE 25,000 LB. CAPACITY REAR AXLES, AIR RIDE SUSPENSION 16 1/2 IN. X 7 IN. AIR BRAKES, AUTOMATIC SLACK ADJUSTERS, NO PARKING BRAKES, ABS SYSTEM, TWELVE 10 STUD HUB PILOTED 8.25 X 22.5 STEEL DISC WHEELS. TWELVE 225/70R22 5 16 PLY LOW PROFILE RADIAL TIRE, 2 IN. KINGPIN, 50 IN. KINGPIN HEIGHT. 15 IN. KINGPIN SETTING, FOUR BEAM DESIGN OF 13,000 PSI YIELD FLANGES AND 80,000 LB. PSI WEBS, 2 1/4 IN. APITONG HARDWOOD FLOORING WITH BRIDGE CLIPS AND CARRIAGE FLOORED, TWELVE SWINGING AND REMOVABLE OUT-RIGGERS PER SIDE, ONE D RING ON EACH SIDE OF GOOSE NECK, TWO D RINGS ON EACH SIDE OF READ DECK, FIVE D RINGS ON EACH SIDE OF LOAD DECK, MECHANICAL RAISED AND LOWERED GOOSENECK USING TRUCK WINCH, AIR LOCK LATCHES ON GOOSENECK, PIPE AT FRONT OF GOOSENECK WITH CABLE LUGS FOR PICKUP EYE, LOAD BEARING WHEEL COVERS OVER REAR TIRES AND REAR DECK CENTER. 12 VOLT 7-WAY PLUG, SEALED BEAM LIGHTS, MID-TURN SIGNAL, REAR FLAPS, SANDBLASTED PRIMED AND FINISHED PAINTED 5 MILS IMRON FLEET WHITE, CONSPICUITY TAPE ON SIDES, OPERATOR MANUAL 25,000 LB. APPROXIMATE EMPTY WITH, FOB FLEET MANAGEMENT, JEFFERSON PARISH, LA</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER:</p> <p>MANUFACTURER PART #:</p> <p>VENDOR PART #:</p>	No Bid	
8	10.00	EA	<p>0008 - ONE-TON PAYLOAD CAPACITY LIGHT DUTY FLATBED TRAILER, 2,990 LBS. GVWR,</p>		

F7-3

Ref # 79014-Nan

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	10.00	EA	<p>6FT. W X 10FT. L LOAD DECK PLUS 48IN. L FULL WIDTH TWO-PIECE FOLDING LOAD RAMP COVERED WITH EXPANDED METAL, 2 IN. A-FRAME BALL COUPLER, 2,000 LB. TOP WIND BOLT-ON JACK, TWO 1/4 IN. SAFETY CHAINS, W/SAFETY LATCH HOOKS, 3 IN. CHANNEL TONGUE, 2 IN. X 3 IN. X 3/16 IN. ANGLE FRAME AND CROSSMEMBERS. 2 IN. PINE DECK. 15 IN HIGH RAILING PERIMETER FABRICATED OF 2 IN. X 2 IN. X 1/8 IN. ANGLES AND 2 3/8 IN. DIAMETER PIPE TOP, RAIL MULTI-LEAK SPRING SUSPENSION, 3,500 LB. CAPACITY EX LUBE AXLE, 15 X 5 WHITE SPOKE 5-BOLT WHEELS, TWO ST205/75R15 IN LOAD RANGE B TIRES, DOT STOP, TURN AND CLEARANCE LIGHTS, 4-WAY FLAT ELECTRICAL PLUG, ALL WIRING IN LOOM CONDUIT, FINISH PAINTED ACRYLIC ENAMEL RED OR BLACK.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE/ REGISTERED WITH LOUISIANA MOTOR VEHICLE COMMISSION***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART #: <i>FT-3</i></p> <p>VENDOR PART #:</p> <p>0009 - SEVEN-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 17,570 LBS.</p> <p>GVWR, 16FT L X 78IN. W LOAD DECK PLUS 36IN. FULL WIDTH BEAVERTAIL WITH TWO 54IN. L X 21IN. W ADJUSTABLE, SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 21IN. MAXIMUM DECK HEIGHT, 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D-RINGS PER SIDE, TWO 7,200 LB. DEXTOR TORQUE-FLEX AXLES WITH 12 1/4 IN. X 2 1/2 IN. ELECTRIC BRAKES INCLUDING BREAKAWAY SYSTEM, ADJUSTABLE ALIGNMENT</p> <p>TIRES ON 8 HOLE STEEL DISC WHEELS, 12,000 LB. BOLT-ON DROP LEG MANUAL CRANK JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK - 2 5/8 IN. I.D.) WITH DUAL 3/8 IN. SAFETY CHAINS, FLUSHED MOUNTED FMVSS #108 SEALED BEAM LIGHTS WITH SEALED MODULAR WIRING HARNESS, SEVEN-WAY ELECTRICAL PLUG COLOR-HIGHWAY SAFETY YELLOW.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART#: <i>FT-15 I</i></p>	<p><i>Black Paint</i></p> <p><i>\$3,446.00</i></p>	<p><i>\$34,464.00</i></p>
<i>FT-15 I</i> <i>Ref #</i>	<i>79015-Nuu</i>		<p>16+3</p> <p>83" ID X 102" OD</p> <p>23" Unloaded Deck Height</p>	<p><i>\$8,020.98</i></p>	<p><i>\$80,209.88</i></p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	10.00	EA	<p>VENDOR PART#:</p> <p>0010 - TWELVE-TON PAYLOAD CAPACITY TAG-A-LONG TRAILER, 29,900 LB. GVWR,</p> <p>19FT. L X 8FT. W LOAD DECK PLUS 5 FT. FULL WIDTH BEAVERTRAIL WITH TWO 72 IN X 22 1/2IN W ADJUSTABLE, SPRING-ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 34IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION, 2IN. NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE ROTATING D-RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 9700 MULTI-POINT SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 12,000 LB. AXLES WITH 12 1/4 IN. X 5 IN. ELECTRIC BREAK-AWAY SYSTEM, EIGHT 235/85R16 E STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE STEEL DISC WHEELS, 12,000 LB. CAPACITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF TRAILER, FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW COLOR.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART#: <i>FT-24-2 LP</i></p> <p>VENDOR PART#:</p> <p>RESOLUTION #126064, ADOPTED: 12/9/2015 DAPHNE NELSON, BUYER I/NMW</p>	<p>19+6</p> <p>102" 00</p> <p><i>\$149,098.30</i></p>	<p><i>\$149,098.30</i></p>
11	10.00	EA	<p>0011 - FIFTEEN-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 35,900 LB.</p> <p>GVWR, 19IN. L X 8FT. 6IN. W LOAD DECK PLUS 6FT. FULL WIDTH BEAVERTAIL WITH TWO 72IN. L X 22 1/2 W ADJUSTABLE, SPRING-ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 34IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION, 2IN. NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE ROTATING D-RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH H-9700 MULTI-POINT SPRING 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE</p>	<p>19+6</p> <p>102" 00</p> <p>140k Twin 2 speed landing gear</p>	

FT-24-2 LP

Ref# 79016 - Nuu

FT-30-2 LP

Ref# 79017 - Nuu

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	10.00	EA	<p>TRACKING, TANDEM 22,500 LB. AXLES WITH ANTI-LOCK AIR BRAKE SYSTEM, 4S2M SENSOR ALL WHEELS, TWO MODULAR VALVES, SPRING BRAKE ON EACH AXLE, EIGHT 215/75R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTTED STEEL DISC WHEELS, 40,000 LB. LIFT CAPACITY TWO-SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF TRAILER FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW COLOR.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART #: <i>FT-30-2LP</i></p> <p>VENDOR PART #:</p> <p>0012 - TWENTY-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 45,900 LB</p> <p>GVWR 19'L X 8'W 6" W LOAD DECK PLUS 6FT. FULL WIDTH BEAVERTAIL WITH TWO 72IN. L X 22 1/2 IN W ADJUSTABLE, SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES 34IN MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION, 2IN. NORMAL OAK DECK MATERIAL, FULL WIDTH 8" STEEL CHANNEL HEADBOARD, FIVE ROTATING D RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH H-9700 MULTI-POINT 55,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 15,000 LB. AXLES WITH 12 1/4" X 5" ELECTRIC BRAKES INCLUDING BREAK AWAY SYSTEM, EIGHT 215/75R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE HUB PILOTTED STEEL DISC WHEELS 40,000 LB. LIFT CAPACITY TWO-SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3" I.D.) WITH DUAL SAFETY CHAINS, DRAW BAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF TRAILER FLUSHED MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER:</p> <p>MANUFACTURER PART #:</p>	<p><i>\$19,751.87</i></p>	<p><i>\$197,518.70</i></p>
			<p><i>FT-45-2LP</i></p> <p><i>Ref# 7018-nu</i></p>	<p><i>19+6</i></p> <p><i>162" 00</i></p> <p><i>Air Brakes Per Addendum</i></p> <p><i>25K Axles</i></p> <p><i>140 K Twin 2 speed</i></p> <p><i>Landing gear</i></p> <p><i>235/75 R17.5 Tires</i></p>	
				<p><i>\$20,246.74</i></p>	<p><i>\$202,467.10</i></p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	10.00	EA	<p>VENDOR PART #:</p> <p>0013 - HEAVY DUTY 60 TON CAPACITY MECHANICAL FOLDING NECK LOWBOY TRAILER,</p> <p>120,000 LBS. LOAD CAPACITY CONCENTRATED IN ANY 10FT/IN LOAD AREA, MIN. 24FT. 0IN. LOAD DECK LENGTH WITH MAXIMUM 49FT. 0IN. OVERALL TRAILER LENGTH, 8 FT. 6 IN. OVERALL WIDTH (NOT INCLUDING SWING BRACKETS) MAXIMUM 24 IN. LOAD DECK HEIGHT AT RATED LOADED CAPACITY WITH MINIMUM 6 IN. GROUND CLEARANCE, MINIMUM 84 IN. SWING CLEARANCE, THREE (3) EA. 25,000 LB. CAPACITY EACH AXLE, 5 IN. ROUND WITH MINIMUM 5/8 IN. WALL THICKNESS, TAPERED SPINDLES, 77IN. TRACK FULL AIR RIDE SUSPENSION WITH 50 IN. AXLE SPREAD, AIR RAISING AND LOWERING VALVE, 16 1/2 IN. X 7 IN. AIR BRAKES (NO PARKING BRAKES), AUTOMATIC SLACK ADJUSTERS, 28 SPLINE, ABS 4S-2M, LOAD BEARING TYPE WHEEL WELLS COVERS OVER REAR TRI-AXLE INCLUDING CENTER AREA BETWEEN TIRES, 10 HOLE STUD (LONG), HUB PILOTTED, STEEL, CAST DRUMS, STEMCO OIL SEALS, STEEL DISC. WHEELS, 8.25 X 22.5 TWELVE (12) EA. 255/70R22.5 16PR LOW PROFILE RADIAL TIRES, MINIMUM SIX (6) EA. LASH RINGS PER SIDE, MINIMUM TWELVE (12) EA. OUTRIGGERS PER SIDE TO EXTEND LOAD BED WIDTH, EACH OUTRIGGER TO BE SWING-OUT AND REMOVABLE WITH POSITIVE LATCH IN STORED POSITION, GOOSENECK TO BE FULL WIDTH MECHANICAL FOLDING, RAISE AND LOWER VIA TRUCK WINCH, GOOSENECK TO BE FULL LOAD WIDTH, GOOSENECK LOCKING FULL AIR POWER WITH CONTROL SWITCH, FRONT END PIPE FRONT END WITH CABLE SLING AND APPROACH PLATE, SAE 2 IN. DROP IN KINGPIN AT 15 IN. TO 18 IN. SETTINGS, KINGPIN PLATE HEIGHT TO BE 50 IN. ABOVE LEVEL GROUND, MINIMUM 2 1/4 IN. THICK APITONG HARDWOOD FLOORING, MINIMUM 10 IN CHANNEL CROSSMEMBERS ON 24 IN. CENTERS, FOUR BEAM DESIGN 130,000 PSI YIELD FLANGES AND 80,000 LB. PSI YIELD WEB MAIN BEAMS, TRUCK LIGHT SEALED BEAM WITH MID TURN SIGNAL, 12 VOLT, 7-WAY ELECTRICAL PLUG AT FRONT OF TRAILER, 3M CONSPICUITY TAPE, DISCONTINUOUS ON EACH SIDE, OPERATOR AND MAINTENANCE MANUAL WITH ON-SITE DEMONSTRATION UPON DELIVER, SANDBLAST, EPOXY PRIMER, FINISH PAINTED FLEET WHITE POLYURETHANE PAINT TO A THICKNES TO 5 MILS, AIR, ELECTRICAL AND HYDRAULIC LINES TO BE INSTALLED AFTER PAINTING.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p>	No Bid	

DATE: 6/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 14

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	10.00	EA	<p>MANUFACTURER: MANUFACTURER PART # VENDOR PART #</p> <p>0014 - HEAVY DUTY HYDRA NECK 35 TON DETACHABLE GOOSENECK LOWBOY TRAILER</p> <p>CAPACITY - 70,000 LBS. TRAILER WEIGHT - 18,700 LBS. DECK WIDTH - 8 FT. 6 INCHES. DECK LENGTH 22 FT. OVERALL LENGTH 44 FT. 5 IN. HEIGHT 24 IN. (LOADED), 80,000 PSI MINIMUM YIELD STEEL MAINFRAME FOUR FABRICATED 16 IN DEEP CAMBERED I-BEAMS, CROSSMEMBERS 10 INCH PIERCED I-BEAMS SPACED AT 24 INCHES, GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT STANDARD STANDARD 50 IN, DECKING 2 IN. NOMINAL HARDWOOD, WIRING HARNESS, 7-WAY ATA PLUG FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE. HYDRAULICS - WETLINE HOOKUP FOR TRACTOR PTO OPERATIONS CONTROLS. CONTROL VALVE EYE LEVEL. 4 INCH RELIEF GOOSENECK. PAINT, PARISH WHITE WITH EAGER BEAVER DECALS, TIRES 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS - SIX DISC TYPE HUBS, TWELVE 8.25 X 22.5 DISC TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION - AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE TWO 5 IN. DIAMETER 25,000 LBS. EACH, TIE DOWNS, 7 EA. PER SIDE ROTO RINGS, BRAKES ABS SYSTEM W/SPRING BRAKES FOR PARKING CAST STEEL OUTRIGGERS, 14 HP KOHLER POWER PACK.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i> MANUFACTURER PART #: <i>XF-70-2 HDG</i> VENDOR PART #:</p>	<i>\$51,515.29</i>	<i>\$515,152.90</i>
15	10.00	EA	<p>0015 - HEAVY DUTY HYDRA NECK 50 TON DETACHABLE GOOSENECK LOWBOY TRAILER</p> <p>CAPACITY 100,000 LBS., TRAILER WEIGHT 20,500 LBS. DECK WIDTH 8 FT. 6 INCHES, DECK LENGTH 24 FT., OVERALL LENGTH 48 FT 6 IN. HEIGHT - 24 INCHES 80,000 PSI MINIMUM YIELD STEEL MAINFRAME, FOUR FABRICATED 16 INCH DEEP CAMBERED I-BEAMS CROSSMEMBERS - 10 INCH PIERCED I-BEAMS SPACED AT 24 INCHES, GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT - STANDARD 50 IN. DECKING: 2 IN. NOMINAL HARDWOOD, WIRING HARNESS</p>		

*XF-70-2 HDG**Ref # 79019-Nu u**XF-100-3 HDG**Ref # 79020-Nu u*

DATE: 6/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 15

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	10.00	EA	<p>7-WAY ATA PLUG, FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE, HYDRAULICS - WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS, CONTROLS - CONTROL VALVE EYE LEVEL, 4 INCH RELIEF GOOSENECK, AIR LIFT 3RD AXLE, PAINT - PARISH WHITE WITH EAGER BEAVER DECALS. TIRES 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS SIX DISC TYPE HUBS. TWELVED 8.25 X 22.5 DISC TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION - AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE THREE 5 IN. DIAMETER 25,000 LBS. EACH. TIE DOWNS - 7 EA. PER SIDE ROTO RINGS. BRAKES ABS SYSTEM W/SPRING BRAKES FOR PARKING, CAST STEEL OUTRIGGERS, 14 HP KOHLER POWER PACK.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART #: <i>XF-100-3 HDG</i></p> <p>VENDOR PART #:</p> <p>0016 - HEAVY DUTY HYDRA NECK 55 TON DETACHABLE GOOSENECK LOWBOY TRAILER</p> <p>CAPACITY - 110,000 LBS. TRAILER WEIGHT 22,650 LBS., DECK WIDTH 8 FT. 6 INCHES, DECK LENGTH 25 FT., OVERALL LENGTH 51 FT 2 IN. HEIGHT. HEIGHT 24 IN., 80,000 PSI MINIMUM YIELD STEEL MAINFRAME, FOUR FABRICATED 16 INCH DEEP CAMBERED I-BEAMS CROSSMEMBERS - 10 INCH PIERCED I-10 SPACED AT 24 INCHES, GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT - STANDARD 50 IN., DECKING 2 IN. NOMINAL HARDWOOD, WIRING HARNESS 7-WAY ATA PLUG, FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE, HYDRAULICS - WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS, CONTROLS - CONTROL VALVE EYE LEVEL, 4 INCH RELIEF GOOSENECK, AIR LIFT 3RD AXLE, PAINT - PARISH WHITE WITH EAGER BEAVER DECALS, TIRES 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS SIX DISC TYPE HUBS, TWELVE 8.25 X 22.5 DISCT TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE THREE 5 IN. DIAMETER 25,000 LBS. EACH, TIE DOWNS - 7 EACH PER SIDE ROTO RINGS, BRAKES - ABS SYSTEM W/SPRING BRAKES FOR PARKING CAST STEEL OUTRIGGERS, 4TH FLIP AXLE 14 HP KOHLER POWER PACK, LOAD BEARING WHEEL COVERS, ALUMINUM WHEELS (OUTSIDE)</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p>	<i>\$65,376.85</i>	<i>\$653,768.50</i>
<p><i>XF-110-3 HDG</i></p> <p><i>Ref # 79021-N/A</i></p> <p><i>* 16-A</i></p> <p><i>XF-110-3 HDG -20-1</i></p> <p><i>* Ref # 79022-N/A</i></p>					

DATE: 6/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 16

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
17	10.00	EA	<p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART #: <i>XF-110-3 HDG</i></p> <p>VENDOR PART #:</p> <p>0017 - HEAVY DUTY HYDRA NECK 60 TON DETACHABLE GOOSENECK LOWBOY TRAILER</p> <p>CAPACITY - 120,000 LBS., TRAILER WEIGHT 23,250 LBS., DECK WIDTH - 8 FT. 6 IN. DECK LENGTH 25 FT. OVERALL LENGTH 52 FT. HEIGHT 24 IN. 80,000 PSI MINIMUM YIELD STEEL MAINFRAME, FOUR CROSSMEMBERS - 10 INCH PIERCED I-BEAMS SPACED AT 24 INCHES GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT - STANDARD 50 IN. DECKING 2 IN. NOMINAL HARDWOOD, WIRING HARNESS, 7-WAY ATA PLUG FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE HYDRAULICS, WETLINE HOOK UP FOR TRACTOR PTO OPERATIONS, CONTROL - CONTROL VALVE EYE LEVEL. 4 INCH RELIEF GOOSENECK. AIR LIFT 3RD AXLE, PAINT - PARISH WHITE WITH EAGER BEAVER DECALS. TIRES - 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS SIX DISC TYPE HUBS, TWELVE 8.25 X 22.5 DISC TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION - AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE-THREE 5 IN. DIAMETER 25,000 LBS. EACH, TIE DOWNS - 7 EACH PER SIDE ROTO RINGS. BRAKES - ABS SYSTEM W/SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS, 4TH FLIP AXLE. 14 HP KOHLER POWER PACK, LOAD BEARING WHEEL COVERS, ALUMINUM WHEELS (OUTSIDE).</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: <i>Felling</i></p> <p>MANUFACTURER PART #: <i>XF-120-3 HDG</i></p> <p>VENDOR PART #:</p>	<p><i>\$73,055.38</i></p> <p><i>*16-A</i> <i>\$12,242.14</i></p>	<p><i>\$730,553.88</i></p> <p><i>\$122,421.40</i></p>
			<p><i>XF-120-3 HDG</i></p> <p><i>Ref# 79023-nau</i></p> <p><i>*17-A</i></p> <p><i>* XF-20-1 Fl.p</i></p> <p><i>Ref# 79024-nau</i></p>		
18	10.00	EA	<p>0018 - HEAVY DUTY DUMP TRAILER - FRAME TYPE TRI-AXLE 30 YARD TRAILER, LENGTH 30 FT. CROSS-SILL - 15 IN. SIDE THICKNESS 250 IN. SUSPENSION-INTRA-AXLE WHEEL TYPE, STEEL BUDD, TIRE SIZE 11R25.5 AND REAR APRON. ONE (1) ELECTRIC TARP RACK NOTE: ALUMINIUM TRAILER</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER:</p>	<p><i>\$79,455.74</i></p> <p><i>*17-A</i> <i>\$12,470.14</i></p> <p><i>No Bid</i></p>	<p><i>\$794,557.40</i></p> <p><i>\$124,701.40</i></p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116741

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
19	10.00	EA	<p>MANUFACTURER PART #:</p> <p>VENDOR PART #:</p> <p>0019 - DELIVERY FEE</p> <p><i>*TOTAL COST w/o TRAILER LICENSE</i></p> <p><i>TOTAL</i></p> <p><i>EMERY EQUIPMENT</i> <i>12181 AIRLINE, HWY</i> <i>BATON ROUGE, LA. 70817</i> <i>225-753-0541</i></p> <p><i>PLEASE NOTE:</i> <i>WITH REGARD TO "SERVICING OF TRAILERS" ON</i> <i>PAGE SP-1, IT IS STATED THAT SUCCESSFUL</i> <i>BIDDER MUST PICK UP AND/OR DELIVER TRAILERS</i> <i>FOR FACTORY MAINTENANCE AND/OR WARRANTY</i> <i>SERVICES WITHIN ONE (1) HOUR OF NOTIFICATION.</i> <i>EMERY EQUIPMENT CANNOT COMMIT TO THIS</i> <i>REQUIREMENT BUT WILL COMMIT TO RESPOND</i> <i>WITHIN THE NEXT BUSINESS DAY.</i></p> <p><i>Terrell H. Hough</i></p>	<p><i>\$300.00</i></p>	<p><i>\$42,000.00</i></p> <p><i>\$4,296,036.50</i></p>

Non-Public Works Bid**AFFIDAVIT**STATE OF LOUISIANAPARISH/COUNTY OF EAST BATON ROUGE

BEFORE ME, the undersigned authority, personally came and appeared: KENNETH W. HORNSBY, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized PRESIDENT of EMERY EQUIPMENT SALES & RENTALS, INC. (Entity), the party who submitted a bid in response to Bid Number 50-00116741, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____

Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X

there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]


That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

KENNETH W. HORNSBY
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 11th DAY OF July, 2016.


Notary Public

Janice Reese
Printed Name of Notary

9081
Notary/Bar Roll Number

My commission expires at death.

[Home](#) > [Notary & Certifications](#) > [Search for Louisiana Notaries](#)

Print

A practicing notary in a parish may notarize in reciprocal parishes without additional bonding or examination.

You can also download information about all notaries on file. For more information, see [Notary Bulk Data](#).

Notary Search - Detail

Annual Report Current: Yes

Notary Events

Name Change	Previous Name: JANICE BILLUPS	Previous Commission Date: 05/08/1987
--------------------	----------------------------------	---

Deceased, Inactivated, Leave of Absence, Pre-Assessment Registration, Pre-Assessment Taken, Resigned, Retirement, and Revoked events are not available prior to February 11, 2012.

[Back to Search Results](#) [New Search](#)

License No. RP-2014-00298
DPS Code: RBEA

2014-2016

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Emery Equipment Sales & Rentals, Inc.

12181 Airline Highway
Baton Rouge, LA 70817

James S. Emery, Dealer-Operator

is duly licensed as a

Recreational Product(s) Dealer

of the following

ATV(s): Bobcat

Utility Trailer(s): Belshe Trailers, Felling (Drop Deck, Drop Deck Tilt, Deck-Over
Deck-Over Tilt, Rigid Neck Semi, X-Force HDG, Perimeter Frame Hydraulic, Hydraulic Dump
CL - Compact Loader, Aluminum Construction, Specialty/Utility)



For the period ending May 31, 2016,


unless license is sooner revoked.


In Witness whereof, **LOUISIANA MOTOR VEHICLE COMMISSION**, under and by virtue of the
authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal
imprinted hereon.

Dated June 1, 2014

Signed, Sealed and Attested

LOUISIANA MOTOR VEHICLE COMMISSION


Executive Director


Chairman

(To be prominently displayed in place of business)

trent@emeryequipment.com

From: Michael Wilson <MPWilson@lmvc.la.gov>
Sent: Wednesday, June 29, 2016 10:58 AM
To: trent@emeryequipment.com
Subject: Emery Equipment Sales & Rentals, Inc. - Renewal

Good morning,

In regards to our telephone conversation, below is the Law regarding operating on your 2013/2015 license until the 2015/2017 license is issued.

Title 49 Chapter 13. 961 (B) provides: "When a licensee has made timely and sufficient application for the renewal of a license or a new license with reference to any activity of a continuing nature, the existing license shall not expire until the application has been finally determined by the agency, and, in case the application is denied or the terms of the new license limited, until the last day for seeking review of the agency order or a later date fixed by order of the reviewing court."

The renewal applications for the dealer licensee listed below has been received and are in line for processing. Until such time that the renewal licenses are issued, the dealer below may operate under their current numbers:

RP-2014-00298
Emery Equipment Sales & Rentals, Inc
12181 Airline Highway
Baton Rouge, LA 70817

If you have any questions please feel free to contact me.

For a copy of the LMVC Law, please go to www.lmvc.la.gov

Michael P. Wilson

Administrative Coordinator III
Louisiana Motor Vehicle Commission
3519 12th Street
Metairie, Louisiana 70002
(504) 838-5207
(504) 838-5416 FAX
MPWilson@LMVC.LA.GOV

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79010-NUU****Ship To:****Phone:****Bill To:****Customer Unit/Stock:**

Emery Equipment Sales & Rentals Inc

225-753-0541

Emery Equipment Sales & Rentals Inc 225-753-0541

12181 Airline Hwy

FAX:

12181 Airline Hwy

FAX:

Baton Rouge, LA 70817

225-756-8839

Baton Rouge, LA 70817

225-756-8839

PO#**Sales Person**

Nathan T Uphus

Internal Status

Not Started

Quote Date

06/22/2016

Appx Completion

8 Weeks

Wk of**Order Date****Order Status**

Quote

Product ID

FT-12 XP

Territory

FT

Serial No.**Notes:****Drawing No:****OVL Length: 25****Jefferson Parish Bid No. 50-00116741 - 0001 "Four Ton Payload Capacity"****Copy No: 1 of 10****Appx Wgt +/-:****3,000**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-12 XPress Drop Deck [E]	0.00	Each	1.00
Deck Length	Main Deck Length	0.00	Feet	16.00
Dovetail	Dovetail Length	0.00	Feet	3.00
Deck Type	White Oak 2" Nom	0.00	Feet	19.00
Ramps; Rear	5' x 16" Angle Iron Spring Assist	0.00	Pair	1.00
Appx Deck Height	19" Loaded, 22" Unloaded	0.00	Inches	1.00
Width	102" OD, 82" ID	0.00	Inches	1.00
Tie Downs	D-Rings, 5/8" Straight	0.00	Std	8.00
Brakes	Electric, Dexter FSA (Fwd Self Adj) On All Axles	0.00	Std	1.00
Axles	7K Dexter, Drop	0.00	Std	2.00
Axles, Acc	Dexter EZ-Lube Hubs	0.00	Std	1.00
Suspension	Dexter Spring, 36" Spread	0.00	Std	1.00
Tires & Wheels	ST235/80R 16 E, 8 Bolt [16 x 6] White Mod	0.00	Std	4.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.00
Hitch Type	2.5" Adjustable Lunette Eye/Pintle, [C] 42,000 lb Plate Mount	0.00	Opt	1.00
Jack	12K Drop Leg, Side Wind	0.00	Opt	1.00
Plug	7 Pole RV	0.00	Std	1.00
Lights	4 Tail Light System, LED, Sealed Wiring Harness	0.00	Std	1.00
Trailer Color	Black # 16847KXX	0.00	Std	1.00
Standard	3/8" Safety Chains, Grade 70	0.00	Std	1.00
Standard	Document Holder	0.00	Std	1.00
Standard	Tool Tray	0.00	Std	1.00
GVWR	Requested Rating - 10,730lbs.	0.00	Opt	1.00

**MSO's are not released until Payment Received****** FOB IF NO FREIGHT charged ******** FET Tax may apply on 26,000 lb GVWR and above *****Please sign and date your acceptance of this quote:*

**FELLING TRAILERS, INC.**1525 Main Street South, Sauk Centre, MN 56378
Phone: 800-245-2809; FAX: 320-352-5230

2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79011-NUU****Ship To:****Phone:****Bill To:****Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817

225-753-0541

FAX:

225-756-8839

Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	13 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-20-2 LP	Serial No.	

Notes:**Drawing No:****OVL Length: 30.3****Jefferson Parish Bid No. 50-00116741 - 0002 "Ten Ton Capacity"****Copy No: 1 of 10****Appx Wgt +/-: 5,770**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-20-2 LP Deck Over [F]	0.00	Each	1.00
Deck Length	Main Deck Length (Pierced Frame)	0.00	Feet	19.00
Beavertail	Self Cleaning 5" x 3" Angle Iron Beavertail	0.00	Feet	5.00
Deck Type	White Oak 2" Nom	0.00	Std	1.00
Ramps; Rear	5' x 20" Self Cleaning 5" X 3" Angle Iron Spring Assist	0.00	Pair	1.00
Appx Deck Height	33" Loaded, 35" Unloaded	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1" ** Straight **	2.00	Each	10.00
Brakes	Electric, Dexter FSA (Fwd Self Adj) On All Axles	0.00	Std	1.00
Axles	10K Dexter Oil Bath	0.00	Std	2.00
Suspension	9700 Hutch (49" Spread)	0.00	Opt	1.00
Tires & Wheels	ST235/80R 16 E, 8 Bolt [16 x 6] Budd	0.00	Std	8.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.30
Hitch Type	3" Adjustable Lunette Eye/Pintle, [C] 66,000 lb	0.00	Std	1.00
Jack	12K Drop Leg ** Side Wind **	0.00	Std	1.00
Plug	7 Pole RV	0.00	Std	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Black # 16847KXX	0.00	Std	1.00
Stripe Color	White	0.00	Std	1.00
Standard	2 Steps, 1 on the Standard Hitch and 1 in front of Axles on Roadside	0.00	Std	2.00
Standard	3/8" Safety Chains, Grade 70	0.00	Std	1.00
Standard	Document Holder	0.00	Std	1.00
Standard	Tool Box, with Lockable Cover	0.00	Std	1.00
Option	Other- 8" Tall Headboard	0.00	Opt	1.00
GVWR	Requested Rating - 25,900lbs.	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79012-NUU****Ship To:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817**Phone:**

225-753-0541

FAX:

225-756-8839

Bill To: Customer Unit/Stock:Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	12 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-45-2 LP	Serial No.	

Notes:**Drawing No:****OVL Length: 30.3****Jefferson Parish Bid No. 50-00116741 - 0003 "Twenty Ton Capacity"****Copy No: 1 of 10****Appx Wgt +/-: 8,900**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-45-2 LP Deck Over [F]	0.00	Each	1.00
Deck Length	Main Deck Length (Pierced Frame)	0.00	Feet	19.00
Frame Type	Engineered Fabricated Hi-Tensile Grade 80 Main Frame Beams with Grade 80 Jr-I Cross-Members	0.00	Std	1.00
Beavertail	Self Cleaning 5" x 3" Angle Iron Beavertail	0.00	Feet	5.00
Deck Type	White Oak 2" Nom	0.00	Std	1.00
Ramps; Rear	5' x 20" Self Cleaning 5" X 3" Angle Iron Spring Assist	0.00	Pair	1.00
Appx Deck Height	33" Loaded, 35" Unloaded	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1" ** Straight **	0.00	Each	12.00
Brakes	Air, ABS 2S/1M, Meritor WABCO	0.00	Std	1.00
Axles	25K Oil Bath	0.00	Std	2.00
Suspension	25,000 lb Heavy Duty 3 Leaf Springs	0.00	Std	1.00
Suspension	49" Spread (Spring), 9700 Hutch	0.00	Std	1.00
Tires & Wheels	235/75R 17.5 H, 8 Bolt [17.5 x 6.75] Hub Pilot (Hercules)	0.00	Each	8.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.30
Hitch Type	3" Adjustable Lunette Eye/Pintle, [C] 66,000 lb	0.00	Std	1.00
Jack	25K 2-Speed Drop Leg	0.00	Std	1.00
Plug	7 Pole Semi	0.00	Std	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Black # 16847KXX	0.00	Std	1.00
Stripe Color	White	0.00	Std	1.00
Standard	1/2" Safety Chains, Grade 70	0.00	Std	1.00
Standard	2 Steps, 1 on the Standard Hitch and 1 in front of Axles on Roadside	0.00	Std	2.00
Standard	Document Holder	0.00	Std	1.00
Standard	Tool Box with cover Standard	0.00	Std	1.00
Option	Other- 8" Tall Headboard	0.00	Opt	1.00
GVWR	Requested Rating - 48,000lbs.	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79013-NUU****Ship To:****Phone:****Bill To:****Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817

225-753-0541

Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:****FAX:**

225-756-8839

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	10 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-40-2 T	Serial No.	

Notes:**Drawing No:****OVL Length: 33****Jefferson Parish Bid No. 50-00116741 - 0004 "Twenty-Two Ton Capacity"****Copy No: 1 of 10****Appx Wgt +/-: 9,800**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-40-2 T Deck Over Tilt [F]	0.00	Each	1.00
Stationary Deck	Stationary Deck	0.00	Feet	4.00
Deck Length	Tilt Deck Length	0.00	Feet	24.00
Deck Type	White Oak, Full Length	0.00	Std	1.00
Appx Deck Height	36" Loaded	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, (12) Bent, 1" Standard w/ Stationary Deck	0.00	Each	12.00
Brakes	Air, ABS 2S/1M, Meritor WABCO	0.00	Std	1.00
Axles	25K Meritor Oil Bath	0.00	Std	2.00
Suspension	25,000 lb Heavy Duty 3 leaf springs, for Hutch 9700	0.00	Axle	2.00
Suspension	49" Spread (Spring), 9700 Hutch	0.00	Std	1.00
Tires & Wheels	235/75R 17.5 H, 8 Bolt [17.5 x 6.75] Hub Pilot (Hercules)	0.00	Each	8.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.00
Hitch Type	3" Adjustable Lunette Eye/Pintle, [C] 66,000 lb	0.00	Std	1.00
Jack	25K Drop Leg 2 Speed	0.00	Std	1.00
Plug	7 Pole Semi	0.00	Std	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Black # 16847KXX	0.00	Std	1.00
Stripe Color	White	0.00	Std	1.00
Standard	1/2" Safety Chains, Grade 70	0.00	Std	1.00
Standard	Document Holder	0.00	Std	1.00
Standard	Tool Box, with Lockable Cover with Stationary Deck Option	0.00	Each	1.00
Standard	Single Self Actuating Hydraulic Cushion Cylinder	0.00	Std	1.00
Standard	Air bag assist tilt (up only)	0.00	Std	1.00
Standard	Air Operated Lock Mechanism	0.00	Std	1.00
Option	Additional Cushion Cylinder	0.00	Opt	1.00
Option	Other- 8" Tall Headboard	0.00	Opt	1.00
GVWR	Requested Rating - 50,000lbs.	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79014-NUU****Ship To:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817**Phone:**

225-753-0541

FAX:

225-756-8839

Bill To:**Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	12 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-3	Serial No.	

Notes:**Drawing No:****OVL Length: 15.5****Jefferson Parish Bid No. 50-00116741 - 0008 "One Ton Payload Capacity"****Copy No: 1 of 10****Appx Wgt +/-: 1,100**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-3 Drop Deck [E]	0.00	Each	1.00
Frame Type	4" Channel Sides (No Lip)	0.00	Each	1.00
Frame Type	Custom - Tie Rail 15" Tall - Uprights Constructed of 2" x 2" x 1/8" Angles and Top Rail 2 3/8" Diameter Pipe	0.00	Opt	10.00
Deck Length	Main Deck Length	0.00	Feet	10.00
Deck Type	Pressure Treated Wood	0.00	Std	1.00
Ramps; Rear	48" Long Split Full Width with Spring Assist	0.00	Opt	1.00
Appx Deck Height	17" Loaded, 20" Unloaded	0.00	Opt	1.00
Width	96" OD, 74" ID	0.00	Inches	1.00
Tie Downs	(4) 1/2" D-Rings	0.00	Std	4.00
Tie Downs	2 Corner Ties	0.00	Std	2.00
Brakes	No Brakes	0.00	Std	1.00
Axles	3.5K Dexter, Drop	0.00	Std	1.00
Axles, Acc	Dexter EZ-Lube Hubs	0.00	Each	1.00
Suspension	Dexter Spring	0.00	Std	1.00
Tires & Wheels	ST205/75R 15 C, 5 Bolt [15 x 6] White Mod	0.00	Std	2.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	4.50
Hitch Type	2" Ball, Adjustable, [B] 7,000 lb Channel Mount	0.00	Std	1.00
Jack	7K Drop Leg ** Top Wind **	0.00	Std	1.00
Plug	4 Flat Plug	0.00	Std	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Black # 16847KXX	0.00	Std	1.00
Stripe Color	White	0.00	Std	1.00
Standard	3/8" Safety Chains, Grade 70	0.00	Std	1.00
GVWR	Requested Rating - 2,990lbs.	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79015-NUU****Ship To:****Phone:****Bill To:****Customer Unit/Stock:**

Emery Equipment Sales & Rentals Inc

225-753-0541

Emery Equipment Sales & Rentals Inc 225-753-0541

12181 Airline Hwy

FAX:

12181 Airline Hwy

FAX:

Baton Rouge, LA 70817

225-756-8839

Baton Rouge, LA 70817

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	11 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-15 I	Serial No.	

Notes:**Drawing No:****OVL Length: 25****Jefferson Parish Bid No. 50-00116741 - 0009 "Seven Ton Payload Capacity"****Copy No: 1 of 10****Appx Wgt +/-: 3,600**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-15 I Drop Deck [E]	0.00	Each	1.00
Frame Type	3" Angle Iron Lip Down	0.00	Opt	1.00
Deck Length	Main Deck Length	0.00	Feet	16.00
Dovetail	Dovetail Length	0.00	Feet	3.00
Deck Type	White Oak 2" Nom	0.00	Feet	1.00
Ramps; Rear	6' x 14.5" Angle Iron Spring Assist	0.00	Pair	1.00
Appx Deck Height	23" Loaded, 25" Unloaded	0.00	Inches	1.00
Width	102" OD, 83" ID	0.00	Inches	1.00
Tie Downs	D-Rings, 5/8"	0.00	Std	8.00
Brakes	Electric, Dexter FSA (Fwd Self Adj) On All Axles	0.00	Std	1.00
Axles	7.2K Oil Bath Drop	0.00	Std	2.00
Suspension	Rubber Torsion, Dexter TorFlex, 42" Spread	0.00	Std	1.00
Tires & Wheels	215/75R 17.5 H, 8 Bolt [17.5 x 6.75] Plate Wheel (Hercules)	0.00	Std	4.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.00
Hitch Type	2.5" Adjustable Lunette Eye/Pintle, [C] 42,000 lb Plate Mount, Range 18" to 25"	0.00	Std	1.00
Jack	12K Drop Leg ** Side Wind **	0.00	Opt	1.00
Plug	7 Pole RV	0.00	Std	1.00
Lights	LED, 4 tail light system, Sealed Wiring Harness	0.00	Std	1.00
Trailer Color	Yellow # 19283YXX	0.00	Opt	1.00
Stripe Color	Black	0.00	Opt	1.00
Standard	3/8" Safety Chains, Grade 70	0.00	Std	1.00
Standard	Document Holder	0.00	Std	1.00
GVWR	Requested Rating - 17,570lbs.	0.00	Opt	1.00

**MSO's are not released until Payment****Payment Received****** FOB IF NO FREIGHT charged ******** FET Tax may apply on 26,000 lb GVWR and above *****Please sign and date your acceptance of this quote:*

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79016-NUU****Ship To:****Phone:****Bill To:****Customer Unit/Stock:**

Emery Equipment Sales & Rentals Inc

225-753-0541

Emery Equipment Sales & Rentals Inc 225-753-0541

12181 Airline Hwy

FAX:

12181 Airline Hwy

FAX:

Baton Rouge, LA 70817

225-756-8839

Baton Rouge, LA 70817

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	12 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-24-2 LP	Serial No.	

Notes:**Drawing No:****OVL Length: 31.3****Jefferson Parish Bid No. 50-00116741 - 0010 "Twelve Ton Capacity"****Copy No: 1 of 10****Appx Wgt +/-: 6,500**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-24-2 LP Deck Over [F]	0.00	Each	1.00
Deck Length	Main Deck Length (Pierced Frame)	0.00	Feet	19.00
Beavertail	Self Cleaning 5" x 3" Angle Iron Beavertail	1.00	Feet	6.00
Deck Type	White Oak 2" Nom	0.00	Std	1.00
Ramps; Rear	6' x 20" Self Cleaning 5" X 3" Angle Iron, Spring Assist	0.00	Pair	1.00
Appx Deck Height	33" Loaded, 35" Unloaded	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1" ** Straight **	2.00	Each	10.00
Brakes	Electric, Dexter FSA (Fwd Self Adj) On All Axles	0.00	Std	1.00
Axles	12K Dexter Oil Bath	0.00	Std	2.00
Suspension	49" Spread (Spring), 9700 Hutch	0.00	Opt	1.00
Tires & Wheels	ST235/80R 16 E, 8 Bolt [16 x 6] Budd	0.00	Std	8.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.30
Hitch Type	3" Adjustable Lunette Eye/Pintle, [C] 66,000 lb	0.00	Std	1.00
Jack	12K Drop Leg ** Side Wind **	0.00	Std	1.00
Plug	7 Pole RV	0.00	Std	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Yellow # 19283YXX	0.00	Opt	1.00
Stripe Color	Black	0.00	Opt	1.00
Standard	1/2" Safety Chains, Grade 70	0.00	Std	1.00
Standard	2 Steps, 1 on the Standard Hitch and 1 in front of Axles on Roadside	0.00	Std	2.00
Standard	Document Holder	0.00	Std	1.00
Standard	Tool Box, with Lockable Cover	0.00	Std	1.00
Option	Other- 8" Tall Headboard	0.00	Opt	1.00
GVWR	Requested Rating - 29,900lbs.	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79017-NUU****Ship To:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817**Phone:**

225-753-0541

FAX:

225-756-8839

Bill To:**Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	12 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-30-2 LP	Serial No.	

Notes:**Drawing No:****OVL Length: 31.3****Jefferson Parish Bid No. 50-00116741 - 0011 "Fifteen Ton Capacity"****Copy No: 1 of 10 Appx Wgt +/-: 7,300**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-30-2 LP Deck Over [F]	0.00	Each	1.00
Deck Length	Main Deck Length (Pierced Frame)	0.00	Feet	19.00
Beavertail	Self Cleaning 5" x 3" Angle Iron Beavertail	1.00	Feet	6.00
Deck Type	White Oak 2" Nom	0.00	Std	1.00
Ramps; Rear	6' x 20" Self Cleaning 5" X 3" Angle Iron, Spring Assist	0.00	Pair	1.00
Appx Deck Height	33" Loaded, 35" Unloaded	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1" ** Straight **	2.00	Each	10.00
Brakes	Air, ABS 4S/2M, Meritor WABCO	0.00	Opt	1.00
Axles	25K Meritor Oil Bath	0.00	Opt	2.00
Suspension	25,000 lb Heavy Duty 3 leaf springs, for Hutch 9700	0.00	Axle	2.00
Suspension	49" Spread (Spring), 9700 Hutch	0.00	Std	1.00
Tires & Wheels	215/75R 17.5 H, 8 Bolt [17.5 x 6.75] Hub Pilot (Hercules)	0.00	Std	8.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.30
Hitch Type	3" Adjustable Lunette Eye/Pintle, [C] 66,000 lb	0.00	Std	1.00
Jack	140,000 lb Twin 2 Speed (39,000 lb Lift Capacity)	0.00	Pair	1.00
Plug	7 Pole RV	0.00	Std	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Yellow # 19283YXX	0.00	Opt	1.00
Stripe Color	Black	0.00	Opt	1.00
Standard	1/2" Safety Chains, Grade 70	0.00	Std	1.00
Standard	2 Steps, 1 on the Standard Hitch and 1 in front of Axles on Roadside	0.00	Std	2.00
Standard	Document Holder	0.00	Std	1.00
Standard	Tool Box, with Lockable Cover	0.00	Std	1.00
Option	Other- 8" Tall Headboard	0.00	Opt	1.00
GVWR	Requested Rating - 35,900lbs.	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79018-NUU****Ship To:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817**Phone:**

225-753-0541

FAX:

225-756-8839

Bill To:**Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	12 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	FT-45-2 LP	Serial No.	

Notes:**Drawing No:****OVL Length: 31.3****Jefferson Parish Bid No. 50-00116741 - 0012 "Twenty Ton Capacity"****Copy No: 1 of 10****Appx Wgt +/-: 9,200**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	FT-45-2 LP Deck Over [F]	0.00	Each	1.00
Deck Length	Main Deck Length (Pierced Frame)	0.00	Feet	19.00
Frame Type	Engineered Fabricated Hi-Tensile Grade 80 Main Frame Beams with Grade 80 Jr-I Cross-Members	0.00	Std	1.00
Beavertail	Self Cleaning 5" x 3" Angle Iron Beavertail	1.00	Feet	6.00
Deck Type	White Oak 2" Nom	0.00	Std	1.00
Ramps; Rear	6' x 20" Self Cleaning 5" X 3" Angle Iron, Spring Assist	0.00	Pair	1.00
Appx Deck Height	33" Loaded, 35" Unloaded	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1" ** Straight **	0.00	Each	12.00
Brakes	Air, ABS 2S/1M, Meritor WABCO	0.00	Std	1.00
Axles	25K Oil Bath	0.00	Std	2.00
Suspension	25,000 lb Heavy Duty 3 Leaf Springs	0.00	Std	1.00
Suspension	49" Spread (Spring), 9700 Hutch	0.00	Std	1.00
Tires & Wheels	235/75R 17.5 H, 8 Bolt [17.5 x 6.75] Hub Pilot (Hercules)	0.00	Each	8.00
Hitch Length	Center of Coupler to Headboard, Appx	0.00	Feet	5.30
Hitch Type	3" Adjustable Lunette Eye/Pintle, [C] 66,000 lb	0.00	Std	1.00
Jack	140,000 lb Twin 2 Speed (39,000 lb Lift Capacity)	0.00	Pair	1.00
Plug	7 Pole Semi	0.00	Std	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Yellow # 19283YXX	0.00	Opt	1.00
Stripe Color	Black	0.00	Opt	1.00
Standard	1/2" Safety Chains, Grade 70	0.00	Std	1.00
Standard	2 Steps, 1 on the Standard Hitch and 1 in front of Axles on Roadside	0.00	Std	2.00
Standard	Document Holder	0.00	Std	1.00
Standard	Tool Box with cover Standard	0.00	Std	1.00
Option	Other- 8" Tall Headboard	0.00	Opt	1.00
GVWR	Requested Rating - 48,000lbs.	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No:** 79019-NUU**Ship To:****Phone:****Bill To:****Customer Unit/Stock:**

Emery Equipment Sales & Rentals Inc

225-753-0541

Emery Equipment Sales & Rentals Inc 225-753-0541

12181 Airline Hwy

FAX:12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

Baton Rouge, LA 70817

225-756-8839

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	17 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	XF-70-2 HDG	Serial No.	

Notes:**Drawing No:****OVL Length:** 43.5**Jefferson Parish Bid No. 50-00116741 - 0014 "35 Ton Detachable"****Copy No:** 1 of 10 **Appx Wgt +/-:** 17,500

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	XF-70-2 HDG, Hydraulic Detachable Gooseneck [L]	0.00	Each	1.00
Load Capacity	70,000 lbs in 16 ft	0.00	Std	1.00
Gooseneck	13' Hydraulic Detachable Gooseneck 108" Swing Clearance	0.00	Feet	13.00
Gooseneck, Acc	5 Position Ride Height Cam Blocks	0.00	Std	1.00
Gooseneck, Acc	Hydraulically Operated Center Neck Support Arm	0.00	Std	1.00
Ramps, Front	26" Front Fold Over Ramps	0.00	Pair	1.00
Deck Length	Main Deck Length (Usable Deck Length +/-)	0.00	Feet	22.00
Main Deck	Removable Swing Out Outriggers, 5,000 lb rating	0.00	Std	1.00
Trunnion Length	45" Appx, 10" Half Bolster Trunnion Approach (No Wheel Covers)	0.00	Feet	1.00
Trunnion Length	49" Axle Spread, Trunnion Length in Feet	0.00	Feet	7.50
Deck Type	Outrigger Boards Hold Down Kit	0.00	Pair	1.00
Deck Type	White Oak Full 2" (Outer Bays Only)	0.00	Std	1.00
Deck Type	White Oak Full 2" (to fill center) with Outrigger Boards	0.00	Feet	22.00
Appx Deck Height	24" Loaded, 8" Ground Clearance	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1"	2.00	Each	14.00
Brakes	Air, ABS 4S/2M, Meritor WABCO	0.00	Opt	1.00
Axles	25K Meritor Oil Bath	0.00	Std	2.00
Suspension	Air Raise & Lower Valve Kit (Exposed valve)	0.00	Opt	1.00
Suspension	Ridewell 240 with Dump Valve & Pressure Gauge ** 25k per axle rating **	0.00	Std	1.00
Tires & Wheels	275/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot (Hercules)	0.00	Each	8.00
Hitch Type	Semi King Pin [S] with 16" Setback, 50" Height +/-	0.00	Std	1.00
Plug	7 Pole Semi Socket	0.00	Std	1.00
Lights	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces 2 center tail lights	0.00	Opt	1.00
Lights	LED Lights (Peterson), (1) per side Gooseneck, (3) lights per side Deck & Trunnion, (3) per side Tailboard, Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Custom Color - Parish White (Paint code must be provided by customer)	0.00	Opt	1.00
Stripe Color	Black	0.00	Opt	1.00
Standard	Document Holder	0.00	Std	1.00
Standard	Drop In Storage Tray in Main Deck (1 Standard)	0.00	Std	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

Standard	Plumbed for Wet Kit with Hyd Couplers, Pressure- 3/4" Pioneer, Male 6602-12-12 , Return- 3/4" Pioneer Female 6601-12-12 ** 3,000 PSI Required **	0.00	Std	1.00
Option	Self Contained 11-13 HP Hydraulic System W/Electric Start	0.00	Opt	1.00
Option	Self Contained Hydraulic Power, Hose Kit to Headboard (PTO) Couplers	0.00	Opt	1.00

**MSO's are not released until Payment Received****** FOB IF NO FREIGHT charged ******** FET Tax may apply on 26,000 lb GVWR and above ****

Please sign and date your acceptance of this quote:

--

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378
 Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Ship To:**

Emery Equipment Sales & Rentals Inc
 12181 Airline Hwy
 Baton Rouge, LA 70817

Phone:

225-753-0541

FAX:

225-756-8839

Customer Info**Reference No: 79020-NUU****Bill To:****Customer Unit/Stock:**

Emery Equipment Sales & Rentals Inc 225-753-0541
 12181 Airline Hwy
 Baton Rouge, LA 70817
FAX:
 225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	17 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	XF-100-3 HDG	Serial No.	

Notes:**Drawing No:****OVL Length: 49.5****Jefferson Parish Bid No. 50-00116741 - 0015 "50 Ton Detachable"****Copy No: 1 of 10 Appx Wgt +/-: 21,500**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	XF-100-3 HDG, Hydraulic Detachable Gooseneck [L]	0.00	Each	1.00
Load Capacity	100,000 lbs in 16 ft	0.00	Std	1.00
Gooseneck	13' Hydraulic Detachable Gooseneck 108" Swing Clearance	0.00	Feet	13.00
Gooseneck, Acc	5 Position Ride Height Cam Blocks	0.00	Std	1.00
Gooseneck, Acc	Hydraulically Operated Center Neck Support Arm	0.00	Std	1.00
Ramps, Front	26" Front Fold Over Ramps	0.00	Pair	1.00
Deck Length	Main Deck Length (Usable Deck Length +/-)	0.00	Feet	24.00
Main Deck	Removable Swing Out Outriggers, 5,000 lb rating	0.00	Std	1.00
Trunnion Length	45° Appx, 10" Half Bolster Trunnion Approach (No Wheel Covers)	0.00	Feet	1.00
Trunnion Length	49" Axle Spread, Trunnion Length in Feet	0.00	Feet	11.50
Deck Type	Outrigger Boards Hold Down Kit	0.00	Pair	1.00
Deck Type	White Oak Full 2" (Outer Bays Only)	0.00	Std	1.00
Deck Type	White Oak Full 2" (to fill center) with Outrigger Boards	0.00	Feet	24.00
Appx Deck Height	24" Loaded, 8" Ground Clearance	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1"	2.00	Each	16.00
Brakes	Air, ABS 4S/2M, Meritor WABCO	0.00	Opt	1.00
Axles	25K Meritor Oil Bath	0.00	Std	3.00
Suspension	Air Lift 3rd Axle	0.00	Opt	1.00
Suspension	Air Raise & Lower Valve Kit (Exposed valve)	0.00	Opt	1.00
Suspension	Ridewell 240 with Dump Valve & Pressure Gauge ** 25k per axle rating **	0.00	Std	1.00
Tires & Wheels	275/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot (Hercules)	0.00	Each	12.00
Hitch Type	Semi King Pin [S] with 16" Setback, 50" Height +/-	0.00	Std	1.00
Plug	7 Pole Semi Socket	0.00	Std	1.00
Lights	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces 2 center tail lights	0.00	Opt	1.00
Lights	LED Lights (Peterson), (1) per side Gooseneck, (3) lights per side Deck & Trunnion, (3) per side Tailboard, Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Custom Color - Parish White (Paint code must be provided by customer)	0.00	Opt	1.00
Stripe Color	Black	0.00	Opt	1.00
Standard	Document Holder	0.00	Std	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378
Phone: 800-245-2809; FAX: 320-352-5230



2600-A

Standard	Drop In Storage Tray in Main Deck (1 Standard)	0.00	Std	1.00
Standard	Plumbed for Wet Kit with Hyd Couplers, Pressure- 3/4" Pioneer, Male 6602-12-12 , Return- 3/4" Pioneer Female 6601-12-12 ** 3,000 PSI Required **	0.00	Std	1.00
Option	Self Contained 11-13 HP Hydraulic System W/Electric Start	0.00	Opt	1.00
Option	Self Contained Hydraulic Power, Hose Kit to Headboard (PTO) Couplers	0.00	Opt	1.00



MSO's are not released until Payment Received



**** FOB IF NO FREIGHT charged ****

**** FET Tax may apply on 26,000 lb GVWR and above ****

Please sign and date your acceptance of this quote:

--	--

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79021-NUU****Ship To:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817**Phone:**

225-753-0541

FAX:

225-756-8839

Bill To:**Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	18 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	XF-110-3 HDG	Serial No.	

Notes:**Drawing No:****OVL Length: 52****Jefferson Parish Bid No. 50-00116741 - 0016 "55 Ton Detachable"****Copy No: 1 of 10****Appx Wgt +/-: 23,500**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	XF-110-3 HDG, Hydraulic Detachable Gooseneck [L]	0.00	Each	1.00
Load Capacity	110,000 lbs in 16 ft	0.00	Std	1.00
Gooseneck	13' Hydraulic Detachable Gooseneck 108" Swing Clearance	0.00	Feet	13.00
Gooseneck, Acc	5 Position Ride Height Cam Blocks	0.00	Std	1.00
Gooseneck, Acc	Hydraulically Operated Center Neck Support Arm	0.00	Std	1.00
Ramps, Front	26" Front Fold Over Ramps	0.00	Pair	1.00
Deck Length	Main Deck Length (Usable Deck Length +/-)	1.00	Feet	25.00
Main Deck	Removable Swing Out Outriggers, 5,000 lb rating	0.00	Std	1.00
Trunnion Length	45° Appx, Full Height Trunnion Approach, bolt on (Use with Wheel Covers)	0.00	Feet	1.00
Trunnion Length	55" Axle Spread, Trunnion Length in Feet	0.00	Feet	13.00
Rear Deck & Trunnion	Flip Axle Ready, Plumbing and Brackets	0.00	Std	1.00
Rear Deck & Trunnion	Wheel Covers, Full Length One Piece (Bolt On), 20K Load Bearing	0.00	Axle	3.00
Deck Type	Outrigger Boards Hold Down Kit	0.00	Pair	1.00
Deck Type	White Oak Full 2" (Outer Bays Only)	0.00	Std	1.00
Deck Type	White Oak Full 2" (to fill center) with Outrigger Boards	0.00	Feet	25.00
Appx Deck Height	24" Loaded, 8" Ground Clearance	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1"	2.00	Each	16.00
Brakes	Air, ABS 4S/2M, Meritor WABCO	0.00	Opt	1.00
Axles	25K Meritor Oil Bath	0.00	Std	3.00
Suspension	Air Lift 3rd Axle	0.00	Opt	1.00
Suspension	Air Raise & Lower Valve Kit (Exposed valve)	0.00	Opt	1.00
Suspension	Ridewell 240 with Dump Valve & Pressure Gauge ** 25k per axle rating **	0.00	Std	1.00
Tires & Wheels	275/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot (Hercules)	0.00	Each	12.00
Tires & Wheels, Acc	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Accuride/ Alcoa, Polished (Alu minum Outers - Steel Inners)	0.00	Each	6.00
Hitch Type	Semi King Pin [S] with 16" Setback, 50" Height +/-	0.00	Std	1.00
Plug	7 Pole Semi Socket	0.00	Std	1.00
Lights	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces 2 center tail lights	0.00	Opt	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

Lights	LED Lights (Peterson), (1) per side Gooseneck, (3) lights per side Deck & Trunnion, (3) per side Tailboard, Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Custom Color - Parish White (Paint code must be provided by customer)	0.00	Opt	1.00
Stripe Color	Chrome	0.00	Opt	1.00
Standard	Document Holder	0.00	Std	1.00
Standard	Drop In Storage Tray in Main Deck (1 Standard)	0.00	Std	1.00
Standard	Plumbed for Wet Kit with Hyd Couplers, Pressure- 3/4" Pioneer, Male 6602-12-12, Return- 3/4" Pioneer Female 6601-12-12 ** 3,000 PSI Required **	0.00	Std	1.00
Option	Self Contained 11-13 HP Hydraulic System W/Electric Start	0.00	Opt	1.00
Option	Self Contained Hydraulic Power, Hose Kit to Headboard (PTO) Couplers	0.00	Opt	1.00



MSO's are not released until Payment Received



**** FOB IF NO FREIGHT charged ****

**** FET Tax may apply on 26,000 lb GVWR and above ****

Please sign and date your acceptance of this quote:

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

ATTENTION: Ken Hornsby**Customer Info****Reference No: 79022-NUU****Ship To:****Phone:****Bill To:****Customer Unit/Stock:**

Emery Equipment Sales & Rentals Inc

225-753-0541

Emery Equipment Sales & Rentals Inc 225-753-0541

12181 Airline Hwy

FAX:

12181 Airline Hwy

FAX:

Baton Rouge, LA 70817

225-756-8839

Baton Rouge, LA 70817

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	14 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	XF-Flip 20-1	Serial No.	

Notes:**Drawing No:****OVL Length: 4.6**

Jefferson Parish Bid No. 50-00116741 - 0016 "55 Ton Detachable" - 4th Flip Axle Copy No: 1 of 10 Appx Wgt +/-: 2,800

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	XF-Flip 20-1, Flip Axle [L]	0.00	Each	1.00
Load Capacity	20,000 lbs	0.00	Std	1.00
Overall Length	55" Spread Flip Axle Spacing, Overall Length in Feet	0.00	Feet	4.60
Rear Deck & Trunnion	Wheel Covers, Removable, Steel, Non-load Bearing	0.00	Axle	1.00
Width	102" OD	0.00	Inches	102.00
Tie Downs	(2) D-rings on Tailboard	0.00	Std	2.00
Brakes	Air, Non- ABS, No Parking Brakes	0.00	Std	1.00
Axles	25K Meritor Oil Bath	0.00	Std	1.00
Suspension	Ridewell 240 with Dump Valve and Pressure Gauge ** 25k per axle rating **	0.00	Std	1.00
Tires & Wheels	275/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot (Hercules)	0.00	Each	4.00
Tires & Wheels, Acc	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Accuride/ Alcoa, Polished (Aluminum Outers - Steel Inners)	0.00	Each	2.00
Plug	7 Pole Semi	0.00	Std	1.00
Lights	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces 2 center tail lights	0.00	Opt	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Custom Color - Parish White (Paint code must be provided by customer)	0.00	Opt	1.00
Stripe Color	Chrome	0.00	Opt	1.00
Standard	Trunnion Shims; (4) 1/2", (2) 1/4"	0.00	Std	1.00
Option	X-Force Acc for trailer Ref # - 79021-NUU XF-110-3 HDG	0.00	Std	1.00

**MSO's are not released until Payment Received****** FOB IF NO FREIGHT charged ******** FET Tax may apply on 26,000 lb GVWR and above ****

Please sign and date your acceptance of this quote:

**FELLING TRAILERS, INC.**1525 Main Street South, Sauk Centre, MN 56378
Phone: 800-245-2809; FAX: 320-352-5230

2600-A

ATTENTION: Ken Hornsby**Ship To:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817**Phone:**

225-753-0541

FAX:

225-756-8839

Customer Info**Reference No: 79023-NUU****Bill To: Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817
FAX:
225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	18 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	XF-120-3 HDG	Serial No.	

Notes:**Drawing No:****OVL Length: 52****Jefferson Parish Bid No. 50-00116741 - 0017 "60 Ton Detachable"****Copy No: 1 of 10 Appx Wgt +/-: 24,500**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	XF-120-3 HDG, Hydraulic Detachable Gooseneck [L]	0.00	Each	1.00
Load Capacity	120,000 lbs in 16 ft	0.00	Std	1.00
Gooseneck	13' Hydraulic Detachable Gooseneck 108" Swing Clearance	0.00	Feet	13.00
Gooseneck, Acc	5 Position Ride Height Cam Blocks	0.00	Std	1.00
Gooseneck, Acc	Hydraulically Operated Center Neck Support Arm	0.00	Std	1.00
Ramps, Front	26" Front Fold Over Ramps	0.00	Pair	1.00
Deck Length	Main Deck Length (Usable Deck Length +/-)	1.00	Feet	25.00
Main Deck	Removable Swing Out Outriggers, 5,000 lb rating	0.00	Std	1.00
Trunnion Length	45° Appx, Full Height Trunnion Approach, bolt on (Use with Wheel Covers)	0.00	Feet	1.00
Trunnion Length	55" Axle Spread, Trunnion Length in Feet	0.00	Feet	13.00
Rear Deck & Trunnion	Stinger/ Flip Axle Ready, Plumbing and Brackets	0.00	Std	1.00
Rear Deck & Trunnion	Stinger/Booster Reinforced Trunnion/ Main Frame (single axle only) or Flip Axle	0.00	Std	1.00
Rear Deck & Trunnion	Wheel Covers, Full Length One Piece (Bolt On), 20K Load Bearing	0.00	Axle	3.00
Deck Type	Outrigger Boards Hold Down Kit	0.00	Pair	1.00
Deck Type	White Oak Full 2" (Outer Bays Only)	0.00	Std	1.00
Deck Type	White Oak Full 2" (to fill center) with Outrigger Boards	0.00	Feet	25.00
Appx Deck Height	24" Loaded, 8" Ground Clearance	0.00	Inches	1.00
Width	102" OD	0.00	Inches	1.00
Tie Downs	D-Rings, 1"	2.00	Each	16.00
Brakes	Air, ABS 4S/2M, Meritor WABCO	0.00	Opt	1.00
Axles	25K Meritor Oil Bath	0.00	Std	3.00
Suspension	Air Lift 3rd Axle	0.00	Opt	1.00
Suspension	Air Raise & Lower Valve Kit (Exposed valve)	0.00	Opt	1.00
Suspension	Ridewell 240, 30,000 Lb Rating, with Dump Valve & Pressure Gauge	0.00	Axle	3.00
Tires & Wheels	275/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot (Hercules)	0.00	Std	12.00
Tires & Wheels, Acc	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Accuride/ Alcoa, Polished (Alu minum Outers / Steel Inners)	0.00	Each	6.00
Hitch Type	Semi King Pin [S] with 16" Setback, 50" Height +/-	0.00	Std	1.00
Plug	7 Pole Semi Socket	0.00	Std	1.00

**FELLING TRAILERS, INC.**

1525 Main Street South, Sauk Centre, MN 56378

Phone: 800-245-2809; FAX: 320-352-5230



2600-A

Lights	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces 2 center tail lights	0.00	Opt	1.00
Lights	LED Lights (Peterson), (1) per side Gooseneck, (3) lights per side Deck & Trunnion, (3) per side Tailboard, Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Custom Color - Parish White (Paint code must be provided by customer)	0.00	Opt	1.00
Stripe Color	Chrome	0.00	Opt	1.00
Standard	Document Holder	0.00	Std	1.00
Standard	Drop In Storage Tray in Main Deck (1 Standard)	0.00	Std	1.00
Standard	Plumbed for Wet Kit with Hyd Couplers, Pressure- 3/4" Pioneer, Male 6602-12-12, Return- 3/4" Pioneer Female 6601-12-12 ** 3,000 PSI Required **	0.00	Std	1.00
Option	Self Contained 11-13 HP Hydraulic System W/Electric Start	0.00	Opt	1.00
Option	Self Contained Hydraulic Power, Hose Kit to Headboard (PTO) Couplers	0.00	Opt	1.00

**MSO's are not released until Payment Received****** FOB IF NO FREIGHT charged ******** FET Tax may apply on 26,000 lb GVWR and above ****

Please sign and date your acceptance of this quote:

--

**FELLING TRAILERS, INC.**1525 Main Street South, Sauk Centre, MN 56378
Phone: 800-245-2809; FAX: 320-352-5230

2600-A

ATTENTION: Ken Hornsby**Ship To:**Emery Equipment Sales & Rentals Inc
12181 Airline Hwy
Baton Rouge, LA 70817**Phone:**

225-753-0541

FAX:

225-756-8839

Customer Info**Reference No: 79024-NUU****Bill To: Customer Unit/Stock:**Emery Equipment Sales & Rentals Inc 225-753-0541
12181 Airline Hwy
Baton Rouge, LA 70817**FAX:**

225-756-8839

PO#		Sales Person	Nathan T Uphus	Internal Status	Not Started
Quote Date	06/22/2016	Appx Completion	14 Weeks Wk of		
Order Date				Territory	FT
Order Status	Quote	Product ID	XF-Flip 20-1	Serial No.	

Notes:**Drawing No:****OVL Length: 4.6****Jefferson Parish Bid No. 50-00116741 - 0017 "60 Ton Detachable" - 4th Flip Axle Copy No: 1 of 10 Appx Wgt +/-: 2,800**

Item Type	Description	Add Qty	Unit	Total Qty
Base Model	XF-Flip 20-1, Flip Axle [L]	0.00	Each	1.00
Load Capacity	20,000 lbs	0.00	Std	1.00
Overall Length	55" Spread Flip Axle Spacing, Overall Length in Feet	0.00	Feet	4.60
Rear Deck & Trunnion	Wheel Covers, Removable, Steel, Non-load Bearing	0.00	Axle	1.00
Width	102" OD	0.00	Inches	102.00
Tie Downs	(2) D-rings on Tailboard	0.00	Std	2.00
Brakes	Air, Non- ABS, No Parking Brakes	0.00	Std	1.00
Axles	25K Meritor Oil Bath	0.00	Std	1.00
Suspension	Ridewell 240, 30,000 Lb Rating, with Dump Valve & Pressure Gauge	0.00	Axle	1.00
Tires & Wheels	275/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot (Hercules)	0.00	Each	4.00
Tires & Wheels, Acc	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Accuride/ Alcoa, Polished (Aluminum Outers - Steel Inners)	0.00	Each	2.00
Plug	7 Pole Semi	0.00	Std	1.00
Lights	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces 2 center tail lights	0.00	Opt	1.00
Lights	LED Lights (Peterson), Sealed Wiring Harness (Sealco)	0.00	Std	1.00
Trailer Color	Custom Color - Parish White (Paint code must be provided by customer)	0.00	Opt	1.00
Stripe Color	Chrome	0.00	Opt	1.00
Standard	Trunnion Shims; (4) 1/2", (2) 1/4"	0.00	Std	1.00
Option	X-Force Acc for trailer Ref # - 7902-NUU XF-120-3 HDG	0.00	Std	1.00

**MSO's are not released until Payment Received****** FOB IF NO FREIGHT charged ******** FET Tax may apply on 26,000 lb GVWR and above ****

Please sign and date your acceptance of this quote:

DATE: 6/01/2016

INVITATION TO BID
THIS IS NOT AN ORDER

BID NO.: 50-00116741

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

Page: 1

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 6/16/2016 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS
THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS


7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required;** Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required;** Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding reimbursement.. As such, the referenced attachment will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted within 10 days of bid opening. Failure to submit applicable certifications within 10 days of bid opening will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

FELLING TRAILERS

FULL LINE TRAILER GUIDE

When It Comes To Your Equipment Hauling Needs - It's All In The Details.




XF-110-3 HDG



FT-16 I



FT-12 IT-E



FT-50-3 LP (Low Profile)



The **FELLING** Style
Quality ~ Craftsmanship ~ Pride

Since 1974



FL-102


DROP DECK MODEL LINES



FT-10 L

L SERIES

- Angle Iron Frame & Jr. I-beam Crossmembers
- Load Capacities: 7,480 lbs. to 14,000 lbs.



FT-12 P

PAN SERIES

- Structural Channel Tongue, Fabricated Steel Pan Sides & Jr. I-beam Crossmembers
- Load Capacities: 7,480 lbs. to 14,000 lbs.



FT-16 E

E SERIES

- Structural Channel Frame & Jr. I-beams Crossmembers (*stacked frame design*)
- Load Capacities: 7,480 lbs. to 24,000 lbs.



FT-20 I (Option: Galvanized)

I SERIES

- Cold Formed I-beam Main Frame & Jr. I-beam Crossmembers (*single frame design*)
- Load Capacities: 7,480 lbs. to 21,800 lbs.

DROP DECK *TILT* LINES

PAN TILT SERIES (SINGLE OR TANDEM AXLE)

- Structural Channel Tongue, Fabricated Steel Pan Sides, Jr. I-beam/Channel Crossmembers
- Load Capacities: 1,800 lbs. to 16,000 lbs.
- Approximate Load Angle: 7° to 13°

IT-I TILT SERIES

- Cold Formed I-beam Main Frame & Jr. I-beam Crossmembers (*single frame design*)
- Load Capacities: 7,380 lbs. to 16,000 lbs.
- Approximate Load Angle: 13° to 16°

IT-E TILT SERIES


- Structural Channel Frame & Jr. I-beams Crossmembers (*stacked frame design*)
- Load Capacities: 7,380 lbs. to 16,000 lbs.
- Approximate Load Angle: 13° to 16°



FT-6 T (Option: Galvanized)



FT-12 T



FT-14 IT-I




FT-16 IT-E

Some models may be shown with optional equipment


DECK-OVER MODEL LINES

MEDIUM & HEAVY DECK-OVER SERIES

- FT-10-2: 8" Structural Channel
- FT-12-2 & FT-16-2: 10" Structural Channel
- FT-18-2 to FT-60-4: 10" H-Beam
- Crossmembers:
4" Stacked Jr. I-Beam, 18" - 22" on Center
- Load Capacities: 6,180 lbs. to 50,000 lbs.



FT-20-2 LP GN (Option: Gooseneck)



FT-40-2



FT-50-3 LP (Option: Air Lift Axle & Aluminum Wheels)



FT-60-4 (Option: 11' Bi-Fold Hydraulic Ramps & Air Lift Axle)

LOW PROFILE DECK-OVER SERIES

- FT-20-2 LP to FT-50-3 LP:
14" Cambered Fabricated Beam
- FT-60-3 LP & FT-60-4 LP:
17" Cambered Fabricated Beam
- Crossmembers:
4" Pierced Jr. I-Beam 16"
- Load Capacities: 20,000 lbs. to 60,000 lbs.
- Lower Loaded Deck Height



DECK-OVER TILT LINES

DECK-OVER TILT SERIES

- FT-14-2 T - 8" Structural Channel
- FT-16-2 T to FT-20-2 T - 10" Structural Channel
- FT-24-2 T to FT-40-2 T - 10" H-beam & 12" Channel
- FT-50-3 T - 14" H-beam & 12" Channel
- Crossmembers - 4" Jr. I-beam, 20" to 18" on Center
- Load Capacities: 14,000 lbs. to 50,000 lbs.
- Approximate Load Angle: 12° (based on 24' deck length)

FT-14-2 T



FT-50-3 T



DECK-OVER AIR TILT SERIES

- 14" Cambered Fabricated Beam, 7" Channel Side Rails
- Crossmembers - 4" Pierced Jr. I-beam, 16" on Center
- Load Capacities: 20,000 lbs. to 50,000 lbs.
- Loaded Deck Heights: 33"
- Approximate Load Angle:
7° (with optional ramps)

FT-50-3 TA



Some models may be shown with optional equipment.

RIGID NECK SEMI



20° Neck



30° Neck




45° Neck



90° Neck

MX-L (Low) & MX-H (High) SERIES


- Engineered, Cambered, Fabricated Main Beams, 8" Structural Channel Side Rails, Tread Plate Covered Wheels
- Crossmembers: 6" Jr. I-beam, on 16" Center
- Self-Cleaning 5' Angle Iron Beavertail & 5' Ramps
- Load Capacities:
 - 50,000 lbs. Distributed, 37,000 lbs in 16'
 - 70,000 lbs. Distributed, 45,000 lbs in 10', 41,500 in 4'
 - 80,000 lbs. Distributed, 52,000 lbs. in 10', 50,000 in 4'
 - 100,000 lbs. Distributed, 65,000 lbs. in 10', 59,500 in 4'



FT-70-2 MX-H

OTR-L (Low) & OTR-H (High) SINGLE DROP SERIES

- Engineered, Cambered, Fabricated Main Beams, 6" Structural Channel Side Rails, Tread Plate Covered Wheels
- Crossmembers: 4" Jr. I-beam, on 12" Center
- Load Capacities:
 - 70,000 lbs. Distributed, 45,000 lbs in 10', 41,500 in 4'
 - 80,000 lbs. Distributed, 52,000 lbs. in 10', 50,000 in 4'
 - 100,000 lbs. Distributed, 65,000 lbs. in 10', 59,500 in 4'
- Rub Rail & Stake Pockets with Double Pipe Spools



FT-70-2 OTR-L

NN LX (Low) & HX (High) SERIES

- Engineered, Cambered, Fabricated Main Beams, 10" Structural Channel Side Rails
- Crossmembers: 6" I-beam, on 16" Center, Open Wheel Wells
- Beavertail: 3' Self-Cleaning Angle Iron
- Ramps: 24" x 72" Stand-up Self Cleaning w/ Spring Assist
- Load Capacities: 70,000 lbs. Distributed, 52,500 lbs in 16'
 - 80,000 lbs. Distributed, 60,000 in 16'
 - 100,000 lbs. Distributed, 75,000 in 16'



FT-70-2 NN-LX
(Options: Motor Grader Ramps)

HX (FLAT DECK) SERIES

- Engineered, Cambered, Fabricated Main Beams, 6" Structural Channel Side Rails
- Crossmembers: 4" Jr. I-beam, on 12" Center



- Load Capacities:
 - 70,000 lbs. Distributed, 45,000 lbs in 10', 41,500 in 4'
 - 80,000 lbs. Distributed, 52,000 lbs. in 10', 50,000 in 4'
 - 100,000 lbs. Distributed, 65,000 lbs. in 10', 59,500 in 4'
- Rub Rail & Stake Pockets with Double Pipe Spools



FT-80-3 HX

Some models may be shown with optional equipment.

X-FORCE HDG



X-FORCE HDG

(HYDRAULIC DETACHABLE GOOSENECK)

- Engineered, Cambered, Fabricated 16" Main Frame & Side Rails, T-1 Flanges
- Crossmembers: 10" I-beam, on 24" Centers
- Load Capacities: 70,000 lbs. to 120,000 lbs. in 16'
- Loaded Deck Heights: 24", 8" Clearance




XF-70-2 HDG

X-FORCE HDG LOW (L)


(HYDRAULIC DETACHABLE GOOSENECK)

- Engineered, Cambered, Fabricated 13" Main Frame & Side Rails, T-1 Flanges
- Crossmembers: 8" I-beam, on 24" Center



XF-100-3 HDG with AG Package

- Load Capacities: 70,000 lbs. to 120,000 lbs. in 16'
- Loaded Deck Heights: 19.5", 6" Clearance



XF-110-3 HDG-L with XF-Stinger 20

HDG Accessories Available: XF-Flip 20-1, XF-Stinger 20, XF-Stinger 40, XF-Jeep 60-1 & XF-Jeep 80-2

PERIMETER FRAME *HYDRAULIC TAIL*

PL-HT (Low) / *PH-HT (*HIGH)

- Engineered, Cambered, Fabricated Main Frame Beam
- Crossmembers: 8" Jr. I-beam, 12" Center
- Load Capacities: 70,000 lbs. to 100,000 lbs.
- Loaded Deck Heights: 35" (*41")



FT-80-2 PL-HT (Low)

(Options: Double Drop Deck, Upper Hydraulic Ramp, Over-Width Lights, Grouser Bars, Center Chain Slots & Winch)


TSA *TILT SLIDE AXLE*

- Engineered, Cambered, Fabricated 1/4" x 14" Main Frame Beam
- Crossmembers: Pierced 4" Jr. I-beam, 9" Center
- Load Capacities: 70,000 lbs. to 100,000 lbs.
- Loaded Deck Heights: 39.5"
- Hyd. Power Up / Down & Slide Axle System
- Hyd. Tilt Main Deck - Up To 15° tilting angle
- (6) 5" Rollers, (2) V-rollers and Pad Hydraulic Sliding Axle System



FT-80-3 TSA

(Options: 20,000 lb. Hydraulic Winch, 120" Deck Width, Wireless Remote For Winch, 255R22.5 Tires & White Paint)



HYDRAULIC DUMP MODEL LINES



FT-6 DT (Option: Galvanized)



FT-14 DT HD



FT-16-2 DT (Option: 2-5/16" Gooseneck Coupler)

DT SERIES

- 20" High Sides w/ Stake Pockets & D-rings
- Single Hydraulic Cylinder
- Load Capacities: 4,500 lbs. to 7,000 lbs.

DT-HD (HEAVY DUTY) SERIES

- 20" High Sides w/ Stake Pockets & D-rings
- Heavy Duty Scissor Hoist
- 5' 5" Slide-out Ramps w/ Storage Under Deck
- Load Capacities: 12,000 lbs. to 16,000 lbs.



DT-DO (DECK-OVER) SERIES

- 20" High Sides w/ Stake Pockets & D-rings
- Contractors Body or Construction Body
- Heavy Duty Scissor Hoist
- Built to Customer's Specifications
- Load Capacities: 12,000 lbs. to 30,000 lbs.

CL COMPACT LOADER

- 14" Solid Pan Sides
- Load Capacities: 5,100 lbs. to 12,000 lbs.
- Trencher Holder, Fork Attachment Holder, Auger Mount, Leveler Attachment Mount

FT-6 CL



FT-10 CL

UTILITY CABLE/ REEL & PIPE COIL

UTILITY CABLE/REEL SERIES


- Load Capacities: 1,890 lbs. to 14,000 lbs.
- Reel Capacity: Up to 120"
- Electric/Hydraulic Power Up & Down with Lockable Enclosure
- Built to Customer's Specifications



FT-8 R
(Option: Galvanized)

PIPE COIL SERIES

- Load Capacities: 2,000 lbs. & 6,000 lbs.
- Built to Customer's Specifications



FT-3 C Coil
(Option: Galvanized)


Some models may be shown with optional equipment.

SPECIALTY/UTILITY MODEL LINES

UTILITY POLE

UTILITY POLE SERIES

- Load Capacities: 4,200 lbs. to 24,000 lbs.
- 22' to 33' Telescoping Pole
- (2) Ratchet w/ Straps and Ratchet Bar
- (2) Rear Bolsters w/ (4) Sliding Stanchions
- Built to Customer's Specifications



FT-15 PT
(Option: Pole Cradle)

UTILITY POLE/CARGO SERIES

- Load Capacities: 12,000 lbs. to 16,000 lbs.
- 10' Deck Length with Tread Plate Fenders
- 22' to 33' Telescoping Pole
- (2) Ratchet w/ Straps and Ratchet Bar
- (2) Rear Bolsters w/ (4) Sliding Stanchions
- Built to Customer's Specifications



FT-14 PT-C
(Option: Pole Cradle & Mack Red Paint)

GENERATOR COMPRESSOR

GENERATOR/COMPRESSOR SERIES

- Load Capacities: 3,500 lbs. to 60,000 lbs.
- Built to Customer's Specifications



FT-14 GEN
(Option: Fuel Tank)



FT-7 GEN
(Option: Toolbox)



FT-24 TS Telescoping Sides

SPRAYER / CHOPPER

SPRAYER/CHOPPER SERIES


- Load Capacities: 16,000 lbs. to 40,000 lbs.
- Wide Track
- Telescoping Sides
- Narrow Track
- Built to Customer's Specifications



TENDER / FRAME

TENDER/FRAME SERIES

- TAG Model Load Capacities: 14,000 lbs. to 45,000 lbs.
- Rigid Neck Model Load Capacities: 50,000 lbs. to 100,000 lbs.
- Built to Customer's Specifications




FT-75 TT
(Option: 90° H-Frame Gooseneck with Oak Upper Deck & Deck Over Wheels)

Some models may be shown with optional equipment.

The **FELLING** Style Quality - Craftsmanship - Pride

FELLING Trailers, Inc. has grown from a small shop in 1974 to a factory and office complex that today covers over 200,000 square feet. **FELLING** Trailers currently manufactures over 3,000 trailers a year and its standard trailer line includes over 220 models. **FELLING** Trailers' current capabilities allows them to provide a high quality product that is distributed across North America and internationally. Even though the company has grown, we hold a strong commitment to quality craftsmanship and customer satisfaction. We put our reputation on the line with every **FELLING** Trailer that is manufactured and we stand behind each trailer with our 5-year structural warranty and a 3-year paint warranty. That's our style and that's why so many people throughout North America and internationally have made the **FELLING** Style their own.



To learn more about us, have us mail you a specific full color brochure, or locate our nearest Felling Dealer, go to www.felling.com or give us a call at 1-800-245-2809

Join Us Online



Your **FELLING** TRAILERS Dealer:

FELLING TRAILERS

Manufactured & Distributed by: **Felling Trailers, Inc.**
1525 Main St. S. • Sauk Centre, MN 56378
(320) 352-5239 • (320) 352-5230 FAX

Visit us online at www.felling.com

E-mail us at: trailers@felling.com

Call 1-800-245-2809 for your nearest dealer.

Tom Schedler
Secretary of State

**State of
Louisiana
Secretary of
State**



COMMERCIAL DIVISION
225.925.4704

Fax Numbers
225.932.5317 (Admin. Services)
225.932.5314 (Corporations)
225.932.5318 (UCC)

Name	Type	City	Status
EMERY EQUIPMENT SALES & RENTALS, INC.	Business Corporation	BATON ROUGE	Active

Previous Names

EMERY EQUIPMENT COMPANY, INC. (Changed: 4/14/1980)

Business: EMERY EQUIPMENT SALES & RENTALS, INC.

Charter Number: 27413010D

Registration Date: 6/3/1966

Domicile Address

12181 AIRLINE HWY.
BATON ROUGE, LA 70817

Mailing Address

12181 AIRLINE HWY.
BATON ROUGE, LA 70817

Principal Office Address

12181 AIRLINE HWY.
BATON ROUGE, LA 70817

Status

Status: **Active**

Annual Report Status: **In Good Standing**

File Date: 6/3/1966

Last Report Filed: 5/13/2016

Type: Business Corporation

Registered Agent(s)

Agent:	LARRY M. ROEDEL
Address 1:	ROEDEL, PARSONS, KOCH, ET AL
Address 2:	8440 JEFFERSON HWY., SUITE 301
City, State, Zip:	BATON ROUGE, LA 708097652
Appointment Date:	5/17/1999

Officer(s)

Additional Officers: No

Officer:	JAMES S. EMERY
-----------------	----------------

Title:	Director, Officer, Secretary
Address 1:	18323 S. MISSION HILLS
City, State, Zip:	BATON ROUGE, LA 708107939
Officer:	KENNETH W. HORNSBY
Title:	President
Address 1:	1284 MEADOW LEA DRIVE
City, State, Zip:	BATON ROUGE, LA 70808

Amendments on File (3)

Description	Date
Name Change	4/14/1980
Domicile, Agent Change or Resign of Agent	6/14/1996
Amendment	1/20/2016

[Print](#)

**Request for Taxpayer
Identification Number and Certification**

Give Form to the
requester. Do not
send to the IRS.

Name (as shown on your income tax return)
EMERY EQUIPMENT SALES & RENTALS, INC.

Business name/disregarded entity name, if different from above

Check appropriate box for federal tax classification (required): ☐ Individual/sole proprietor ☒ C Corporation ☐ S Corporation ☐ Partnership ☐ Trust/estate

☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ ☐ Exempt payee

☐ Other (see instructions) ▶

Address (number, street, and apt. or suite no.)
12181 AIRLINE HWY

City, state, and ZIP code
BATON ROUGE, LA 70817

List account number(s) here (optional)

Requester's name and address (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on the "Name" line to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number								
				-				

Employer identification number								
7	2		0	6	3	2	0	4

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 4.

Sign Here Signature of U.S. person ▶ *Thomas W. Hamby* Date ▶ **7-26-11**

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.