

# Sentricon<sup>®</sup> IG

## TERMITICIDE ROD

### ACTIVE CONSTITUENT:

5 g/kg hexaflumuron

**GROUP 15 INSECTICIDE**

For the protection of structures from subterranean termite damage.

**Pack Sizes:** 28 x 150g

### READ THIS OUTER CARTON FOR DIRECTIONS OF USE

#### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre.  
Phone: *Australia* 13 11 26. *New Zealand* 0800 764 766.

**EMERGENCY RESPONSE  
(ALL HOURS)**  
RING FROM ANYWHERE IN  
AUSTRALIA  
**1800 370 754**  
(LOCAL CALL FEE ONLY)

IN A TRANSPORT  
EMERGENCY ONLY  
**DIAL 000**  
FOR POLICE OR  
FIRE BRIGADE

### SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for **SENTRICON<sup>®</sup> IG TERMITICIDE ROD** which is available from Corteva Agriscience on request. Call Customer Service Toll Free on 1-800 700 096 or visit [www.sentricon.com.au](http://www.sentricon.com.au)



<sup>™</sup> <sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

Visit us at [Corteva.com.au](http://Corteva.com.au)

Sentricon® IG Termiticide Rod is an insect growth regulator for the control of subterranean termites. To effectively use this product the user needs to have a thorough understanding of subterranean termite biology and behaviour with a particular emphasis on conditions conducive to termite activity.

### DIRECTIONS FOR USE

DO NOT remove protective wrapper from the rod until ready for use.

Situation	Pest	Critical Comments
For use in Sentricon® in-ground stations that are installed in areas conducive to termite foraging. (Except Tasmania)	Subterranean termites	<b>Pre- and Post-Construction (i.e. for new and existing structures):</b> Place a Sentricon® IG Termiticide rod in every in-ground station at the time of installation. Replace Sentricon® IG Termiticide rods when more than half has been consumed. For more details refer to the GENERAL DIRECTIONS.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### GENERAL DIRECTIONS

Sentricon® IG Termiticide Rods must remain in place at all times. Monitor in-ground stations regularly as determined by termite species and site conditions. **Before use it is essential to read the current Sentricon™ Technical Manual** available from a Corteva Agriscience Customer Service Representative at 1800 700 096 or at our website [www.sentricon.com.au](http://www.sentricon.com.au)

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

This product is very highly toxic to aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

### STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area, out of direct sunlight. Used Sentricon® IG Termiticide Rods may be disposed of at a waste management facility. Do not burn empty containers or product.

### SPILLS

Sweep up material and contain in refuse vessel for disposal. Prevent entry of spilled material into drains or waterways. Bury swept up material at a local authority landfill that does not burn its refuse. In some States, wastes can only be buried at a licensed landfill.

APVMA Approval No: 80120/103514

**Corteva Agriscience Australia Limited** A.B.N. 24 003 771 659  
67 Albert Avenue, Chatswood, NSW 2067  
[www.sentricon.com.au](http://www.sentricon.com.au)

**CUSTOMER SERVICE TOLL FREE**

**1-800 700 096**

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.

Barcode for stock identification
--

**Product name:** Sentricon® IG Termiticide Rod**Issue Date:** 14.09.2021

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

---

**SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY**

---

**Product name:** Sentricon® IG Termiticide Rod**Recommended use of the chemical and restrictions on use****Identified uses:** End use termiticide product**COMPANY IDENTIFICATION**

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD  
LEVEL 9, 67 ALBERT AVENUE  
CHATSWOOD NSW 2067  
AUSTRALIA

**Customer Information Number:**

1800-700-096

aucustomerservice@corteva.com

**EMERGENCY TELEPHONE NUMBER****24-Hour Emergency Contact:** +61 2 9474 7350**Local Emergency Contact:** 1800-370-754**For advice, contact a doctor (at once) or the Australian Poisons Information Centre:** 131 126**Transport Emergency Only Dial** 000

---

**SECTION 2: HAZARD(S) IDENTIFICATION**

---

**GHS Classification**

Acute aquatic toxicity - Category 1

Chronic aquatic toxicity - Category 1

**GHS label elements****Hazard pictograms**Signal word: **WARNING!**

**Hazard statements**

Very toxic to aquatic life with long lasting effects.

**Precautionary statements****Prevention**

Avoid release to the environment.

**Response**

Collect spillage.

**Disposal**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

No data available

---

**SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS, IN ACCORDANCE WITH SCHEDULE 8**

Component	CASRN	Concentration
Hexaflumuron	86479-06-3	0.5%
Cellulose	9004-34-6	> 60.0 - < 70.0 %
Octadecanoic acid, calcium salt	1592-23-0	< 5.0 %
Balance	N/A	≤ 29.9 %

---

**SECTION 4: FIRST AID MEASURES****Description of first aid measures**

**General advice:** If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Eye contact:** Flush eyes with plenty of water; remove contact lenses after the first 1-2 minutes then continue flushing for several minutes. Only mechanical effects expected. If effects occur, consult a physician, preferably an ophthalmologist. Get medical attention immediately.

**Ingestion:** No emergency medical treatment necessary.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

**Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

## SECTION 5: FIREFIGHTING MEASURES

---

**Hazchem code:** 2Z

**Suitable extinguishing media:** This material does not burn. If exposed to fire from another source, use suitable extinguishing agent for that fire.

**Unsuitable extinguishing media:** No data available

**Special hazards arising from the substance or mixture**

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** None known.

**Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. This material does not burn. Fight fire for other material that is burning.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**Personal precautions, protective equipment and emergency procedures:** Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to Section 8: Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12: Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Corteva Agriscience for clean-up assistance. See Section 13: Disposal Considerations, for additional information.

## 7. HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

**Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing dust or mist. Wash thoroughly after handling. Use with adequate ventilation. See Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Conditions for safe storage:** Store in a dry place. Store in original container. Do not store near food, foodstuffs, drugs or potable water supplies.

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Hexaflumuron	Dow IHG	TWA	0.05 mg/m3
Cellulose	ACGIH	TWA	10 mg/m3
	AU OEL	TWA	10 mg/m3
Octadecanoic acid, calcium salt	ACGIH	TWA	10 mg/m3
	AU OEL	TWA	10 mg/m3

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

### Individual protection measures

**Eye/face protection:** Use safety glasses (with side shields). If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

#### Skin protection

**Hand protection:** Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Use chemical resistant gloves classified under standard AS/NZS 2161.10: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). When prolonged or frequently repeated contact may occur, a glove is recommended to prevent contact with the solid material.

NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Wear clean, body-covering clothing.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no

respiratory protection should be needed; however, in dusty atmospheres, use an approved particulate respirator.

The following should be effective types of air-purifying respirators: Organic vapour cartridge with a particulate pre-filter.

**Other Information:** Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:

AS/NZS 1336: Recommended practices for occupational eye protection.

AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.

AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.

AS/NZS 2161: Occupational protective gloves.

AS/NZS 2210: Occupational protective footwear.

AS/NZS 4501: Occupational protective clothing Set

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

### Appearance

Physical state	Solid.
Colour	White
Odour	Mild
Odour Threshold	No data available
pH	6.27 <i>pH Electrode</i>
Melting point/range	No test data available
Freezing point	Not applicable
Boiling point (760 mmHg)	Not applicable
Flash point – closed cup	Not applicable
Evaporation Rate (Butyl Acetate = 1)	No data available
Flammability (solid, gas)	No data available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapour Pressure	No test data available
Relative Vapour Density (air = 1)	No test data available
Relative Density (water = 1)	No test data available
Water solubility	No test data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Decomposition temperature	No test data available
Kinematic Viscosity	Not applicable to solids
Explosive properties	No data available
Oxidizing properties	No significant increase (>5C) in temperature.
Bulk Density	0.67 g/cm <sup>3</sup> <i>Loose Volumetric</i> 0.73 g/cm <sup>3</sup> <i>Tapped Volumetric</i>
Molecular weight	No test data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## SECTION 10: STABILITY AND REACTIVITY

---

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Thermally stable at recommended temperatures and pressures.

**Possibility of hazardous reactions:** Polymerization will not occur.

**Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose.

**Incompatible materials:** Avoid contact with oxidizing materials. Avoid contact with: Strong bases.

**Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Hazardous decomposition products formed under fire conditions. Carbon dioxide. Carbon monoxide. Hydrogen chloride. Hydrogen fluoride.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

### Acute toxicity

#### Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

Based on information for component(s): LD50, Rat > 5,000 mg/kg. Estimated.

#### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

Based on information for component(s): LD50, Rat > 2,000 mg/kg. Estimated

#### Acute inhalation toxicity

No adverse effects are anticipated from single exposure to dust. Based on the available data, narcotic effects were not observed. Based on the available data, respiratory irritation was not observed.

As product: The LC50 has not been determined.

### Skin corrosion/irritation

Brief contact is essentially non-irritating to skin.

### Serious eye damage/eye irritation

Solid or dust may cause irritation or corneal injury due to mechanical action.

### Sensitization

Based on information for component(s): Did not cause allergic skin reactions when tested on guinea pigs.

For respiratory sensitization: No relevant data found.

### Specific Target Organ Systemic Toxicity (Single Exposure)

Available data are inadequate to determine single exposure specific target organ toxicity.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For the active ingredient: Hexaflumuron. In animals, effects have been reported on the following organs: Blood. Liver, Spleen.

May cause methemoglobinaemia, thereby impairing the blood's ability to transport oxygen.

**Carcinogenicity**

Component(s) did not cause cancer in laboratory animals.

**Teratogenicity**

Component(s) did not cause birth defects or any other foetal effects in laboratory animals.

**Reproductive toxicity**

For the active ingredient: In animal studies, did not interfere with reproduction.

For the major component(s): In animal studies, cellulose has been shown to interfere with fertility and reproduction as a result of nutritional deficiencies associated with extremely high dietary concentrations of cellulose.

**Mutagenicity**

For the active ingredient: Hexaflumuron. In vitro genetic toxicity studies were negative in some cases and positive in other cases. Animal genetic toxicity studies were negative.

**Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

**COMPONENTS INFLUENCING TOXICOLOGY:****Hexaflumuron****Acute inhalation toxicity**

No adverse effects are anticipated from single exposure to dust. Based on the available data, narcotic effects were not observed. Based on the available data, respiratory irritation was not observed.

LC50, Rat, male and female, 4 Hour, Dust > 7.0 mg/l

**Cellulose****Acute inhalation toxicity**

The LC50 has not been determined.

**Octadecanoic acid, calcium salt****Acute inhalation toxicity**

Dust may cause irritation to upper respiratory tract (nose and throat).

The LC50 has not been determined.

**Balance****Acute inhalation toxicity**

The LC50 has not been determined

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

*Ecotoxicological information appears in this section when such data is available.*

**Ecotoxicity****Hexaflumuron****Acute toxicity to fish**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, > 0.5 mg/l

LC50, Lepomis macrochirus (Bluegill sunfish), 96 Hour, > 100 mg/l

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), 48 Hour, 0.000111 mg/l

**Acute toxicity to algae/aquatic plants**

ErC50, Pseudokirchneriella subcapitata (green algae), 96 Hour, > 3.2 mg/l

**Toxicity to bacteria**

EC50, activated sludge, 3 Hour, > 100 mg/l, OECD 209 Test

**Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna (Water flea), 21 d, 0.000001 mg/l

**Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Oral LD50, Colinus virginianus (Bobwhite quail), > 2000 mg/kg bodyweight.

Material is slightly toxic to birds on a dietary basis (LC50 between 1001 and 5000 ppm).

Dietary LC50, Colinus virginianus (Bobwhite quail), 5 d, 4786 mg/kg diet.

Contact LD50, Apis mellifera (bees), 48 Hour, > 100 micrograms/bee

Oral LD50, Apis mellifera (bees), 48 Hour, > 100 micrograms/bee

**Toxicity to soil-dwelling organisms**

LC50, Eisenia fetida (earthworms), 14 d, 880 mg/kg

**Cellulose****Acute toxicity to fish**

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50, Fish, 96 Hour, > 100 mg/l

**Acute toxicity to algae/aquatic plants**

EC50, Algae, 96 Hour, Growth rate inhibition > 100 mg/l

**Toxicity to bacteria**

LC50, Bacteria > 100 mg/l

**Octadecanoic acid, calcium salt****Acute toxicity to fish**

The LC50 value is above the water solubility.

The EC50 value is above the water solubility.

LC50, *Oryzias latipes* (Japanese medaka), 96 Hour, estimated > 100 mg/l, OECD Test Guideline 203 or Equivalent

**Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna* (Water flea), 48 Hour, estimated > 100 mg/l, OECD Test Guideline 202

**Acute toxicity to algae/aquatic plants**

EyC50, *Pseudokirchneriella subcapitata* (algae), 72 Hour, Cell yield inhibition, estimated > 100 mg/l, OECD Test Guideline 201

ErC50, *Pseudokirchneriella subcapitata* (algae), 72 Hour, Growth rate, estimated > 100 mg/l, OECD Test Guideline 201

**Balance****Acute toxicity to fish**

No relevant data found.

**Persistence and degradability****Hexaflumuron**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

**Biodegradation:** 76 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Theoretical Oxygen Demand:** 4.72 mg/mg

**Stability in Water (1/2-life):** 22 days, pH 7

**Cellulose**

**Biodegradability:** Biodegradation rate may increase in soil and/or water with acclimation.

**Theoretical Oxygen Demand:** 1.18 mg/mg

**Octadecanoic acid, calcium salt**

**Biodegradability:** Material is expected to be readily biodegradable.

**Theoretical Oxygen Demand:** 2.74 mg/mg

**Balance**

**Biodegradability:** No relevant data found.

**Bioaccumulative potential****Hexaflumuron**

**Bioaccumulation:** Bioconcentration potential is high (BCF > 3,000 or Log Pow between 5 and 7).

**Partition coefficient: n-octanol/water (log Pow):** 5.68. Estimated.

**Bioconcentration factor (BCF):** 3,800 - 5,600 Fish. 28 d. Measured

**Cellulose**

**Bioaccumulation:** No bioconcentration is expected because of the relatively high molecular weight (MW greater than 1000).

**Octadecanoic acid, calcium salt**

**Bioaccumulation:** No data available for this product.

**Balance**

**Bioaccumulation:** No relevant data found.

**Mobility in Soil**

**Hexaflumuron**

Potential for mobility in soil is slight (Koc between 2,000 and 5,000).

**Partition coefficient (Koc):** 3,096 – 41,170 Estimated.

**Cellulose**

No data available.

**Octadecanoic acid, calcium salt**

No data available.

**Balance**

No relevant data found.

**Results of PBT and vPvB assessment**

**Hexaflumuron**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Cellulose**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Octadecanoic acid, calcium salt**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Balance**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Other adverse effects**

**Hexaflumuron**

No relevant data found.

**Cellulose**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Octadecanoic acid, calcium salt**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Balance**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

## **13. DISPOSAL CONSIDERATIONS**

---

**Disposal methods:** If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities.

This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

## 14. TRANSPORT INFORMATION

---

### ADG

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (HEXAFLUMURON)
<b>UN number</b>	UN 3077
<b>Class</b>	9
<b>Packing group</b>	III
<b>Marine pollutant</b>	Hexaflumuron

### Classification for SEA transport (IMO-IMDG):

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (HEXAFLUMURON)
<b>UN number</b>	UN 3077
<b>Class</b>	9
<b>Packing group</b>	III
<b>Marine pollutant</b>	Hexaflumuron
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk

### Classification for AIR transport (IATA/ICAO):

<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (HEXAFLUMURON)
<b>UN number</b>	UN 3077
<b>Class</b>	9
<b>Packing group</b>	III

**Hazchem code:** 2Z

### Further information:

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packaging's that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting

organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## 15. REGULATORY INFORMATION

**Poison Schedule:** None allocated

**APVMA Approval Number:** 80120

## 16. OTHER INFORMATION

### Revision

Identification Number: 101271436 / A143 / Issue Date: 14.09.2021 / Replaces: 6.01.2021

DAS Code: GF-2060

Sections amended: 5, 14

### Legend

ACGIH	American Conference of Governmental Industrial Hygienists. Threshold Limit Values (TLV)
AU OEL	Australia. Workplace Exposure Standards for Airborne Contaminants.
Dow IHG	Dow Industrial Hygiene Guideline
TWA	Exposure standard - time weighted average

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System.

CORTEVA AGRISCIENCE AUSTRALIA PTY LTD urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

<sup>TM</sup> ® Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.

# Sentricon<sup>®</sup> AG

## TERMITE BAIT

**ACTIVE CONSTITUENT:** 5 g/kg hexaflumuron

**GROUP 15 INSECTICIDE**

An above ground bait for the control of subterranean termites.

Contains 1 x 100g minimum Sentricon AG station.

**IMPORTANT: READ THESE INSTRUCTIONS AND THE TECHNICAL MANUAL BEFORE USE, AND INSTALL THIS DEVICE ACCORDING TO THE DIRECTIONS.**

**EMERGENCY RESPONSE  
(ALL HOURS)**  
RING FROM ANYWHERE IN  
AUSTRALIA  
**1800 370 754**  
(LOCAL CALL FEE ONLY)

IN A TRANSPORT  
EMERGENCY ONLY  
**DIAL 000**  
FOR POLICE OR  
FIRE BRIGADE

### SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for **SENTRICON<sup>®</sup> AG TERMITE BAIT** which is available from Corteva Agriscience on request. Call Customer Service Toll Free on 1-800 700 096 or visit [www.sentricon.com.au](http://www.sentricon.com.au)



<sup>TM</sup> <sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

Visit us at [sentricon.com.au](http://sentricon.com.au)

Sentricon® AG Termite Bait contains an insect growth regulator in an above ground station for the control of subterranean termites. To effectively use this product the user needs to have a thorough understanding of subterranean termite biology and behaviour with a particular emphasis on conditions conducive to termite activity.

## DIRECTIONS FOR USE

Situation	Pest	Critical Comments
Use where termite presence has been detected eg. on buildings, fences, utility poles, trees and landscape structures (Except Tasmania)	Subterranean termites	<p>Attach the station to a surface over which termite activity occurs. (See GENERAL DIRECTIONS section).</p> <p>External use: When situating the baits outside a building/structure, the hard outer box <b>MUST</b> be used.</p> <p>Internal use: Ideally baits should be installed in box housing. However, where the geometry of the site precludes the use of box housing, e.g. tight or angled locations in roof spaces, the baits may be placed under the flexible black plastic covering instead.</p>

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## GENERAL DIRECTIONS

DO NOT remove protective wrapper from Sentricon® AG until ready for use.

Always wear gloves when preparing and handling bait to avoid contamination.

For external applications Sentricon® AG **MUST** always be housed in the hard box cover.

For internal applications the bait **MUST** be covered by the hard box or soft black plastic cover.

Baits **MUST** be firmly secured in place. DO NOT use fixing or sealing products containing strong solvents.

Sentricon® AG must remain in place while termites are feeding in the bait stations. Hard station housings where used, can be stacked on top of each other. The bait stations should be monitored at a frequency that allows for bait replenishment before the termites fully consume the bait, 2 to 6 week intervals dependent on activity level. When nearly all the bait has been consumed and termite feeding is still likely, replenish the bait matrix with a new Sentricon® AG Termite Bait. Always leave the plastic bag in place until you are ready to re-bait. If feeding has not occurred for 2 consecutive monitoring visits (generally 2 months), the Sentricon® AG Termite Bait can be removed. Ensure periodic inspections of the structure continue to ensure termite activity has ceased.

**Before use it is essential to read the current Sentricon® Technical Manual** available from a Corteva Agriscience Customer Service Representative at 1800 700 096 or at our website [www.sentricon.com.au](http://www.sentricon.com.au)

### Preparation of the Bait before use

Make a slit at the top end of the pouch with a utility knife and gradually pour in 150 to 200mL of 10% sugar and water solution, or room temperature water. Massage the pouch until the bait matrix is evenly wetted and becomes a doughy consistency. Add more water only if required, to ensure the entire matrix has absorbed some moisture and is no longer grainy. With a clean knife or scissors, cut a generous size opening in the back of the pouch.

For use with hard housing: Place the cut side of the pouch into the previously mounted station housing with the bait making firm contact with the termite workings. Fix the station lid in place and seal.

For use with plastic cover: Place the cut side of the pouch against the termite workings, securing it with tape, staples, non-volatile adhesives, latex-based caulk, or other appropriate materials. Ensure securing agents do not make contact with the bait matrix. Place the flexible black cover over the pouch so that it is completely covered, blocking out light. The black cover should be attached in a way that is easily removed in order to check for feeding, for example with tape or staples.

## INSECTICIDE RESISTANCE WARNING

### GROUP 15 INSECTICIDE

For insecticide resistance management Sentricon AG termite bait is a group 15 insecticide. Some naturally occurring insect biotypes resistant to Sentricon AG termite bait and other group 15 insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Sentricon AG termite bait or other group 15 insecticides are used repeatedly. The effectiveness of Sentricon AG termite bait on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Corteva Agriscience Australia Pty Ltd accepts no liability for any losses that may result from the failure of Sentricon AG termite bait to control resistant insects.

Sentricon AG termite bait may be subject to specific resistance management strategies. For further information contact your local supplier or Corteva Agriscience Australia Pty Ltd representative.

## PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

This product is very highly toxic to aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Used Sentricon® AG bait stations may be disposed of at an approved waste management facility. DO NOT burn empty containers or product.

## SPILLS

Pick up material and contain in refuse vessel for disposal. Prevent entry of spilled material into drains or waterways. Bury cleaned up material at a local authority landfill that does not burn its refuse. In some States, wastes can only be buried at a licensed landfill.

APVMA Approval No: 57843/134994

**Corteva Agriscience Australia Pty Ltd** A.B.N. 24 003 771 659

67 Albert Avenue, Chatswood, NSW 2067

[www.corteva.com.au](http://www.corteva.com.au)

**CUSTOMER SERVICE TOLL FREE**

**1-800 700 096**

Barcode  
for stock  
identification

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2022 Corteva.

This product is GHS compliant. No additional GHS hazard and precautionary statements are required under the WorkSafe Australia exemptions for AgVet products.