

DATE: 4/13/2017

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00119560

## JEFFERSON PARISH

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: BASIC SUPPLY, LLC

BUYER: MCAMARD

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

### DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10-14 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE: (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: P.O. BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: ( ) 337-232-1733	FAX: ( ) 337-232-2045
EMAIL ADDRESS: charlotte@basicsupply.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 1616.42

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119560

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	60.00	EA	QUANTITY OF SHOP TOOLS		
			0010 - BROOM, SORBENT, FLOATING, FIVE IN DIAMETER BY TEN FEET LONG OUR STK #484380 OB-B510	9.39	563.40
2	8.00	EA	0020 - PINCH POINT CROW BAR, 3 FT LONG X 1 1/16 IN SQUARE STICK SIZE, LEETONIA #215 OUR STK # 58100 Tru Temper 1161300	26.00	208.00
				193.00	386.00
3	2.00	EA	0030 - CUTTER, Wire Rope, HAMMER TYPE 1 1/16 IN CAPACITY, MORSE-STARRETT MODEL # 1A Quoting Morse-Starrett 1A OUR STK NUMBER 58122		
				4.88	24.40
4	5.00	EA	0040 - Chisels, HAND 7/8 IN CUTTING WIDTH, 7 1/2 IN LONG, WILLIAMS # C-28 OUR STK # 58150 Stanley 16-920		
				no bid	no bid
5	8.00	EA	0050 - GRIP, WIRE FOR PULLING PLASTIC PIPE, SIZE RANGE 2/4 IN MIN. TO 15/16 IN MAX 26 IN LONG, 1360# WORKING STRENGTH, DOUBLE WEAVE MESH FOR GREATER PULLING STRENGTH, USA STK MG 65498 OUR STICK # 59081		
				6.40	64.00
6	10.00	EA	0060 - ESTENSION, CHROME, 1/2 IN SQUARE DRIVE, 6 IN LONG OUR STK # 60147 Stanley DWM860470sp		
				12.41	74.46
7	6.00	EA	0070 - HANDLE, HINGED, 1/2 IN. X 17 7/8 IN LONG, SQUARE DRIVE, CHROME, ARMSTRON # 12-918 OR EQUAL OUR STK # 60155 Mint Craft MT6508925		
				.75	75.00
8	100.00	EA	0080 - CLAMP, CABLE 3/8 IN, HOT DIPPED GALVANIZED, MEETS SPEC FF-C-450, TYPE 1 CLASS 1 CROSBY # G-450 National Hardware OUR STK # 27134 N248-318		
				3.59	43.08
9	12.00	EA	0090 - TWINE, NYLON, # 18, 1/16 DIAMETER 550 FT PER ROLL, 165 LB TEST, DURALINE # 00090 Lehigh 10848		

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	6.00	ROLL	OUR STK # 47714  0100 - CLOTH, ABRASIVE, ALUMINUM OXIDE 2 IN X 50 YDS, 100GRIT NORTON # K224	18.64	111.84
11	12.00	EA	OUR STK 59763 Precision Abrasives 91-0005-55  0110 - SUPPORT, BACK - EXTRA LARGE REFLECTIVE ORANGE WITH SHOULDER STRAPS ERGODYNE # 11885 OUR STOCK # 47714 Cordova Sb200 Hi-Vis Orange Safety belt with suspenders	17.00	204.00



O-B-B510  
5 Inch Sorbent Boom (Oil Only)  
Absorbency: 32 gallons/roll

5 x 10  
Ship Weight: 17lbs/Case

4/Case, 20/Pallet

[← BACK TO PRYING BARS](#)

## 36-IN PINCH POINT CROW BAR

### PRYING BARS | #1161300

The Pinch Point crow bar is a 36-inch long straight heat-treated steel for maximum strength. The pinch point makes this tool easily used to pry and move heavy objects. The typical uses for a pinch point crow bar include breaking up clay, concrete, and other hard materials.

[Share](#) [Pin it](#) [Tweet](#) [Email](#)

### DIMENSIONS

---

1.125"h x 1.125"w x 36.25"d

### UPC

---

049206116139



Stanley 16-290 Cold Chisel, 7/8 In Tip, 8 In OAL, Chrome Vanadium Steel, Powder Coated

Used to cut or shape wrought iron, cast iron, steel, brass, bronze, copper, aluminum, nuts and rivets.



Catalog Page #: A01020  
Click to view Large Image



Orgill Item No.	▶ 2823441 Y	16-290 COLD CHISEL 7/8X8	
Vendor:	STANLEY TOOLS	Benchmark Retail:	USD 7.28/EA
Model NO.:	16-290		
Retail UPC:	076174162905		
Country of Origin:	CN		
Shelf Pack:	3		
Minimum Purchase:	1		
Available:	22	Check Other DC?	
Quantity:	1	Add To Cart	PO Number:

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

✚ Add to Favorites

Your Comments

Product Information	Ordering Specifications	Pricing	Vendor Information	Available	Codes	Similar Items	Order History	Item Restriction
---------------------	-------------------------	---------	--------------------	-----------	-------	---------------	---------------	------------------

**PRODUCT OVERVIEW:** Used To Cut Or Shape Wrought Iron, Cast Iron, Steel, Brass, Bronze, Copper, Aluminum, Nuts And Rivets.

Description Du Français: BURIN 7/8X8

Descripción Español: CINCEL CORTAFRIO DE 2,22 X 20,32 CM

- FLAT
- Cut Lgth In : 7/8 X 8

PRODUCT DETAILS

Finish:	Powder Coated
Overall Length:	8 In
Material:	Chrome Vanadium Steel
Tip Size:	7/8 In
Usage:	For Cutting Or Shaping Wrought Iron, Cast Iron, Steel, Brass, Bronze, Copper, Aluminum, Bolts, Nuts And Rivets



## Stanley DWMT86407OSP Extension Bar, 1/2 In, 5 In OAL

Stanley Extension Bar, 1/2 in Drive, 5 in Overall Length



Catalog Page #: A06011  
Click to view Large Image



Orgill Item No.	7519416 Y	DWMT86407OSP EXTENSION 1/2D 5IN	
Vendor:	STANLEY TOOLS	Benchmark Retail:	USD 6.40/EA
Model NO.:	DWMT86407OSP		
Retail UPC:	076174864076		
Country of Origin:	TW		
Shelf Pack:	4		
Minimum Purchase:	1		
Available:	<input type="text" value="13"/>	<input type="button" value="Check Other DC?"/>	
Quantity:	<input type="text" value="1"/>	<input type="button" value="Add To Cart"/>	PO Number: <input type="text"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

Add to Favorites

Product  
Information

Ordering  
Specifications

Pricing

Vendor  
Information

Available

Codes

Similar  
Items

Order  
History

Item  
Restriction

**PRODUCT OVERVIEW:** Stanley Extension Bar, 1/2 In Drive, 5 In Overall Length

**Description Du Français:** BARRE D EXTENSION 1/2ENTRAÎNEMENT 5POUCES

- Drive X Lgth In : 1/2 X 5

### PRODUCT DETAILS

Drive Size: 0.5 In

Overall Length: 5 In

## Mintcraft MT6508295 Flexible Ratchet Handle With Knurled Handle Cap, 1/2 In Drive, Vanadium Steel, Forged Chrome

Drop forged chrome vanadium steel with knurled handle cap.



Catalog Page #: A06009

Orgill Item No.	▶ 4766325 Y	FLEX HANDLE 1/2DRIVE	
Vendor:	MINTCRAFT	Benchmark Retail:	USD 20.84/EA
Model NO.:	MT6508295		
Retail UPC:	045734910775		
Country of Origin:	TW		
Shelf Pack:	10		
Minimum Purchase:	1		
Available:	<input type="text" value="53"/>	<input type="button" value="Check Other DC?"/>	
Quantity:	<input type="text" value="1"/>	<input type="button" value="Add To Cart"/>	PO Number: <input type="text"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Product Information](#)

[Ordering Specifications](#)

[Pricing](#)

[Vendor Information](#)

[Available](#)

[Codes](#)

[Similar Items](#)

[Order History](#)

[Item Restriction](#)

**PRODUCT OVERVIEW:** Drop Forged Chrome Vanadium Steel With Knurled Handle Cap.

Description Du Français: POIGNEE ARTICULEE 1/2DR

Descripción Español: MANGO FLEXIBLE CON MANDO DE 1,27 CM

- PROFESSIONAL QUALITY
- Hang Tagged
- Drive Ins. : 1/2
- Lgth In : 16



Cable Clamps/Ferrules | # 7158702

**CABLE CLAMPS 3/8IN ZN PLT**

National Hardware Wire Cable Clamp, Series: MP3230B, 3/8 in Opening, Steel U-Bolt/Nuts, Malleable Iron Saddle, Zinc Plated, 2 in Height, 3 in Width, 5 in Length, Federal FF-C-450D, Type 1, Class 2, For Forming an Eye or Loop on Wire Rope



Catalog Page #:  
Click to view Large Image

Orgill Item No.	7158702 Y		248310 MP3230B 3/8 CABLE CLAMP	
Vendor:	NATIONAL HARDWARE	Benchmark Retail:	USD 1.33/EA	
Model NO.:	N248-310			
Retail UPC:	038613176751			
Country of Origin:	CN			
Shelf Pack:	10			
Minimum Purchase:	1			
Available:	<input type="text" value="460"/>		<a href="#">Check Other DC?</a>	
Quantity:	<input type="text" value="1"/>	 Add To Cart		PO Number: <input type="text"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Your Comments](#)

[Product Information](#)[Ordering Specifications](#)[Pricing](#)[Vendor Information](#)[Available](#)[Codes](#)[Similar Items](#)[Order History](#)[Item Restriction](#)

**PRODUCT OVERVIEW:** National Hardware Wire Cable Clamp, Series: MP3230B, 3/8 In Opening, Steel U-Bolt/Nuts, Malleable Iron Saddle, Zinc Plated, 2 In Height, 3 In Width, 5 In Length, Federal FF-C-450D, Type 1, Class 2, For Forming An Eye Or Loop On Wire Rope

**Description Du Français:** SERRE-CABLES 3/8 PO ZINGUES

**Descripción Español:** GRAMPA DE 0,95 CM PARA CABLES MP3230B (248310)

**PRODUCT DETAILS****FEATURES**

- Anchoring Point For Webbing Or Strap
- Meets Torque Value Of Federal Specifications FF-C-450D, Type 1, Class 2
- Base Of Saddles Are Grooved To Form Wire Rope For A Stronger Grip

Nylon Seine Twine (Mason Line) | # 9821281

## Wellington Puritan Twisted Seine Twine, NO 18 525 Ft L, 10 Lb, Nylon, White


Twisted from 100 percent filament nylon. Has excellent resistance to rot, abrasion, mildew, marine growth, petroleum products and many chemicals. Spliceable, must be bound or fused on end to prevent raveling. WARNING: Not recommended for uses where personal safety is involved.



Catalog Page #: A04047  
Click to view Large Image

Orgill Item No.	▶ 9821281 Y	10484 NYL SEINE TWINE#18 525'	
Vendor:	LEHIGH GROUP	Benchmark Retail:	USD 5.82/EA
Model NO.:	10484		
Retail UPC:	079085104842		
Country of Origin:	US		
Shelf Pack:	6		
Minimum Purchase:	1		
Available:	<input type="text" value="358"/>	<input type="button" value="Check Other DC?"/>	
Quantity:	<input type="text" value="1"/>	<input type="button" value="Add To Cart"/>	PO Number: <input type="text"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

 Add to Favorites



Product  
Information

Ordering  
Specifications

Pricing

Vendor  
Information

Available

Codes

Similar  
Items

Order  
History

Item  
Restriction

**PRODUCT OVERVIEW:** Twisted From 100 Percent Filament Nylon. Has Excellent Resistance To Rot, Abrasion, Mildew, Marine Growth, Petroleum Products And Many Chemicals. Spliceable, Must Be Bound Or Fused On End To Prevent Raveling. WARNING: Not Recommended For Uses Where Personal Safety Is Involved.

**Descripción Español:** CORDEL DE NYLON COLOR BLANCO N 18 DE 160,02 M

- TWISTED
- Brand:"PURITAN"
- MEDIUM TUBE
- Color White
- Size No : 18
- Lgth Ft : 525

## PRODUCT DETAILS

Series:	Puritan
Type:	Twisted
Size Group:	NO 18
Length:	525 Ft
Working Load:	10 Lb
Packing Type:	Medium Tube
Material:	Nylon
Resists:	Rot, Abrasion, Mildew, Marine Growth And Petroleum Products

# Shop Rolls - Economy

## Economy

Size	Grit	P/N	Each	Min
1" x 50 yds	50	91-0285	15.809	1
1" x 50 yds	60	91-0287	15.014	1
1" x 50 yds	80	91-0286	14.351	1
1" x 50 yds	100	91-0288	14.043	1
1" x 50 yds	120	91-0081	14.043	1
1" x 50 yds	150	91-0008	14.043	1
1" x 50 yds	180	91-0289	14.043	1
1" x 50 yds	220	91-0290	14.043	1
1" x 50 yds	240	91-0271	14.043	1
1" x 50 yds	320	91-0014	14.043	1
1" x 50 yds	400	91-0292	14.043	1

Size	Grit	P/N	Each	Min
1-1/2" x 50 yds	50	91-0267	22.132	1
1-1/2" x 50 yds	60	91-0020	21.030	1
1-1/2" x 50 yds	80	91-0080	20.059	1
1-1/2" x 50 yds	100	91-0004	19.571	1
1-1/2" x 50 yds	120	91-0006	19.571	1
1-1/2" x 50 yds	150	91-0268	19.571	1
1-1/2" x 50 yds	180	91-0269	19.571	1
1-1/2" x 50 yds	220	91-0270	19.571	1
1-1/2" x 50 yds	240	91-0291	19.571	1
1-1/2" x 50 yds	320	91-0015	19.571	1
1-1/2" x 50 yds	400	91-0293	19.571	1

Size	Grit	P/N	Each	Min
2" x 50 yds	50	91-0019	28.514	1
2" x 50 yds	60	91-0003	26.996	1
2" x 50 yds	80	91-0022	25.140	1
2" x 50 yds	100	91-0005	24.920	1
2" x 50 yds	120	91-0007	24.920	1
2" x 50 yds	150	91-0009	24.920	1
2" x 50 yds	180	91-0010	24.920	1
2" x 50 yds	220	91-0012	24.920	1
2" x 50 yds	240	91-0013	24.920	1
2" x 50 yds	320	91-0016	24.920	1
2" x 50 yds	400	91-0017	24.920	1

**Cordova SB200 Hi-Vis Orange Back Support Belt  
With Attached Suspenders SIZE XL**

