

DATE: 3/24/2015

Page: 5

BID NO.: 50-00112606

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Delta Fuel Company, Inc

ADDRESS: P.O. Box 1810 / 2797, Hwy 15

CITY, STATE: Ferriday, La ZIP: 71334

TELEPHONE: (381) 757-7610 FAX: (381) 757-6742

EMAIL ADDRESS: dcallaway@deltafuel.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1

NUMBER: #2

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 240,722.33

AUTHORIZED SIGNATURE: Donna Callaway

TITLE: CEO / Sec. Treas

Donna Callaway
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112606

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	TWO (2) YEAR CONTRACT FOR SUPPLY OF PETROLEUM PRODUCTS, KEROSENE, VARSO, ETC. (55 GALLON CONTAINERS) FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT 0001 CROWN 85W140 GL5 55 GALLON DRUM PETROLEUM PRODUCTS	429.53	429.53
2	250.00	DRUM	(MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API - 25.5 FLASH, COC.F - 375 POUR, PT., F-0 VISCOSITY CST AT 40 C - 310 CST AT 100C - 24.7 SSU AT 100F - 1668 SSU AT 210F - 123 STRAIGHT MINERAL GEAR LUBRICANT MEETING API GL5 SPECIFICATIONS 0002 CROWN ATF DEXRON/MERON 55 GAL. DRUM, PETROLEUM PRODUCTS	25.11	7627.50
3	200.00	DRUM	(MORE OR LESS) (AS PER BELOW SPECS) FLASH F-360 POUR F-(-30) VISCOSITY CST AT 40 C-39.7 CST AT 100C - 6.2 SSU AT 100F - 204 SSU AT 210F - 47.1 VISCOSITY INDEX - 102 USED IN ALLISON POWERSHIFT AND MODEL CL(8)T700 AUTOMATIC TRANSMISSIONS AND OTHER EQUIPMENT REQUIRING EITHER TYPE C-1, TYPE C-2, OR TYPE C-3 HYDRAULIC TRANSMISSION FLUID. SUPER SMP DEXION/MEICON 0003 CROWN HYDRAULIC A.W.46 55 GALLON DRUM PETROLEUM PRODUCTS (MORE OR LESS) (AS PER BELOW SPECS) FLASH, F-441 POUR, F-0 VISCOSITY CST AT 40 C - 43.3 SSU AT 100F - 155 VISCOSITY INDEX - 95 ISO VG - 46 FOAM ASTM D-892 SEW. I, II & III OXIDATION STABILITY ASTM D-942 HRS-1000+ HYDROLYTIC STABILITY ASTM D-2619 RUST PROTECTIONS ASTM D-665 A & B VANE PUMP TEST ASTM D-2882	290.10	58,020.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112606

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
4	25.00	DRUM	35 V Q 25 VANE PUMP TEST SUPER S AW46 0004 CROWN HYDRAULIC A.W.32 LLDR, 55 GALLON DRUM PETROLEUM PRODUCTS HYDRAULIC OIL (MORE OR LESS) (AS PER BELOW SPECS) FLASH, F-432 POUR, F-0 VISCOSITY CST AT 40 C-30.1 SSU AT 100F-155 VISCOSITY INDEX-95 ISO VG-32 FOAM ASTM D-892 SEQ I, II & III OXIDATION STABILITY ASTM D-943 - 1000+ HYDROLYTIC STABILITY ASTM D-2619 POINT PETROLEUM ASTM D-665A&B VANE PUMP TEST ASTM D-2882 35V Q 25 VAN PUMP TEST SUPER S AW32	287.36	7,184.00
5	10.00	DRUM	0005 CROWN UTF 55 GAL DRUM PETROLEUM PRODUCTS FLD. LLDR (MORE OR LESS) (AS PER BELOW SPECS) FLASH, COC F-392 POUR, PT., F-(-25) VISCOSITY CST AT 40 C-57.8 CST AT 100C-9.1 SSU AT 100F-272 SSU AT 210F-55.7 VISCOSITY INDEX - 135 PREMIUM UNIVERSAL LUBRICANT FOR ALL TRACTORS THAT REQUIRE A SINGLE OIL FOR LUBRICATION OF TRANSMISSION, DIFFERENTIAL AND DRIVE GEARS. IT CAN BE USED AS POWER BRAKE, POWER TAKE-OFF AND POWER STEERING FLUID WHERE MINERAL OILS ARE RECOMMENDED. MEETS SPECS FOR AC POWER FLUID 821. ALLISON C1, C2, C3, C4 CATERPILLAR T02, FORD/NEW HOLLAND ESNM2C41B, ESNMC248-B, ESNM2C53C, ESNM2C77A, ESNM2C868, ESNM2C134A,3,C,D CASE INTERNATIONALS JIC 185, JIC 145, JIC 144, JIC 143, MS 1205, MS 1204, MS 1210 (TCH), MS 1206 (POWER GRADE PTE) JOHN DEERE J20A (HY GARD), J1145 (303 FLUID), J146, J21A SUPER S SUPER TRX 303 PREMIUM UNIVERSAL TRACTOR FLUID	297.89	2,978.90
6	50.00	DRUM	0006 CROWN ATF DEXRON/MERCON LLDR 55 GAL. DRUM, PETROLEUM PRODUCTS	305.11	15,255.50

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112606

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	10.00	DRUM	<p>(MORE OR LESS) (AS PER BELOW SPECS) COLOR-RED GRAVITY, API-29.5 FLASH, POINT F - 360 POUR, PTX, F-(-40) VISCOSITY CP, AT (-40) C-40,000 CST AT 40 C - 37 CST AT 100C - 7.4 SSU AT 100F - 190 SSU AT 210F - 51 VISCOSITY INDEX - 160 PHOSPHORUS % MASS - 050 CALCIUM % MASS - 013 MEETS TRANSMISSION FLUID REQUIREMENTS FOR ALL ALLISON AUTOMATIC TRANS. ALLISON C3 & C4 AND CATERPILLAR T02 GM DEXRON II, AMERICAN MOTORS, CHRYSLER AND MERCON, ESP-M2C166H AS ESP-M2C133C.</p> <p>SUPER S MP DEXION/MEICON</p> <p>0007 CROWN HD 15 W40 MOTOR OIL, 55 GAL. DRUM, PETROLEUM PRODUCTS</p>	383.89	3838.90
8	50.00	DRUM	<p>(MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API-28.4 FLASH, COC, F-399 POUR, PT., F-(-17) VISCOSITY CST AT 40 C - 120.5 CST AT 100C - 15.4 VISCOSITY INDEX - 136 ASH (SULFATED), % MAX - 8 TBN (ASTM D-2896)-9 D-664 -7.5 ZINC % MASS - 13 CALCIUM % MASS - 02 MEETS API CC, CD, CD-II, CE, SG & API SAE OIL REQUIREMENTS FOR GASOLINE ENGINES. MEETS SHEAR STABILITY REQUIRE- MENTS OF CCMC (CED-L-14-T74) AS MEASURED IN ASTM D-3945 SHEAR STABILITY TESTS. ALSO MEETS VISCOSITY GRADE FOR CUMMINS, DDC SERIES 60, NAVISTAR, INTER- NATIONAL, AND MACK TRUCK ENGINES.</p> <p>SUPER S FLEETGAD 15W40</p> <p>0008 CROWN 5W,30, LLDR 55 GAL. DRUM, PETROLEUM PRODUCTS</p> <p>(AS PER BELOW SPECS) GRAVITY, API - 30.0 FLASH, COC, F - 410 POUR, F (-22)</p>	353.42	17671.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112606

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			VISCOSITY CST AT 40 C - 70 CST AT 100C-10.2 VISCOSITY INDEX-146 ASH (SULFATED)- 81 ZINC % MASS - 09 MAGNESIUM % MASS - 13 COPPER PPM - 100 API LEVEL - SG UNILUSE API DIESEL ENGINE CATEGORY CC. SUPER S MULTIFLOR 5W30		
9	20.00	EA	0009 CROWN K - 1 KEROSENE, 55 GALLON CONTAINER	231.25	4,625.00
			SUPER S K-1 KEROSENE		
10	20.00	EA	0010 CROWN 55 GALLON CONTAINER MINERAL SPIRITS	264.05	5,280.00
			SUPER S MINERAL SPIRITS		
11	20.00	EA	0011 CROWN ISO 46 HYDRAULIC OIL 55 GALLON DRUM	280.10	5,602.00
			PETROLEUM PRODUCTS PRODUCT CODE<: 65209 VISCOSITY @ 40 DEGREE C, CST 46.0 @ 100 DEGREE C, CST 6.8 @ 100 DEGREE F, SUS 237 @ 210 DEGREE F, SUS 449 VISCOSITY INDEX 102 GRAVITY DEGREE API @ 60 DEGREE F 29.5 FLASH POINT, COC, DEGREE F 420 POUR POINT, DEGREE F -20 COPPER CORROSION 1A EMULSION TEST @ 130 DEGREE F 30 MINUTES MAX PASS RUST TEST PASS _____ TURBINE OIL STABILITY TEST, HOURS 3000 PLUS SUPER S AW46		
12	80.00	EA	0012 CROWN ISO 68 55 GAL. DRUM PETROLEUM PRODUCTS	280.10	22,408.00
			PRODUCT CODE: 65211 VISCOSITY: @ 40 DEGREE C, CST 68.0 @ 100 DEGREE C, CST 8.3		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112606

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	20.00	DRUM	@ 100 DEGREE F, SUS 353 @ 210 DEGREE F, SUS 554.2 VISCOSITY INDEX 97 GRAVITY DEGREE API @ 60 DEGREE F 28.5 FLASH POINT, COC, DEGREE F 440 POUR POINT, DEGREE F -20 COPPER CORROSION 1A EMULSION TEST @ 1130 DEGREE F 30 MINUTES MAX PASS REST TEST PASS TURBINE OIL STABILITY TEST, HOURS 3000 PLUS SUPER S AW68 0013 CROWN HI-TEMP 2 55 GAL DRUM CONTAINER	832.60	16,652.00
14	200.00	GL	PRODUCT CODE 70311 COLOR: BLUE SOAP TYPE: LITHIUM COMPLEX BASE OIL VISCOSITY @40 DEGREE C, CST 150 @100 DEGREE C, CST 14.5 NLGI CLASSIFICATION CG/LB DROPPING POINT DEGREE F 536 WATER WASHOUT WT % LOSS @ 175 DEGREE F 6.8 TIMKEN OK LOAD, LBS 45 RUST TEST PASS WORKED PENETRATAION, DMM @ 77 DEGREE F 60 STROKES 280 BOMB OXIDATION 100 HRS. @ 210 DEGREE F, PSI DROP 5 MAX SUPER S HI-TEMP RED GREASE #2 0014 ILC MULTIGRADE, 5W20 MOTOR OIL IS A HIGH QUALITY MOTOR OIL THAT PROVIDES ANTI-WEAR PROTECTION AND PROTECTION AGAINST SLUDGE AND DEPOSIT FORMATION. ILC MULTIGRADE 5W20 MOTOR OIL IS THE HIGHEST API QUALITY OIL RECOMMENDATION FOR GASOLINE POWERED VEHICLES. TYPICAL TEST DATA: SAE GRADE 5W20 API GRAVITY @ 60 DEGREE F 33.6 VISCOSITY: CST@ 40 DEG. C 47.0 CST@ 100 DEG. C 8.3 SUPER S MULTIFLOW 5W20	6.70	1,340.00
15	200.00	DRUM	0015 TORQUE DRIVE SYNTHETIC TRANSMISSION FLUID - 55 GALLON DRUM	9.55	1,910.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112606

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PHYSICAL DATA: KINEMATIC VISCOSITY @ 100 C, CST (ASTM D-445) TORQUE DRIVE: 7.4 KINEMATIC VISCOSITY @ 40 C, CST (ASTM D-445) TORQUE DRIVE: 37.1 BROOKFIELD VISCOSITY @ -40 C (CP) TORQUE DRIVE: 8411 VISCOSITY INDEX (ASTM D 2270) TORQUE DRIVE: 170 DENSITY @ 60 F (LB/GAL) TORQUE DRIVE: 7.038 FLASH POINT C (F) (ASTM D 92) TORQUE DRIVE: 230 (446) POUR POINT C (F) (ASTM D 97) TORQUE DRIVE: -55 (-67) FOUR BALL WEAR TEST (ASTM D-4172B: 40 KG 75C, 1200 RPM 1HR) MM TORQUE DRIVE: 0.45 COPPER CORROSION (150 C, 3 HR) TORQUE DRIVE: 1B SPECTROGRAPHIC ANALYSIS: BORON (PPM) TORQUE DRIVE: 133 CALCIUM (PPM) TORQUE DRIVE: 28 PHOSPHOROUS (PPM) TORQUE DRIVE: 230 RECOMMENDED FOR USE IN APPLICATIONS SPECIFYING ALLISON TES-295, TES-389 OR C-4, DEXRON III, MERCON, VOITH 55.6336.X X(G-1363)ZF-TE-ML14C		
16	25.00	EA	0016 DELIVERY CHARGE	50.00	1,250.00
			PRODUCTS MUST BE DELIVERED WITHIN SEVENTY-TWO (72) HOURS OF ORDER PLACEMENT.		

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Delta Fuel Company, Inc
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Delta Fuel Company, Inc
INCORPORATED, DULY NOTICED AND HELD ON 3/23/15,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Donna Callaway, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

Donna Callaway
SECRETARY-TREASURER

3/23/15
DATE

Non-Public Works Bid

AFFIDAVIT

STATE OF LouisianaPARISH/COUNTY OF Concordia

BEFORE ME, the undersigned authority, personally came and appeared: _____

Donna Callaway, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized agent of Delta Fuel Company (Entity), the party who submitted a bid in response to Bid Number 50-00112606 to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ✓ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B ☒ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and


[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

Denra Callaway
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 23 DAY OF March, 2015


Notary Public
Victoria Lee Ganey
Printed Name of Notary

77637
Notary/Bar Roll Number

My commission expires w/ death.

