

DATE: 5/20/2020

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00130960

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678VENDOR: Rainey Electronics, Inc.

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

45-60 days a.r.o.

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME:

Rainey Electronics, Inc.Vice President

SIGNATURE:

(Must be signed here)

Robert Rainey

TITLE:

PRINT OR TYPE NAME:

Robert Rainey

ADDRESS:

19023 Colonel Glenn Road

CITY, STATE:

Little Rock, Arkansas

ZIP:

72210

TELEPHONE:

(501) 821-4700

FAX:

(501) 821-4702

EMAIL ADDRESS:

jlarsson@raineyelectronics.comTOTAL PRICE OF ALL BID ITEMS: \$ 23,267.⁰⁰

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00130960

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>PURCHASE OF SCOREBOARD FOR THE DEPARTMENT OF PARKS AND RECREATION</p> <p>0001-Fair-Play Model MP 7200pc-2 LED Multipurpose Scoreboard or Equal</p> <p>Includes : MP-80 Controller color- black Protective carrying cases- for controllers , wireless controller system upgrades includes transmitter and receiver, identification sign overlay (20"Height x 92"Width includes park logo and identification. Personalization Signs (30" Height x 14' Width) includes Facility logo and name.</p> <p>Scoreboard Color to be Royal Blue Standard Trim to be Tomato Red.</p>	9,118. ⁰⁰	9,118. ⁰⁰
2	1.00	EA	<p>0002- Fair-Play Model BA-7200PC-2 LED Baseball Scoreboard or Equal Includes MP-80 Controller color black, Protective carrying cases- for controllers, Wireless Controller System Upgrades include: Transmitter and Receiver, Personalization signs (30"Height x 14' Width) includes: Facility Logo and Name.</p> <p>Scoreboard Color- Royal Blue Standard Trim Color- Tomato Red The following items come with items 0001 & 0002: 10 Year warranty on all electronic components of scoreboard, on-site service , LED's are rated for an average of 100,000 hours, Immediate "Loaner" of all electronic components if repairs are needed. Full stock of parts in Little Rock, Arkansas as well as fully staffed service department.</p> <p>IF YOU ARE NOT BIDDING ON THE FAIRPLAY MODEL LISTED, PLEASE KNOW THAT YOUR SPECIFICATIONS MUST MEET OR EXCEED THOSE OF THIS MODEL AND PLEASE PROVIDE THE SPECIFICATIONS FOR THE MODEL THAT YOU BID.</p> <p>Needed for Girard Playground. Located at 5300 Irving Street Metairie, La 70003 For Delivery Please Contact Brad Roth at 504-813-7014</p>	7,074.50	14,149. ⁰⁰



19023 COLONEL GLENN ROAD
LITTLE ROCK, AR 72210
(501) 821-4700
FAX (501) 821-4702
TOLL-FREE (800) 443-4701

May 27, 2020

Mr. Mark Buttery
Jefferson Parish Department of Purchasing
200 Derbigny Street, Suite 4400
Gretna, LA 70053

Dear Mark:

Enclosed is the proposal with drawing of the Fair-Play LED multipurpose and baseball scoreboards exactly as specified for Girard Playground. Please call me at 1-800-443-4701 if you have any questions or need additional information.

By selecting a Fair-Play as your scoreboard, you will receive all of these benefits:

- 1) 100% Solid-State Scoreboard.
- 2) Computerized microprocessor controller.
- 3) Exclusive LED lighting system.
- 4) "State of Art" Electronic Technology.
- 5) 10-Year Parts and Labor Warranty.
- 6) Quality Installations.
- 7) Much More!



Rainey Electronics, Inc. appreciates your interest in Fair-Play Scoreboards and is looking forward to supplying your scoreboard needs.

Sincerely,

A handwritten signature in cursive script that reads "Jerry Larsson".

Jerry Larsson

Fair-Play 10 Year
Warranty
A TRANS-LUX COMPANY

JL/mb (01)
Enclosures

FAIR-PLAY MULTIPURPOSE AND BASEBALL SCOREBOARDS

GIRARD PLAYGROUND

METAIRIE, LA

MAY 27, 2020

FAIR-PLAY MODELS MP-7200PC-2 & BA-7200PC-2 LED MULTIPURPOSE & BASEBALL SCBDS

ONE	Fair-Play Model MP-7200PC-2 LED Multipurpose Scoreboard	\$ 7,254.00
	Includes: MP-80 Controller	
	Choice of Standard Colors	
TWO	Fair-Play Model BA-7200PC-2 LED Baseball Scoreboards (\$ 5,468.00 each)	10,936.00
	Includes: MP-80 Controller	
	Choice of Standard Colors	
THREE	Protective Carrying Cases – for controllers (\$ 49.00 each)	147.00
THREE	Wireless Controller System Upgrades (\$ 500.00 each)	1,500.00
	Includes: Transmitter and Receiver	
ONE	Identification Sign Overlay (20"H x 92"W) (For MP-7200PC-2)	240.00
	Includes: Park Logo and Identification	
THREE	Personalization Signs (30"H x 14"W) (\$ 700.00 each)	2,100.00
	Includes: Facility Logo and Name	
	Delivery to Metairie, LA	1,090.00

TOTAL \$ 23,267.00
(+ sales tax if applicable)

OPTIONAL ITEMS

ONE	Sponsor / Advertising Sign (30"H x 14"W)	\$ 700.00
	Includes: Custom Advertising Logo(s)	
	Complete Installation (Does not include trenching, electrical, or PVC conduits)	by quote
	Includes: New steel column support structure (primed and painted)	

OUTDOOR SCOREBOARD(S) ABOVE INCLUDE:


- 1) 10 Year Warranty on all electronic components of scoreboard.
- 2) On-Site Service available at reasonable rates.
- 3) LED's are rated for an average of 100,000 hours.
- 4) Immediate "Loaner" of all electronic components if repairs are needed.
- 5) Full stock of parts in Little Rock, Arkansas.
- 6) Fully staffed service department in Little Rock, Arkansas.






Fair-Play Model MP-7200PC-2 LED Multipurpose Scoreboard

Overall Dimensions: 12' High x 14' Wide
 Scoreboard Dimensions: 9'-6" High x 14' Wide
 Personalization Sign Dimensions: 30" High x 14' Wide
 Identification Sign Area Dimensions: 20" High x 92" Wide



Fair-Play Model BA-7200PC-2 LED Baseball Scoreboards

Overall Dimensions: 10' High x 14' Wide
 Scoreboard Dimensions: 7'-6" High x 14' Wide
 Personalization Sign Dimensions: 30" High x 14' Wide



Fair-Play 10 Year Warranty
 A TRANS-LUX COMPANY

RAINEY
 ELECTRONICS, INC.
 LITTLE ROCK, ARKANSAS

(800) 443-4701


Drawing No. 20-04302003
 REV. 5/27/20 JL

GIRARD PLAYGROUND

Fair-Play Model MP-7200PC-2 and BA-7200PC-2 LED Multipurpose and Baseball Scoreboards
 with Personalization Signs



FAIR-PLAY BASEBALL SCOREBOARD



Model: **BA-7200PC-2**

DIMENSIONS:

HEIGHT:	7'-6"	LENGTH:	14'-0"	DEPTH:	10"	WEIGHT:	489 lbs.
---------	-------	---------	--------	--------	-----	---------	----------


STANDARD EQUIPMENT:

- Super-bright, wide-angle amber LED's
- Factory authorized national and local sales, service and installation
- Choose from 10 durable paint colors - Free
- Choose from 15 popular vinyl trim colors - Free
- Free Help Desk Support
- Free project design renderings
- Over 75 years of sports scoring experience
- Sport specific control console inserts
- Energy efficient LED designs
- HB-800 data connection kit
- Choice of Fair-Play's scorekeeper approved score systems*
- 4-level control console display brightness adjustment
- Changeable scoreboard game captions*
- 5-year limited warranty
- ETL/CETL listed to UL standard
- Convenient built-in service points for easy-access
- Quality engineered water resistant aluminum construction
- Complete, safe and durable display mounting system
- 9-segment digits
- Built-in lighting suppressor (for standard data direct wire only)

*Consult with a sales representative for applicable models

OPTIONAL EQUIPMENT:

- Custom paint & vinyl trim colors
- UV resistant paint
- Illuminated & non-illuminated identification & sponsorship signage
- Custom, unique signage options
- Electronic team names*
- Rear-illuminated scoreboard captions*
- Mono- or full-color electronic message display with Fair-Play's exclusive ProLine® control system
- Carrying case for scoreboard control
- Personalized vinyl home team name
- Truss and decorative steel systems
- Pitch speed display system*
- Pitch count display*
- Field use time*
- Scoreboard sport-conversion captions*
- Integrated scoring and display systems
- Scoreboard caption color (other than white)
- Extended warranties and maintenance contracts
- Lighting protector for power
- Changeable scoreboard game captions*



OPERATING TEMPERATURES:

Scoreboard display: -22° to 131° Fahrenheit (-30° to 55° Celsius)

Control console: 32° to 131° Fahrenheit (0° to 55° Celsius)

OTHER DIMENSIONS:


CAPTIONS (H" x W")		DIGIT SIZES (H")	
PITCH COUNT	19" x 32"	AT BAT SPOT	3.5"
HOME	9" x 35"	BALL	18"
VISITOR	9" x 47"	H/E SPOT	3.5"
INNING	9" x 45"	INNING	18"
BALL	9" x 31"	OUT	18"
STRIKE	9" x 42"	PITCH COUNT	15"
OUT	9" x 25"	STRIKE	18"
H	9" x 7"	TEAM SCORES	18"
E	9" x 7"		

ELECTRICAL	
VOLTAGE	120 VAC
HERTZ	60
WATTS	197
AMPS	2
PHASE	1
WIRING	2-Wire + ground
CIRCUITS REQUIRED	1
SAFETY LISTING	ETL/CETL

Fair-Play offers 15 FREE standard trim tape colors



Fair-Play offers 12 FREE standard scoreboard colors. Custom colors available



Fair-Play by Trans-Lux Corporation

1700 Delaware Avenue • Des Moines, IA 50317 • 800.247.0265 • sales@fair-play.com • fair-play.com

FAIR-PLAY

MP-80

WIRELESS SCOREBOARD CONTROLLER



CONTROLS MULTIPLE SPORTS

MULTI FUNCTIONAL WIRELESS HANDSWITCH

FAIR-PLAY SCOREBOARDS
1700 DELAWARE AVENUE
DES MOINES, IA 50317
1-800-247-0265

WWW.FAIR-PLAY.COM

WIRELESS

The **MP-80** is wireless and comes preloaded with multiple sports.

SCOREBOARD INTERFACING

The **MP-80** has the capability to interface with virtually all models of FAIR-PLAY scoreboards.

LITHIUM-ION BATTERY

The battery charges through an USB connector that is plugged into a wall charger or computer. A full charge should last at least 30 hours for tournament play.

WIRELESS DUAL-HAND CONTROLLER

The **MP-80** interfaces with the multi functional wireless handswitches for timer or game clock control.

MP-80 Specifications:

Dimensions: 2" x 9.75" x 8"

Weight: 2 pounds 5 ounces

Power Requirements: 5 VDC @ 1 Amp

Included: 120 VAC-USB-A Charger with a 6' USB Cable

Handswitch Specifications:

Dimensions: 1.75" x 1.875" x 5.625"

Weight: 5 ounces

Power Requirements: 3 VDC @ 250 mA


Battery Requirements: 2 AA (Included)

WIRELESS CONTROL

SYSTEM BY TRANS-LUX/FAIR-PLAY

A NEW OPTIONAL SYSTEM DEVELOPED SPECIFICALLY FOR FAIR-PLAY INDOOR AND OUTDOOR SCOREBOARDS

The graphic below illustrates the layout of the wireless control system. A transmitter with antenna is required in the MP-70 control console and one receiver with antenna is required in each scoreboard, shot timer or field timer included in the system.



INDOOR- Basketball, Volleyball and Hockey

OUTDOOR- Baseball, Football and Soccer

Operation of the wireless system is identical to a wire-connected scoreboard. In a dual scoreboard installation, one scoreboard can be connected to the control via wire and the other(s) using the wireless design as long as the control has the transmitter/antenna incorporated in it and the wireless scoreboard has a receiver/antenna. The wireless system can synchronize nearly all Fair-Play models of scoreboards from the same control!

Our wireless system functions with all new Fair-Play outdoor scoreboards and with our new indoor Bar Digit and L.E.D. digit indoor scoreboards and shot clocks. It also can be added at a later date into these products. Retrofit of existing scoreboards is possible in many circumstances.

CUSTOMER BENEFITS FROM OUR WIRELESS SYSTEM

1. It allows control operation from any location in a gym or on an athletic field where power is available.
2. No remote control cable is needed avoiding the costs and "clutter" of cable, trenching and conduit.
3. Allows high reliability and trouble free operation.
4. Can operate an unlimited number of scoreboards, with similar display information, and shot or field timers from one wireless control.
5. Long range of operation---300 feet indoors and 1000 feet outdoors.
6. Can operate adjacent scoreboard systems without interference.

WHY THE NEW FAIR-PLAY WIRELESS SYSTEM IS SUPERIOR

- This system was developed by Fair-Play for the unique requirements of scoreboards operation and is not an "off the shelf" system.
- To insure the reliability and security of operation required in athletic competition for timing and scoring, we designed our system using Spread Spectrum Technology.
- This design allows quick adaptation from synchronized scoreboards operating from one control to the same scoreboards operation independently from separate controls. There's no need to climb a ladder to change modes.
- Fair-Play's wireless operates fast enough for 1/10th of a second operation in the last minute of the game.


TRANS-LUX
Fair-Play

WHAT IS SPREAD SPECTRUM TECHNOLOGY AND WHY IS IT OF GREAT VALUE TO YOU IN TIMING AND SCORING OF ATHLETIC EVENTS?


Fair-Play's data transmission system utilizes a signal from the control console that continually "refreshes" the data displayed on the scoreboard or shot/field timers. The centralized control of the data formation insures accurate synchronization of two scoreboard systems (especially valuable in basketball installations) as well as very accurate timing and scoring on all our single scoreboard installations. Therefore, our wireless design must give our scoreboard users the same reliability and accuracy they have experienced in our wire-connected installations. This is why we utilized the Spread Spectrum Technology.

Our spread spectrum technology sends each "bit" of data 16 times over a wide frequency range, and does so over 10 times per second. If several of the radio bits are interrupted by an outside source, the receiver automatically "selects" and utilizes the correct data. This transmission design insures against interference from cell phones, cordless devices, microwaves and other RF devices as well as security from jamming. The graphic below demonstrates how Fair-Play's wireless system uses a wider bandwidth compared to conventional narrow band radio systems to send redundant data.

Narrow-band Data Spectrum



Narrow-band Data Spectrum Replicated 16 Times Across Wide Bandwidth



Spread Spectrum Technology was originally developed for U.S. military use to attain a high level of reliability. Now it is ready to work for you in insuring a reliable wireless operating system for your new scoreboards and timers!

WHY THE NEW FAIR-PLAY WIRELESS SYSTEM IS SUPERIOR

- Each control console furnished with one transmitter and one flexible antenna.
- Each display (scoreboard or timer) furnished with one receiver and one antenna.
- System allows for synchronized operation of two or more scoreboards from one control or independent operation of multiple scoreboards from independent controls all closely located.
- System utilizes Spread Spectrum Technology redundantly transmitting the same data at least 16 times.
- System refreshes the scoreboard with new data no less than 10 time per second for smooth and accurate operation of game clocks, including 1/10 second timing.
- System has 14 selectable channels.
- System has Radio Link Indicator Light to indicate transmission link is operational.
- System has a minimum transmission range of 300 feet indoors and 1000 feet outdoors.
- System allows unlimited scoreboards to be operated from one control console.
- System FCC certified.
- Transmitter and receiver are built into the control and scoreboard and do not require additional mounting provisions or special placement.

TRANS·LUX[®]
Fair-Play



10 YEAR WARRANTY (Scoreboard)

Rainey Electronics, Inc. provides a limited ten (10) year warranty on Fair-Play scoreboard equipment when its Fair-Play products are operated and maintained according to the instructions furnished with the equipment. This warranty covers all electronic components and repair labor for the warranty duration from the date of delivery that proves to be defective in material or workmanship.

Excluded from this warranty are data cable and on-site service call and on-site labor charges. Also excluded from this 10 year warranty is the outdoor horn which will be warranted for 5 years.

Defective assemblies or components are to be returned postage prepaid to Rainey Electronics, Inc. for repair or replacement. Any warranted components will be return shipped UPS ground to customer. Any other shipping method will be charged to customer. Shipping charges for loaner equipment will be the responsibility of the customer.

Rainey Electronics, Inc. shall not be liable for any incidental or consequential damages nor any special damages or any further loss which may arise in connection with its warranted equipment or any claims under this warranty.

Under no circumstances shall this warranty apply if the warranted products have been subject to abuse, misuse, neglect, negligence, accident, or any casualties or abnormal conditions, including without limitation fire, civil disorders, war, flood, or other acts of God. Nor does this warranty cover service calls or damages resulting from or problems caused by any repair, modification, or adjustment of the warranted scoreboard(s) not performed by Rainey Electronics, Inc.

This warranty extends only to the original purchaser of the warranted products, and is not transferable. In the event there is a delinquent balance owed on the warranted scoreboard, then this warranty will be suspended until balance has been fully settled.

WARRANTY (042213)