



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

**5000144627 - Purchase of Golden Anderson Rubber Flap Check Valve for  
Jefferson Parish West Bank Water Plant**  
Jefferson Parish Government

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)  
20-Feb-2024 12:47:38 PM



Bid Number 5000144627

Purchase of Golden Anderson Rubber Flap Check Valve  
for Jefferson Parish West Bank Water Plant

BID DUE: February 21, 2024 AT 11:00 AM

**ATTENTION VENDORS!!!**

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, [www.jeffparishbids.net](http://www.jeffparishbids.net), by the bid due date and time. Late bids will not be accepted.

Jefferson Parish Purchasing Department  
200 Derbigny Street  
General Government Building, Suite 4400  
Gretna, LA 70053

Purchasing Specialist I Name: Brenda Bellow  
Purchasing Specialist I Email: [bbellow@jeffparish.net](mailto:bbellow@jeffparish.net)  
Purchasing Specialist I Phone: 504-364-2683

DATE: 2/16/2024

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00144627

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:  
BBELLOW@jeffparish.net

Bids will be received until 11:00 AM, 2/21/2024 via online at [www.jeffparishbids.net](http://www.jeffparishbids.net).

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2602(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at [purchasing.jeffparish.net](http://purchasing.jeffparish.net) and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder by the bidder placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.



**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1991).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

**IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS**

**This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.**

**This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.**

**Please visit our E-Procurement Page at [www.jeffparishbids.net](http://www.jeffparishbids.net) to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.**

**ADDITIONAL REQUIREMENTS FOR THIS BID**

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE  
CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.



**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies). When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is an as needed basis contract. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DATE: 2/16/2024

BID NO.: 50-00144627

Page: 4

## INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications as per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.



DATE: 2/16/2024

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00144627

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:  
BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

56-60 days

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 0

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME: Water Technology Resources

SIGNATURE: *Sally Waldor*  
(Must be signed here)

TITLE: President

PRINT OR TYPE NAME: Sally Waldor

ADDRESS: 9201 E Bloomington Frwy Suite Z

CITY, STATE: Bloomington, MN

ZIP: 55420

TELEPHONE: (952) 641-9004

FAX: (952) 8859173

EMAIL ADDRESS: sallywaldor@wtrvalves.com

TOTAL PRICE OF ALL BID ITEMS: \$ 7,280.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00144627

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>PURCHASE OF GOLDEN ANDERSON RUBBER FLAP CHECK VALVE FOR JEFFERSON PARISH WEST BANK WATER PLANT</p> <p>0010 Golden Anderson 18" figure 200D rubber flap check valve. Meets AWWA C508 material of construction, design and testing. Epoxy coated ductile iron body and cover. Buna-N flexible disc, 316 ss external fasteners</p> <p>DELIVER TO: JEFFERSON PARISH WB PLANT 4500 WESTBANK EXPRESSWAY MARRERO, LA 70072</p>	\$ 7,280.00	\$ 7,280.00



**To:** bbellow@jeffparish.net  
**Subject:** Bid No. 5000144627 - (1) 18" Rubber Flapper Check Valve

Bids Due – 11:00 am 2/21/24.

Dear Ms. Bellow,

We are pleased to submit our quotation for (1) 18" Rubber Flapper Check Valve (36" Face-to-Face) as manufactured by Water Technology Resources (WTR).

WTR is a Woman Owned Small Business (WOSB), manufacturer of a full line of High Quality, High Performance Valves since 2003.

We have included General Information on our 45° Flex Disc Check Valve.

The WTR Valves proposed meet-and-exceed the valve brand listed.

**No exceptions are needed and none are taken.**

Our Installation List includes (3) 18" and (2) 24" WTR Flex Disc Check Valves in 2015, as well as (2) 12" and (1) 14" – no date listed.

We checked order files and could not find any documentation that would indicate any problems or dissatisfaction with these valves.

Thank you for your consideration of our quotation.

We would be pleased to receive the Contract to furnish these valves.

Cordially,

Matt Waldor

[WATER TECHNOLOGY RESOURCES](http://www.wtrvalves.com)

9201 E. Bloomington Fwy, Suite Z  
Bloomington, MN 55420  
(P) 952-641-9004 (F) 952-885-9173  
[www.wtrvalves.com](http://www.wtrvalves.com)

# **WATER TECHNOLOGY RESOURCES – WTR VALVES**

## **FLEXIBLE DISC CHECK VALVE**

Rubber Flapper - 45° Seat Angle / 35° Disc Stroke

Model WTR 5107




“A Higher Quality Valve at a More Competitive Price.”

**9201 E Bloomington Fwy Suite Z, Bloomington MN 55420**  
**PH: 952-641-9004 Fax: 952-885-9173 E-mail: [contact@wtrvalves.com](mailto:contact@wtrvalves.com)**



## 45° Flexible Disc Check Valves , AWWA C508




### Parts

No.	Parts name	Material
1	Bolts	Stainless steel to SS304
2	Disc	Ductile iron or steel with EPDM covered
3	Bonnet	Ductile iron ASTM A536
4	Gasket	EPDM
5	Body	Ductile iron ASTM A536
6	Plug	Mild steel

### Dimension


Unit in inch

Size	L	H	Dimension of Flange			
			Dia. of flange	Nos. of hole	Dia. of hole	P.C.D.
2"	8.0	3.3	6.0	4	0.75	4.75
2 1/2"	8.5	3.6	7.0	4	0.75	5.50
3"	9.5	3.8	7.5	4	0.75	6.00
4"	11.5	4.3	9.0	8	0.75	7.50
5"	13.0	5.3	10.0	8	0.87	8.50
6"	15.0	6.2	11.0	8	0.87	9.50
8"	19.5	7.3	13.5	8	0.87	11.75
10"	24.5	8.4	16.0	12	1.00	14.25
12"	27.5	9.9	19.0	12	1.00	17.00
14"	31.0	13.4	21.0	12	1.12	18.75
16"	32.0	15.5	23.5	16	1.12	21.25
18"	36.0	15.9	25.0	16	1.25	22.75
20"	40.0	17.7	27.5	20	1.25	25.00
24"	48.0	20.9	32.0	20	1.37	29.50



### Specification

Design	AWWA C508
Type	Swing type
Class	175 PSI
Face to face	AWWA C508
Flange	ANSI B16.1 CLASS 125
Testing	AWWA C508
Coating	AWWA C550



**Materials of Construction**

Part	Description	Material
1	Body	Ductile Iron
2	Bonnet	Ductile Iron
3	Stem	Stainless Steel
4	Disc	Carbon Steel Encapsulated with EPDM or Neoprene
5	Gasket	NBR
6	Bolt	Stainless Steel
7	Nut	Stainless Steel
8	Disc Close - Spring Assist	Stainless Steel

**Table 2. Valve Construction Materials**


## Maintenance

Due to the simplicity of the 45° Flex Disc Check Valve design, no scheduled maintenance or lubrication is necessary. The only moving part of the valve is the rubber encapsulated disc. The 45° Flex Disc Check Valve can be inspected internally and serviced without removal from the line following the steps for disassembly.



## **AWWA C508**

### **45° SWING FLEX RUBBER FLAPPER CHECK VALVES**



#### **OPTIONAL ITEMS AVAILABLE**

- A) Backflow Actuator – Positive Backflush
- B) Valve Disc Position Indicator
- C) Synthetic Liners
- D) Various Materials of Constriction
- E) Limit Switch for Remote Signal

## **45° Flexible Disc** **Rubber Flapper Check Valve**

### **Design Features**

- ◆ Non Slam Close Performance
- ◆ Streamlined Contoured Body
- ◆ 100% Unrestricted Full Flow Area
- ◆ Drop Tight Seating/Sealing
- ◆ Sizes – 2”-36”
- ◆ ANSI / AWWA C508 Dimensions – Flange Lay Length
- ◆ 45° Seating Surface; 35° Stroke
- ◆ Non Clog Design -4” Valve passes a 3” spherical solid
- ◆ Ductile Iron Body and Cover
- ◆ Fusion Bonded Epoxy – NSF61- Inside/Outside
- ◆ Ductile Iron Disc Fully Encapsulated in Elastomer Rubber and Provided with a Strong Nylon Reinforcement

### **Available Options**

- ◆ Stainless Steel Spring Disc Accelerator
- ◆ Backflow Actuator-Positive Backflush
- ◆ Valve Disc Position Indicator
- ◆ Limit Switch for Remote Signal
- ◆ Synthetic Liners
- ◆ Special Materials of Construction – Body/Disc

“Higher Quality Valves at a More Competitive Price”



# **WATER TECHNOLOGY RESOURCES – WTR VALVES**

---

May 2022

## **45° Flexible Disc Swing Check Valves**

### **WTR Series 200 – AWWA C-508**

WTR Flexible Disc Swing Check Valves are designed for tough pumping applications where performance, reliability, and minimal maintenance are of utmost importance. This design has particularly good performance in applications having high discharge pressures in which reverse flows could cause excessive surging and severe Water Hammer Slamming of the Disc pipeline failure.

These Valves meet and exceed AWWA C508 Standards.

The WTR Valve is designed with a 45° angle valve seat and a short disc stroke of 35° to achieve rapid closure, and positive seating at high or low pressures. This reduced disc closing time results in minimizing the impact of flow reversal and resultant water hammer and disc slam.

The Valve design provides positive, tight seating and is provided with a smooth, contoured, streamline Valve Body design providing 100% unrestricted full flow with minimal head loss, while allowing a clear passageway for large size solids.

The 45° Valve seat angle design provides a full flow capability equal to the nominal Valve inlet/outlet size. A 4" Valve is capable of passing a 3" diameter sphere. Stainless-Steel removable plugs are provided in both the top and bottom of the valve casting.

Design simplicity, efficiency, and reliability, along with high quality, are the keys to superior performance and long service life of the WTR 45° Flex Swing Check Valve.

The Valve can be backflushed through an optional actuator stem device.

#### **Standard Materials of Construction:**

- Body and Cover – Ductile Iron – ASTM A536 – Grade 65-45-12
- Disc – Alloy Steel with NBR or EPDM Encapsulation – Nylon Reinforced
- Stainless Steel Spring Assist – Disc Closing WTR Surge-Con
- Fasteners – Stainless Steel
- AWWA C550 Coating – Fusion Bonded Epoxy Coated both Exterior and Interior -
- NSF61 – Approved & Certified
- NSF372 – Approved & Certified – Lead Free – Drinking Water
- Removable Plugs – Stainless Steel

**9201 E Bloomington Fwy Suite Z Bloomington MN 55420**

**PH: 952-641-9004 Fax: 952-885-9173 E-mail: [contact@wtrvalves.com](mailto:contact@wtrvalves.com)**

# WATER TECHNOLOGY RESOURCES – WTR VALVES

May 2022  
45° Check Valve  
P. 2

The Valve Disc is one piece, constructed of alloy steel, and is fully encapsulated in an elastomer rubber provided with a strong nylon reinforcement.

The Flexible Disc Swing Check Valve has advantages over conventional Swing Checks which having an 80 - 90° disc stroke. The 90° Valve design is typically fitted with an outside lever weight and/or spring mechanism to assist in closing the Disc. The 90° design takes approx. twice as long for the disc to close, as does the 45° design. The 90° design is also more susceptible to clogging/plugging, has greater head loss, additional maintenance, requirements, and reduced service life.

The closing action on the 90° valve design pulls the disc down into the flow path to close off the flow, which tends to create turbulence, causing it to oscillate in the flow path, and subjecting the bearings, shaft, and shaft seal to additional stress, strain, and failures.

The Flexible Disc Swing Check Valve design reduces the impact of reverse flow by achieving a rapid disc close of approximately one half the time of the 90° design. Quick closing action is assisted by an optional Stainless-Steel Spring Assist – WTR Surge-Con.

Options include: Backflow Actuator, Stainless Steel Spring Assist, Valve Disc Position Indicator, Synthetic Liners, Different Alloy Materials of Construction, and Limit Switch for remote signal.

Flexible Disc Swing Check Valves are designed, manufactured and tested in accordance with AWWA C-508 Standards. Dimensions and face to face lay lengths match AWWA Full Flow Check Valve Standards, i.e. 6" = 14" FF.

The 45° Flex Disc Valve is lower cost and the design performance is totally superior to the 90° Check Valve design.

Please contact WTR for Specifications, Drawings, and other information.

 Respectfully Submitted,

Matt Waldor, Vice President  
[WATER TECHNOLOGY RESOURCES](#)  
9201 E. Bloomington Fwy, Suite Z  
Bloomington, MN 55420  
(P) 952-641-9004 (F) 952-885-9173

**9201 E Bloomington Fwy Suite Z Bloomington MN 55420**  
**PH: 952-641-9004 Fax: 952-885-9173 E-mail: [contact@wtrvalves.com](mailto:contact@wtrvalves.com)**





1/2014

## **45° Flexible Swing Disc** **Rubber Flapper Check Valve**

Non Slam Closure      100% Unrestricted Flow Area      Drop Tight Seating

Size:	2" to 36"
Type:	ANSI/AWWA C508 Standards
Design:	Streamlined Contoured Body
Operation:	45° Seating Angle; 35° Short Disc Stroke
Non Clog Design:	100% Unobstructed Flow
Moving Parts:	One
Materials of Construction:	Ductile Iron A536- Options: Stainless Steel/Bronze
Disc:	Ductile Iron, Rubber Encapsulated with Nylon Reinforcement
Coating:	Fusion Bonded Epoxy – NSF 61 Approved
Special Liners:	Consult Factory

### Accessories:

Back Flush Actuator:	Backflush/Pump Prime/System Drain
Position Indicator:	Mechanical/Electrical (Proximity Limit Switch)
Accelerated Disc Close:	Stainless Steel Spring Assist

## WTR 45° Flexible Disc Check Valves AWWA C508

### Partial Installation List

- Anchorage, Alaska (2012)
  - (3) 12" w/SS Spring Assist
  - Backflow Stem (BF)
- San Bernardino, CA (2013)
  - (3) 14" w/SS Spring Assist
  - Backflow Stem (BF)
- Jefferson Parish, LA (2014)
  - (1) 12" & (1) 14" w/SS Spring Assist
- Los Angeles, CA (2014)
  - (8) 12" w/SS Spring Assist
- Terrabonne Parish, LA (2015)
  - (2) 12" w/SS Spring Assist
  - (6) 14" w/SS Spring Assist
- Fort Payne, Alabama – Jim House (2015)
  - (3) 20" – SS Spring Assist
  - Backflow Stem (BF)
- Jefferson Parish, LA (2015)
  - (3) 18" w/SS Spring Assist
  - (2) 24" w/SS Spring Assist
- Jack Tyler Engineering
  - Prefab Pump Stations
  - (26) 3"/4" – SS Assist
- Oklahoma (2017)
  - (3) 12" w/SS Spring Assist
  - Backflow Stem (BF)
- Jefferson Parish, LA
  - (1) 12" Spring Assist
  - (1) 14" Spring Assist
- Montgomery, AL (2012)
  - (1) 18" BF/Spring Assist
  - (2) 16" BF/Spring Assist
- Little Rock, AK
  - (2) 4" BF/BF/Spring
  - (2) 6" BF/BF/Spring
- British Columbia (2013)
  - (4) 10" Spring Assist
  - (2) 12" Spring Assist
  - (6) 6" Spring Assist
- Minnesota (2012-2018)
  - Approx (75) 4"/6"/8"/12"
  - (3) 12" w/SS Spring Assist
  - Backflow Stem (BF)
- Houma, LA (2015)
  - (2) 12" BF/Spring Assist
  - (6) 14" BF/Spring Assist
- Crested Butte, Colorado (2018)
  - (2) 4" w/SS Spring Assist