

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 2-YEARS

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

AS NEEDED

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:FIRM NAME: I.W.S. GAS AND SUPPLYADDRESS: 111 BURAS DR.CITY, STATE: BELLE CHASSE, LA. ZIP: 70037TELEPHONE: (504) 392-2400 FAX: (504) 392-1500EMAIL ADDRESS: JIMMY.GIBBS@GASANDSUPPLY.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

TOTAL PRICE OF ALL BID ITEMS: \$ 166,571.77AUTHORIZED SIGNATURE: Jimmy GibbsTITLE: SALES

JIMMY GIBBS
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
INDUSTRIAL WELDING SUPPLY OF HARVEY, LA.
INCORPORATED.

AT THE MEETING OF DIRECTORS OF I.W.S. GAS AND SUPPLY
INCORPORATED, DULY NOTICED AND HELD ON 10/3/19,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Jimmy Gibbs, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.



SECRETARY-TREASURER

10-3-19

DATE

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1506
jimmy.gibbs@gasandsupply.com

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared: _____

JIMMY GIBBS, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized AGENT of I.W.S. GAS AND SUPPLY (Entity), the party who submitted a bid in response to Bid Number JD-00128063 to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ☒ there are NO campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ _____ There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

**Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com**


That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Jimmy Gibbs
Signature of Affiant

JIMMY GIBBS
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 3RD DAY OF OCTOBER, 2019.

Dawn G. Stafford
Notary Public

Printed Name of Notary DAWN G. STAFFORD
 **NOTARY PUBLIC**
Parish of Orleans, State of Louisiana
Notary No. 84086
My Commission is for Life

Notary/Bar Roll Number _____

My commission expires _____.

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



RAYMO-1

OP ID: MA

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

05/23/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
Howard Risk Advisors, LLC
201 West Vermilion, Ste. 200
Lafayette, LA 70501
Judi Louviere
337-769-6780

CONTACT NAME: Marie Angelle

PHONE (A/C, No, Ext): 337-769-6780

FAX (A/C, No): 337-704-0417

E-MAIL ADDRESS: mangelle@howardrisk.com

INSURER(S) AFFORDING COVERAGE

NAIC #

INSURER A: The Gray Insurance Co., Inc.

36307

INSURER B: Starr Indemnity & Liability Co

38318

INSURER C: Allied World Surplus Lines

24319

INSURER D: Travelers Lloyd's Insurance Co

41262

INSURER E:

INSURER F:

INSURED
Industrial Welding Supply Co.
of Harvey, Inc.
111 & 107 Buras Dr.
Belle Chasse, LA 70037-3175

COVERAGES

CERTIFICATE NUMBER: 11005

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:	X	X	XSGL-074258	01/01/2017	01/01/2020	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 50,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ Unlimited PRODUCTS - COMP/OP AGG \$ 3,000,000 \$
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY	X	X	XSAL-075253	01/01/2017	01/01/2020	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
B	UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$	X	X	1000095303181	01/01/2019	01/01/2020	EACH OCCURRENCE \$ 10,000,000 AGGREGATE \$ 10,000,000 \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	N/A	XSWC-070973	01/01/2017	01/01/2020	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
C	AUTO PHYS DAM			03093648-18	01/01/2019	01/01/2020	COMP/COLL 5,000
D	EQUIPMENT FLOATER			QT660-1E919721TIL19	01/01/2019	01/01/2020	RENTED 200,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

The Cert Holder is an Add'l Insured on all policies except Work Comp & is provided a Waiver of Subrogation, all if required by written contract. All policies are primary & non-contributory if required by written contract. (SEE REVERSE SIDE OR ATTACHED FOR COVERAGE EXTENSIONS) (SEE ATTACHED NOTEPAD FOR SPECIFIC WORDING)

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

CERTIFICATE HOLDER

CANCELLATION

The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and Parish Council
Department of Engineering
1221 Elmwood Park Blvd., Ste. 802
Jefferson, LA 70123

JEFFE02

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

ACORD 25 (2016/03)

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

CERTIFICATE OF INSURANCE - PAGE 2

Excess Liability Policy Includes:

Coverage is excess of the Auto Liability, General Liability, Employers Liability, & Maritime Employers Liability policies.
Blanket Waiver of Subrogation when required by written contract
Blanket Additional Insured when required by written contract

THE GRAY INSURANCE COMPANY

The below coverages apply if the corresponding policy number is indicated on the previous page.

A. Commercial General Liability
General Liability Policy includes:

Blanket Waiver of Subrogation when required by written contract.
Blanket Additional Insured (CGL Form# CG20101185) when required by written contract.

Primary Insurance Wording Included when required by written contract.
Broad Form Property Damage Liability including Explosion, Collapse and Underground (XCU).
Premises/Operations
Products/Completed Operations
Contractual Liability
Sudden and Accidental Pollution Liability
Occurrence Form
Personal Injury
"In Rem" Endorsement
Cross Liability
Severability of Interests Provision
"Action Over" Claims
Independent Contractors coverage for work sublet
Vessel Liability - Watercraft exclusion has been modified by the vessels endorsement on scheduled equipment.
General Aggregate applies per project or equivalent.

B. Automobile Liability Policy includes:

Blanket Waiver of Subrogation when required by written contract
Blanket Additional Insured when required by written contract

C. Workers Compensation Policy includes:

Blanket Waiver of Subrogation when required by written contract,
U.S. Longshoremen's and Harbor Workers Compensation Act Coverage,
Outer Continental Shelf Land Act,
Jones Act (including Transportation, Wages, Maintenance, and Cure),
Death on the High Seas Act & General Maritime Law,
Maritime Employers Liability Limit: \$1,000,000,
Voluntary Compensation Endorsement,
Other States Insurance,
Alternate Employer/Borrowed Servant Endorsement,
"In Rem" Endorsement
Gulf of Mexico Territorial Extension

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1506
jimmy.gibbs@gasandsupply.com

NOTEPAD:

HOLDER CODE JEFFE02
INSURED'S NAME Industrial Welding Supply Co.

RAYMO-1
OP ID: MA

PAGE 3
Date 05/23/2019

ADDENDUM TO CERTIFICATE #11005:

Certificate Holder fully reads as follows:

The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council.

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	125.00	EA	TWO (2) YEAR CONTRACT FOR THE SUPPLY OF HAND TOOLS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS AND ALL OTHER AGENCIES & MUNICIPALITIES 0001 - 1/4 INCH SQUARE DRIVE RATCHET TOOL, CHROME WITH REVERSE (APPROXIMATELY 5 LONG) PROTO J4749	17.19	2148.75
2	1.00	EA	TWO (2) YEAR CONTRACT FOR A SUPPLY OF HAND TOOLS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES 0002 - 1/4 INCH X 2 INCH EXTENSIONS - CHROME PROTO J4759	4.21	4.21
3	1.00	EA	0003 - 1/4 INCH X 6 INCH EXTENSIONS - CHROME PROTO J4761	5.96	5.96
4	2.00	EA	0004 - 1/4 INCH SHALLOW SOCKETS - CHROME 12 PT. ONE SET OF 3/16 INCH - 9/16 INCH WITH CLIP BAR PROTO J47104	34.25	68.50
5	1.00	EA	0005 - 1/4 INCH SOCKETS, METRIC, SHALLOW CHROME, 6 POINT, ONE SET OF 4MM - 13MM WITH CLIP BAR PROTO J47200	42.14	42.14
6	1.00	EA	0006 - 1/4 INCH DEEP SOCKETS - CHROME, 12 POINT, ONE SET OF 3/16 INCH - 9/16 INCH PROTO J47100	51.02	51.02
7	1.00	EA	0007 - 1/4 INCH METRIC DEEP SOCKETS - CHROME 6 POINT, ONE SET OF 4MM - 13MM WITH CLIP BAR	63.54	63.54

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	155.00	EA	PROTO J47202 0008 - 3/8 INCH SQUARE RATCHET, CHROME WITH REVERSE (APPROXIMATELY 7 INCH LONG)	23.72	3675.05
9	30.00	EA	PROTO J5249 0009 - 3/8 INCH X 3 INCH EXTENSIONS - CHROME	6.24	187.20
10	50.00	EA	PROTO J5260 0010 - 3/8 INCH X 8 INCH EXTENSIONS - CHROME	8.58	429.00
11	10.00	EA	PROTO J5261 0011 - 3/8 INCH SHALLOW SOCKET-CHROME, 6 POINT WITH CLIP BAR, ONE SET OF 1/4 INCH - 1 INCH	52.85	528.50
12	1.00	EA	PROTO J52126 0012 - 3/8 INCH FLEX SOCKET-SET-6 POINT CHROME, ONE SET OF 3/8 INCH - 3/4 INCH, WITH METAL TRAY	115.98	115.98
13	5.00	EA	PROTO J52100 0013 - 3/8 INCH X 1/4 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME, 1/4 INCH	3.56	17.80
14	8.00	EA	PROTO J5208 0014 - 3/8 INCH X 5/16 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME	3.53	28.24
15	40.00	EA	PROTO J5210 0015 - 3/8 INCH X 3/8 INCH, SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME	3.53	141.20

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	20.00	EA	PROTO J5212 0016 - 3/8 INCH X 7/16 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME PROTO J5214	3.54	70.80
17	13.00	EA	0017 - 3/8 INCH X 1/2 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME PROTO J5216	3.59	46.67
18	20.00	EA	0018 - 3/8 INCH X 9/16 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME PROTO J5218	3.73	74.60
19	4.00	EA	0019 - 3/8 INCH X 5/8 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME PROTO J5220	3.73	14.92
20	5.00	EA	0020 - 3/8 INCH X 11/16 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME PROTO J5222	3.90	19.50
21	10.00	EA	0021 - 3/8 INCH X 3/4 INCH, SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME, 3/4 INCH PROTO J5224	3.90	39.00
22	2.00	EA	0022 - 3/8 INCH X 13/16 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, CHROME PROTO J5226	4.44	8.88
23	3.00	EA	0023 - 3/8 INCH X 7/8 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT,	4.79	14.37
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1506 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
24	1.00	EA	CHROME PROTO J5228 0024 - 3/8 INCH X 15/16 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT,	5.38	5.38
25	1.00	EA	CHROME PROTO J5230 0025 - 3/8 INCH X 1 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT,	5.53	5.53
26	6.00	EA	CHROME PROTO J5232 0026 - 3/8 INCH X 1/4 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME	4.73	28.38
27	7.00	EA	PROTO J5008 0027 - 3/8 INCH X 5/16 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME	4.85	33.95
28	60.00	EA	PROTO J5010 0028 - 3/8 INCH X 3/8 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME	4.94	296.40
29	3.00	EA	PROTO J5012 0029 - 3/8 INCH X 7/16 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME	5.02	15.06
30	23.00	EA	PROTO J5014 0030 - 3/8 INCH X 1/2 INCH SOCKET - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT CHROME	5.18	119.14
31	33.00	EA	PROTO J5016 0031 - 3/8 INCH X 9/16 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH,	5.35	176.55

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
32	7.00	EA	12 POINT, CHROME PROTO J5018 0032 - 3/8 INCH X 5/8 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME PROTO J5020	5.51	38.57
33	3.00	EA	0033 - 3/8 INCH X 11/16 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME PROTO J5022	6.07	18.21
34	10.00	EA	0034 - 3/8 INCH X 3/4 INCH SOCKETS - INDIVIDUAL BOLT CLEARANCE LENGTH, 12 POINT, CHROME PROTO J5024	6.43	64.30
35	6.00	EA	0035 - 3/8 INCH X 3/16 INCH SOCKETS - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME PROTO J5026	7.05	42.30
36	3.00	EA	0036 - 3/8 INCH X 7/8 INCH SOCKET - INDIVIDUAL, BOLT CLEARANCE LENGTH, 12 POINT, CHROME PROTO J5028	7.70	23.10
37	4.00	EA	0037 - 3/8 INCH X 15/16 INCH SOCKETS - INDIVIDUAL BOLT CLEARANCE LENGTH, 12 POINT, CHROME PROTO J5030	9.07	36.28
38	3.00	EA	0038 - 3/8 INCH X 1 INCH SOCKETS - INDIVIDUAL BOLT CLEARANCE LENGTH, 12 POINT, CHROME PROTO J5032	10.05	30.15
39	47.00	EA	0039 - 1/2 INCH SQUARE RATCHET, CHROME WITH REVERSE (APPROX. 10 INCH LONG)	36.61	1720.67

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1506
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
40	38.00	EA	PROTO J5449 0040 - 1/2 INCH RATCHET	39.53	1502.14
41	11.00	EA	PROTO J5450 0041 - 1/2 INCH X 2-1/2 INCH LONG SQUARE DRIVER TOOLS, CHROME EXTENSION	7.21	79.31
42	15.00	EA	PROTO J5460 0042 - 1/2 INCH X 10 INCH LONG SQUARE DRIVE TOOLS, CHROME EXTENSION	12.03	180.45
43	3.00	EA	PROTO J5463 0043 - 1/2 INCH X 1-1/8 INCH SOCKET SET, CHROME DEEP SOCKETS, 12 POINT (11 SOCKETS TO THE SET) WITH METAL TRAY, PROTO BLACK FINISH	104.71	314.13
44	6.00	EA	PROTO J54104 0044 - 10MM - 24MM, SQUARE DRIVE TOOLS, CHROME METRIC SOCKETS, 12 POINT, ONE SET OF (15 SOCKETS) WITH METAL TRAY, 11 PIECE FRACTIONAL	81.12	486.72
45	3.00	EA	PROTO J54206 0045 - 1/2 INCH X 3/8 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT CHROME	4.42	13.26
46	13.00	EA	PROTO J5412 0046 - 1/2 INCH X 7/16 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME	4.67	60.71
47	18.00	EA	PROTO J5414 0047 - 1/2 INCH X 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT,	4.71	84.78
<p style="text-align: center;"> Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com </p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
48	6.00	EA	CHROME PROTO J5416 0048 - 1/2 INCH X 9/16 INCH, INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT,	4.78	28.68
49	1.00	EA	CHROME PROTO J5418 0049 - 1/2 INCH X 19/32 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT,	4.86	4.86
50	1.00	EA	CHROME PROTO J5419 0050 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	4.96	4.96
51	8.00	EA	5/8 INCH PROTO J5420 0051 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	5.22	41.76
52	6.00	EA	11/16 INCH PROTO J5422 0052 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	5.29	31.74
53	8.00	EA	3/4 INCH PROTO J5424 0053 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	5.80	46.40
54	12.00	EA	13/16 INCH PROTO J5426 0054 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	5.95	71.40
55	25.00	EA	7/8 INCH PROTO J5428 0055 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	6.27	156.75

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
56	11.00	EA	15/16 INCH PROTO J5430 0056 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME, 1 INCH PROTO J5432	6.69	73.59
57	18.00	EA	0057 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME, 1-1/16 INCH PROTO J5434	7.56	136.08
58	22.00	EA	0058 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME, 1-1/8 INCH PROTO J5436	8.51	187.22
59	7.00	EA	0059 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME, 1-3/16 INCH PROTO J5438	9.77	68.39
60	10.00	EA	0060 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME, 1-1/4 INCH PROTO J5440	10.49	104.90
61	2.00	EA	0061 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME, 1-5/16 INCH PROTO J5442	12.11	24.22
62	5.00	EA	0062 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME, 1-3/8 INCH PROTO J5444	13.74	68.70
63	5.00	EA	0063 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	15.53	77.65

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
64	3.00	EA	1-7/16 INCH PROTO J5446 0064 - 1/2 INCH INDIVIDUAL SOCKETS, STANDARD LENGTH, 12 POINT, CHROME,	16.77	50.31
65	11.00	EA	1-1/2 INCH PROTO J5448 0065 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME,	8.18	89.98
66	23.00	EA	1/2 INCH PROTO J5316 0066 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME,	8.24	189.52
67	10.00	EA	9/16 INCH PROTO J5318 0067 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME,	8.35	83.50
68	8.00	EA	5/8 INCH PROTO J5320 0068 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME,	8.40	67.20
69	17.00	EA	11/16 INCH PROTO J5322 0069 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME,	8.53	145.01
70	18.00	EA	3/4 INCH, ALLEN NO. 12264 PROTO J5324 0070 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME,	8.97	161.46
71	24.00	EA	13/16 INCH PROTO J5326 0071 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME,	9.53	228.72

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
72	20.00	EA	7/8 INCH PROTP J5328 0072 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME, 15/16 INCH PROTO J5330	10.03	200.60
73	6.00	EA	0073 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME, 1 INCH PROTO J5332	10.56	63.36
74	17.00	EA	0074 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME, 1-1/16 INCH PROTO J5334	11.65	198.05
75	16.00	EA	0075 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE LENGTH, 12 POINT, CHROME, 1-1/8 INCH PROTO J5336	12.58	201.28
76	1.00	EA	0076 - 1/2 INCH DRIVE - 1-3/16 INCH, STANDARD LENGTH, 6 POINT, BLACK FINISH PROTO J7438H	8.63	8.63
77	1.00	EA	0077 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE, 12 POINT, BLACK FINISH, 1-1/4 INCH PROTO J7340	14.47	14.47
78	1.00	EA	0078 - 1/2 INCH DRIVE - 1-5/16 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH PROTO J7442	4.91	4.91
79	1.00	EA	0079 - 1/2 INCH DRIVE - 1-3/8 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	12.76	12.76

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
80	1.00	EA	PROTO J7444 0080 - 1/2 INCH DRIVE - 1-7/16 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH	14.63	14.63
81	1.00	EA	PROTO J7446 0081 - 1/2 INCH DRIVE - 1-1/2 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH	15.30	15.30
82	1.00	EA	PROTO J7448 0082 - 3/4 INCH SQUARE RATCHET CHROME WITH REVERSE (APPROX. 20 INCH LONG)	78.43	78.43
83	1.00	EA	PROTO J5649 0083 - 3/4 INCH SQUARE DRIVE TOOLS, CHROME EXTENSION - 4 INCH LONG	20.56	20.56
84	1.00	EA	PROTO J5660 0084 - 3/4 INCH SQUARE DRIVE TOOLS, CHROME EXTENSION - 8 INCH LONG	22.92	22.92
85	1.00	EA	PROTO J5661 0085 - SOCKETS, 3/4 INCH DRIVE - CHROME, 2-1/16 INCH	35.29	35.29
86	1.00	EA	PROTO J5566 0086 - SOCKETS, 3/4 INCH DRIVE - CHROME, 2-1/8 INCH	37.91	37.91
87	1.00	EA	PROTO J5568 0087 - SOCKETS, 3/4 INCH, CHROME, 2-3/16 INCH	40.55	40.55
88	1.00	EA	PROTO J5570 0088 - SOCKETS, 3/4 INCH, DRIVE, 2-1/4 INCH	46.01	46.01

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
89	1.00	EA	PROTO J5572 0089 - SOCKETS, 3/4 INCH DRIVE, CHROME, 2-3/8 INCH	52.14	52.14
90	2.00	EA	PROTO J5576 0090 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 5/16 INCH	7.70	15.40
91	28.00	EA	PROTO J1210A 0091 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 3/8 INCH	8.45	236.60
92	48.00	EA	PROTO J1212ASD 0092 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 7/16 INCH	8.85	424.80
93	68.00	EA	PROTO J1214ASD 0093 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1/2 INCH	9.21	626.28
94	55.00	EA	PROTO J1216ASD 0094 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 9/16 INCH	10.38	570.90
95	32.00	EA	PROTO J1218ASD 0095 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 5/8 INCH	11.52	368.64
96	15.00	EA	PROTO J1220ASD 0096 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 11/16 INCH	12.61	189.15
97	45.00	EA	PROTO J1222ASD 0097 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 3/4 INCH	13.75	618.75
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
98	20.00	EA	PROTO J1224ASD 0098 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 13/16 INCH	14.90	298.00
99	4.00	EA	PROTO J1226ASD 0099 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 7/8 INCH	17.51	70.04
100	35.00	EA	PROTO J1228ASD 0100 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 15/16 INCH	19.50	682.50
101	3.00	EA	PROTO J1230ASD 0101 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1 INCH	23.56	70.68
102	10.00	EA	PROTO J1232ASD 0102 - WRENCHES, COMBINATION, CHROME LONG HANDLE, 12 POINT, 1-1/16 INCH	27.82	278.20
103	28.00	EA	PROTO J1234ASD 0103 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-1/8 INCH	32.40	907.20
104	8.00	EA	PROTO J1236ASD 0104 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-1/4 INCH	38.15	305.20
105	1.00	EA	PROTO J1240ASD 0105 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-5/16 INCH	40.82	40.82
106	1.00	EA	PROTO J1242 0106 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-3/8 INCH	43.52	43.52

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
107	1.00	EA	PROTO J1244 0107 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-7/16 INCH	48.41	48.41
108	4.00	EA	PROTO J1246 0108 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-1/2 INCH	57.97	231.88
109	2.00	EA	PROTO J1248 0109 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-5/8 INCH	60.45	120.90
110	1.00	EA	PROTO J1252 0110 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-11/16 INCH	65.27	65.27
111	1.00	EA	PROTO J1254 0111 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-3/4 INCH	69.34	69.34
112	1.00	EA	PROTO J1256 0112 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 1-13/16 INCH	73.23	73.23
113	1.00	EA	PROTO J1258 0113 - WRENCHES, COMBINATION, CHROME LONG HANDLE, 1-7/8 INCH	87.51	87.51
114	1.00	EA	PROTO J1260 0114 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 2 INCH	92.00	92.00
115	1.00	EA	PROTO J1264 0115 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 2-1/8 INCH	121.40	121.40
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
116	1.00	EA	PROTO J1268 0116 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 2-1/4 INCH	134.97	134.97
117	1.00	EA	PROTO J1272 0117 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 2-3/8 INCH	165.70	165.70
118	1.00	EA	PROTO J1276 0118 - WRENCHES, COMBINATION, CHROME, LONG HANDLE, 12 POINT, 2-1/2 INCH	173.60	173.60
119	1.00	EA	PROTO J1280 0119 - METRIC CHROME COMBINATION WRENCHES, 12 POINT LONG, 8MM	8.09	8.09
120	1.00	EA	PROTO J1208MA 0120 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 9 MM	9.05	9.05
121	1.00	EA	PROTO J1209MA 0121 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 10 MM,	9.09	9.09
122	1.00	EA	PROTO J1210MASD 0122 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 11 MM	9.28	9.28
123	1.00	EA	PROTO J1211MASD 0123 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 12 MM	9.69	9.69
124	1.00	EA	PROTO J1212MASD 0124 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 13 MM	10.14	10.14
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
125	1.00	EA	PROTO J1213MASD 0125 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 14 MM	10.69	10.69
126	1.00	EA	PROTO J1214MASD 0126 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 15 MM	11.55	11.55
127	1.00	EA	PROTO J1215MASD 0127 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 16 MM	12.18	12.18
128	1.00	EA	PROTO J1216MASD 0128 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 17 MM	13.28	13.28
129	1.00	EA	PROTO J1217MASD 0129 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 18 MM	13.83	13.83
130	1.00	EA	PROTO J1218MASD 0130 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 19 MM	14.52	14.52
131	1.00	EA	PROTO J1219MASD 0131 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 20 MM	16.07	16.07
132	1.00	EA	PROTO J1220MASD 0132 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 21 MM	18.80	18.80
133	1.00	EA	PROTO J1221MASD 0133 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 22 MM	18.80	18.80

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
134	1.00	EA	PROTO J1222MASD 0134 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 23 MM	20.17	20.17
135	1.00	EA	PROTO J1223MASD 0135 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 24 MM	22.41	22.41
136	1.00	EA	PROTO J1224MASD 0136 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 26 MM	25.78	25.78
137	1.00	EA	PROTO J1226MASD 0137 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 27 MM	30.14	30.14
138	1.00	EA	PROTO J1227MASD 0138 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 30 MM	34.57	34.57
139	1.00	EA	PROTO J1230MASD 0139 - METRIC CHROME COMBINATION WRENCHES, 12 POINT, 32 MM	39.35	39.35
140	1.00	EA	PROTO J1232MASD 0140 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 3/8 INCH	11.04	11.04
141	1.00	EA	PROTO J3751 0141 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 7/16 INCH	12.30	12.30
142	1.00	EA	PROTO J3753 0142 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 1/2 INCH	11.72	11.72
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
143	1.00	EA	PROTO J3752 0143 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 9/16 INCH	13.78	13.78
144	1.00	EA	PROTO J3754 0144 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 5/8 INCH	16.05	16.05
145	1.00	EA	PROTO J3755 0145 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 11/16 INCH	17.53	17.53
146	1.00	EA	PROTO J3756 0146 - CHROME FLARE NUT WRENCHES, 6 POINT, OPEN END, 3/4 INCH	18.44	18.44
147	1.00	EA	PROTO J3757 0147 - L SHAPED HEX WRENCHES, .028	.19	.19
148	1.00	EA	EKLIND 15101 0148 - L SHAPED HEX WRENCHES, .035	.21	.21
149	1.00	EA	EKLIND 15102 0149 - L SHAPED HEX WRENCHES, 1/16	.15	.15
150	1.00	EA	EKLIND 15204 0150 - L SHAPED HEX WRENCHES, 5/64	.17	.17
151	1.00	EA	EKLIND 15205 0151 - L SHAPED HEX WRENCHES, 3/32	.18	.18
152	1.00	EA	EKLIND 15206 0152 - L SHAPED HEX WRENCHES, 7/64	.22	.22

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
153	1.00	EA	EKLIND 15207 0153 - L SHAPED HEX WRENCHES, 1/8	.27	.27
154	1.00	EA	EKLIND 15208 0154 - L SHAPED HEX WRENCHES, 9/64	.27	.27
155	1.00	EA	EKLIND 15209 0155 - L SHAPED HEX WRENCHES, 5/32	.30	.30
156	1.00	EA	EKLIND 15210 0156 - L SHAPED HEX WRENCHES, 3/16	.32	.32
157	1.00	EA	EKLIND 15212 0157 - L SHAPED HEX WRENCHES, 7/32	.51	.51
158	6.00	EA	EKLIND 15214 0158 - L SHAPED HEX WENCHES, 1/4	.67	4.02
159	1.00	EA	EKLIND 15216 0159 - L SHAPED HEX WRENCHES, 5/16	1.08	1.08
160	1.00	EA	EKLIND 15220 0160 - L SHAPED HEX WRENCHES, 3/8	1.63	1.63
161	1.00	EA	EKLIND 15224 0161 - L SHAPED HEX WRENCHES, 7/16	3.15	3.15
162	1.00	EA	EKLIND 15228 0162 - L SHAPED HEX WRENCHES, 1/2	3.63	3.63
			EKLIND 15232		
<p style="text-align: center;"> Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1506 jimmy.gibbs@gasandsupply.com </p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
163	1.00	EA	0163 - L SHAPED HEX WRENCHES, 9/16 EKLIND 15236	4.87	4.87
164	1.00	EA	0164 - L SHAPED HEX WRENCHES, 5/8 EKLIND 15240	7.87	7.87
165	1.00	EA	0165 - L SHAPED HEX WRENCHES, 3/4 EKLIND 15248	11.19	11.19
166	1.00	EA	0166 - HEX KEY WRENCH SETS, STANDARD T-HANDLE, 10 PIECES, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 EKLIND 50160	35.59	35.59
167	17.00	EA	0167 - RATCHETING BOX WRENCH, 12 POINT, 5/8 INCH X 3/4 INCH, CHROME 8-1/8 LENGTH PROTO J1186	16.04	272.68
168	1.00	EA	0168 - 1/4 INCH NUT DRIVERS, 6 POINT, 3/16 PROTO J9206	5.46	5.46
169	1.00	EA	0169 - 1/4 INCH NUT DRIVERS, 6 POINT, 7/32 PROTO J9207	5.00	5.00
170	1.00	EA	0170 - 1/4 INCH NUT DRIVERS, 6 POINT, 1/4 PROTO J9208	5.67	5.67
171	1.00	EA	0171 - 1/4 INCH NUT DRIVERS, 6 POINT, 9/32 PROTO J9209	5.50	5.50
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
172	25.00	EA	0172 - 1/4 INCH NUT DRIVERS, 5/16 PROTO J9210	6.55	163.75
173	1.00	EA	0173 - 1/4 INCH NUT DRIVERS, 6 POINT, 11/32 PROTO J9211	6.52	6.52
174	45.00	EA	0174 - 1/4 INCH NUT DRIVERS, 6 POINT, 3/8 PROTO J9212	6.43	289.35
175	1.00	EA	0175 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 4 MM PROTO J9204M	5.38	5.38
176	1.00	EA	0176 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 5 MM PROTO J9205M	5.02	5.02
177	1.00	EA	0177 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 5.5 MM PROTO J92055M	5.10	5.10
178	1.00	EA	0178 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 7 MM PROTO J9207M	5.78	5.78
179	1.00	EA	0179 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 8 MM PROTO J9208M	5.93	5.93
180	1.00	EA	0180 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 10 MM PROTO J9210M	6.20	6.20
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
181	1.00	EA	0181 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 11 MM PROTO J9211 M	6.52	6.52
182	1.00	EA	0182 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 12 MM PROTO J9212M	9.29	9.29
183	1.00	EA	0183 - 1/4 INCH METRIC NUT DRIVERS, 6 POINT, 13 MM PROTO J9213M	9.49	9.49
184	1.00	EA	0184 - 3/8 INCH NUT DRIVERS, 3/8 INCH STANDARD, SOCKET NUT DRIVER PROTO J9212H	7.13	7.13
185	185.00	EA	0185 - SCREWDRIVER, STANDARD BLADE, ROUND SHANK, BLADE LENGTH (APPROXIMATELY 4 INCH) PROTO JC31604R	5.28	976.80
186	62.00	EA	0186 - SCREWDRIVER, STANDARD BLADE, ROUND SHANK, BLADE LENGTH, APPROX . 8 INCH PROTO JK3808R	9.23	572.26
187	8.00	EA	0187 - SCREWDRIVER, PHILLIPS, ROUND SHANK BLADE LENGTH (APPROXIMATELY 3 IN.), NO. 1 HEAD PROTO JP0103R	6.96	55.68
188	55.00	EA	0188 - SCREWDRIVER, PHILLIPS, ROUND SHANK, BLADE LENGTH, (APPROXIMATELY 8 IN.), NO. 2 HEAD PROTO JP0208R	9.57	526.35
189	70.00	EA	0189 - SCREWDRIVER, PHILLIPS, ROUND SHANK, BLADE LENGTH, (APPROX. 6 INCH), Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1506 jimmy.gibbs@gasandsupply.com	9.57	669.90

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
190	2.00	EA	NO. 3 HEAD PROTO JP0306R 0190 - SCREWDRIVER, PHILLIPS, ROUND SHANK, BLADE LENGTH (APPROX. 8 INCH), NO. 4 HEAD PROTO JP0408R	10.55	21.10
191	500.00	EA	0191 - SCREWDRIVER, STANDARD BLADE, SQUARE SHANK, BLADE LENGTH <i>PROTO JK 3812 S</i> (APPROXIMATELY 12 INCH) PROTO J88112	10.33	5165.00
192	6.00	EA	0192 - PLIERS AND CUTTERS, CHROME COMBINATION, CHAIN NOSE PLIERS APPROXIMATELY 5-3/4 INCH LENGTH; APPROX. 3/8 INCH JAW WIDTH PROTO J226G	14.46	86.76
193	15.00	EA	0193 - PLIERS COMBINATION, SLIP JOINT 8-1/16 INCH LONG, CHROME PLASTISOL HANDLES PROTO J278G	10.23	153.45
194	115.00	EA	0194 - PLIERS AND CUTTERS, DIAGONAL CUTTING PLIERS, APPROXIMATELY 6 INCH LENGTH APPROXIMATELY 13/16 INCH LONG JAW PROTO J206G	12.99	1493.85
195	14.00	EA	0195 - PLIERS AND CUTTERS, LINEMAN PLIERS, INSULATED, APPROX. 7-3/8 INCH LENGTH PROTO J267G	19.44	272.16
196	37.00	EA	0196 - PLIERS AND CUTTERS, LINEMAN PLIERS, INSULATED, APPROX. 9-1/4 INCH LENGTH PROTO J269G	21.52	796.24
197	335.00	EA	0197 - CUTTER, RATCHET TUBING, CORROSIVE RESISTENT PLATED STEEL Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	54.53	18267.55


DURATEK™ PERFORMANCE GRIP SCREWDRIVERS

DURATEK™ SCREWDRIVERS

jimmy.gibbs@gasandsupply.com

Phone 504-392-1500
Fax 504-392-2400

Gas And Supply
Jimmy Gibbs



Product #	Tip Size	Tips	Shank Length (in)	Shank Type	Bolster	Overall Length (in)	Weight (lbs)	ASME Spec
JCP1802R	1/8	Cabinet	2	Round	-	4	0.08	ASME B107
JCP1803R	1/8	Cabinet	3	Round	-	5	0.09	ASME B107
JCP1804R	1/8	Cabinet	4	Round	-	6	0.09	ASME B107
JCP1806R	1/8	Cabinet	6	Round	-	8	0.10	ASME B107
JCP1808R	1/8	Cabinet	8	Round	-	10	0.09	ASME B107
JCP31603R	3/16	Cabinet	3	Round	-	6-5/16	0.10	ASME B107
JC31603R	3/16	Cabinet	3	Round	-	6	0.17	ASME B107
JC31604R	3/16	Cabinet	4	Round	-	7	0.18	ASME B107
JC31605R	3/16	Cabinet	5	Round	-	8	0.17	ASME B107
JC31606R	3/16	Cabinet	6	Round	-	9	0.20	ASME B107
JC31608R	3/16	Cabinet	8	Round	-	11	0.19	ASME B107
JC31610R	3/16	Cabinet	10	Round	-	13	0.24	ASME B107
JC31612R	3/16	Cabinet	12	Round	-	15	0.27	ASME B107
JC1410R	1/4	Cabinet	10	Round	-	14	0.34	ASME B107
JC1412R	1/4	Cabinet	12	Round	-	16	0.39	ASME B107
JC1416R	1/4	Cabinet	16	Round	-	20	0.39	ASME B107
JKB31603RP	3/16	Keystone	3	Round	Yes	7-1/4	0.16	ASME B107
JK31604S	3/16	Keystone	4	Square	-	7	0.19	ASME B107
JK14112R	1/4	Keystone	1-1/2	Round	-	3-1/2	0.12	ASME B107
JK1404S	1/4	Keystone	4	Square	-	8	0.27	ASME B107
JK1404R	1/4	Keystone	4	Round	-	8	0.25	ASME B107
JKB1404RP	1/4	Keystone	4	Round	Yes	8-1/2	0.26	ASME B107
JK1406R	1/4	Keystone	6	Round	-	10	0.29	ASME B107
JK1424R	1/4	Keystone	24	Round	-	28-1/2	0.51	ASME B107
JK51604R	5/16	Keystone	4	Round	-	8-3/8	0.33	ASME B107
JK51606S	5/16	Keystone	6	Square	-	10	0.41	ASME B107
JKB51606RP	5/16	Keystone	6	Round	Yes	10-3/4	0.39	ASME B107
JK51606R	5/16	Keystone	6	Round	-	10-3/8	0.37	ASME B107
JK51608R	5/16	Keystone	8	Round	-	12-3/8	0.41	ASME B107
JKB3808RP	3/8	Keystone	8	Round	Yes	13	0.57	ASME B107
JK3808R	3/8	Keystone	8	Round	-	13	0.54	ASME B107
JK3808S	3/8	Keystone	8	Square	-	13	0.60	ASME B107
JK3810R	3/8	Keystone	10	Round	-	11	0.62	ASME B107
JK3812R	3/8	Keystone	12	Round	-	17	0.69	ASME B107
JK3812S	3/8	Keystone	12	Square	-	17	0.77	ASME B107

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
198	40.00	EA	BLADE, 7 STEP RATCHETING MECHANISM, CAPACITY: 1/8 INCH-1-1/2 INCH, NEW NO. RIGID (23498) 0198 - PLIERS AND CUTTERS, STACKEON PLIERS PROTO J299	17.01	680.40
199	1.00	EA	0199 - PLIERS AND CUTTERS, TUBING CUTTER PIPE CAPACITY: 1/8 INCH - 1-1/4 INCH (RIGID NO. 31637)	50.97	50.97
200	4.00	EA	0200 - PLIERS AND CUTTERS, TUBING CUTTERS, PIPE CAPACITY: 1/4 INCH TO 2 INCH (RIGID NO. 31647)	76.12	304.48
201	100.00	EA	0201 - PLIERS, 9-9/16 INCH LENGTH CHANNELLOCK 420	10.91	1091.00
202	68.00	EA	0202 - PLIERS, 12 INCH LENGTH CHANNELLOCK 440	12.87	875.16
203	60.00	EA	0203 - PLIERS, CHANNEL LOCK NO. 460 16-7/8 INCH LENGTH PROTO NO. 265SG	23.86	1431.60
204	154.00	EA	0204 - PLIERS AND CUTTERS, VISE GRIP PLIERS, WITH WIRE CUTTERS, 10 INCH LENGTH, 1-5/8 INCH JAW CAPACITY VISE GRIP NO. 10WR IRWIN NO. 502L3	10.68	1644.72
205	1.00	EA	0205 - BOLT CUTTERS, JAWS ARE MADE OR HARDENED ALLOY STEEL, CENTER CUT, 15 INCH LENGTH, (RIDGID NEW NO. 14213)	57.37	57.37
206	1.00	EA	0206 - BOLT CUTTERS, JAWS ARE MADE OF HARDENED ALLOY STEEL, CENTER CUT, 19 INCH LENGTH, (RIDGID NEW NO. 14218)	62.26	62.26
			Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
207	52.00	EA	0207 - BOLT CUTTERS, JAWS ARE MADE OF HARDENED ALLOY STEEL, CENTER CUT, 26 INCH LENGTH, (RIDGID NEW NO. 14223)	77.18	4013.36
208	5.00	EA	0208 - BOLT CUTTERS, JAW ARE MADE OF HARDENED ALLOY STEEL, CENTER CUT, 31 INCH LENGTH, (RIDGID NEW NO. 14228)	100.52	502.60
209	22.00	EA	0209 - BOLT CUTTERS, JAWS ARE MADE OF HARDENED ALLOY STEEL, CENTER CUT, 38 INCH LENGTH (RIDGID NEW NO. 14233)	131.04	2882.88
210	4.00	EA	0210 - BOLT CUTTERS, JAWS ARE MADE OF HARDENED ALLOY STEEL, CENTER CUT, 44 INCH LENGTH, (RIGID NEW NO. 14238)	175.32	701.28
211	1.00	ST	0211 - CORRESPONDING REPLACEMENT JAW SETS FOR 15 INCH BOLT CUTTERS	37.99	37.99
			JAW SET FOR CAT. NO. 98920, RIGID NEW NO. 18363		
212	1.00	ST	0212 - CORRESPONDING REPLACEMENT JAW SETS FOR 19 INCH BOLT CUTTERS	46.95	46.95
			JAW SET FOR CAT. NO. 98935, RIGID NEW NO. 18368		
213	1.00	ST	0213 - CORRESPONDING REPLACEMENT JAW SETS FOR 26 INCH BOLT CUTTERS	55.41	55.41
			JAW SET FOR CATALOG NO. 98950, RIGID NEW NO. 18373		
214	1.00	ST	0214 - CORRESPONDING REPLACEMENT JAW SETS FOR 31 INCH BOLT CUTTERS	69.58	69.58
			JAW SET FOR CAT. NO. 98970, RIGID NEW NO. 18378		
215	1.00	ST	0215 - CORRESPONDING REPLACEMENT JAW SETS FOR 38 INCH BOLT CUTTERS	97.05	97.05
<p style="text-align: center;"> Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com </p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
216	1.00	ST	JAW SET FOR CAT NO. 98990, RIGID NEW NO. 18383 0216 - CORRESPONDING REPLACEMENT JAW SETS FOR 44 INCH BOLT CUTTERS	129.54	129.54
217	4.00	EA	JAW SET FOR CAT. NO. 99010, RIGID NEW NO. 18388 0217 - SNAP RING PLIERS, .090 TIP, APPROXIMATELY 9 IN. LENGTH, 90 DEGREE TIP ANGLE PROTO J379	22.64	90.56
218	1.00	EA	0218 - SNAP RING PLIERS, .047 TIP, APPROXIMATELY 6 INCH LENGTH, 90 DEGREE TIP ANGLE PROTO J374	14.75	14.75
219	1.00	EA	0219 - SNAP RING PLIERS, .090 TIP, APPROXIMATELY 9 INCH LENGTH, 45 DEGREE TIP ANGLE PROTO J378	22.35	22.35
220	1.00	EA	0220 - SNAP RING PLIERS, .047 TIP, APPROXIMATELY 6 INCH LENGTH, 45 DEGREE TIP ANGLE PROTO J373	14.58	14.58
221	1.00	EA	0221 - PIPE WRENCHES, EXTERNAL MODELS, 6 INCH LENGTH, 3/4 INCH JAW CAPACITY RIGID 31000	16.90	16.90
222	8.00	EA	0222 - PIPE WRENCHES, EXTERNAL MODELS, 8 INCH LENGTH, 1 INCH JAW CAPACITY RIGID 31005	20.64	165.12
223	52.00	EA	0223 - PIPE WRENCHES, EXTERNAL MODELS, 12 INCH LENGTH, 1-1/2 INCH JAW CAPACITY	25.61	1331.72
<p style="text-align: center;">Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
224	63.00	EA	RIGID 31015 0224 - PIPE WRENCHES, EXTERNAL MODELS, 14 INCH LENGTH, 2 INCH JAW CAPACITY	28.74	1810.62
225	49.00	EA	RIDGID 31020 0225 - PIPE WRENCHES, EXTERNAL MODELS, 18 INCH LENGTH, 2-1/2 INCH JAW CAPACITY	41.54	2035.46
226	22.00	EA	RIDGID 31025 0226 - PIPE WRENCHES, EXTERNAL MODELS, 24 INCH LENGTH, 3 INCH JAW CAPACITY	65.75	1446.50
227	1.00	EA	RIGID 31030 0227 - PIPE WRENCHES, EXTERNAL MODELS 36 INCH LENGTH, 5 INCH JAW CAPACITY	134.28	134.28
228	1.00	EA	RIGID 31035 0228 - PIPE WRENCHES, EXTERNAL MODELS, 48 INCH LENGTH, 7 INCH JAW CAPACITY,	208.51	208.51
229	125.00	EA	RIGID 31040 0229 - ADJUSTABLE WRENCHES, CHROME FINISH, 6 INCH LENGTH, 3/4 INCH JAW CAPACITY PROTO J706	12.52	1565.00
230	65.00	EA	0230 - ADJUSTABLE WRENCHES. CHROME FINISH, 8 INCH LENGTH, 15/16 INCH JAW CAPACITY PROTO J708	13.14	854.10
231	105.00	EA	0231 - ADJUSTABLE WRENCHES, CHROME FINISH, 10 INCH LENGTH, 1-1/8 INCH JAW CAPACITY PROTO J710	16.67	1750.35
232	88.00	EA	0232 - ADJUSTABLE WRENCHES, CHROME FINISH, 12 INCH LENGTH, 1-5/16 INCH Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	24.07	2118.16

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
233	70.00	EA	JAW CAPACITY PROTO J712 0233 - ADJUSTABLE WRENCHES, CHROME FINISH, 15 INCH LENGTH, 1-11/16 INCH	40.96	2867.20
234	40.00	EA	JAW CAPACITY PROTO J715 0234 - ADJUSTABLE WRENCHES, CHROME FINISH, 18 INCH LENGTH, 2-1/16 INCH	68.37	2734.80
235	1.00	EA	JAW CAPACITY PROTO J718 0235 - ADJUSTABLE WRENCHES, CHROME FINISH, 24 INCH LENGTH, 2-1/2 INCH	113.30	113.30
236	1.00	EA	JAW CAPACITY PROTO J724 0236 - SPANNER WRENCHES, HOOK TYPE, 3/4 INCH TO 2 INCH CAPACITY, APROX. 6 INCH LENGTH PROTO JC471	20.37	20.37
237	1.00	EA	0237 - SPANNER WRENCHES, HOOK TYPE, 1-1/4 INCH TO 3 INCH CAPACITY, APPROX. 8 INCH LENGTH PROTO JC472	23.18	23.18
238	1.00	EA	0238 - SPANNER WRENCHES, PIN TYPE, 2 INCH CAPACITY, APPROX. 6-3/8 INCH LENGTH PROTO JC491	21.98	21.98
239	1.00	EA	0239 - SPANNER WRENCHES, PIN TYPE, 3 INCH CAPACITY, APPROXIMATELY 8-1/4 INCH LENGTH PROTO JC494	25.20	25.20
240	1.00	EA	0240 - PINCH OR PRY BARS, STOCK SIZE: 1/2 INCH 24 INCH LONG, INDUSTRIAL	10.61	10.61

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FINISH		
			PROTO J2116		
241	1.00	EA	0241 - PINCH OR PRY BARS, STOCK SIZE: 5/8 INCH, APPROXIMATELY 18 INCH LENGTH	14.78	14.78
			PROTO J2120		
242	1.00	EA	0242 - PINCH OR PRY BARS, STOCK SIZE: 3/4 INCH, APPROXIMATELY 24 INCH LENGTH	19.66	19.66
			PROTO J2124		
243	52.00	EA	0243 - PINCH OR PRY BARS, PINCH POINT CROW BAR, 5 FOOT X 1/4 INCH, 18 POUND, AMES 1160100	37.81	1966.12
244	2.00	EA	0244 - PINCH OR PRY BARS, STEEL WRECKING BAR, 3/4 INCH X 300 INCH, AMES 1171000	9.02	18.04
245	4.00	EA	0245 - CUTTERS, ELECTRICIANS INSULATED HIGH LEVERAGE CABLE CUTTERS, APPROX. 9-1/4 INCH LENGTH, KLEIN NO. 63055	34.97	139.88
246	67.00	EA	0246 - CUTTERS, ELECTRICIANS INSULATED DIAGONAL CUTTING PLIERS, APPROXIMATELY 7 INCH LENGTH, KLEIN NO. D228-8-INS	48.11	3223.37
247	26.00	EA	0247 - CUTTERS, ELECTRICIANS INSULATED NEEDLE NOSE PLIERS, APPROXIMATELY 7 INCH LENGTH, KLEIN NO. D203-7-INS	43.53	1131.78
248	1.00	EA	0248 - ELECTRIC TOOLS, 1/2 INCH ELECTRIC DRILL WITH REVERSE, DEWALT NO. 235G	95.52	95.52
249	1.00	EA	0249 - ELECTRIC TOOLS, 1/2 INCH ELECTRIC IMPACT WRENCH, DEWALT NO. DW292	182.24	182.24
250	1.00	EA	0250 - FEELER GAUGE, 25 BLADES, 1/2 INCH X 3-1/4 INCH CAPACITY, 006	15.35	15.35
<p style="text-align: center;">Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1506 jimmy.gibbs@gasandsupply.com</p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
251	2.00	EA	TO .38 PROTO J000N 0251 - BALL PEIN HAMMER, HICKORY OR FIBERGLASS HANDLE, 8 OUNCE, PLUMB NO. 11-496	10.74	21.48
252	18.00	EA	0252 - BALL PEIN HAMMER, HICKORY OR FIBERGLASS HANDLE, 16 OUNCE PLUMB NO. 11-498	11.18	201.24
253	2.00	EA	0253 - BALL PEIN HAMMER, HICKORY OR FIBERGLASS HANDLE, 24 OUNCE PLUMB NO. 11-520	12.11	24.22
254	1.00	EA	0254 - BALL PEIN HAMMER, HICKORY OR FIBERGLASS HANDLE, 32 OUNCE PLUMB NO. 11-521	12.85	12.85
255	3.00	EA	0255 - SLEDGE HAMMER, HICKORY HANDLE, 32 INCH TO 34 INCH, 8 POUND, AMES NO. 1197900	20.72	62.16
256	1.00	EA	0256 - SLEDGE HAMMER, HICKORY HANDLE, 10 POUND, AMES NO. 1199100	25.39	25.39
257	1.00	EA	0257 - SLEDGE HAMMER, HICKORY HANDLE, 12 POUND, AMES NO. 1199400	27.57	27.57
258	1.00	EA	0258 - STARTER PUNCHES, 1/4 INCH HEX SIZE 3/32 INCH POINT, APPROX. 4-5/8 INCH LENGTH PROTO 50 1/4 S2	4.03	4.03
259	1.00	EA	0259 - STARTER PUNCHES, 7/16 INCH HEX SIZE, 7/32 INCH POINT, APPROX. 6 INCH LENGTH PROTO 50 7/16 S2	5.03	5.03
260	1.00	EA	0260 - STARTER PUNCHES, 1/2 INCH HEX SIZE, 1/4 INCH POINT, APPROX. 6-1/2 INCH	5.14	5.14

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
261	10.00	EA	LENGTH PROTO 50 1/2 S2 0261 - CHISELS, FLAT, 7/16 INCH HEX SIZE, 1/2 INCH EDGE, APPROX. 6 INCH	5.17	51.70
262	17.00	EA	LENGTH PROTO J86A 7/16 S2 0262 - CHISELS, FLAT, 19/32 INCH HEX SIZE, 3/4 IN. EDGE APPROXIMATELY 7-16	7.36	125.12
263	32.00	EA	INCH LENGTH PROTO J86A 5/8 S2 0263 - CHISELS, FLAT, 13/16 INCH HEX SIZE, 1 INCH EDGE, APPROX. 8-1/8 INCH	11.98	383.36
264	15.00	EA	LENGTH PROTO J86A 7/8 S2 0264 - DRILL BITS, HIGH SPEED STEEL 1/16 INCH TO 1/2 INCH, 1/64 GRADUATION (29 BITS) NORSEMAN NO. 43382	56.98	854.70
265	1.00	EA	0265 - DRILL BITS, HIGH SPEED STEEL 9/16 INCH TO 1 INCH, 1/16 INCH GRADUATION, 1/2 INCH SHANK, (8 BITS), NORSEMAN NO. 43200	168.13	168.13
266	1.00	EA	0266 - DRILL BITS, HIGH SPEED STEEL EXTRACTOR SET WITH RANGE OF 1/4 INCH - 1 INCH DIAMETER AND STANDARD PIPE SIZE 1/8 INCH - 1 INCH RIGID NO. 35590, NO. 25	450.18	450.18
267	6.00	EA	0267 - HIGH SPEED DRILL BITS, INDIVIDUAL 1/16 INCH, NORSEMAN NO. 01030	.52	3.12
268	20.00	EA	0268 - HIGH SPEED DRILL BITS, INDIVIDUAL 5/64 INCH, NORSEMAN NO. 01040	.52	10.40
269	20.00	EA	0269 - HIGH SPEED DRILL BITS, INDIVIDUAL 3/32 HIGH, NORSEMAN NO. 01050	.52	10.40
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
270	75.00	EA	0270 - HIGH SPEED DRILL BITS, INDIVIDUAL 7/64 INCH, NORSEMAN NO. 01060	.52	39.00
271	130.00	EA	0271 - HIGH SPEED DRILL BITS, INDIVIDUAL 1/8 INCH, NORSEMAN NO. 01070	.57	74.10
272	27.00	EA	0272 - HIGH SPEED DRILL BITS, INDIVIDUAL 9/64 INCH, NORSEMAN NO. 01080	.63	17.01
273	87.00	EA	0273 - HIGH SPEED DRILL BITS, INDIVIDUAL 5/32 INCH, NORSEMAN NO. 01090	.65	56.55
274	26.00	EA	0274 - HIGH SPEED DRILL BITS, INDIVIDUAL 11/64 INCH, NORSEMAN NO. 01100	.72	18.72
275	106.00	EA	0275 - HIGH SPEED DRILL BITS, INDIVIDUAL 3/16 INCH, NORSEMAN NO. 01110	.83	87.98
276	52.00	EA	0276 - HIGH SPEED DRILL BITS, INDIVIDUAL 13/64 INCH, NORSEMAN NO. 01120	.92	47.84
277	30.00	EA	0277 - HIGH SPEED DRILL BITS, INDIVIDUAL 7/32 INCH, NORSEMAN NO. 01130	1.01	30.30
278	34.00	EA	0278 - HIGH SPEED DRILL BITS, INDIVIDUAL 15/64 INCH, NORSEMAN NO. 01140	1.09	37.06
279	68.00	EA	0279 - HIGH SPEED DRILL BITS, INDIVIDUAL 1/4 INCH, NORSEMAN NO. 01150	1.23	83.64
280	32.00	EA	0280 - HIGH SPEED DRILL BITS, INDIVIDUAL 17/64 INCH, NORSEMAN NO. 01160	1.52	48.64
281	35.00	EA	0281 - HIGH SPEED DRILL BITS, INDIVIDUAL 9/32 INCH, NORSEMAN NO. 01170	1.68	58.80
282	25.00	EA	0282 - HIGH STEEL DRILL BITS, INDIVIDUAL 19/64 INCH, NORSEMAN NO. 01180	1.84	46.00

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimny.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
283	1.00	EA	0283 - HIGH SPEED DRILL BITS, INDIVIDUAL ALLOY STEEL BITS, T-10 THRU 6-40, 4 INCH PROTO J61929	49.04	49.04
284	1.00	EA	0284 - HIGH SPEED DRILL BITS, INDIVIDUAL SHANK, MAGNETIZED BITS, NO. 9308 APEX PROTO J61906	55.24	55.24
285	22.00	EA	0285 - HIGH SPEED DRILL BITS, INDIVIDUAL 11/32 INCH, NORSEMAN NO. 01210	2.41	53.02
286	10.00	EA	0286 - HIGH SPEED DRILL BITS, INDIVIDUAL 23/64 INCH, NORSEMAN NO. 01220	2.67	26.70
287	92.00	EA	0287 - HIGH SPEED DRILL BITS, INDIVIDUAL 3/8 INCH, NORSEMAN NO. 01230	2.75	253.00
288	15.00	EA	0288 - HIGH SPEED DRILL BITS, INDIVIDUAL 25/64 INCH, NORSEMAN NO. 01240	3.08	46.20
289	1.00	EA	0289 - HIGH SPEED DRILL BITS, INDIVIDUAL 13/32 INCH, NORSEMAN NO. 01250	3.15	3.15
290	30.00	EA	0290 - HIGH SPEED DRILL BITS, INDIVIDUAL 27/64 INCH, NORSEMAN NO. 01260	3.48	104.40
291	10.00	EA	0291 - HIGH SPEED DRILL BITS, 50 INDIVIDUAL, 7/16 INCH, NORSEMAN NO. 01270	3.74	37.40
292	16.00	EA	0292 - HIGH SPEED DRILL BITS, INDIVIDUAL 29/64 INCH, NORSEMAN NO. 01280	4.34	69.44
293	20.00	EA	0293 - HIGH SPEED DRILL BITS, INDIVIDUAL 15/32 INCH, NORSEMAN NO. 01290	4.40	88.00
<p style="text-align: center;"> Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com </p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
294	20.00	EA	0294 - HIGH SPEED DRILL BITS, INDIVIDUAL 31/64 INCH, NORSEMAN NO. 01300	4.59	91.80
295	25.00	EA	0295 - HIGH SPED DRILL BITS, INDIVIDUAL 1/2 INCH, NORSEMAN NO. 01310	4.65	116.25
296	1.00	EA	0296 - FILES, WOODEN TWIST ON FILE HANDLES, WITH CASE, HARDENED THREADED STEEL INSERTS, FITS 14 INCH BASTARD CUT MILL FILES, NICHOLSON NO. 21471	3.23	3.23
297	1.00	EA	0297 - FILES, 6 INCH MILL FILE, NICHOLSON NO. 08354	3.63	3.63
298	4.00	EA	0298 - FILES, 10 INCH MILL FILE, NICHOLSON NO. 08642	5.96	23.84
299	1.00	EA	0299 - FILES, 14 INCH MILL FILE, NICHOLSON NO. 08832	13.13	13.13
300	13.00	EA	0300 - FILES, 1/2 INCH HALF ROUND, NICHOLSON DISCD, (1), 05094	17.69	229.97
301	1.00	EA	0301 - FILES, 10 INCH ROUND, NICHOLSON 12019	6.33	6.33
302	1.00	EA	0302 - SAW AND BLADES (ALLOY STEEL BLADES) HACKSAW FRAME, ADJUSTABLE SAW FOR 10 INCH OR 12 INCH BLADES NICHOLSON NO. 80950	5.56	5.56
303	1.00	EA	0303 - SAW AND BLADES (ALLOY STEEL BLADES) CROSSCUT SAW, 26 INCH, 8 POINT, <i>NEW P/N NSPI</i> HIGH CARBON TEMPERED STEEL BLADE, NICHOLSON NO. NS1501	17.25	17.25
304	1.00	EA	0304 - SAW AND BLADES (ALLOY STEEL BLADES) 12 INCH LONG, 18 TEETH PER INCH, L.S. STARRETT BS1218(40330)	.98	.98

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

Nicholson® Solid Flexible Carbon Steel Hacksaw Blades


- Solid high carbon steel
- Tempered to provide hard edge with flexible back
- Specially hardened to induce toughness
- Economy blade for sawing light to medium-hard materials
- A good balance of wear resistance, mechanical shock absorbing properties
- Virtually unbreakable
- 2 blades per card - 10 cards per bag - 40 bags per carton



Cat. No.	UPC No.	Packaging	Set Type	Length	TPI/PPI	Width	Gauge	Product Weight	Shelf Pack Qty.
33103	037103631039	Boxed	Wavy	10 in	18	0.50 in	0.025 in	0.04 lb	100
33112	037103631121	Boxed	Wavy	10 in	24	0.50 in	0.025 in	0.04 lb	100
33145	037103631459	Boxed	Wavy	12 in	18	0.50 in	0.025 in	0.04 lb	100
33158	037103631589	Boxed	Wavy	12 in	24	0.50 in	0.025 in	0.08 lb	10
33220	037103632203	Carded	Wavy	10 in	24	0.50 in	0.025 in	0.09 lb	10
33256	037103632562	Carded	Wavy	12 in	18	0.50 in	0.025 in	0.05 lb	10
33268	037103632685	Carded	Wavy	12 in	24	0.50 in	0.025 in	0.10 lb	10
33280	037103632807	Carded	Wavy	12 in	32	0.50 in	0.025 in	0.10 lb	10

Nicholson® Predator Handsaws

- Ergonomic handle with rubber-coated grip for comfort and control
- Razor sharp diamond ground teeth for easier cuts
- Induction hardened Hard Point (H.P.) teeth never need sharpening
- Handle features 45/90 degree shape for marking angles



Cat. No.	UPC No.	Packaging	Length	Points Per Inch	Tooth Type	Product Weight	Shelf Pack Qty.
NSP1	037103172358	Carded	24 in	8	Standard Hard Point	1.17 lb	4
NSP2	037103172365	Carded	24 in	10	Standard Hard Point	1.17 lb	4
NSP5	037103172396	Carded	15 in	8	Aggressive Hard Point	0.82 lb	4

Nicholson® Professional Handsaws

- Precision set teeth for smooth cuts
- Hardened and tempered polished steel blade
- Resharpenable teeth for long life

DISCONTINUED



Cat. No.	UPC No.	Packaging	Length	Points Per Inch	Tooth Type	Product Weight	Shelf Pack Qty.
NS1501	037103172310	Carded	24 in	8	Standard	1.25 lb	2
NS1502	037103172327	Carded	24 in	12	Standard	1.25 lb	2
NS1503	037103172334	Carded	20 in	8	Standard	1.00 lb	2
NS1504	037103172341	Carded	15 in	8	Standard	1.00 lb	2

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
305	1.00	EA	0305 - SAW AND BLADES (ALLOY STEEL BLADES) 12 INCH LONG, 24 TEETH PER INCH, STARRETT BS1224 (40331)	.99	.99
306	60.00	EA	0306 - PULLERS, SMALL PACKING PULLERS FLEXIBLE, 6-1/4 INCH LONG, SIZE NO. 1, (OSBORNE NO. 1204) (58320)	5.33	319.80
307	70.00	EA	0307 - PULLERS, SMALL PACKING PULLERS, FLEXIBLE, 10-5/8 INCH LONG, SIZE NO. 2 OSBORNE 1204 (58322)	8.58	600.60
308	1.00	EA	0308 - PULLERS, GENERAL PURPOSE GEAR PULLERS, PRESSURE SCREW, 3/4 INCH DIA., JAW REACH APPROXIMATELY 4-3/8 INCH, JAW SPREAD APPROX. 10 INCH - 15 INCH PROTO J4232E	118.14	118.14
309	48.00	EA	0309 - FLARE TOOLS, ZIP-FLARE TOOL FOR COLD FLARING CTS PLASTIC WATER SERVICE TUBING, 3/4 INCH CTS, 160 PSI CAPACITY, POLYETHYLENE SDR9 SERVICE (REED ITEM CODE NO. 04200, CAT. NO. SFPE-3/4 INCH)	114.04	5473.92
310	45.00	EA	0310 - FLARE TOOLS, ZIP-FLARE TOOL FOR COLD FLARING CTS PLASTIC WATER SERVICE TUBING, 1 INCH CTS, 160 PST CAPACITY, POLYETHYLENE SDR9 SERVICE (REED ITEM CODE NO. 04202, CAT NO. SFPE-1 INCH)	125.47	5646.15
311	1.00	EA	0311 - GREASE GUNS, LEVER OPERATED, 10,000 PSI MAX PRESSURE LOADS WITH CARTRIDGE OR BULK GREASE, ALEMITE NO. 1056-S4	119.00	119.00
312	105.00	EA	0312 - GREASE GUNS, FLEX HOSE FOR GREASE GUNS, 18 INCH LENGTH, 1/8 INCH NPT MALE ENDS, ALEMITE NO. 6703-B	30.98	3252.90
313	1.00	EA	0313 - IMPACT SOCKETS, 3/8 INCH SQUARE DRIVE DEEP, 6 POINT ONE SET OF 5/16 INCH THROUGH 3/4 INCH (8 SOCKETS)	43.16	43.16
<p style="text-align: center;">Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
314	1.00	EA	WITH CLIP BAR PROTO J72112 0314 - IMPACT SOCKETS, 1/2 INCH SQUARE DRIVE SHALLOW 6 POINT ONE SET OF 1/2 INCH THROUGH 1-1/16 INCH (11 SOCKETS) WITH CLIP BAR PROTO J47102	47.99	47.99
315	1.00	EA	0315 - IMPACT SOCKETS, 1/2 INCH SQUARE DRIVE DEEP, 6 POINT, ONE SET OF 7/16 INCH THROUGH 1-1/8 INCH (12 SOCKETS) WITH CLIP BAR J74112	93.96	93.96
316	1.00	EA	0316 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, 3/8 INCH PROTO J7412H	4.08	4.08
317	1.00	EA	0317 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, 7/16 INCH PROTO J7414H	4.08	4.08
318	1.00	EA	0318 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, 1/2 INCH PROTO J7416H	4.08	4.08
319	1.00	EA	0319 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS STANDARD LENGTH, 6 POINT, 9/16 INCH PROTO J7418H	4.08	4.08
320	1.00	EA	0320 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, 5/8 INCH PROTO J7420H	4.44	4.44
321	1.00	EA	0321 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, 5/8 INCH PROTO J7420H	4.55	4.55

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
322	1.00	EA	11/16 INCH PROTO J7422H 0322 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	4.89	4.89
323	1.00	EA	3/4 INCH PROTO J7424H 0323 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	5.45	5.45
324	1.00	EA	13/16 INCH PROTO J7426H 0324 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	5.71	5.71
325	1.00	EA	7/8 INCH PROTO J7428H 0325 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT	6.64	6.64
326	1.00	EA	15/16 INCH PROTO J7430H 0326 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	7.30	7.30
327	1.00	EA	1 INCH PROTO J7432H 0327 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT	8.11	8.11
328	1.00	EA	1-1/16 INCH PROTO J7434H 0328 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	8.11	8.11
329	1.00	EA	1-1/8 INCH PROTO J7436H 0329 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	8.63	8.63

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
330	1.00	EA	1-3/16 INCH PROTO J7438H 0330 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT	9.93	9.93
331	1.00	EA	1-1/4 INCH PROTO J7440H 0331 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	11.91	11.91
332	1.00	EA	1-5/16 INCH PROTO J7442H 0332 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	12.07	12.07
333	1.00	EA	1-3/8 INCH PROTO J7444H 0333 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	13.86	13.86
334	1.00	EA	1-7/16 INCH PROTO J7446H 0334 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT,	15.92	15.92
335	1.00	EA	1-1/2 INCH PROTO J7448H 0335 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 3/8 INCH	6.72	6.72
336	1.00	EA	PROTO J7312H 0336 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 7/16 INCH	6.77	6.77
337	1.00	EA	PROTO J7314H 0337 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1/2 INCH	6.88	6.88

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
338	1.00	EA	PROTO J7316H 0338 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 9/16 INCH	6.88	6.88
339	1.00	EA	PROTO J7318H 0339 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 5/8 INCH	6.94	6.94
340	1.00	EA	PROTO J7320H 0340 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 11/16 INCH	7.00	7.00
341	1.00	EA	PROTO J7322H 0341 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 3/4 INCH	7.25	7.25
342	1.00	EA	PROTO J7324H 0342 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 13/16 INCH	7.81	7.81
343	1.00	EA	PROTO J7326H 0343 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 7/8 INCH	8.65	8.65
344	1.00	EA	PROTO J7328H 0344 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 15/16 INCH	8.70	8.70
345	1.00	EA	PROTO J7330H 0345 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1 INCH	9.69	9.69
			PROTO J7332H Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
346	8.00	EA	0346 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-1/16 INCH PROTO J7334H	10.87	86.96
347	1.00	EA	0347 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-1/8 INCH PROTO J7336H	13.34	13.34
348	1.00	EA	0348 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-3/16 INCH PROTO J7338H	14.51	14.51
349	1.00	EA	0349 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-1/4 INCH PROTO J7340H	14.51	14.51
350	1.00	EA	0350 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-5/16 INCH PROTO J7342H	16.02	16.02
351	1.00	EA	0351 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-3/8 INCH PROTO J7344H	18.22	18.22
352	1.00	EA	0352 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-7/16 INCH PROTO J7346H	20.69	20.69
353	1.00	EA	0353 - 1/2 INCH SQUARE DRIVE IMPACT SOCKETS, DEEP LENGTH, 6 POINT, 1-1/2 INCH Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	23.13	23.13

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
354	1.00	EA	PROTO J7348H 0354 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 9/16 INCH PROTO J07509	10.09	10.09
355	1.00	EA	0355 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 5/8 INCH PROTO J07510	10.29	10.29
356	1.00	EA	0356 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 11/16 INCH PROTO J07511	10.12	10.12
357	1.00	EA	0357 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 3/4 INCH PROTO J07512	10.39	10.39
358	1.00	EA	0358 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 3/16 INCH PROTO J07513	11.19	11.19
359	1.00	EA	0359 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 7/8 INCH PROTO J07514	11.21	11.21
360	1.00	EA	0360 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 15/16 INCH PROTO J07515	11.21	11.21
361	1.00	EA	0361 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT	11.34	11.34
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
362	1.00	EA	INDUSTRIAL FINISH, 1 INCH PROTO J07516 0362 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-1/16 INCH PROTO J07517	12.30	12.30
363	1.00	EA	0363 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-1/8 INCH PROTO J07518	12.64	12.64
364	1.00	EA	0364 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-3/16 INCH PROTO J07519	13.21	13.21
365	1.00	EA	0365 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-1/4 INCH PROTO J07520	14.51	14.51
366	1.00	EA	0366 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-5/16 INCH PROTO J07521	14.09	14.09
367	1.00	EA	0367 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-3/8 INCH PROTO J07522	14.88	14.88
368	1.00	EA	0368 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-7/16 INCH PROTO J07523	15.33	15.33
369	1.00	EA	0369 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	16.25	16.25

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
370	1.00	EA	INDUSTRIAL FINISH, 1-1/2 INCH PROTO J07524 0370 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-9/16 INCH PROTO J07525	17.40	17.40
371	1.00	EA	0371 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-5/8 INCH PROTO J07526	17.40	17.40
372	1.00	EA	0372 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-11/16 INCH PROTO J07527	17.40	17.40
373	12.00	EA	0373 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-3/4 INCH PROTO J07528	17.40	208.80
374	1.00	EA	0374 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-13/16 INCH PROTO J07529	17.40	17.40
375	1.00	EA	0375 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-7/8 INCH PROTO J07530	18.69	18.69
376	1.00	EA	0376 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 2 INCH PROTO J07532	22.80	22.80
377	1.00	EA	0377 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	28.42	28.42

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
378	1.00	EA	INDUSTRIAL FINISH, 2-1/16 INCH PROTO J07533 0378 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 2-3/16 INCH PROTO J07535	34.35	34.35
379	1.00	EA	0379 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 2-1/4 INCH PROTO J07536	37.80	37.80
380	1.00	EA	0380 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, STANDARD LENGTH, 6 POINT, INDUSTRIAL FINISH, 2-3/8 INCH PROTO J07538	41.57	41.57
381	1.00	EA	0381 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 3/4 INCH PROTO J07512L	14.37	14.37
382	1.00	EA	0382 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 13/16 INCH PROTO J07513L	14.37	14.37
383	1.00	EA	0383 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 7/8 INCH PROTO J07514L	14.51	14.51
384	1.00	EA	0384 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 15/16 INCH PROTO J07515L	15.60	15.60
385	1.00	EA	0385 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT,	16.17	16.17

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
386	1.00	EA	INDUSTRIAL FINISH, 1 INCH PROTO J07516L 0386 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-1/16 INCH PROTO J07517L	16.47	16.47
387	1.00	EA	0387 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-1/8 INCH PROTO J07518L	17.10	17.10
388	1.00	EA	0388 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-3/16 INCH PROTO J07519L	17.50	17.50
389	1.00	EA	0389 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-1/4 INCH PROTO J07520L	18.75	18.75
390	1.00	EA	0390 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-5/16 INCH PROTO J07521L	19.42	19.42
391	1.00	EA	0391 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-3/8 INCH PROTO J07522L	21.46	21.46
392	1.00	EA	0392 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-7/16 INCH PROTO J07523L	22.75	22.75
393	1.00	EA	0393 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	23.29	23.29

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
394	1.00	EA	INDUSTRIAL FINISH, 1-1/2 INCH PROTO J07524L 0394 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-9/16 INCH PROTO J07525L	23.59	23.59
395	1.00	EA	0395 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-5/8 INCH PROTO J07526L	25.10	25.10
396	1.00	EA	0396 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-11/16 INCH PROTO J07527L	25.10	25.10
397	1.00	EA	0397 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-3/4 INCH PROTO J07528L	25.28	25.28
398	1.00	EA	0398 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-13/16 INCH PROTO J07529L	25.28	25.28
399	1.00	EA	0399 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 1-7/8 INCH PROTO J07530L	27.19	27.19
400	1.00	EA	0400 - 3/4 INCH SQUARE DRIVE IMPACT SOCKETS, BOLT CLEARANCE LENGTH, 6 POINT, INDUSTRIAL FINISH, 2 INCH PROTO J07532L	28.10	28.10
401	1.00	EA	0401 - LADDERS, ELECTRICAL EXTENSION LADDER, NON-CONDUCTIVE, 300 POUND	235.30	235.30

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
402	1.00	EA	WORKLOAD 24 FOOT LENGTH, 21 FOOT MAX. LENGTH EXTENDED, D-SHAPED RUNGS, RAIL ENDS CAPS, ROPE AND PULLEY LOUISVILLE MODEL NO. FE5224, GREEN BULL 606-224 300 POUND CAPACITY (LOUISVILLE FE 3224)	58.22	58.22
403	1.00	EA	0402 - LADDERS, INDUSTRIAL STEP LADDER, NON-CONDUCTIVE, 300 POUND WORKLOAD, 4 FOOT HEIGHT, 18-7/8 INCH BOTTOM WIDTH, MOLDED TOP WITH RECESSED TRAY, LOUISVILLE MODEL NO. FS1504, GREEN BULL NO. 202204 (LOUISVILLE L-3016-04)	80.90	80.90
404	1.00	EA	0403 - LADDERS, INDUSTRIAL STEP LADDER, NON-CONDUCTIVE, 300 POUND WORKLOAD, 6 FOOT HEIGHT, 21-7/8 INCH BOTTOM WIDTH, MOLDED TOP WITH RECESSED TRAY, LOUISVILLE MODEL NO. FS1506, GREEN BULL NO. 202206 (LOUISVILLE L-3016-06)	101.05	101.05
405	1.00	EA	0404 - LADDERS, INDUSTRIAL STEP LADDER, NON-CONDUCTIVE, 300 POUND WORKLOAD, 8 FOOT HEIGHT, 24-7/8 INCH BOTTOM WIDTH, MOLDED TOP WITH RECESSED TRAY, LOUISVILLE NO. FS1508, GREEN BULL NO. 202208	146.10	146.10
406	405.00	EA	0405 - LADDERS, FIBERGLASS STEP LADDERS, 300 POUND WORKLOAD, 10 FOOT HEIGHT, 28-7/8 INCH BOTTOM WIDTH, MOLDED TOP WITH RECESSED TRAY, LOUISVILLE MODEL NO. FS1010 GREEN BULL NO. 202210 (LOUISVILLE 3016-10)	13.24	5362.20
407	40.00	EA	0406 - MISCELLANEOUS, MEASURING TAPE, 25 FOOT X 1 INCH BLADE, LOCKING FEATURE, CHROME PLATED HOUSING, STAINLESS STEEL BELT CLIP, 3 COLOR BLADE LUFKIN NO. PS2125	12.53	501.20
			0407 - MISCELLANEOUS, CARPENTERS LEVEL, 24 INCH LENGTH, BREAK RESISTANT ACRYLIC VIALS WITH COVERS, LARGE TO READ LEVEL WINDOW, VIALS READ 360 DEGREES AROUND, REPLACEABLE VIALS, JOHNSON NO. 3724		

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
408	1.00	EA	0408 - MISCELLANEOUS, MECHANICS STARTER SETS, 138 SET PIECE WITH STORAGE BOX PROTO J99701	2448.06	2448.06
409	1.00	EA	0409 - MISCELLANEOUS, MECHANICS STARTER SETS WITHOUT CHEST 138 PIECE SET PROTO J99700	1932.60	1932.60
410	1.00	EA	0410 - MISCELLANEOUS, BASIC TOOL SETS, 62 PIECES WITH STORAGE BOX PROTO J99201	509.67	509.67
411	1.00	EA	0411 - MISCELLANEOUS, BASIC TOOL SETS, WITHOUT CHEST, 62 PIECES PROTO J99200	449.31	449.31
412	1.00	EA	0412 - MISCELLANEOUS, PIPE DESCALERS, TO REMOVE CORROSION AND DEBRIS FROM PIPE SURFACE, ZINC PLATED STEEL, PIPE CAPACITY 3 INCH - 12 INCH, 32 INCH LONG, 7 POUNDS, REED NO. DS-12 08000	119.59	119.59
413	1.00	EA	0413 - MISCELLANEOUS, PIPE DESCALERS, TO REMOVE CORROSION AND DEBRIS FROM CORRECT PN DS-36 PIPE SURFACE, ZINC PLATED STEEL, PIPE CAPACITY 3 INCH - 36 INCH, 4 INCH LONG, 12 POUNDS, REED NO. DS-37 08006	172.32	172.32
414	2.00	EA	0414 - SAW AND BLADES CIRCULAR SAW BLADE TIP MATERIAL: CARBIDE BLADE TYPE: COMBINATION BLADE DIAMETER: 8-1/2 INCH NUMBER OF TEETH: 60 ARBOR HOLE: 5/8 INCH KERF: 0.094 INCH APPLICATION: FINISHING BLADE FOR SMOOTH RIPPING AND CROSSCUTTING IN HARD AND SOFT WOOD, BUILDING MATERIALS, PLYWOOD, CHIPBOARD, PANELING, AND PRESSBOARD DIAMOND KNOCKOUT: NO NEW NO. DW 3215 PT 10" BLADE	55.66	111.32

PRECISION SAW BLADES

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

PRECISION Framing™



CAT #	DESCRIPTION	KERF TYPE	DIA.	TEETH	ARBOR	HOOK ANGLE	KERF	PLATE THICKNESS	TOOTH GRIND
DW9199	Framing Blade	Thin Kerf	6-1/2"	24	5/8"	18°	.063"	.039"	ATB
DW9196	Cross Cutting Blade	Thin Kerf	6-1/2"	40	5/8"	18°	.063"	.039"	ATB
DW3199	Framing Blade	Thin Kerf	7-1/4"	24	5/8"-♦	18°	.063"	.039"	ATB
DW3599B10**	Framing Blade	Thin Kerf	7-1/4"	24	5/8"-♦	18°	.063"	.039"	ATB
DW3194	Cross Cutting Blade	Thin Kerf	7-1/4"	40	5/8"-♦	18°	.063"	.039"	ATB
DW3594B10**	Cross Cutting Blade	Thin Kerf	7-1/4"	40	5/8"-♦	18°	.063"	.039"	ATB
DW3196	Fine Cutting Blade	Thin Kerf	7-1/4"	60	5/8"-♦	18°	.063"	.039"	ATB
DW3596B10**	Fine Cutting Blade	Thin Kerf	7-1/4"	60	5/8"-♦	18°	.063"	.039"	ATB
DW3185	Cross Cutting Blade	Thin Kerf	8-1/4"	40	5/8"-♦	18°	.071"	.047"	ATB

**Bulk



PRECISION Trim™



*DW7118PT
DISCONTINUED
W/NO REPLACEMENT*

CAT #	DESCRIPTION	DIA.	TEETH	ARBOR	HOOK ANGLE	KERF	PLATE THICKNESS	TOOTH GRIND	MAX RPM
DW7118PT	Premium Finish	8-1/2"	60	5/8"	-5°	.094"	.063"	ATB	9,000
DW7124PT	Fast Ripping	10"	24	5/8"	20°	.098"	.071"	FT	6,000
DW7140PT	General Purpose	10"	40	5/8"	20°	.098"	.071"	ATB	6,000
DW7150PT	Combination	10"	50	5/8"	15°	.098"	.071"	ATB+R	6,000
DW3215PT	Smooth Crosscutting	10"	60	5/8"	7°	.098"	.071"	ATB	6,000
DW3218PT	Ultra Fine Finish	10"	80	5/8"	7°	.098"	.071"	ATB	6,000
DW3216PT	Smooth Crosscutting	12"	60	1"	7°	.106"	.079"	ATB	4,800
DW3232PT	Ultra Fine Finish	12"	80	1"	7°	.106"	.079"	ATB	4,800
DW72100PT	Ultra Miter	12"	100	1"	-5°	.106"	.079"	ATB+R	4,800
Specialty									
DW7119PT	Non-Ferrous/Plastic/Fine Trim	8-1/2"	60	5/8"	-5°	.094"	.063"	TCG	9,000
DW3219PT	Non-Ferrous/Plastic/Fine Trim	10"	80	5/8"	-5°	.098"	.071"	TCG	6,000
DW7296PT	Non-Ferrous/Plastic/Fine Trim	12"	96	1"	-5°	.102"	.079"	TCG	4,800



PRECISION SAW BLADES

SCAN FOR MORE INFO



2X[™] LARGER CARBIDE**

2X[™] LONGER LIFE***

■ **Exclusive Plate Technology**
Improved cut performance and reduced vibration†

■ **Face Grind**
For clean, precise cuts

■ **Premium Carbide**
2X larger carbide than DEWALT construction series

■ **Tough Coat[®]**
FINISH REVESTIMIENTO I REVETEMENT
Anti-stick coating

**Vs. DEWALT construction series

***Vs. Freud's DIABLO® D0724R in 3/4" chip board

† Vs. previous design

Freud® and Diablo® are registered trademarks of Freud America, Inc.

www.DEWALT.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
415	1.00	EA	TOOTH GRIND: ATB HOOK ANGLE: -5 DEGREES CUTTING DEPTH: 3-3/4 INCH MAX. RPM: 9000 PLATE THICKNESS: 0.063 INCH FOR USE WITH: MITER AND TABLE SAWS MANUFACTURER: DEWALT MFR. MODEL NO.: DW7118PT 0415 - SAW AND BLADES CIRCULAR SAW BLADE	71.99	71.99
416	1.00	EA	TIP MATERIAL: CARBIDE BLADE TYPE: FINISHING BLADE DIAMETER: 10 INCH NUMBER OF TEETH: 80 ARBOR HOLE: 5/8 INCH KERF: 0.110 INCH APPLICATION: FOR WOOD CUTTING DIAMOND KNOCKOUT: NO TOOTH GRIND: ATB HOOK ANGLE: -5 DEGREES CUTTING DEPTH: 4 INCHES MAX. RPM: 6000 PLATE THICKNESS: 0.087 INCHES FOR USE WITH: TABLE, RADIAL ARM AND MITER SAWS MANUFACTURER: DEWALT MFR. MODEL NO. DW7647 0416 - SAW AND BLADES CIRCULAR SAW BLADE	58.34	58.34
417	1.00	ST	TIP MATERIAL: CARBIDE BLADE TYPE: FINISHING BLADE DIAMETER: 12 INCH NUMBER OF TEETH: 80 ARBOR HOLE: 1 INCH KERF: 0.106 INCH APPLICATION: FOR WOOD CUTTING DIAMOND KNOCKOUT: NO TOOTH GRIND: ATB HOOK ANGLE: -5 DEGREES CUTTING DEPTH: 4-1/2 INCHES MAX. RPM: 4800 PLATE THICKNESS: 0.079 INCHES FOR USE WITH: MITER AND TABLE SAWS MANUFACTURER: DEWALT MFR. MODEL NO.: DW3232PT 0417 - SAW AND BLADES DADO BLADE SET BLADE DIAMETER: 8 INCH CUTTING WIDTH: 29/32 INCH CUTTING DEPTH: 1/8 INCH DESIGN: STACKED ARBOR HOLE: 5/8 INCH DIAMOND KNOCKOUT: YES Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	176.93	176.93

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
418	1.00	PK	<p>MAX. RPM: 7000 NUMBER OF TEETH: 24 PLATE THICKNESS: 11/125 INCH TOOTH GRIND: ATB HOOK ANGLE: -12 DEGREES FOR USE WITH: HARD WOODS, SOFT WOODS, PLYWOOD, PARTICLE BOARD, MELAMINES, LAMNIATES, VENEERS, SOLID SURFACE MATERIALS, VENEERS, SOLID SURFACE MATERIALS, PLASTICS, AND NON-FERROUS METALS INCLUDES: (2) OUTSIDE CUTTERS, (4) 1/8 INCH CHIPPERS, (1) 1/16 INCH CHIPPER, (1) 3/32 INCH CHIPPER, (12) STEEL SHIMS AND CARRYING CASE MANUFACTURER: DEWALT MFR. MODEL NO.: DW7670</p> <p>0418 - MISCELLANEOUS, SANDPAPER SANDING SHEET</p>	30.72	30.72
419	1.00	PK	<p>LENGTH: 11 INCH WIDTH: 9 INCH GRADE: MEDIUM GRIT: P80 ABRASIVE MATERIAL: ALUMINUM OXIDE BACKING MATERIAL: LATEX-SATURATED PAPER BACKING WEIGHT: B COLOR: BROWN SERIES: A275 MANUFACTURER: NORTON MFR. MODEL NO. 66261131634</p> <p>0419 - MISCELLANEOUS, SANDPAPER SANDING SHEET</p>	56.63	56.63
420	1.00	PK	<p>LENGTH: 11 INCHES WIDTH: 9 INCHES GRADE: MEDIUM GRIT: P100 ABRASIVE MATERIAL: ALUMINUM OXIDE BACKING MATERIAL: LATEX-SATURATED PAPER BACKING WEIGHT: B COLOR: BROWN SERIES: A275 MANUFACTURER: NORTON MFR. MODEL NO. 66261131633</p> <p>0420 - MISCELLANEOUS, SANDPAPER SANDING SHEET</p>	56.63	56.63
			<p>LENGTH: 11 INCHES WIDTH: 9 INCHES GRADE: FINE GRIT: P120 ABRASIVE MATERIAL: ALUMINUM OXIDE BACKING MATERIAL: LATEX-SATURATED PAPER BACKING WEIGHT: B COLOR: BROWN</p> <p>Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
421	1.00	PK	SERIES: A275 MANUFACTURER: NORTON MFR. MODEL NO. 66261131632 0421 - MISCELLANEOUS, SANDPAPER SANDING SHEET LENGTH: 11 INCHES WIDTH: 9 INCHES GRADE: VERY FINE GRIT: P220 ABRASIVE MATERIAL: ALUMINUM OXIDE BACKING MATERIAL: LATEX-SATURATED PAPER BACKING WEIGHT: B COLOR: BROWN SERIES: A275 MANUFACTURER: NORTON MFR. MODEL NO. 66261131629	56.63	56.63
422	6.00	PK	0422 - ANCHOR TYPE: SELF DRILLING MATERIAL: PLASTIC SCREW SIZE: NO. 6 TO NO. 8 ANCHOR LENGTH: 1-1/4 INCH SCREW LENGTH: 1-1/4 INCH SCREW TYPE: PHILLIPS/SLOTTED GRIP RANGE: 3/8 TO 5/8 INCH MIN. THREAD LENGTH: 1-1/4 INCH USE WITH: NO. 6 SCREWS INCLUDES: NO. 6 X 1-1/4 INCH SCREW PACKAGE QUANTITY: 25 100 MANUFACTURER: WESTWARD MFR. MODEL NO. 11K347 NEW No. 11K352	21.51	129.06
423	10.00	PK	0423 - BRAD NAIL NAIL LENGTH (IN.): 1/2 GAUGE: 18 CONSTRUCTION: STEEL COLOR: NATURAL FOR USE WITH: MFR. NO. TR250, TRE550 PACKAGE QUANTITY: 1000 MANUFACTURER: STANLEY MFR. MODEL NO. SWKBN050S	96	9.60
424	10.00	PK	0424 - BRAD NAIL NAIL LENGTH (IN.): 1-3/16 GAUGE: 18 CONSTRUCTION: STEEL COLOR: NATURAL FOR USE WITH: MFR. NO. TRE650, ETROOD PACKAGE QUANTITY: 1000 MANUFACTURER: STANLEY MFR. MODEL NO. SWKBN1187	1.42	14.20
425	10.00	PK	0425 - BRAD NAIL NAIL LENGTH (IN.): 1-1/4 Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	1.75	17.50

Fasteners > Anchors > Hollow Wall and Wallboard Anchors >
Self-Drilling Drywall Anchor, Plastic, #6 to #10 x 1-5/8", 100 PK >

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Print


Email

FABORY

GRAINGERCHOICE

Self-Drilling Drywall Anchor, Plastic, #6 to #10 x 1-5/8", 100 PK

Item # 11K352 Mfr. Model # U30530.000.0001 Catalog Page # 2170 UNSPSC # 31162103



 <div>1</div> <div>Add to Cart</div> <div>+ Add to List </div>	<div>Expected to arrive Thu, Oct 03</div> <div>Ship To 39562 (Change)</div>
--	---

★ ★ ★ ★ ★ : 1.0 of 5 | 1 review | [Write a Review](#)

Shipping Weight 0.688 lbs.

Country of Origin Taiwan | *Country of Origin is subject to change.*

Note: Product availability is real-time updated and adjusted continuously. The product will be reserved for you when you complete your order. [More](#)

How can we improve our Product Images?

☐ Compare

Product Details

Allow you to preserve drywall integrity at installation and when screws are removed. Anchors require no predrilling or hole preparation and can be View More

Technical Specs

Item	Drywall Anchor	Anchor Length	1-5/8"
Wall Anchor Type	Drywall Anchor	Screw Length	1-1/2"
Wall Anchor Style	Self-Drilling	Screw Type	Phillips/Slotted
Anchor Material	Plastic	Grip Range	3/8 to 1/2"
Anchor Screw Thread Dia.	#6 to #10	Min. Thread Length	1-1/2"
Anchor Size	#6 to #10 x 1-5/8"	Package Quantity	100

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
426	2.00	PK	GAUGE: 18 CONSTRUCTION: GALVANIZED STEEL COLOR: NATURAL FOR USE WITH: MFR. NO. TRE650, ET200D PACKAGE QUANTITY: 1000 MANUFACTURER: STANLEY MFR. MODEL NO. SWKBN1250 0426 - STRAIGHT FINISH NAILS HEAD STYLE: FLAT	15.81	31.62
427	2.00	PK	COLLATION CONFIGURATION: STICK COLLATION TYPE: ADHESIVE GAUGE: 16 GAUGE LENGTH: 1-1/2 INCH POINT TYPE: CHISEL SHANK: SMOOTH MATERIAL: STEEL FINISH: COATED FOR USE WITH: MFR. NO. FN16250K-2, SB-1664FN MANUFACTURER: BOSTICH MFR. MODEL NO. SB16-1.50 0427 - STRAIGHT FINISH NAILS HEAD STYLE: FLAT	20.54	41.08
428	2.00	PK	COLLATION CONFIGURATION: STICK COLLATION TYPE: ADHESIVE GAUGE: 16 GAUGE LENGTH: 2 INCH POINT TYPE: CHISEL SHANK: SMOOTH MATERIAL: STEEL FINISH: COATED FOR USE WITH: MFR. NO. FN16250K-2, SB-1664FN MANUFACTURER: BOSTICH MFR. MODEL NO. SB16-2.00 0428 - STRAIGHT FINISH NAILS HEAD STYLE: FLAT	26.48	52.96
429	2.00	PK	COLLATION CONFIGURATION: STICK COLLATION TYPE: ADHESIVE GAUGE: 16 GAUGE LENGTH: 2-1/2 INCH POINT TYPE: CHISEL SHANK: SMOOTH MATERIAL: STEEL FINISH: COATED FOR USE WITH: MFR. NO. FN16250K-2, SB-1664FN MANUFACTURER: BOSTICH MFR. MODEL NO. SB16-2.50 0429 - BI-METAL UTILITY BLADE LENGTH: 2-3/8 INCH Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	24.34	48.68

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
430	12.00	EA	WIDTH: 3/4 INCH THICKNESS: 0.025 INCH MATERIAL: SPRING STEEL/HIGH SPEED STEEL MOUNT TYPE: 2 HOLDING NOTCHES FITS UTILITY KNIVES STOCK NO.: ALL STANDARD UTILITY KNIVES INCLUDES: DISPENSER MANUFACTURER: IRWIN MFR. MODEL NO. 2084400 0430 - SANDING BELT WIDTH: 3 INCH	1.58	18.96
431	12.00	EA	LENGTH: 24 INCH ABRASIVE TYPE: CLOSED COAT ABRASIVE MATERIAL: ALUMINUM OXIDE GRIT: 60 GRADE: COARSE SERIES: R215 METALITE BACKING MATERIAL: CLOTH BACKING WEIGHT: X COLOR: BROWN MANUFACTURER: NORTON MFR. MODEL NO. 78072727935 0431 - SANDING BELT WIDTH: 3 INCH	1.51	18.12
432	12.00	EA	LENGTH: 24 INCH ABRASIVE TYPE: CLOSED COAT ABRASIVE MATERIAL: ALUMINUM OXIDE GRIT: 80 GRADE: MEDIUM SERIES: R255 METALITE BACKING MATERIAL: CLOTH BACKING WEIGHT: X COLOR: BROWN MANUFACTURER: NORTON MFR. MODEL NO. 78072727934 0432 - SANDING BELT WIDTH: 3 INCH	1.45	17.40
433	12.00	EA	LENGTH: 24 INCH ABRASIVE TYPE: CLOSED COAT ABRASIVE MATERIAL: ALUMINUM OXIDE GRIT: 100 GRADE: MEDIUM SERIES: R255 METALITE BACKING MATERIAL: CLOTH BACKING WEIGHT: X COLOR: BROWN MANUFACTURER: NORTON MFR. MODEL NO. 78072727933 0433 - SANDING BELT WIDTH: 3 INCH	1.45	17.40
			Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
434	12.00	EA	LENGTH: 24 INCH ABRASIVE TYPE: CLOSED COAT ABRASIVE MATERIAL: ALUMINUM OXIDE GRIT: 120 GRADE: FINE SERIES: R255 METALITE BACKING MATERIAL: CLOTH BACKING WEIGHT: X COLOR: BROWN MANUFACTURER: NORTON MFR. MODEL NO. 78072727932 0434 - ABRASIVE CUT-OFF WHEEL TYPE: 1	1.08	12.96
435	6.00	EA	DIAMETER: 4-1/2 INCH THICKNESS: 0.045 INCH MAX. RPM: 13300 ARBOR HOLE: 7/8 INCH MATERIAL: ALUMINUM OXIDE DIAMOND KNOCKOUT: NO WHEEL TYPE: REINFORCED GRIT: 60 WHEEL SPECIFICATIONS: A60T APPLICATION: FERROUS METAL, STAINLESS MANUFACTURER: DEWALT MFR. MODEL NO. DW8062 0435 - DEPRESSED CENTER WHEEL TYPE: TYPE 27	1.50	9.00
436	1.00	EA	WHEEL TYPE: CUTTING AND GRINDING DIAMETER: 4-1/2 INCH THICKNESS: 1/8 INCH ARBOR SIZE: 7/8 INCH ABRASIVE MATERIAL: ALUMINUM OXIDE GRIT: 24 GRADE: VERY COARSE MAX. RPM: 13,580 SERIES: GEMINI APPLICATION: FERROUS METAL, GRAY IRON, STAINLESS MANUFACTURER: NORTON MFR. MODEL NO. 66252843591 0436 - PANEL SAW BLADE DIAMETER: 8 INCH NO LOAD RPM: 4300 VOLTAGE: 120 AMPS AT 120V: 13.0 CUTTING HEIGHT: 64 INCH CUTTING THICKNESS: 1-3/4 INCH CUTTING ACCURACY: +/-0.0156 INCH OVERALL HEIGHT: 90 INCH OVERALL LENGTH: 120 INCH BLADE GUARD: REMOVABLE MANUFACTURER: SAFETY SPEED Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	5730.12	5730.12

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
437	1.00	ST	MFR. MODEL NO. 6400 0437 - PILOT POINT DRILL BIT SET SIZES (IN.): 1/16 TO 1/2 MATERIAL: HIGH SPEED STEEL FINISH: GOLD FERROUS OXIDE FEATURES: BACKTAPER DESIGN WITH ACUTE CUTTING EDGES AND ENLARGED FLUTE CHAMBER TO ELIMINATE WALKING, MINIMIZE FRICTION AND MAXIMIZE CHIP REMOVAL NUMBER OF PIECES: 29 INCLUDES: 1/16 TO 1/2 INCH BY 64THS WITH STORAGE CASE MANUFACTURER: DEWALT MFR. MODEL NO. DW1969	58.08	58.08
438	1.00	ST	0438 - PILOT POINT DRILL BIT SET MATERIAL: COBALT FINISH: GOLD FERROUS OXIDE NUMBER OF PIECES: 29 INCLUDES: 1/16 TO 1/2 INCH BY 64THS WITH STORAGE CASE MANUFACTURER: DEWALT MFR. MODEL NO. DW1269	107.02	107.02
439	1.00	ST	0439 - PRO-DRILLING AND DRIVING SET NUMBER OF PIECES: 80 MATERIAL: STEEL APPLICATION: SCREWDRIVING, METAL, WOOD, AND PLASTIC DRILLING, AND NUT SETTING INCLUDES: 1/4 INCH HEX SCREWDRIVER BITS 1 INCH: PHILLIPS (2) NO. 1, (6) NO. 2 (3) NO. 3, SQUARE (2) NO. 1, (5) NO. 2 (2) NO. 3, SLOTTED (3) NO. 6, NO. 8, NO. 10, (1)T10, (3)T15, (5)T20, T25, (1)T30, T40, 2 INCH BITS: (2) NO. 2 PHILLIPS, NO. 2 SQUARE, (1) NO. 8 SLOTTED, DRILL BITS: (2) 1/16 INCH, 5/64 INCH, 3/32 INCH, 7/64 INCH, 1/8 INCH, (1) 9/64 INCH, 3/16 INCH, 13/64 INCH, 7/32 INCH, 15/64 INCH, 1/4 INCH, 3/8 INCH, NUT DRIVERS: (1) 1/4, 5/16, 3/8, SOCKET ADAPTERS: (1) 1/4 INCH, 3/8 INCH, COMPACT MAG DRIVE GUIDE 2 INCH MAGNETIC BIT TIP HOLDER MANUFACTURER: DEWALT MFR. MODEL NO. DW2587	42.82	42.82
440	1.00	EA	0440 - MULTI-BIT SCREWDRIVER DRIVER TYPE: 11-IN-1 PRIMARY APPLICATION: GENERAL PURPOSE RATCHETING: NO BIT RETAINER TYPE: QUICK CHANGE INCLUDES: PHILLIPS NO. 1 AND NO. 2, Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	18.06	18.06

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
441	3.00	EA	<p>SLOTTED 1/4 AND 3/16 INCH, SQUARE RECESS NO. 1 AND NO. 2, TORX NO. 10 AND NO. 15, 3/8, 5/16, AND 1/4 INCH NUT DRIVERS HANDLE DESIGN: CUSHION GRIP NUMBER OF PIECES: 6 BIT STYLE: DOUBLE ENDED OVERALL LENGTH: 7-1/2 INCH SHANK TYPE: SOLID SHANK MATERIAL: STEEL FINISH: CHROME FEATURES: HOLDS 8 POPULAR TIPS AND CONVERTS TO 3 NUT DRIVER SIZES MANUFACTURER: KLEIN TOOLS MFR. MODEL NO. 32500</p> <p>0441 - UTILITY KNIFE BLADE OPERATION: RETRACTABLE</p>	8.37	25.11
442	1.00	ST	<p>OVERALL LENGTH: 6-5/8 INCH OVERALL WIDTH: 1-3/8 INCH OVERALL THICKNESS: 7/8 INCH POSITION: MULTIPLE HANDLE COLOR: BLACK/YELLOW BLADE CHANGE: PUSH BUTTON BLADE TYPE: RETRACTABLE STANDARD BLADE MATERIAL: STEEL HANDLE TYPE: ERGONOMIC FEATURES: SLIP RESISTANT ERGONOMIC GRIP WITH ADJUSTABLE LOCKING THUMB DIAL AND REAR BLADE STORAGE STORES: UP TO (7) BLADES HANDLE MATERIAL: METAL WITH RUBBER GRIP APPLICATION: VARIETY OF SOFT MATERIALS NUMBER OF BLADES INCLUDED: 5 INCLUDES: BLADE MANUFACTURER: STANLEY MFR. MODEL NO. 10-778</p> <p>0442 - ROUTER BIT SET SUPER DELUXE 1/2 SHANK</p> <p>MATERIAL: CARBIDE TIPPED NUMBER OF PIECES: 30 APPLICATION: FOR ALL TYPES OF ROUTING APPLICATIONS, TRIMMING, DECORATIVE EDGING, STOCK REMOVAL, GROOVING AND SPECIALTY DESIGN INCLUDES: 1/4 INCH, 3/8 INCH, 1/2 INCH, 3/4 INCH STRAIGHT, 1/2 INCH HINGE, 1/2 INCH PANEL PILOT, 1/2 INCH 3/4 INCH DOVETAIL, 1/2 INCH V-GROOVE, 3/8 INCH HANG SLOT, 45 DEGREES 45 DEGREES CHAMFER(16H609), T1/4 INCH RABBETING, 1/2 INCH FLUSH TRIM (16Y579) 1/2 INCH, 5/8 INCH CORE BOX, R5/32 INCH, 1/4 INCH ROMAN OGEE, R3/16 INCH OGEE, R3/16 INCH OGEE WITH FILLET, R3/16 INCH CLASSICAL OGEE, R3/32 INCH CLASSICAL, R1/4, 3/8 INCH,</p>	872.00	872.00
<p style="text-align: center;">Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>					


INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063




SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
443	1.00	EA	1/2 INCH COVE, R1/8 INCH, 1/4 INCH (16Y564), 3/8 INCH (16YT534), 1/2 INCH ROUNDOVER (16Y534), R1/4 INCH OVOLO, R3/16 INCH HALF ROUND BIT AND WOODEN CASE MANUFACTURER: WESTWARD MFR. MODEL NO, 16Y605 0443 - LAMINATE ROUTER BIT MATERIAL: CARBIDE TIPPED	12.23	12.23
444	1.00	EA	CUTTING DIAMETER (IN.): 1/4 DEPTH OF CUT (INCHES): 3/4 FLUTE LENGTH (INCHES): 3/4 NUMBER OF FLUTES: 2 CUTTING LENGTH (IN.): 3/4 SHANK DIA. (INCHES): 1/4 SHANK LENGTH (INCHES): 1-1/4 OVERALL LENGTH (INCHES): 2-9/16 APPLICATION: STRAIGHT FLUTE WITH BORING POINT AND PILOT, USED TO CUT OUT OPENINGS IN DIVERSE COMBINATION OF MATERIALS, ESPECIALLY MOBILE HOME, MODULAR HOME AND RV INDUSTRIES SUB CATEGORY: LAMINATE AND TRIM ROUTER BIT MANUFACTURER: WESTWARD MFR. MODEL NO. 16Y584	842.80	842.80
445	1.00	EA	NUMBER OF HOSES: 4 NUMBER OF VALVES: 4 GAUGES HIGH SIDE RED (PSI): 0 TO 700 GAUGES LOW SIDE BLUE (PSI): 30 INCH HG TO 350 FOR USE WITH: MULTIPLE REFRIGERANTS VACUUM PORT SIZE (INCHES): 3/8 HOSE LENGTH (INCHES): 60 FEATURES: RECORDER MANUFACTURER: YELLOW JACKET MFR. MODEL NO. 40815 <i>NEW No. 40870</i> 0445 - MANIFOLD GAUGE AND HOSE SET TYPE: AIR CONDITIONING AND STATIONARY REFRIGERATION NUMBER HOSES: 3 NUMBER OF VALVES: 2 GAUGES HIGH SIDE RED (PSI): 0 TO 800 GAUGES LOW SIDE BLUE (PSI): 30 INCH HG TO 500 FOR USE WITH: R-22, R-404A, R-410A HOSE LENGTH (INCHES): 60 FEATURES: PULSATION RESISTANT GAUGES, VALVES ARE FULL FLOW DUAL O RING AGENCY COMPLIANCE: UL MANUFACTURER: IMPERIAL MFR. MODEL NO. 421-C	80.42	80.42
			Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com		

40870 P51 TITAN™ Digital Manifold



YELLOW JACKET®



Designed and
assembled in
the U.S.A.



YELLOW JACKET®

40870 includes:

- Vacuum sensor (P/N 67030)
- Set of four manifold hoses: (3) 60", 1/4" RYB (P/N 21985) and (1) 60", 3/8" yellow vacuum hose 3/8" straight x 3/8" 45° (P/N 18160)
- Two temperature clamps (P/N 67010) and two 6' extension cables
- USB Charging cable
- Backpack carrying case (P/N 10146)

FEATURES/BENEFITS

- 4.3" Full color touch screen display
- Digital and graphical representation of pressure and temperature measurements
- 4-way TITAN valve block
- Measures high and low side pressures and temperatures
- Displays vapor and liquid saturation temperatures
- System superheat and subcooling calculations
- On board data logging; export to your computer through USB or to your phone via the ManTooth app
- Pressure hold mode displays rate of change for both vacuum and positive pressure measurements
- 126 refrigerant profiles stored in the instrument including new blends not currently on the Refprop database.
- Backlit display with auto-dimming
- Auto shut-off
- Bluetooth capability for use with ManTooth app
- Vacuum sensor for vacuum measurements, targets and leak testing (high and low alarms)
- Re-chargeable battery with battery life indicator
 - Continuous use no backlight: 80 hours
 - Continuous use full backlight: 4 hours
- US and international units (bar, psia, psig, kPa, MPa, kg/cm²)
- Maximum working pressure 700 psia (48.3 bar)
- USB charging port
- IP52 certified
- Robust housing
- Two year warranty

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Ritchie Engineering Co., Inc.
YELLOW JACKET Products Division
10950 Hampshire Avenue South
Bloomington, MN 55438-2623 USA
Phone: (800)769-8370 or (952)943-1333
e-mail: custserv@yellowjacket.com
www.yellowjacket.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
446	1.00	EA	0446 - DIGITAL MULTIMETER MULTIMETER STYLE: FULL SIZE MAXIMUM AC VOLTS: 600 MAXIMUM DC VOLTS: 600 MAXIMUM AC AMPS: 10 MAXIMUM DC AMPS: 10 MAXIMUM OHMS: 40 MEGAOHM BASIC DC ACCURACY: +/- .5% + 2 DIGITS COUNTS: 600 BATTERY TYPE: 9V ALKALINE SAFETY RATING: CAT III 1000V AUDIBLE CONTINUITY: YES AC RESPONSE: TRUE RMS CAPACITANCE RANGE: 1NF TO 9999UF FREQUENCY COUNTER RANGE: 0.01 HZ TO 50 KHZ MINIMUM/MAXIMUM MEMORY: YES DATA HOLD: YES BAR GRAPH: YES DISPLAY: LCD AUTO RANGING: YES TEMP. RANGE: 14 TO 122 DEGREES F (-10 TO 50 DEGREES C), -40 TO 140 DEGREES F (-40 TO 60 DEGREES C) SPECIAL FEATURES: NON CONTACT VOLTAGE DETECTION DIODE TEST: YES AUTO POWER OFF: YES STANDARDS: UL, CSA, CE, VDE INCLUDES: TEST LEADS, BATTERY, INSTRUCTIONS MANUFACTURERS WARRANTY LENGTH: 3 YEARS MANUFACTURER: FLUKE MFR. MODEL NO. FLUKE-117	233.13	233.13
447	1.00	EA	0447 - VOLTAGE TESTER AC VOLTAGE RANGE: 12 TO 600 DC VOLTAGE RANGE: 12 TO 600 RESISTANCE: 9.99K OHMS SAFETY RATING: CAT IV 600V, CAT III 1000V DISPLAY: BACKLIT LCD WITH DISCRETE LED BASIC DC ACCURACY: +/- (2% OF READING + 2 DIGITS) BATTERY TYPE: (2) AAA MANUFACTURERS WARRANTY LENGTH: 2 YEARS SPECIAL FEATURES: (3) FORMS OF AC/DC VOLTAGE INDICATION: LIGHT, SOUND AND VIBRATION FOR ADDED USER PROTECTION AND CONVENIENCE, DETECT LIVE VOLTAGE EVEN WHEN THE BATTERIES ARE DEAD, EXTRA HEAVY DUTY, REPLACEABLE TEST LEADS FOR MORE FLEXIBILITY AND DURABILITY, CONTINUITY BEEPER, ON/OFF SWITCHABLE BEEPER, SELECTABLE ACCORDING TO YOUR ENVIRONMENT, REPLACEABLE TEST PROBES FOR ADDED FLEXIBILITY AND CONVENIENCE, Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	119.28	119.28

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
448	1.00	EA	<p>CONVENIENT PROBE STORAGE ON THE BACK, PROBE HOLDER FOR EASIER TESTING, HAZARDOUS VOLTAGE WARNING LIGHT FOR ADDED USER PROTECTION, AUTO OFF SAVES BATTERY POWER GFCI TEST: YES AUDIBLE CONTINUITY: YES VIBRATES WHEN VOLTAGE PRESENT: YES FLASHLIGHT: YES MANUFACTURER: FLUKE MFR. MODEL NO.: T+PRO</p> <p>0448 - MULTI-BIT SCREWDRIVER DRIVER TYPE: 10-IN-1</p> <p>PRIMARY APPLICATION: GENERAL PURPOSE RATCHETING: NO BIT RETAINER TYPE: QUICK CHANGE INCLUDES: NO. 1 AND NO. 2 PHILIPS, 1/4 AND 3/16 INCH SLOTTED, 5/16 AND 1/4 INCH NUT DRIVER, T10 & T15 TORX, AND NO. 1 AND NO. 2 SQUARE HANDLE DESIGN: CUSHION GRIP NUMBER OF PIECES: 6 BIT STYLE: DOUBLE ENDED OVERALL LENGTH: 7-1/2 INCH SHANK TYPE: SOLID SHANK MATERIAL: STEEL FINISH: CHROME FEATURES: INTERCHANGEABLE, SNAP-IN BLADES MANUFACTURER: KLIEN TOOLS MFR. MODEL NO. 32477</p>	14.40	14.40
449	1.00	EA	<p>0449 - COMBINATION SCREWDRIVER SET TIP STYLE: ASSORTED</p> <p>NUMBER OF PIECES: 7 HANDLE MATERIAL: ACETATE W/CUSHION GRIP INCLUDES: KEYSTONE 1/4 INCH X 4 INCH, 5/16 INCH X 6 INCH, CABINET 3/16 INCH X 3 INCH, 3/16 INCH X 6 INCH, 1/4 INCH X 4 INCH, PHILLIPS NO. 1 X 3 INCH, NO. 2 X 4 INCH TETHER CAPABLE STANDARD TOOL (ACCESSORY NEEDED FOR TETHERING) HANDLE DESIGN: CUSHION GRIP SHANK SHAPE: ROUND AND SQUARE SHANK MATERIAL: ALLOY TOOL STEEL FINISH: CHROME MANUFACTURER: KLEIN TOOLS #85076 MFR. MODEL NO. 5LL68</p>	50.66	50.66
450	1.00	EA	<p>0450 - ADJUSTABLE WRENCH SET NUMBER OF PIECES: 3</p> <p>JAW CAPACITY: 3/4, 1, 1-1/8 INCH OVERALL LENGTH: 6, 8, 10 INCH MATERIAL: DROP-FORGED AND HEAT TREATED</p> <p>PROTO J795 Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>	54.42	54.42

CLIK-STOP® ADJUSTABLE WRENCH SET

locking design holds the moving jaw of an adjustable wrench in the wrench is in use.
provides corrosion resistance and a slip resistant grip.
jaw capacity.
opening provides strength and tight fit.



ADJUSTABLE WRENCH SETS

Max. Opening (in)	Overall Length (in)
1-1/8	8
1-5/16	10
1-1/2	12
Tool Roll	

3.08  ASME B107.8

E ADJUSTABLE WRENCH SETS

J795

Product #: J795S

nish provides corrosion resistance and a slip resistant grip.
wide jaw capacity.
jaw opening provides strength and tight fit.
d l-beam style handle and reinforced stress areas; radius corner design.



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com








Max. Opening (in)	Overall Length (in)
1-1/8	8
1-5/16	10
1-1/2	12
Tool Roll	



	Max. Opening (in)	Overall Length (in)
J708S	1-1/8	8
J710S	1-5/16	10
J712S	1-1/2	12

Weight (lbs): 2.60

22C
t (lbs): 2.60

FULL POLISH  SATIN  BLACK OXIDE  BLACK CHROME  INSULATED 

+1.800.800.TOOL Fax +1.770.648.9108 www.protoindustrial.com

679

WARNING: WORK SAFELY WITH TOOLS. WEAR SAFETY GOGGLES.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
451	1.00	EA	ALLOY STEEL FINISH: CHROME HANDLE: CUSHION GRIP MEETS/EXCEEDS: ASME MANUFACTURER: CRESCENT MFR. MODEL AC3C 0451 - TUBING CUTTER CUTS: COPPER, ALUMINUM, BRASS, STEEL CUTTING CAPACITY: 5/8 INCH TO 2-1/8 INCH OVERALL LENGTH: 10-1/2 INCH CUTTING ACTION: MANUAL BODY MATERIAL: ALUMINUM BLADE MATERIAL: MACHINED STEEL HANDLE DESIGN: ERGONOMIC FEATURES: FOLD-AWAY REAMER REPLACEMENT WHEEL: MFR. NO. F-158/33160, MFR. NO. 33205 INCLUDES: SPARE CUTTING WHEEL MANUFACTURER: RIGID MFR. MODEL NO. 32930	56.84	56.84
452	1.00	EA	0452 - INFRARED THERMOMETER TEMP. RANGE (F): -58 TO 752 DEGREES F FOCUS SPOT SIZE AND DISTANCE: 1 INCH AT 9 INCH ACCURACY: +/-3.6 DEGREES F OR +/-2 PERCENT EMISSIVITY: FIXED 0.95 INCLUDES: BATTERY LASER SIGHTING: SINGLE DOT BATTERY TYPE: AAA DISPLAY: BACKLIT LCD SPECTRAL RESPONSE: 5 TO 14 UM RESPONSE TIME: 500 MSEC. REPEATABILITY: +/-2 PERCENT MEMORY: MAX OPERATING TEMP. RANGE: 32 DEGREES TO 120 DEGREES F STANDARDS: CLASS II LASER TRIGGER: LOCKABLE MANUFACTURERS WARRANTY LENGTH: 1 YEAR MANUFACTURER: WESTWARD MFR. MODEL NO 2ZB46 <i>NEW No. 3MU88</i>	222.35	222.35
453	1.00	EA	0453 - CORDLESS COMBINATION KIT VOLTAGE: 18.0 NUMBER OF TOOLS: 2 TOOLS INCLUDED: HAMMER DRILL, IMPACT DRIVER BATTERY TYPE: LI-ION HAMMER DRILL: 4MGW5 IMPACT DRIVER: 4NNJ2 CHARGER: 4NNN4 BATTERY INCLUDED: (2) 4NNN2 BATTERY CAPACITY: 3.0A/HR. Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	339.01	339.01

Test Instruments > Temperature and Humidity Measuring > Infrared Cameras and Thermometers > Infrared Thermometers > Backlit LCD Infrared Thermometer, Laser Sighting: Single Dot, 0° to 525° Temp. Range (F) >

Print

Email

FLUKE

Backlit LCD Infrared Thermometer, Laser Sighting: Single Dot, 0° to 525° Temp. Range (F)

Item # 3MU88 Mfr. Model # FLUKE-61 Catalog Page # 604 UNSPSC # 41112213



☒ One Time Delivery

☒ Shipping

☐ Pick

1 Add to Cart

Expected to arrive Wed. Oct 0

+ Add to List

Ship To 39562 (Change)

Jump to: [Required Accessories](#)

★★★★★ 5.0 of 5 2 reviews Write a Review

Shipping Weight 0.75 lbs.

Country of Origin China | Country of Origin is subject to change.

How can we improve our Product Images?

☐ Compare



Save money on this similar product!



WESTWARD LCD Infrared Thermometer, Laser Sighting: Single Dot...

View Specs

Clearance Price

\$8.84 / each

Web Price \$45.90

Note: Product availability is real-time updated and adjusted continuously. The product will be reserved for you when you complete your order. More

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Technical Specs

Item - Infrared Thermometer	Infrared Thermometer
Temp. Range (F) - Infrared	0 Degrees to 525 Degrees
Temp. Range (C) - Infrared	-18 Degrees to 275 Degrees
Focus Spot Size and Distance - Infrared	1" @ 8"
Temp. Accuracy (C) - Infrared	+/-2.0 Degrees
Temp. Accuracy (F) - Infrared	+/-2.0 Degrees
Emissivity	Fixed 0.95

Laser Sighting - Infrared	Single Dot
Data Logging - Instrument	No
Temperature Alarm - Thermometer	No
Display - IR Camera	Backlit LCD
Memory - Instrument	Max.
Calibration Certificate Included	No
Battery Type	9V

Resolution	0.2 Degrees C	Standards	Class II Laser
Spectral Response - Infrared	7.0 to 18.0um	Trigger	Push Button
Response Time	500 msec.	Includes	Battery and Protective Boot
Repeatability	+/-2% of Reading or +/-3.5 Degrees F	Manufacturers Warranty Length	1 yr.
Operating Temp. Range	32 Degrees to 120 Degrees F		

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
454	1.00	EA	BATTERY PACK REPLACEMENT: 4NNN2 CARRYING CASE: KIT BOX INCLUDES: (2) BATTERIES, 30 MIN. OPTIMUM CHARGER, CARRYING CASE GREEN ENVIRONMENTAL ATTRIBUTE: PRODUCT CONTRIBUTES TO REDUCING ENERGY CONSUMPTION GREEN CERTIFICATION OR OTHER RECOGNITION: ENERGY STAR RATED MANUFACTURER: MAKITA MFR. MODEL NO. XT261M 0454 - RECHARGEABLE FLASHLIGHT LAMP TYPE: XENON BATTERY SIZE: 18V BATTERY TYPE: LITHIUM-ION NUMBER OF BATTERIES: 1 BATTERIES INCLUDED: NO BATTERY BURN TIME: UP TO 4 HOURS LENGTH: 11-1/8 INCH LUMENS: 4500 LUX FOCUS: FIXED BATTERY PACK REPLACEMENT: 4NNN2 BODY COLOR: WHITE BODY MATERIAL: PLASTIC/ALUMINUM IMPACT RESISTANCE: NOT SPECIFIED LENS MATERIAL: POLYCARBONATE LIGHT OUTPUT: 4500 LUX LIGHT OUT MODES: SINGLE SWITCH TYPE: PUSH BUTTON REPLACEMENT LAMPS: MFR. NO. A-90261 SAFETY RATING: NOT SPECIFIED WATER PENETRATION RATING: NOT SPECIFIED WEIGHT WITH BATTERIES: 1.6 LB. INCLUDES: TOOL ONLY MANUFACTURER: MAKITA MFR. MODEL NO. DML185W	48.43	48.43
455	1.00	EA	0455 - TUBING CUTTER CUTS: COPPER, ALUMINUM, BRASS, PLASTIC CUTTING CAPACITY: 1/4 INCH TO 1-1/8 INCH OVERALL LENGTH: 3-1/8 INCH CUTTING ACTION: MANUAL BODY MATERIAL: ZINC BLADE MATERIAL: MACHINED STEEL HANDLE DESIGN: ERGONOMIC FEATURES: GROOVED ROLLERS FOR CLOSE-TO-FLARE CUTS REPLACEMENT WHEEL: MFR. NO. E-3469/33185 INCLUDES: SPARE CUTTING WHEEL IN HANDLE MANUFACTURER: RIDGID MFR. MODEL NO. 40617	21.28	21.28
456	1.00	ST	0456 - HOLLOW SHAFT NUT DRIVER SET NUMBER OF PIECES: 7 HEX (INCHES): 3/16, 1/4, 5/16, 11/32,	45.92	45.92
Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com					

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
457	6.00	EA	3/8, 7/16, 1/2 SHANK LENGTH (INCHES): 3 HANDLE: COMFORTABLE CUSHION GRIP, ENABLES TOOL TO BE USED FOR HOURS WITHOUT FATIGUE SHAFT: ARE FULLY CHROMED FOR DURABILITY AND CORROSION RESISTANCE INCLUDES: REUSABLE PLASTIC CONTAINER MANUFACTURER: KLEIN TOOLS MFR. MODEL NO. 631 0457 - PINCH POINT CROW BAR, 3 FT. LENGTH X 1-1/16 IN. SQUARE STOCK <i>AMES 1161300</i> SIZE, LEETONIA NO. 215 STOCK NO. 00-0581000	18.76	112.56
458	11.00	EA	0458 - PRY BAR, 24 IN. WITH HANDLE, 11/16 IN. TIP WIDTH, 31-7/8 IN. OVERALL LENGTH, DOMESTIC PROTO NO. J2148 STOCK NO. 00-0581110	26.85	295.35
459	10.00	EA	0459 - CHISEL, HAND, 7/8 IN. CUTTING WIDTH, 7-1/2 IN. LONG, WILLIAMS NO. C-28 <i>PROTO J86A 3/4 x 8 s2</i> STOCK NO. 00-0581500	10.79	107.90
460	3.00	EA	0460 - CHISEL, COLD, 1 IN. WIDE X 8 IN. LONG, DOMESTIC, PROTO NO. J86A7/8X8 STOCK NO. 00-0581600	11.98	35.94
461	23.00	EA	0461 - CHISEL, STANDARD, 3 IN., 1-1/4 IN. X 6 IN. HEX SHANK, 14 IN. LENGTH UNDER COLLAR, DELSTEEL NO. 93-10 STOCK NO. 00-0581850	32.43	745.89
462	4.00	EA	0462 - CUTTER, PIPE, RATCHET OPERATED, 15 IN. TILE/CLAY PIPE CAPACITY. <i>REED SC49-15</i> INCLUDES RATCHET, DOMESTIC, WHEELER-REX MODEL NO. 490-15 STOCK NO. 00-0581860	715.08	2860.32
463	27.00	EA	0463 - CUTTER, COPPER TUBING, 1/4 IN. TO 1-5/8 IN., QUICK ACTING, RIGID BRAND NO. 31632 STOCK NO. 00-0582900	46.01	1242.20
464	35.00	EA	0464 - CUTTER, COMPOUND LEVERGE RATCHET, FOR PLASTIC PIPE, CAPACITY IS 1/8 IN. Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	92.59	3240.65

A

B

C

D

E

F

G

H

I

J

K

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

KEY	ITEM #	BRAND	DESCRIPTION	UPC	STD PK QTY	STD PK LBS.	PLT QTY	PLT WT LBS.
A	1161300	True Temper®	Pinch point crowbar, 6 Lb. 1" stock. 36" length.	049206116139	1	7.0	200	1278.0
	1161400		Pinch point crowbar, 10 Lb. 1" stock. 48" length.	049206116146	1	9.9	200	2020.0
	30648		Pinch point bar, 12 Lb. 1" Straight pattern blade 51" (2.25" x 1").	079617306645	1	14.0	100	1491.0
	1160100		Pinch point crowbar, 18 Lb. 1.25" stock. 60" length.	049206116016	1	18.4	100	1880.0
	1162500		Pinch point crowbar, 26 Lb. 1.5" stock. 66" length.	049206116252	1	26.6	100	2700.0
B	1160200	True Temper®	Wedge point crowbar, 18 Lb. 1" stock. 60" length.	049206116023	1	18.1	100	1850.0
	1163300		Wedge point crowbar, 26 Lb. 1.5" stock. 66" length.	049206116337	1	26.1	100	2653.0
C	1168800	True Temper®	Stripping bar with claw. 12 Lb. 1" Hex stock. 48" length.	049206116887	1	12.6	100	1295.0
D	1169000	True Temper®	Stripping bar without claw, 12 Lb. 1" Hex stock. 48" length.	049206116900	1	11.9	100	1234.0
E	1174300	True Temper®	Slate bar, 13 Lb. 1" Hex stock. 60" length.	049206117433	1	13.0	100	1415.0
F	1160900	True Temper®	Chisel pry bar, 1.5 Lb. 0.625" Hex stock. 20" length.	049206116092	10	17.3	1000	1801.0
	1161100		Chisel pry bar, 2.75 Lb. 0.75" Hex stock. 24" length.	049206116115	10	30.3	600	1900.0
G	1175300	True Temper®	Manhole cover bar, 3.75 Lb. 0.625" Hex stock. 24" length.	049206117532	10	33.7	400	1477.0
H	1165800	True Temper®	Ripping chisel. 0.75" stock. 12" Straight length.	049206116580	10	23.5	600	1450.0
I	1166100	True Temper®	Ripping chisel. 0.75" stock. 17" Offset Length.	049206116610	10	24.9	600	1532.8
J	1166600	True Temper®	Molding tool. 0.5" stock. 10" Length.	049206116665	10	6.0	800	520.0
K	1173900	True Temper®	Double edge scraper. 1.75" wide, 14.5" Length.	049206117396	50	51.0	2000	2090.0

COLD CHISELS

- › Made from S2 steel and specially heat-treated for greater strength and durability.
- › Hand ground cutting edge to the exact angle for cutting through tough metals.
- › Modified parabolic striking end to help reduce mushrooming and chipping.
- › Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- › A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.



Product #	Tip Width (in) (A)	Shank Width (in) (B)	Overall Length (in) (L)	Weight
J86A3/16S2	1/4	3/16	4-7/8	0.0
J86A1/4S2	5/16	1/4	5-1/8	0.0
J86A5/16S2	3/8	5/16	5-3/8	0.1
J86A3/8S2	7/16	3/8	5-9/16	0.1
J86A7/16S2	1/2	7/16	6	0.2
J86A7/16X12S2	1/2	7/16	12	0.2
J86A1/2S2	5/8	1/2	6-3/4	0.3
J86A1/2X12S2	5/8	1/2	12	0.3
J86A5/8S2	3/4	5/8	6-7/8	0.6
J86A5/8X12S2	3/4	5/8	12	0.5
J86A3/4X8S2	7/8	3/4	8	1.0
J86A3/4X12S2	7/8	3/4	12	0.8
J86A7/8X18S2	1	7/8	18	1.4
J86A7/8X8S2	1	7/8	8	2.4
J86A7/8X12S2	1	3/4	12	1.1
J86A1X8S2	1-3/16	1	8-1/4	1.5
				1.5

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

5 PIECE SUPER-DUTY CHISELS SET

Product #: J86000

- › Made from S2 steel and specially heat-treated for greater strength and durability.
- › 20% Larger striking surface than standard chisels directs the power to the cutting edge.
- › Longer shank features a knurl for better grip and easy positioning.
- › Hand ground cutting edge to the exact angle for cutting through tough metals.
- › Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- › A polished identification panel on one of the flats is marked with the tool number and size in black inlay.
- › Set offers a wide range of sizes to handle a variety of jobs.
- › Includes a pouch for convenient storage solution.



Contents	Description	Tip Width (in) (A)	Shank Width (in) (B)	Overall Length (in) (L)
J86038	Chisel, Cold Super Duty 3/8"	3/8	5/16	6
J86012	Chisel, Cold Super Duty 1/2"	1/2	7/16	6-13/16
J86058	Chisel, Cold Super Duty 5/8"	5/8	1/2	7-5/8
J86034	Chisel, Cold Super Duty 3/4"	3/4	5/8	8-7/16
J86078	Chisel, Cold Super Duty 7/8"	7/8	3/4	9-1/4
J25TR06C	Tool Roll, 5 Pocket			

Weight (lbs): 2.84

WHEELS FOR EVERY CUTTER

REED
PIPE TOOLS & VISES
SINCE 1896

Soil Pipe Cutters

The fastest way to cut cast iron soil pipe, clay pipe, and small diameter concrete pipe is with a chain pipe cutter. Great for gray water applications! Reed has improved the original manufacturer's design by providing stronger jaws and more durable adjusting screws which are interchangeable with the original tools. Reed soil pipe cutters are available in a single stroke model (SC59) and a ratcheting (SC49) model for close quarter work.

RATCHET*

Catalog No.	Item Code	Pipe Capacity**		Length		Weight	
		Inches-Nom.	Actual Ø mm	in	mm	lbs	kg
SC49-6	08049	2-6	160	26	660	17	8
SC49-8	08050	2-8	212	26	660	19	9
SC49-10	08051	2-10	268	26	660	21	10
SC49-12	08052	2-12	317	26	660	22	10
SC49-15	08053	2-15	403	26	660	24	11

SINGLE STROKE

SC59-6	08059	2-6	160	43	1,092	26	12
SC59-8	08060	2-8	212	43	1,092	28	13
SC59-10	08061	2-10	268	43	1,092	29	13
SC59-12	08062	2-12	317	43	1,092	32	14
SC59-15	08063	2-15	403	43	1,092	33	15

*Ratchet Wrench (#40208) included with SC49 cutters.

**Maximum Pipe Capacities (determined by maximum pressure applied):

- Extra heavy soil pipe 2-4" (62-125mm)
- Service weight cast iron pipe 2-8" (62-212mm)
- Concrete pipe 4-6" (125-160mm)
- No-Hub® pipe Δ 1 1/2"-8" (38-212mm)
- Clay pipe 2-15" (62-403mm)

Δ On No-Hub pipe, a conversion kit (#08034) is needed to distribute force around pipe for a clean cut.

Extension chains available to increase capacity of smaller cutters.

NOTE: Jaw sets and cutter chains are interchangeable with Wheeler-Rex® models. Pressure Screw Assembly available offering heavy duty parts for current and prior Reed models, along with Wheeler-Rex 49. Order #98046 for Reed SC49 models and Wheeler-Rex 490 series; use #98047 for Reed SC59 models.

Torque Wrenches for Cast Iron Soil Pipe on p. 43

SC49 1/2" Ratchet Wrench*



✓ **WHY REED?** The close quarter pipe cutters (SC49) are the easiest to use because the screw is captured, does not have to be manipulated into place, and takes less effort than those of the competition. American-made, multiple use ratchet wrench ships with SC49 models.

REED
Exclusive
FEATURES



REED
Training
AVAILABLE

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Pipe Descalers

The scrapers on the Reed pipe descender remove corrosion and other obstructions from the pipe surface to allow more effective cutting, joining, gasket seating, or other operations. Much faster and more effective than chisels or files and requires only a few inches clearance around the pipe. The tool is made entirely of steel that is zinc plated for corrosion resistance and toughness.

Catalog No.	Item Code	Pipe Capacity		Length		Weight	
		in-Nom.	mm	in	mm	lbs	kg
DS12	08000	3 - 12	70 - 300	32	810	7.0	3.2
DS36	08006	3 - 36	70 - 910	44	1110	12.0	5.4



✓ **WHY REED?** Reed descenders feature wide, tough scrapers that remove scale cleanly and quickly.

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

For the latest information on NEW REED Tools, call the
REED TOOL HOTLINE: 800-666-3691

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TO 2-3/8 IN. O.D., MADE IN U.S.A., RIGID MODEL NO. RC-2375, CATALOG NO. 30088 STOCK NO. 00-0582910		
465	10.00	EA	0465 - PLIERS, SLIP-JOINT, INSULATED HANDLES, 8 IN. LONG, FULLER PRO <i>PROTO 5278 G</i> NO. 400-0112 STOCK NO. 00-0584220	<i>10.23</i>	<i>102.30</i>
466	17.00	EA	0466 - SCREWDRIVER, NO. 2 PHILLIPS TIP, 4 IN. LONG, MADE IN U.S.A., ALLOY STEEL <i>PROTO JP0204R</i> ROUND SHANK, NON-SLIP HANDLE, INDUSTRIAL, CRESCENT NO. 25024, PROTO NO. J88324 STOCK NO. 00-0584340	<i>7.68</i>	<i>130.56</i>
467	29.00	EA	0467 - SCREWDRIVER, 3/16 IN. CABINET TIP, INDUSTRIAL, 6 IN. LONG ALLOY <i>PROTO JC31606 R</i> STEEL ROUND SHANK, NON-SLIP HANDLE, DOMESTIC, PROTO NO. 88216 STOCK NO. 00-0584390	<i>6.11</i>	<i>177.19</i>
468	47.00	EA	0468 - SCREWDRIVER, 5/16 IN. STANDARD TIP, INDUSTRIAL, 6 IN. LONG ALLOY <i>PROTO JK 51606 R</i> STEEL ROUND SHANK, NON-SLIP HANDLE, MADE IN U.S.A., PROTO KEYSTONE 88006 STOCK NO. 00-0584400	<i>7.49</i>	<i>352.03</i>
469	63.00	EA	0469 - TOOL, SHUT-OFF, FOR 3/4 IN TO 1 IN. POLYETHYLENE WATER SERVICE TUBING, DOMESTIC, REED NO. PESO-1 STOCK NO. 00-0585220	<i>65.50</i>	<i>4126.50</i>
470	4.00	EA	0470 - HAMMER, BALL-PEIN, 48 OZ., DOMESTIC, STANLEY NO. 54-048, PROTO NO. J1348AVP STOCK NO. 00-0585840	<i>30.50</i>	<i>122.00</i>
471	16.00	EA	0471 - HANDSAW, CROSSCUT, 26 IN., NICHOLSON NO. NIC80019, STANLEY NO. 15-726, MSC NO. 04381091 STOCK NO. 00-0585850	<i>5.60</i>	<i>89.60</i>
472	33.00	EA	0472 - SAW, PVC, 18 INCH BLADE, TO CUT PVC, ABS, WOOD VANEER, RIGID NO. 50522 <i>REED PPS 12</i>	<i>16.60</i>	<i>54.78</i>

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

3 PIECE LOCK JOINT PLIERS SET



Product #: J260MG5

Contents	Description
J262MG	Pliers, Lock Joint 7"
J260MG	Pliers, Lock Joint 10"
J264MG	Pliers, Lock Joint 12"

Weight (lbs): 3.38



LOCK JOINT PLIERS



Product #	Overall Length (in) (L)	Max. Opening (in)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)
J262MG	7-9/32	2	1-57/64	55/64	19/64	0.4
J260MG	9-27/32	2-1/4	2-1/8	1-7/64	19/64	0.7
J260MGLN*	10-3/64	2-1/2	2-31/64	63/64	19/64	0.7
J264MG	12-19/32	3-1/4	2-7/8	1-3/8	23/64	1.4

*Long Nose

Gas And Supply

Jimmy Gibbs




Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

COMBINATION SLIP-JOINT PLIERS

» Has two jaw positions and shear type wire cutter.




Product #	Overall Length (in) (L)	Max. Opening (in)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)
J275*	5-3/4	9/32	1-5/16	7/8	9/32	
J276*	6-1/2	3/8	1-3/4	1-3/16	3/8	
J278*	8	1	1-3/4	1-13/64	1-13/64	
J280*	9-1/2	15/32	2-3/8	1-7/64	1-7/64	
J275G	5-13/16	9/32	1-5/16	7/8	9/32	
J276G	6-9/16	1	1-3/4	1-3/16	3/8	
J278G	8-1/16	1	1-3/4	1-13/64	1-13/64	
J280G	9-9/16	1-7/16	2-3/8	1-7/16	15/32	

* Natural Finish (No Grips)


SCREWDRIVERS

DURATEK™ PERFORMANCE GRIP SCREWDRIVERS (CONT'D)


DURATEK™ SCREWDRIVERS




Cabinet




Keystone



Phillips



Square



Torx®



Tamper-Proof Torx®

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Product #	Tip Size	Tips	Shank Length (in)	Shank Type	Bolster	Overall Length (in)	Weight (lbs)	ASME Spec.
JPP0002R	#0	Phillips	2	Round	-	4-1/2	0.08	ASME B107.30
JPP0003R	#0	Phillips	3	Round	-	5-3/4	0.08	ASME B107.30
JPP0103R	#1	Phillips	3	Round	-	6-5/16	0.10	ASME B107.30
JPB0103RP	#1	Phillips	3	Round	Yes	6-1/4	0.18	ASME B107.30
JP0103R	#1	Phillips	3	Round	-	6-3/4	0.17	ASME B107.30
JP0108R	#1	Phillips	8	Round	-	11-3/4	0.22	ASME B107.30
JP02112R	#2	Phillips	1-1/2	Round	-	3-1/2	0.12	ASME B107.30
JPB0204RP	#2	Phillips	4	Round	Yes	8-1/2	0.27	ASME B107.30
JP0204R	#2	Phillips	4	Round	-	8	0.26	ASME B107.30
JP0208R	#2	Phillips	8	Round	-	12	0.31	ASME B107.30
JP0212R	#2	Phillips	12	Round	Yes	16	0.40	ASME B107.30
JP0216R	#2	Phillips	16	Round	Yes	20	0.39	ASME B107.30
JP0224R	#2	Phillips	24	Round	-	28-1/2	0.50	ASME B107.30
JPB0306RP	#3	Phillips	6	Round	Yes	10-3/4	0.40	ASME B107.30
JP0306R	#3	Phillips	6	Round	-	10-3/8	0.38	ASME B107.30
JP0408R	#4	Phillips	8	Round	-	13	0.57	ASME B107.30
JS0005R	#0	Square	5	Round	-	9	0.19	-
JS0105R	#1	Square	5	Round	-	9-1/4	0.19	-
JS0205R	#2	Square	5	Round	-	9-1/4	0.19	-
JS0305R	#3	Square	5	Round	-	9-1/4	0.19	-
JT8314R	T8	Torx®	3-1/4	Round	-	7	0.17	-
JT10314R	T10	Torx®	3-1/4	Round	-	7	0.18	-
JT15314R	T15	Torx®	3-1/4	Round	-	7	0.18	-
JT20314R	T20	Torx®	3-1/4	Round	-	7	0.18	-
JT25314R	T25	Torx®	3-1/4	Round	-	7	0.18	-
JT2704R	T27	Torx®	4	Round	-	8-1/2	0.26	-
JT3004R	T30	Torx®	4	Round	-	8-1/2	0.26	-
JT4006R	T40	Torx®	6	Round	-	10-3/4	0.38	-
JT4506R	T45	Torx®	6	Round	-	10-3/4	0.38	-
JTP8008R	TP8	Tamper-Proof Torx®	8	Round	-	12-1/4	0.17	-
JTP1008R	TP10	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
JTP1508R	TP15	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
JTP2008R	TP20	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
JTP2508R	TP25	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
JTP2708R	TP27	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
JTP3008R	TP30	Tamper-Proof Torx®	8	Round	-	12-1/2	0.26	-





WARNING: WORK SAFELY WITH TOOLS. WEAR SAFETY GOGGLES.


+1 800 800 TOOL • Fax: +1 770 648 9108 • www.protoindustrial.com

DURATEK™ PERFORMANCE GRIP SCREWDRIVERS

DURATEK™ SCREWDRIVERS



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com




Product #	Tip Size	Tips	Shank Length (in)	Shank Type	Bolster	Overall Length (in)	Weight (lbs)	ASME Spec.
JCP1802R	1/8	Cabinet	2	Round	—	4	0.08	ASME B107.1
JCP1803R	1/8	Cabinet	3	Round	—	5	0.09	ASME B107.1
JCP1804R	1/8	Cabinet	4	Round	—	6	0.09	ASME B107.1
JCP1806R	1/8	Cabinet	6	Round	—	8	0.10	ASME B107.1
JCP1808R	1/8	Cabinet	8	Round	—	10	0.09	ASME B107.1
JCP31603R	3/16	Cabinet	3	Round	—	6-5/16	0.10	ASME B107.1
JC31603R	3/16	Cabinet	3	Round	—	6	0.17	ASME B107.1
JC31604R	3/16	Cabinet	4	Round	—	7	0.18	ASME B107.1
JC31605R	3/16	Cabinet	5	Round	—	8	0.17	ASME B107.1
JC31606R	3/16	Cabinet	6	Round	—	9	0.20	ASME B107.1
JC31608R	3/16	Cabinet	8	Round	—	11	0.19	ASME B107.1
JC31610R	3/16	Cabinet	10	Round	—	13	0.24	ASME B107.1
JC31612R	3/16	Cabinet	12	Round	—	15	0.27	ASME B107.1
JC1410R	1/4	Cabinet	10	Round	—	14	0.34	ASME B107.1
JC1412R	1/4	Cabinet	12	Round	—	16	0.39	ASME B107.1
JC1416R	1/4	Cabinet	16	Round	—	20	0.39	ASME B107.1
JKB31603RP	3/16	Keystone	3	Round	Yes	7-1/4	0.16	ASME B107.1
JK31604S	3/16	Keystone	4	Square	—	7	0.19	ASME B107.1
JK14112R	1/4	Keystone	1-1/2	Round	—	3-1/2	0.12	ASME B107.1
JK1404S	1/4	Keystone	4	Square	—	8	0.27	ASME B107.1
JK1404R	1/4	Keystone	4	Round	—	8	0.25	ASME B107.1
JKB1404RP	1/4	Keystone	4	Round	Yes	8-1/2	0.26	ASME B107.1
JK1406R	1/4	Keystone	6	Round	—	10	0.29	ASME B107.1
JK1424R	1/4	Keystone	24	Round	—	28-1/2	0.51	ASME B107.1
JK51604R	5/16	Keystone	4	Round	—	8-3/8	0.33	ASME B107.1
JK51606S	5/16	Keystone	6	Square	—	10	0.41	ASME B107.1
JKB51606RP	5/16	Keystone	6	Round	Yes	10-3/4	0.39	ASME B107.1
JK51606R	5/16	Keystone	6	Round	—	10-3/8	0.37	ASME B107.1
JK51608R	5/16	Keystone	8	Round	—	12-3/8	0.41	ASME B107.1
JKB3808RP	3/8	Keystone	8	Round	Yes	13	0.57	ASME B107.1
JK3808R	3/8	Keystone	8	Round	—	13	0.54	ASME B107.1
JK3808S	3/8	Keystone	8	Square	—	13	0.60	ASME B107.1
JK3810R	3/8	Keystone	10	Round	—	11	0.62	ASME B107.1
JK3812R	3/8	Keystone	12	Round	—	17	0.69	ASME B107.1
JK3812S	3/8	Keystone	12	Square	—	17	0.77	ASME B107.1

Torx® is a trademark of Acument Intellectual Properties, LLC

Country of origin accurate at time of printing; consult www.protoindustrial.com for updated

IC1S



IC1A



✓ **WHY REED?** Quick Release™ tubing cutters were invented by Reed and cover capacities up to 10" (254mm). Reed uses a ball detent or threaded screw for the wheel pin, whereas competitors use a grooved pin and clip which is easily lost and makes wheel changes extremely difficult. Reed has cutter wheels for all plastic applications.

REED
Exclusive
SIZES

5

TC4QP



TC8QP



REED
Best Ever!


Gas And Supply
Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

✓ **WHY REED?** PPS21 and PPS26 are the only saws specifically marketed for cutting 6" and 8" PVC water and sewer pipe. Cuts twice as fast.



REED
Exclusive
FEATURES

Gas And Supply
Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

NEW! Internal Pipe Cutters

Hardened steel, saw-toothed blade (IC1S) or abrasive blade (IC1A) cuts plastic pipe from the inside. Great for cutting below floor level. Cutters fit in standard 3/8" drill. IC1A is great for cutting where the blade may contact concrete or other surfaces. IC1S cuts plastic pipe aggressively and cuts wood for sink lugs.

Cat. No.	Item Code	Description	Weight	
			lbs	kg
IC1A	04500	Cuts pipe with 1 1/2" I.D. minimum	0.2	0.1
IC1S	04501	Cuts pipe with 1 1/4" I.D. minimum	0.2	0.1

- REPLACEMENT BLADES

Catalog No.	Item Code	Description
IC1RA	04502	Abrasive Blades - 5/pk.
IC1RS	04503	Saw Tooth Blades - 2/pk.

Quick Release™ Cutters

Reed Quick Release™ tubing cutters are the industry standard; most recommended by plastic pipe companies and imitated by other manufacturers. They are the most practical cutters for small, medium, and large diameter work.

Cat. No.	Item Code	O.D. Capacity		Length		Weight		Wheel	Material Cut
		Actual Inches	Actual Ø mm	in	mm	lbs	kg		
TC1QP	04110	1/8 - 1 5/16	3 - 33	6	152	0.5	0.2	OP2	PE - PB - ABS
TC1QPVC	04114	1/8 - 1 5/16	3 - 33	6	152	0.5	0.2	1 - 2 PVC	PVC
TC1.6QP*	04116	1/4 - 1 5/8	6 - 42	6.5	165	1.0	0.5	OP	PE - PB ABS
TC1.6QPVC*	04118	1/4 - 1 5/8	6 - 42	6.5	165	1.0	0.5	1 - 2 PVC	PVC
TC2QP	04120	1/4 - 2 5/8	6 - 63	8	203	1.0	0.5	OP2	PE - PB ABS
TC2QPVC	04124	1/4 - 2 5/8	6 - 63	8	203	1.0	0.5	1 - 2 PVC	PVC
TC3QP	04130	3/8 - 3 1/2	10 - 90	11	279	2.5	1.1	30 - 40P	PE PB - ABS
TC3QPVC	04134	3/8 - 3 1/2	10 - 90	11	279	2.5	1.1	3 - 6 PVC	PVC
TC3Q6QP	04138	3/8 - 3 1/2	10 - 90	11	279	2.5	1.1	6QP	THICK PE
TC4QP	04140	1 1/8 - 4 1/2	48 - 114	12	305	2.8	1.2	30 - 40P	PE - PB - ABS
TC4QPVC	04144	1 1/8 - 4 1/2	48 - 114	12	305	2.8	1.2	3 - 6 PVC	PVC
TC4Q6QP	04148	1 1/8 - 4 1/2	48 - 114	12	305	2.8	1.2	6QP	.55 THICK PE
TC5QP	04150	2 1/2 - 5	63 - 125	13	330	3.0	1.4	30 - 40P	PE - PB - ABS
TC6QP	04160	4 - 6 5/8	102 - 168	15	381	3.5	1.6	30 - 40P	PE - PB - ABS
TC6QPVC	04164	4 - 6 5/8	102 - 168	15	381	3.5	1.6	3 - 6 PVC	PVC
TC6Q680PVC	04125	4 - 6 5/8	102 - 168	15	381	3.5	1.6	680PVC	PVC-HVY WALL
TC8Q6QP	04168	4 - 6 5/8	102 - 168	15	381	3.5	1.6	6QP	.55 THICK PE
TC8Q80P	04123	4 - 6 5/8	102 - 168	15	381	3.5	1.6	80P	.75 THICK PE
TC8QP**	04170	6 1/4 - 10	159 - 254	26	660	8.0	3.6	80P	PE - PVC***
TC8QPL**	04171	6 1/4 - 10	159 - 254	26	660	8.0	3.6	80P	.75 THICK PE
TC8Q680PVC	04172	6 1/4 - 10	159 - 254	26	660	8.0	3.6	680PVC	PVC-NYLON

*NEW! **EXCLUSIVE

***The TC8QP comes with a cradle and blade for cutting thick PVC.

Note: Quick Release™ Tubing Cutters for Metal on p. 6

See p. 4 - 5 for more information on cutter wheels.

Plastic Pipe Saws

Tooth design, tooth set, and hardness simplify cuts on ABS and PVC pipe. Die cast design of handle on PPS12 and PPS18 makes blade change fast and easy. Blades are interchangeable with most manufacturers. Handles on PPS21 and PPS26 are permanently attached. Teeth are sharpened on both sides and are harder than a file - never need sharpening. Saws feature new tooth geometry and unique setting. All four blades allow simultaneous cutting forward and backward...a 50% productivity improvement.

Cat. No.	Item Code	Pipe Capacity		Length		Weight	
		Inches-Nom.	Actual Ø mm	in	mm	lbs	kg
PPS12	04512	3	75	16	426	0.6	0.3
PPS18	04510	4	100	22	560	0.7	0.3
PPS21*	04517	6	150	25	650	0.9	0.4
PPS26*	04519	8	200	29	725	1.2	0.6

*NEW!




INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
473	11.00	EA	STOCK NO. 00-0585860 0473 - HAMMER, BALL PEIN, 8 OZ., HICKORY HANDLE, PROTO NO. 1308D, PLUMB NO. 11-496 STOCK NO. 00-0585920	10.74	118.14
474	43.00	EA	0474 - HAMMER, ENGINEER, DOUBLE FACE, TWO POUND, 16 IN. LONG WOOD HANDLE, AMES 1196200 MADISON MILL 902 STOCK NO. 00-0585980	10.35	445.05
475	16.00	EA	0475 - HAMMER, SCALING, 16 OZ., HICKORY HANDLE, VAUGHAN NO. SC16 PLUMB 811530 STOCK NO. 00-0586020	13.08	209.28
476	13.00	EA	0476 - SNIPS, TIN, STRAIGHT DUCKBILL, NON-SERRATED, FOR 24 GAUGE MILD METAL, 10.25 IN. LONG, WISS NO. V-10N STOCK NO. 00-0590400	16.20	210.60
477	12.00	EA	0477 - GRIP, WIRE, SIZE RANGE 3/4 IN. TO 1 IN., 24 IN. LONG, FOR PULLING PLASTIC PIPE, 1360 LB. WORKING STRENGTH, DOUBLE WEAVE MESH FOR GREATER PULLING STRENGTH, KLEIN NO. KP-075-24 STOCK NO. 00-0590810	97.28	1167.36
478	5.00	EA	0478 - GRIP, WIRE, FOR PULLING PLASTIC PIPE, SIZE RANGE 1 IN. MIN. TO 1 7/16 IN. MAX., 33 IN. LONG, 1920 LB. WORKING STRENGTH, USA STCK NO. 65200 STOCK NO. 00-0590820	126.84	634.20
479	6.00	EA	0479 - WHEELBARROW, 6 CUBIC FT. HEAVY DUTY SEAMLESS STEEL TRAY W/FRONT BRACES, 16 IN. WHEEL ASSY, 2 PLY TIRE, KEY F, TEMPERC6, AMES R625 STOCK NO. 00-0591050	97.24	583.44
480	20.00	EA	0480 - HANDLE, BULL FLOAT, ALUMINUM, 1-3/4 IN. DIA. X 6 FT., GOLDBLATT NO. 84389-16326, G06957 STOCK NO. 00-0591130	27.08	541.60
481	8.00	EA	0481 - BINDER, LOAD, RATCHET TYPE, FOR 3/8 IN. GRADE 70 CHAIN TO 1/2 IN. CAMPBELL Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	75.17	601.36

SLEDGES & HAMMERS



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

KEY	ITEM #	BRAND	DESCRIPTION	UPC	STD PK QTY	STD PK LBS.	PLT QTY	PLT WT LBS.	RPLC. HANDLE
A	2517400	Jackson®	3.4 Lb. Pulverizer® multi-purpose concrete and demolition tool. Fully forged with aggressive texture TPE grip for no slip swinging action. 12.8" total length.	049206251748	6	22.0	252	964.0	#N/A
B	1196200	Jackson®	2 Lb. Engineer hammer, double face with 16" genuine American hickory handle.	049206119628	2	4.8	400	1000.0	2046200
	1196300		3 Lb. Engineer hammer, double face with 16" genuine American hickory handle.	049206119635	2	7.5	720	2404.0	2046200
	1196900		4 Lb. Engineer hammer, double face with 16" genuine American hickory handle.	049206119697	6	25.0	480	2053.0	2046200
	1197500		6 Lb. Engineer hammer, double face with 16" genuine American hickory handle.	049206119758	3	19.3	198	1328.0	#N/A
	1198900		8 Lb. Engineer hammer, double face with 16" genuine American hickory handle.	049206119895	3	50.5	150	1317.0	#N/A
C	1113090900	True Temper®	True American®, 4 Lb. Sledge hammer, 16" genuine American hickory handle.	049206043510	6	25.0	480	2053.0	2046200
D	1196800	Jackson®	3 Lb. Engineer hammer, double face with 16" fiberglass handle.	049206119680	2	7.5	300	1087.0	2062300
	1197000		4 Lb. Engineer hammer, double face with 16" fiberglass handle.	049206119703	6	25.5	480	1978.0	2062300
E	1196100	Jackson®	2 Lb. Hand drill hammer, 10.5" genuine American hickory handle.	049206119611	2	4.5	576	1331.0	2048800
	1196400		3 Lb. Hand drill hammer, 10.5" genuine American hickory handle.	049206119642	2	6.5	770	2503.0	2048800
	1197100		4 Lb. Hand drill hammer, 10.5" genuine American hickory handle.	049206119710	2	8.0	550	2339.0	2048800
F	1196500	Jackson®	3 Lb. Hand drill hammer, 10.5" fiberglass handle.	049206119659	2	6.5	192	683.0	2062600
G	1196000	Jackson®	2 Lb. Cross pein hammer, 16" genuine American hickory handle.	049206119604	2	5.3	180	512.5	2046200
	1196700		3 Lb. Cross pein hammer, 16" genuine American hickory handle.	049206119673	2	7.0	720	2570.0	2046200
	1197300		4 Lb. Cross pein hammer, 16" genuine American hickory handle.	049206119734	2	9.0	372	1724.0	2046200
H	1196600	Jackson®	3 Lb. Cross pein hammer, 16" fiberglass handle.	049206119666	2	7.3	300	1149.0	2062300
I	1149600	Jackson®	0.5" Back-Out punch. Heat-treated heads, 16" genuine American hickory handle.	049206114968	5	14.0	150	471.0	2046200
	1149800		0.625" Back-Out punch. Heat-treated heads, 16" genuine American hickory handle.	049206114982	5	15.0	150	482.0	2046200
	1150000		0.75" Back-Out punch. Heat-treated heads, 16" genuine American hickory handle.	049206115002	5	15.5	150	491.0	2046200
	1150100		0.875" Back-Out punch. Heat-treated heads, 16" genuine American hickory handle.	049206115019	5	17.0	150	516.0	2046200
	1150300		1" Back-Out punch. Heat-treated heads, 16" genuine American hickory handle.	049206115033	5	18.0	150	529.0	2046200

Plumb® Hickory Handled Scaling Hammers


- Forged Head
- Durable, Black Epoxy Powder Paint Finish on Head
- Red Hickory Handle
- Permabond® Construction Between Head and Handle
- Used By Welders



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11530	037103115300	Bulk	16 oz	1 lb	13 in	Black	1.60 lb	6

Plumb® Fiberglass Handled Prospecting Hammers


- Forged Head
- Polished Face, Chamfer, and Back
- Fiberglass Handle with Comfortable Cushion Grip
- Permabond® Construction Between Head and Handle
- Known As the "Rock Hound" Hammer



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11423	037103114235	Carded	16 oz	1 lb	12.5 in	Polished	1.70 lb	4

Plumb® Hickory Handled Prospecting Hammers

- Forged Head
- Durable, Black Epoxy Powder Paint Finish on Head
- Polished Face and Chamfer
- Strong Hickory Handle
- Permabond® Construction Between Head and Handle
- Used Primarily By Prospectors and Geologists



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11493	037103114938	Bulk	16 oz	1 lb	12.5 in	Polished	1.45 lb	6

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Wire-Mesh Grips

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Double-Weave, Flexible-Eye Pulling Grips



KPM-075

Table Dia.*	KPM Medium Duty				KP Heavy Duty							
	Cat. No.	Mesh Length	Maximum Safe Load	Wt.	Short Length				Medium Length			
					Cat. No.	Mesh Length	Maximum Safe Load	Wt.	Cat. No.	Mesh Length	Maximum Safe Load	Wt.
37"-49"	KPM-037	11"	380 lbs. (172 kg)	.10 lbs.	—	—	—	—	—	—	—	—
50"-61"	KPM-050	13"	480 lbs. (218 kg)	.10 lbs.	—	—	—	—	—	—	—	—
32"-74"	KPM-062	14"	670 lbs. (304 kg)	.21 lbs.	—	—	—	—	—	—	—	—
75"-99"	KPM-075	16"	1030 lbs. (467 kg)	.20 lbs.	KP-075-24	24"	1360 lbs. (617 kg)	.50 lbs.	KP-075-36	36"	1360 lbs. (617 kg)	.74 lbs.
.00"-1.37"	KPM-100	18"	1420 lbs. (644 kg)	.40 lbs.	—	—	—	—	—	—	—	—
.00"-1.49"	—	—	—	—	KP-100-24	24"	1920 lbs. (871 kg)	1.1 lbs.	KP-100-36	36"	1920 lbs. (871 kg)	1.0 lbs.
.38"-1.99"	KPM-150	22"	1920 lbs. (871 kg)	.40 lbs.	—	—	—	—	—	—	—	—
.50"-1.99"	—	—	—	—	KP-150-24	24"	3280 lbs. (1488 kg)	1.2 lbs.	KP-150-36	36"	3280 lbs. (1488 kg)	1.6 lbs.
.00"-2.49"	—	—	—	—	KP-200-24	24"	3700 lbs. (1678 kg)	2.0 lbs.	KP-200-36	36"	3700 lbs. (1678 kg)	2.5 lbs.
.50"-2.99"	—	—	—	—	KP-250-24	24"	4900 lbs. (2233 kg)	3.0 lbs.	KP-250-36	36"	4900 lbs. (2233 kg)	3.8 lbs.

For equivalent cable diameters in fractional inches and in metric dimensions (mm), see Dimensions Conversion Reference Table 3.

Double-Weave, Rotating-Eye Pulling Grips



KPS-062-1

Table Dia.*	KPS Heavy Duty											
	Short Length				Medium Length				Medium-Long Length			
	Cat. No.	Mesh Length	Maximum Safe Load	Wt.	Cat. No.	Mesh Length	Maximum Safe Load	Wt.	Cat. No.	Mesh Length	Maximum Safe Load	Wt.
10"-61"	KPS-050-1	11"	1120 lbs. (508 kg)	.40 lbs.	KPS-050-2	16"	1120 (508 kg)	.45 lbs.	—	—	—	—
12"-74"	KPS-062-1	11"	1360 lbs. (617 kg)	.45 lbs.	KPS-062-2	16"	1360 (617 kg)	.50 lbs.	—	—	—	—
15"-99"	—	—	—	—	KPS-075-2	20"	1360 (617 kg)	.85 lbs.	—	—	—	—
.00"-1.24"	—	—	—	—	KPS-100-2	20"	2560 (1161 kg)	1.9 lbs.	—	—	—	—
.00"-1.49"	—	—	—	—	—	—	—	—	KPS-100-3	33"	3280 (1488 kg)	2.4 lbs.
.25"-1.49"	—	—	—	—	KPS-125-2	21"	2560 (1161 kg)	1.9 lbs.	—	—	—	—
.50"-1.99"	—	—	—	—	KPS-150-2	25"	3280 (1488 kg)	2.2 lbs.	KPS-150-3	34"	3280 (1488 kg)	2.5 lbs.
.00"-2.49"	—	—	—	—	KPS-200-2	26"	5440 (2468 kg)	4.1 lbs.	KPS-200-3	36"	5440 (2468 kg)	4.7 lbs.
.50"-2.99"	—	—	—	—	KPS-250-2	28"	6600 (2994 kg)	5.3 lbs.	KPS-250-3	38"	6600 (2994 kg)	5.8 lbs.
.00"-3.49"	—	—	—	—	KPS-300-2	30"	8200 (3720 kg)	6.1 lbs.	—	—	—	—
.50"-3.99"	—	—	—	—	KPS-350-2	32"	9600 (4355 kg)	6.8 lbs.	—	—	—	—

For equivalent cable diameters in fractional inches and in metric dimensions (mm), see Dimensions Conversion Reference Table 3.


⚠WARNING: Do NOT exceed maximum safe load as listed on the label attached to the product.

⚠WARNING: Do NOT use on live circuits.

⚠WARNING: Always match proper size and type of grip to application.


⚠WARNING: Always inspect equipment before use.

Wire Pulling Grips



Campbell® Load Binders

- To Tighten Chain, Typically for Cargo Securement
- Meets U.S. D.O.T. 393.100 -393.102 Requirements for Use with Chain
- Lever Type: Allows for Quicker Application of Load
- Ratchet Type: Allows for Easier Adjustment of Tension and Greater Range of Take-Up
- DO NOT EXCEED THE WORKING LOAD LIMIT
- Do Not Use for Overhead Lifting or Hoisting




Cat. No.	UPC No.	Style	For Chain Size & Grade	Finish	Take-Up	Quantity Per Package	Working Load Limit	Weight Each (lbs.)
6203205	020418178658	Lever Type, Imported	1/4" Gr.30 & Gr.43	Painted Red	2-3/4 in	4	2600 lb	3.40 lb
6203603	020418086441	Lever Type, Domestic	5/16" Gr.70 to 3/8" Gr.43	Painted Red	4-1/2 in	4	5400 lb	7.50 lb
6203604	020418187162	Lever Type, Imported	5/16" Gr.70 to 3/8" Gr.43	Painted Red	4-1/2 in	4	5400 lb	8.05 lb
6203605	020418190247	Lever Type, Domestic	3/8" Gr.70 to 1/2" Gr.43	Painted Red	4-1/2 in	Bulk	9200 lb	9.92 lb
6207504	020418086472	Ratchet Type, Imported	5/16" Gr.70 to 3/8" Gr.43	Painted Red	8 in	Bulk	5400 lb	11.00 lb
6207506	020418228940	Ratchet Type, Imported	5/16" Gr.70 to 3/8" Gr.70	Yellow Chromate	8 in	2	6600 lb	11.00 lb
6207803	020418189425	Ratchet Type, Imported	3/8" Gr.70 to 1/2" Gr.43	Painted Red	8 in	Bulk	9200 lb	9.92 lb
6207805	020418086489	Ratchet Type, Domestic	3/8" Gr.70 to 1/2" Gr.43	Painted Red	8 in	Bulk	9200 lb	12.50 lb

Campbell® Cable Pullers


- Feature Double Drive Ratchet Wheels
- Easy Let-Down Releases and Aircraft-Type, 3/16" Galvanized Cables
- Built-in Safety Handle is Designed to Bend if Recommended Working Load Limit is Exceeded
- Packaged 1 Per Box, with Operating Instructions
- CAUTION: Do Not Use Cable Pullers to Lift People or to Lift Loads Over People

Cat. No.	UPC No.	Draw	Lift Capacity	Pull Capacity	Weight Each (lbs.)	Shelf Pack Qty.
6312035	020418162701	10-1/2 ft	1/2 T	1 T	8.80 lb	1
6312036	020418162718	6 ft	1 T	2 T	9.50 lb	1



Campbell® S Hooks

- For Attaching Accessories to Chain
- After Engaging Chain, Close the "S" Hook to Prevent Disengagement
- Standard Material: Low Carbon Steel
- Standard Finish: Bright (Brt) or Zinc Plated (ZP)
- Packaging: 50 Per Carton or 6 Per Bag (Except #120, 2 Per Bag). 10 Bags Per Carton
- Order Unit is "Each"
- DO NOT EXCEED THE WORKING LOAD LIMIT
- Do Not Use for Overhead Lifting or Hoisting



No. 60

Proper closure

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

18

19

MATERIAL HANDLING

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
482	2.00	EA	GRADE 43 CHAIN, 9200 WLL, CM NO. 48366 STOCK NO. 00-0591190 0482 - EXTENSION, 1/4 IN. DRIVE X 3 IN. LONG, INDUSTRIAL, CHROME, DOMESTIC, MEETS ANSI SPEC. B107.10M, PROTO NO. 4760 STOCK NO. 00-0600000	5.70	11.40
483	11.00	EA	0483 - EXTENSION, 3/8 IN. DRIVE X 6 IN. LONG, CHROME, DOMESTIC, MEETS FEDERAL SPEC. GGG-W-641E, PROTO NO. J5260-06 STOCK NO. 00-0600080	7.86	86.46
484	5.00	EA	0484 - SOCKET, SHORT, CHROME, 6 POINT, 1/4 IN. DRIVE, 3/8 IN., DOMESTIC, MEETS FED. SPEC. GGG-W-641E, PROTO NO. J4712L STOCK NO. 00-060010A	4.89	24.45
485	2.00	EA	0485 - SOCKET, STANDARD, 12 POINT, CHROME, 1/4 IN. X 3/8 DR., PROTO NO. 5208 STOCK NO. 00-060011A	3.56	7.12
486	6.00	EA	0486 - SOCKET, DEEP, CHROME, 1-1/2 IN., INDUSTRIAL, 6 POINT, 1/2 IN. DRIVE, MEETS FED. SPEC. NO. GGG-W-641E AND ANSI SPEC. NO. B107.1, PROTO NO. 5348H	25.12	150.72
487	2.00	EA	0487 - ADAPTER, SOCKET, REDUCING, CHROME, 1/2 INCH F SQ. DR. X 3/8 INCH PROTO J5254 M SQ DR, ARMSTRONG 12-951 STOCK NO. 00-0601430	5.72	11.44
488	6.00	EA	0488 - EXTENSION, CHROME, 1/2 IN. SQUARE DRIVE, 6 IN. LONG PROTO J5461 STOCK NO. 00-0601470	9.48	56.88
489	6.00	EA	0489 - EXTENSION, 1/2 IN. DRIVE X 20 IN. LONG, INDUSTRIAL, CHROME, DOMESTIC, MEETS FEDERAL SPEC. GGG-W-641E AND AS4283, PROTO NO. J5464 STOCK NO. 00-0601530	19.96	119.76
490	1.00	EA	0490 - HANDLE, SLIDING TEE, 3/8 IN. DRIVE X 8 IN. LONG, CHROME, DOMESTIC, Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	13.36	13.36

DRIVE ADAPTERS

Full polish finish.



Product #	Input Drive (in)	Output Drive (in)	Finish	Overall Length (in)	Weight (lbs)
J5255	3/8	1/4	Full Polish	1	0.05
J5256	1/4	3/8	Full Polish	1	0.04
J5256B	1/4	3/8	Black Oxide	1	0.04
J5253	3/8	1/2	Full Polish	1-7/16	0.11
J5253B	3/8	1/2	Black Oxide	1-7/16	0.11
J5254	1/2	3/8	Full Polish	1-3/8	0.13
J5653	1/2	3/4	Full Polish	1-11/16	0.24
J5653B	1/2	3/4	Black Oxide	1-11/16	0.24
J5453	3/4	1/2	Full Polish	1-7/8	0.39
J5853	3/4	1	Full Polish	2-1/2	0.82
J5854	1	3/4	Full Polish	2-7/8	1.27

ASME B107.500

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

LOCKING ADAPTERS


- Includes hex key for easy locking into drive tool.
- Knurl locking ring.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4759BLS	1/4	Black Oxide	1-11/16	0.06
J5260-02BLS	3/8	Black Oxide	2-1/8	0.12
J560-02BLS	1/2	Black Oxide	3	0.36



UNIVERSAL JOINTS

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4770A	1/4	Full Polish	1-11/32	0.04
J4770AB	1/4	Black Oxide	1-11/32	0.04
J5270A	3/8	Full Polish	2	0.13
J5270AB	3/8	Black Oxide	2	0.13
J5470A	1/2	Full Polish	2-3/4	0.30
J5470AB	1/2	Black Oxide	2-3/4	0.30
J5670	3/4	Full Polish	4	1.03



8 POINT 8 POINT 12 POINT SPL SPLINE HEX HEX FULL POLISH SATIN BLACK OXIDE INSULATED

STANDARD EXTENSIONS

- Extensions help provide access to fasteners in areas that might otherwise be difficult to reach.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4759	1/4	Full Polish	2	0.05
J4759B	1/4	Black Oxide	2	0.05
J4760	1/4	Full Polish	3	0.08
J4761	1/4	Full Polish	6	0.15
J4762	1/4	Full Polish	10	0.24
J4761B	1/4	Black Oxide	6	0.15
J4763	1/4	Full Polish	14-3/32	0.30
J5259	3/8	Full Polish	1-3/4	0.11
J5259B	3/8	Black Oxide	1-3/4	0.11
J5260	3/8	Full Polish	3	0.16
J5260B	3/8	Black Oxide	3	0.16
J5260-06	3/8	Full Polish	6	0.31
J5260-06B	3/8	Black Oxide	6	0.30
J5261	3/8	Full Polish	8	0.40
J5261B	3/8	Black Oxide	8	0.46
J5262	3/8	Full Polish	12	0.61
J5262B	3/8	Black Oxide	12	0.62
J5263	3/8	Full Polish	17-3/16	0.94
J5460	1/2	Full Polish	2-1/2	0.24
J5460B	1/2	Black Oxide	2-1/2	0.24
J5461	1/2	Full Polish	5	0.44
J5461B	1/2	Black Oxide	5	0.44
J5463	1/2	Full Polish	10	0.89
J5463B	1/2	Black Oxide	10	0.89
J5464	1/2	Full Polish	20	1.87
J5465	1/2	Full Polish	36	3.41
J5660	3/4	Full Polish	4	0.88
J5661	3/4	Full Polish	8	1.80
J5663	3/4	Full Polish	16	2.36
J5861	1	Full Polish	8	2.88
J5863	1	Full Polish	17	4.87

ASME B107.500

LOCKING EXTENSIONS

- One piece extension design.
- Provides positive socket retention.
- Use where accidental socket disengagement may be a concern or safety hazard.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4759L	1/4	Full Polish	2	0.07
J4761L	1/4	Full Polish	6	0.15
J4762L	1/4	Full Polish	10	0.25
J4763L	1/4	Full Polish	14-3/32	0.33
J5260-03L	3/8	Full Polish	3	0.21
J5260-06L	3/8	Full Polish	6	0.37
J5261L	3/8	Full Polish	8	0.49
J5262L	3/8	Full Polish	12	0.71
J5460-03L	1/2	Full Polish	3	0.40
J5461L	1/2	Full Polish	5	0.55
J5463L	1/2	Full Polish	10	1.04

ASME B107.500



EXTENSIONS

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



6 POINT 8 POINT 12 POINT SPLINE HEX FULL POLISH SATIN BLACK OXIDE INSULATED

INVITATION TO BID FROM JEFFERSON PARISH - continued


BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
491	5.00	EA	MEETS GGG-W-641E, PROTO NO. 5285 STOCK NO. 00-0601630 0491 - SOCKET, STANDARD, 12 POINT, CHROME, 1-5/16 IN. X 3/4 IN. DR., PROTO NO. J5542, JHWH-1242 STOCK NO. 00-0601770	14.90	74.50
492	2.00	EA	0492 - SOCKET, SHORT, 1-7/16 INCH-3/4 DRIVE, JHWH-1246 PROTO J5546 STOCK NO. 00-0601780	17.48	34.96
493	2.00	EA	0493 - SOCKET, SHORT, CHROME, 1-11/16 IN., INDUSTRIAL, 12 POINT, 3/4 IN. DRIVE, MEETS FED. SPEC. NO. GGG-W-641E AND ANSI SPEC. NO. B107.1, DOMESTIC, PROTO NO. J5554 STOCK NO. 00-0601830	23.04	46.08
494	2.00	EA	0494 - SOCKET, SHORT, CHROME, 1-5/8 IN., INDUSTRIAL, 12 POINT, 3/4 IN. DRIVE, MEETS FED. SPEC. NO. GGG-W-641E AND ANSI SPEC. NO. B107.1, DOMESTIC, PROTO NO. J5552 STOCK NO. 00-0601850	21.69	43.38
495	2.00	EA	0495 - SOCKET, SHORT, 1-3/4 IN., 3/4 IN. DR., 12 POINT, CHROME, JHWH-1256 PROTO J5556 STOCK NO. 00-0601860	23.26	46.52
496	4.00	EA	0496 - SOCKET, ADAPTER, REDUCING, 1/2 IN. DRIVE TO 3/8 IN. DRIVE, PROTO J5254 ARMSTRONG NO. 12-95 STOCK NO. 00-0602830	5.72	22.88
497	4.00	EA	0497 - ADAPTER, DRIVE, 3/8 IN. DR. FEMALE X 1/2 IN. MALE, CHROME, MEETS PROTO J5253 FEDERAL SPEC. GGG-W-641E, ARMSTRONG NO. 11-952 STOCK NO. 00-0602840	4.30	17.20
498	3.00	EA	0498 - ADAPTER, SOCKET, CHROME, INCREASING FROM 1/2 IN. FEMALE DRIVE TO 3/4 IN. MALE DRIVE, MEETS FED. SPEC. NO. GGG-W-641E, DOMESTIC, PROTO	6.91	20.73
<p style="text-align: center;">Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>					

3/4" DRIVE SOCKETS

- » Ball detent design.
- » Made of heat-treated alloy steel.
- » Side locking hole.



- » Engages flats for better grip
- » Improves the ability to turn worn or rounded fasteners

INCH	12	Nut End Outside Diameter (in) (B)	Drive End Outside Diameter (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lbs)
3/4	J5524	1-5/16	1-5/16	19/32	1-1/16	2	0.35
13/16	J5526	1-5/16	1-5/16	21/32	1-1/16	2	0.36
7/8	J5528	1-5/16	1-5/16	45/64	1-1/16	2	0.46
15/16	J5530	1-7/16	1-7/16	3/4	1-1/16	2	0.51
1	J5532	1-1/2	1-1/2	3/4	1-1/16	2	0.56
1-1/16	J5534	1-37/64	1-37/64	3/4	1-1/16	2	0.61
1-1/8	J5536	1-37/64	1-15/32	25/32	1	2-7/32	0.72
1-3/16	J5538	1-37/64	1-15/32	25/32	1	2-7/32	0.61
1-1/4	J5540	1-13/16	1-19/32	13/16	1-5/32	2-15/64	0.87
1-5/16	J5542	1-7/8	1-19/32	27/32	1-5/32	2-9/32	0.89
1-3/8	J5544	1-7/8	1-5/8	29/32	1-5/32	2-9/32	0.84
1-7/16	J5546	2-3/64	1-5/8	61/64	1-1/4	2-13/32	1.07
1-1/2	J5548	2-3/64	1-5/8	1	1-1/4	2-13/32	0.94
1-9/16	J5550	2-3/16	1-23/32	1-3/64	1-15/16	2-5/8	0.97
1-5/8	J5552	2-15/64	1-3/4	1-7/64	1-15/16	2-5/8	1.03
1-11/16	J5554	2-3/8	1-3/4	1-5/32	1-15/32	2-3/4	1.14
1-3/4	J5556	2-3/8	1-3/4	1-13/64	1-15/32	2-3/4	1.30
1-13/16	J5558	2-9/16	1-3/4	1-1/4	1-39/64	2-29/32	1.41
1-7/8	J5560	2-9/16	1-3/4	1-19/64	1-39/64	2-31/32	1.55
2	J5564	2-47/64	2	1-3/4	1-3/4	3-7/64	1.59
2-1/16	J5566	2-49/64	2-1/32	1-3/4	1-3/4	3-5/32	1.60
2-1/8	J5568	2-61/64	2-3/32	1-13/16	1-13/16	3-9/32	1.64
2-3/16	J5570	2-61/64	2-3/32	1-13/16	2-5/32	3-9/32	1.90
2-1/4	J5572	3-17/64	2-3/32	1-61/64	2-3/16	3-13/32	1.91
2-3/8	J5576	3-17/64	2-29/64	2-1/8	2-3/16	3-43/64	2.28

MM	12	Nut End Outside Diameter (in) (B)	Drive End Outside Diameter (in) (C)	Nut Depth (in) (D)	Bolt Clearance Depth (in) (E)	Overall Length (in) (L)	Weight (lb)
19	J5519M	1-1/8	1-19/64	9/16	1-5/16	2	0.36
20	J5520M	1-3/16	1-19/64	9/16	1-5/16	2	0.37
21	J5521M	1-17/64	1-19/64	9/16	1-5/16	2	0.40
22	J5522M	1-5/16	1-19/64	9/16	1-5/16	2	0.41
23	J5523M	1-13/32	1-13/32	9/16	1-5/16	2	0.52
24	J5524M	1-7/16	1-7/16	9/16	1-5/16	2	0.41
25	J5525M	1-31/64	1-31/64	5/8	1-5/16	2	0.60
26	J5526M	1-1/2	1-1/2	5/8	1-5/16	2	0.59
27	J5527M	1-35/64	1-35/64	11/16	1-5/16	2	0.62
28	J5528M	1-19/32	1-31/64	3/4	1-5/16	2-7/32	0.64
29	J5529M	1-19/32	1-31/64	49/64	1-5/16	2-7/32	0.65
30	J5530M	1-19/32	1-31/64	49/64	1-5/16	2-7/32	0.63
31	J5531M	1-47/64	1-47/64	13/16	1-5/16	2-7/32	0.72
32	J5532M	1-25/32	1-31/64	13/16	1-5/16	2-7/32	0.7E
35	J5535M	1-55/64	1-19/32	1-5/32	1-5/16	2-9/32	0.87
36	J5536M	2-3/64	1-19/32	1-15/64	1-5/16	2-13/32	1.0E
38	J5538M	2-3/64	1-19/32	1-15/64	1-5/16	2-13/32	1.0E
41	J5541M	2-15/64	1-23/32	1-9/32	1-5/16	2-39/64	1.0E
42	J5542M	2-23/64	1-23/32	1-15/32	1-5/16	2-23/32	1.0E
46	J5546M	2-37/64	1-25/32	1-39/64	1-5/16	2-31/32	1.4E
50	J5550M	2-49/64	2-1/32	1-47/64	1-5/16	3-5/32	2.3E
54	J5554M	2-15/16	2-3/32	1-3/8	1-5/16	3-9/32	1.9E
55	J5555M	2-15/16	2-3/32	1-13/16	1-5/16	3-9/32	2.6E
58	J5558M	3-9/64	2-3/32	1-61/64	1-5/16	3-13/32	2.9E
60	J5560M	3-17/64	2-17/32	2-1/8	1-5/16	3-21/32	2.2E

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

DRIVE ADAPTERS

Full polish finish.

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



ADAPTERS & UNIVERSAL JOINTS

Product #	Input Drive (in)	Output Drive (in)	Finish	Overall Length (in)	Weight (lbs)
J5255	3/8	1/4	Full Polish	1	0.05
J5256	1/4	3/8	Full Polish	1	0.04
J5256B	1/4	3/8	Black Oxide	1	0.04
J5253	3/8	1/2	Full Polish	1-7/16	0.11
J5253B	3/8	1/2	Black Oxide	1-7/16	0.11
J5254	1/2	3/8	Full Polish	1-3/8	0.13
J5653	1/2	3/4	Full Polish	1-11/16	0.24
J5653B	1/2	3/4	Black Oxide	1-11/16	0.24
J5453	3/4	1/2	Full Polish	1-7/8	0.39
J5853	3/4	1	Full Polish	2-1/2	0.82
J5854	1	3/4	Full Polish	2-7/8	1.27

ASME B107.500

LOCKING ADAPTERS


- Includes hex key for easy locking into drive tool.
- Knurl locking ring.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4759BLS	1/4	Black Oxide	1-11/16	0.06
J260-02BLS	3/8	Black Oxide	2-1/8	0.12
J460-02BLS	1/2	Black Oxide	3	0.36



UNIVERSAL JOINTS

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4770A	1/4	Full Polish	1-11/32	0.04
J4770AB	1/4	Black Oxide	1-11/32	0.04
J5270A	3/8	Full Polish	2	0.13
J5270AB	3/8	Black Oxide	2	0.13
J5470A	1/2	Full Polish	2-3/4	0.30
J5470AB	1/2	Black Oxide	2-3/4	0.30
J5670	3/4	Full Polish	4	1.03



6 POINT 8 POINT 12 POINT SPL Spline HEX HEX FULL POLISH SATIN BLACK OXIDE INSULATED

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
499	3.00	EA	NO. J5653 STOCK NO. 00-0602850 0499 - ADAPTER, SOCKET, REDUCING, CHROME, 3/4 IN. DR. TO 1/2 IN. DR., FED. SPEC. GGG-W-641E, PROTO NO. 5453 STOCK NO. 00-0602860	11.71	35.13
500	11.00	EA	0500 - HANDLE, RATCHET, QUICK RELEASE, 13 INCH, REED NO. L500 STOCK NO. 00-0610010	91.37	1005.07
501	7.00	EA	0501 - SOCKET, THRU-BOLT, 3/4 INCH, MADE IN U.S.A., REED NO. L12 STOCK NO. 00-0610020	40.30	282.10
502	5.00	EA	0502 - SOCKET, THRU-BOLT, 7/8 IN., REED NO. L14 STOCK NO. 00-0610030	40.30	201.50
503	9.00	EA	0503 - SOCKET, THRU-BOLT, 15/16 IN., REED NO. L15 STOCK NO. 00-0610040	40.30	362.70
504	6.00	EA	0504 - SOCKET, THRU-BOLT, 1 IN., REED NO. L16 STOCK NO. 00-0610050	40.30	241.80
505	8.00	EA	0505 - SOCKET, THRU-BOLT, 1-1/16 INCH, MADE IN U.S.A., REED NO. L17 STOCK NO. 00-0610060	40.30	322.40
506	4.00	EA	0506 - SOCKET, THRU-BOLT, 1-1/8 INCH, MADE IN U.S.A., REED NO. L18 STOCK NO. 00-0610070	40.30	161.20
507	5.00	EA	0507 - SOCKET, THRU-BOLT, 1-1/4 INCH, MADE IN U.S.A., REED NO. L20 STOCK NO. 00-0610080	40.30	201.50
508	4.00	EA	0508 - WRENCH, RATCHETING, WITH DOUBLE HEXAGON THRU-BOLT SOCKET, 3/4 BY 7/8 LOWELL P/N P66006 Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com	121.00	484.00

LOWELL DOUBLE SHOT SOCKET WRENCHES

- 1-1/4" and 1-1/16" Double Shot works on Mechanical Joint Nuts, Restraints, Repair Clamps and Service Saddles
- 1-1/8" and 15/16" Double Shot is perfect for Flange Bolts, Friction Clamps, and Hydrant Brake Flanges
- Fits 3/4" and 5/8" Heavy Hex and Standard Nuts
- "Bolt Thru"® convenience
- Designed for rugged use

The Double Shot wrenches are a great tool for use installing repair clamps, couplings, and tapping sleeves. The Double Shots are reversible with the reversing level conveniently located at the head of the wrench.


The unique Bolt-Through design works allows the bolt to not interfere when tightening down the nut - it passes straight through the wrench. A spacer at the socket keeps debris out and keeps the plates from binding to the socket.



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Item	Description
P66003	Double Shot Wrench 1-1/4" and 1-1/16"
P66004	Double Shot Wrench 15/16" and 1-1/8"
P66006	Double Shot Wrench 3/4" and 7/8"

DOUBLE SHOT SOCKET WRENCH KITS



- Hi-Vis Orange Sockets
- Bolt Thru® Design for Long Bolts
- Designed for Waterworks Installation and Repair Jobs
- Sturdy Tool Box Included with Kits

DOUBLE SHOT DS-IN INSTALLATION KIT


- DS1: 1-1/16" and 1-1/4" Double Socket
- DS2: 15/16" and 1-1/8" Double Socket
- DS4: 3/4" and 7/8" Double Socket

DOUBLE SHOT DS-RP REPAIR KIT

- DS1: 1-1/16" and 1-1/4" Double Socket
- DS2: 15/16" and 1-1/8" Double Socket
- DS3: 3/4" and 15/16" Double Socket

Item	Description	Each
P66010	Double Shot Installation Kit DS-IN	265.25
P66011	Double Shot Repair Kit DS-RP	265.25

WIRE BRUSHES



- Ideal for cleaning pipe before repair saddle installation
- For efficient removal of rust, paint and grease
- Wire bristles tackle tough cleaning jobs
- Each features convenient hole for hanging
- Gray in color

Item	Description	Each
3443262	Wire Brush, Short Plastic Handle	6.25
3442534	Wire Brush, Long Plastic Handle	7.25
3442372	Wire Brush, Broad Plastic Handle w/Scraper	8.00
3442690	Wire Brush, Plastic Angular Handle	13.50

WORK GLOVES

See our Safety Section for all your PPE needs when in the trench!

See pages 992-1149



SAFETY

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128063

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
509	3.00	EA	<p>INCH OR 19 BY 22MM, FOR UP INCH TO 12 INCH HYMAX. TOTAL PIPING SOLUTIONS NO. 2000-0075-0875-HEX, KRAUSZ NO. K STOCK NO. 00-0610150</p> <p>0509 - WRENCH, RATCHETING BOX, 1-1/16 IN. X 1-1/8 IN., CHROME, INDUSTRIAL, 12 POINT, MEETS FED. SPEC. NO. GGG-W-001405, MADE IN U.S.A., SNAP-ON NO. R3436 STOCK NO. 00-0610270</p>	125.30	375.90
510	36.00	EA	<p>0510 - WRENCH, RATCHETING BOX, 1-3/16 IN. X 1-1/4 IN., CHROME, 12 POINT, STANDARD LENGTH, 0 DEGREE OFFSET, MADE IN U.S.A., SNAP-ON NO. R3840A STOCK NO. 00-0610280</p>	143.37	5161.32
<p style="text-align: center;"> Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com </p>					