



BLISS
PRODUCTS

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETNA, LA 70053
(Owner to provide name and address of owner)

BID FOR: FURNISH LABOR, MATERIALS & EQUI
SUPPLY & INSTALL THREE (3) NEW
SQUARE STYLE SHELTER WITH MULTI
PANELS, CONCRETE SLAB AND FOUR
(Owner to provide name of project and
other identifying information)

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: Bliss Products and Services, Inc. and dated: 5/19/2022

(Owner to provide name of entity preparing bidding documents.)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following ADDENDA: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) 1 (5/13/22)

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:

one hundred eighteen thousand three hundred twenty nine Dollars (\$) 118,329.00

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of: Dollars (\$)

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of: Dollars (\$)

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of: Dollars (\$)

NAME OF BIDDER: Bliss Products and Services, Inc.

ADDRESS OF BIDDER: 4831 S. Sweetwater Rd. Lithia Springs, GA 30122

LOUISIANA CONTRACTOR'S LICENSE NUMBER: 50059

NAME OF AUTHORIZED SIGNATORY OF BIDDER: Gregg Bliss

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: president

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: [Handwritten Signature]

DATE: 5/19/2022

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** A CORPORATE RESOLUTION OR WRITTEN EVIDENCE of the authority of the person signing the bid for the public work as prescribed by LA-R.S. 38:2218 (B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA-R.S. 38:2218.(A) is attached to and made a part of this bid.

Public Works Bid

AFFIDAVIT

STATE OF Georgia

PARISH/COUNTY OF Douglas

BEFORE ME, the undersigned authority, personally came and appeared: Gregg
Bliss, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized President of Bliss Products and
Services, Inc. (Entity),
the party who submitted a bid in response to Bid Number 50-00138171, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the parish to the Affiant.

Choice B There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of, or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67, 16)
- (c) Theft of a business record (R.S. 14:67.20)
- (d) False accounting (R.S. 14:70)
- (e) Issuing worthless checks (R.S. 14:71)
- (f) Bank fraud (R.S. 14:71.1)
- (g) Forgery (R.S. 14:72)
- (h) Contractors; misapplication of payments (R.S. 14:202)
- (i) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract cancelled, the awarded entity making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

[The remainder of this page is intentionally left blank.]


Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit verifying compliance with statements (1) and (2).


Signature of Affiant

Gregg Bliss
Printed Name of Affiant


SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 19 DAY OF May, 2022.


Notary Public

Allison McClesky
Printed Name of Notary

Notary/Bar Roll Number

My commission expires 3/14/2023.



CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Bliss Products and services, Inc.
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Bliss Products and services, Inc.
INCORPORATED, DULY NOTICED AND HELD ON 5/19/22,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Gregg Bliss, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.



SECRETARY-TREASURER

5/19/22

DATE



About Cedar Forest Products

For over 50 years, Cedar Forest Products (CFP) has been designing and creating pre-engineered structures for public and private parks, camps and recreation facilities. Hundreds of standard designs allow flexibility and customization for any requirement or budget. CFP buildings are low maintenance, designed to perform and built to last.

Cedar Forest Products (CFP) started as a lumber yard in western Illinois in 1964. Over the years, our product lines have expanded to include a large variety of products. Now we are an industry leader offering pre-fabricated wood and steel shelters, band shells, restroom buildings, park & camp buildings, cabins, bridges, pergolas, site amenities and more. CFP prides itself in offering attractive products that are designed to perform and built to last.

Our ownership team changed in 2016; Ben LaBarge and James Kuipers purchased CFP and moved it from western Illinois to western Michigan. Both Ben & James bring a unique combination of industry and business knowledge as well as professional experience to CFP. Their goal is to grow and expand CFP into new markets with great dealers and quality products. We are excited to see what the future of CFP holds! We hope you will be a part of our exciting future, too.



Model # RHS2020-612P

Design Criteria: Structure shall be designed to meet site specific snow and wind load design criteria using most current applicable building codes. All structural members are ASTM A-500 U.S. grade B steel. Welded connection plates shall be ASTM A-36 hot rolled steel. All fabrication performed to latest AISC standards by AWS Certified welders. All framing connections are done using A325 grade bolts within concealed access openings from above and will later be concealed by the roofing. All roof framing shall be flush against the roof decking to eliminate the possibility of bird nesting.

Tubular Steel Columns and Beams: Standard column dimension shall be 5" x 5" x 3/16" tubular steel welded to 5/8" base plates for surface mounting. Main support beams are 7" x 5" x 3/16" and purlins are 6" x 3" x 1/8" and 5" x 3" x 1/8". Steel sizes are preliminary and may change due to ongoing review and final engineering.

Roofing: 24 Ga. pre-cut steel Multi-Rib panels with Kynar 500 finish in a variety of colors with white underside. Standard roof slope is a 6/12 pitch with a eave height of 8'-0". Attached to structural framing with exposed self tapping screws painted to match roof color. Matching 24 Ga. trim included.



Frame Finish: All steel framework will receive a corrosion protective TGIC Polyester powder coat, electro-statically applied and cured at 400°F. A large selection of standard colors are available.

Foundation: All columns need to be anchored to concrete footings (footing design provided separately). Columns can be surface mounted to footings with anchor bolts at or below finish slab elevation or they can be embedded directly into the footing without base plates upon request. Anchor bolts and bracing templates are included. Optional base plate covers are available at an additional cost.

Hardware: All structural hardware and roofing fasteners shall be provided.

Warranty: 10 years against manufacturer defects.

Not Included: Concrete work of any kind, unloading of product and installation.



Model # RHS2020-612P

Design Criteria: Structure shall be designed to meet site specific snow and wind load design criteria using most current applicable building codes. All structural members are ASTM A-500 U.S. grade B steel. Welded connection plates shall be ASTM A-36 hot rolled steel. All fabrication performed to latest AISC standards by AWS Certified welders. All framing connections are done using A325 grade bolts within concealed access openings from above and will later be concealed by the roofing. All roof framing shall be flush against the roof decking to eliminate the possibility of bird nesting.

Tubular Steel Columns and Beams: Standard column dimension shall be 5" x 5" x 3/16" tubular steel welded to 5/8" base plates for surface mounting. Main support beams are 7" x 5" x 3/16" and purlins are 6" x 3" x 1/8" and 5" x 3" x 1/8". Steel sizes are preliminary and may change due to ongoing review and final engineering.

Roofing: 24 Ga. pre-cut steel Multi-Rib panels with Kynar 500 finish in a variety of colors with white underside. Standard roof slope is a 6/12 pitch with a eave height of 8'-0". Attached to structural framing with exposed self tapping screws painted to match roof color. Matching 24 Ga. trim included.



Frame Finish: All steel framework will receive a corrosion protective TGIC Polyester powder coat, electro-statically applied and cured at 400°F. A large selection of standard colors are available.

Foundation: All columns need to be anchored to concrete footings (footing design provided separately). Columns can be surface mounted to footings with anchor bolts at or below finish slab elevation or they can be embedded directly into the footing without base plates upon request. Anchor bolts and bracing templates are included. Optional base plate covers are available at an additional cost.

Hardware: All structural hardware and roofing fasteners shall be provided.

Warranty: 10 years against manufacturer defects.

Not Included: Concrete work of any kind, unloading of product and installation.





LIMITED WARRANTY

Cedar Forest Products warrants that the materials and structural parts will conform to the specifications and descriptions on drawings approved by the purchaser, for a period of ten years commencing on the date of the invoice for sale of the products. If, within the warranty period, any materials fail to conform to the specifications and descriptions, Cedar Forest Products will, upon being notified in writing promptly after discovery of the defect, repair the defective material or, at its sole option, replace the defective part or parts. Cedar Forest Products will deliver the repaired or replacement part or parts to the site free of charge, but is not responsible for providing labor or the cost of labor for the removal of the defective part or parts, and/or the installation of any replacement part or parts. Replaced parts are warranted for the balance of the original warranty period.

Cedar Forest Products shall not be liable for deterioration of any building components due to failure of finished coatings or weather proofing or building foundations and/or settlement, nor shall Cedar Forest Products be responsible for updating specifications to meet building codes, municipal ordinances, or special insurance requirements.

This warranty is valid only if the structures are erected in conformance with Cedar Forest Products' installation instructions and maintained according to proper maintenance procedures; have been subjected to only normal use for the purpose for which the goods were designed; have not been subjected to addition or substitution of parts; and have not been modified, altered, or repaired by persons other than Cedar Forest Products approved representatives in any respect which, in the judgment of Cedar Forest Products, affects the condition or operation of the structures.

This warranty does not apply to any damage or deterioration caused by abuse, vandalism, theft, fire or any acts of God, or failure to provide reasonable and necessary maintenance.

ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY EXPRESSLY EXCLUDED. CEDAR FOREST PRODUCTS SHALL IN NO EVENT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.

Some states do not allow the exclusion or limitation of consequential or incidental damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

To make a claim under this warranty, please email Cedar Forest Products info@cedarforestproducts.com.

Cedar Forest Products
800.552.9495
www.cedarforestproducts.com



STEEL SHELTER SPECIFICATIONS

Structure as furnished by:

Cedar Forest Products,
P.O. Box 145, West Olive, MI 49460, USA,
800.552.9495

DIVISION 107300

SPECIALTIES MANUFACTURERS OF PROTECTIVE COVERS

PART 1 - GENERAL

1.1 SECTION INCLUDES

- A. [Building type][size] with [secondary roof] over [primary roof].

BUILDING STRUCTURE AS FURNISHED BY CEDAR FOREST PRODUCTS COMPANY, P.O. BOX 145, WEST OLIVE, MICHIGAN, 49460, USA, 800-552-9495.

1.2 REFERENCES

- A. REFERENCE STANDARDS:
1. AISC - American Institute of Steel Construction Manual of Steel Construction.
 2. ASTM - American Society for Testing and Materials.
 3. AWS - American Welding Society.
 4. LEED - Leadership in Energy and Environmental Design.
 5. OSHA - Occupational Safety and Health Administration Steel Erection Standard 29 CFR 1926 Subpart R-Steel Erection.
 6. PCI - Powder Coating Institute.
 7. SSPC - Steel Structures Painting Council.

1.3 SUBMITTALS

- A. GENERAL SUBMITTAL:
Submit [] sets of submittal drawings and [] sets of calc books, both signed and sealed by a Professional Engineer licensed in the State of [].
- B. PRODUCT DESIGN LOADS:
The building shall be designed to meet the governing building code with the following design loads:
1. Building Code: []
 2. Ground Snow Load (Pg): [] pounds per square foot.
 3. Basic Wind Speed (V): [] miles per hour.
 4. Seismic Design: as required for site specific conditions.
- C. SUBMITTAL REQUIREMENTS:
Calculations and Submittal drawings shall include, at a minimum:
1. Calculations:
 - a. References to building codes and design manuals used for calculations.
 - b. Identification of lateral force resisting system.
 - c. Formulas used for determining snow, wind, and seismic loads to specific project location.
 - d. Three dimensional modeling input, model geometry, and analysis results.
 - e. Member design results and controlling load combinations.
 - f. Connection design for structural bolts, welds, plate thicknesses, and anchorage to the foundation.
 - g. Foundation designs must include the required combinations of gravity and lateral loads.



STEEL SHELTER SPECIFICATIONS

Structure as furnished by:

Cedar Forest Products,
P.O. Box 145, West Olive, MI 49460, USA,
800.552.9495

2. Submittal Drawings:
 - a. Anchor bolt layout.
 - b. Foundation design.
 - c. Three dimensional views of frame.
 - d. Member sizes and locations.
 - e. Structural connection details, including bolt sizes and plate thicknesses.
 - f. Roof trim and connection details.

D. FOUNDATION DESIGN:

1. The shelter shall be set on foundations designed by manufacturer.
2. Foundation materials shall be provided by contractor.
3. Owner shall provide manufacturer with complete information about the site including soil bearing capacity and lateral load capacity.
4. If soil data are not provided, foundations will be designed to the minimum values identified in the governing building code.

E. ANCHOR BOLTS:

Anchor bolts shall be provided by manufacturer.

1.4 QUALITY ASSURANCE

A. FABRICATOR QUALIFICATIONS:

1. Minimum of 10 years in the shelter construction industry.
2. Full time on-staff Quality Assurance Manager.
3. All welders AWS Certified.
4. Annual audit of Quality System by Third Party Agency.
5. Annual audit of powder coat finish system by Third Party Agency (PCI).

B. FABRICATOR CERTIFICATIONS:

1. City of Houston, TX Approved Steel Fabricator.
2. San Bernardino County, CA Approved Steel Fabricator.
3. Clark County, NV Approved Steel Fabricator.

1.5 STORAGE AND HANDLING

A. STORAGE AND HANDLING REQUIREMENTS:

1. Installer shall store product in a dry place or covered if out in the weather and keep product out of direct sun.
2. Installer shall store product elevated from soils to allow air circulation and to not introduce mold, fungi decay or insects to the product.
3. Product must be handled with protective straps or padded forks if lifting with mechanical equipment. Use of chain or cable to lift product into place will not be accepted.

1.6 FIELD OR SITE CONDITIONS

- A. Foundations shall be at the same elevation unless specifically noted otherwise on the drawings.

1.7 MANUFACTURER WARRANTY

- A. Shelter must have a 10-year limited warranty on steel frame members
- B. Shelter must have a 10-year limited warranty on paint system.



STEEL SHELTER SPECIFICATIONS

Structure as furnished by:

Cedar Forest Products,
P.O. Box 145, West Olive, MI 49460, USA,
800.552.9495

- C. Pass through warranty of metal roof manufacturer to be provided upon request.

PART 2 - PRODUCTS

2.1 SHELTER SYSTEM AND MATERIALS

A. MANUFACTURERS:

1. Acceptable Manufacturer: Cedar Forest Products, P.O. Box 145., West Olive, MI 49460; 800-552-9495; E-mail: info@cedarforestproducts.com; www.cedarforestproducts.com. Receive pricing from [First Name] [Last Name] at [Phone].

B. SUBSTITUTION LIMITATIONS:

1. Substitutions must be approved a minimum of ten (10) days before bid. All approved manufacturers shall be notified in writing before the bid date and shall not be allowed to bid without written notification.
2. Alternate suppliers must meet the qualifications and provide proof of certifications listed under section 1.4 QUALITY ASSURANCE.
3. Alternate suppliers must provide an equivalent paint system to Cedar Forest Products listed under Section 2.1 D. 8. FINISHES.

C. DESCRIPTION OF PRODUCT:

1. MODEL NUMBER: [MODEL ID].
2. DESCRIPTION AND SIZE: [Shelter Name] [Shelter Size].
3. ROOF SLOPE: [Roof Slope].
4. EAVE HEIGHT: [in feet] Clearance height from finish grade to the underside of the perimeter beam.
5. ADDITIONAL OPTIONS: (If any, describe what has been added beyond standard).

D. PRODUCT REQUIREMENTS AND MATERIALS:

1. GENERAL: The pre-engineered package shall be pre-cut unless otherwise noted and pre-fabricated which will include all parts necessary to field construct the shelter. The shelter shall be shipped knocked to minimize shipping expenses. Field labor will be kept to a minimum by pre-manufactured parts. Onsite welding is not necessary.
2. REINFORCED CONCRETE:
 - a. Concrete shall have minimum 28-day compressive strength of 3,000 psi and slump of 4" (+/- 1"), unless otherwise noted on the drawings.
 - b. Reinforcing shall be ASTM A615, grade 60.
3. STEEL COLUMNS:
 - a. Hollow structural steel tube minimum ASTM A500 grade B with a minimum wall thickness of 1/8".
 - b. Unless columns are direct buried columns shall be anchored directly to concrete foundation with a minimum of four anchor rods to meet OSHA requirement 1926.755(a)(1).
4. STRUCTURAL FRAMING:

Hollow Structural Steel tube minimum ASTM500 grade B. "I" beams, tapered columns, or open channels shall not be accepted for primary beams.
5. COMPRESSION MEMBERS:

Compression rings of welded plate minimum ASTM A36 or compression tubes or structural steel tube minimum ASTM A500 grade B shall only be used.
6. CONNECTIONS:

Connection Requirements:



STEEL SHELTER SPECIFICATIONS

Structure as furnished by:

Cedar Forest Products,
P.O. Box 145, West Olive, MI 49460, USA,
800.552.9495

- a. Anchor bolts shall be ASTM F1554 (Grade 36) unless otherwise noted.
- b. Structural fasteners shall be zinc plated ASTM A325 high strength bolts and high strength nuts.
- c. All structural fasteners shall be hidden within framing members.
- d. No field welding shall be required to construct the shelter.
- e. All welds shall be free of burrs and inconsistencies.
- f. All exposed fasteners shall be painted by manufacturer prior to shipment to match frame or roof colors as applicable.
- g. Manufacturer shall provide extra structural and roofing fasteners.

7. ROOFING MATERIALS:

*****OPTIONAL ROOF DECK UNDERLAYMENT***** (Delete if not applicable)

- a. ROOF DECK UNDERLAYMENT OF TONGUE AND GROOVE (T&G):
 - 1) T&G shall be of 2x6 tongue and groove, southern yellow pine, kiln dried #1 grade or better, edge V'd bottom side.
 - 2) Manufacturer shall supply 30 pound felt and drip edge if both primary and secondary roofs are being supplied by the manufacturer.
 - 3) Contractor shall cut T&G down to required lengths and shall seal underside of boards per architect's or owner's recommendations using coating supplier's instructions.

*****OR*****

- a. ROOF DECK UNDERLAYMENT BY OTHERS

*****CHOOSE A PRIMARY ROOF*****

- b. ROOF SYSTEM OF ASPHALT SHINGLES:
 - 1) Asphalt shingles shall be ASTM D3018 Type 1 and ASTM D3462 with a 25-year limited warranty.
 - 2) Color chosen from manufacturer's standard color chart: **[ColorName]**.

A roof deck underlayment is required for this option. (*****Note to specifier, always delete*****

*****OR*****

- b. ROOF SYSTEM OF "Multi-Rib" PANEL METAL ROOFING:
 - 1) Roofing shall be 24 gauge ribbed galvalume steel sheets, with ribs 1 3/16" high and 12" on center.
 - 2) Roof surface shall be painted with Kynar 500 to the manufacturer's standard color: **[ColorName]**. Ceiling surface shall be a "wash coat" primer.
 - 3) Roof panels shall be factory pre-cut to size and angled to provide ease of one-step installation.
 - 4) Metal roofing trim shall match the color of the metal roof and shall be factory made of 24 gauge Kynar 500 painted steel.
 - 5) Trim shall include panel ridge caps, hip caps, eave trim, rake trim, roof peak cap, and corner trim as applicable for model selected. Trim may need to be cut to length and notched. Reference drawings for additional information.
 - 6) Ridge, hip, and valley caps shall be pre-formed with a single central bend to match the roof pitch and shall be hemmed on the sides.
 - 7) Roof peak cap shall be pre-manufactured.
 - 8) Manufacturer must supply painted screws with metal and neoprene washers.

*****OR*****

- b. ROOF SYSTEM OF STANDING SEAM METAL ROOFING:
 - 1) Standing seam metal roofing to be 24-gauge galvalume 16" wide with ribs 1-3/4" high.
 - 2) Roof surface shall be painted with Kynar 500 to the manufacturer's standard color: **[ColorName]**. Ceiling surface shall be a "wash coat" primer.



STEEL SHELTER SPECIFICATIONS

Structure as furnished by:

Cedar Forest Products,
P.O. Box 145, West Olive, MI 49460, USA,
800.552.9495

3. Roof panels shall be factory pre-cut to size and angled to provide ease of one-step installation.
4. Metal roofing trim shall match the color of the roof and shall be factory made of 24 gauge Kynar 500 painted steel.
5. Trim shall include panel ridge caps, hip caps, eave trim, rake trim, roof peak cap, and corner trim as applicable for model selected. Trim may need to be cut to length and notched. Reference drawings for additional information.
- 6) Ridge, hip, and valley caps shall be pre-formed with a single central bend to match the roof pitch and shall be hemmed on the sides.
- 7) Roof peak cap shall be pre-manufactured.
- 8) Manufacturer must supply painted screws with metal and neoprene washers.

*****OR*****

b. SECONDARY ROOF SYSTEM BY OTHERS

8. FINISHES:

***** CHOOSE ALL THE FINISHES BEING USED WITH THE SHELTER*****

a. STANDARD POWDER COAT FINISH:

- 1) Steel shall be cleaned, pretreated, and finished at a facility directly supervised by the manufacturer.
- 2) Steel shall be shot blasted to SSPC-SP10 near-white blast cleaning. SSPC-SP2 hand tool cleaning will not be an acceptable alternative.
- 3) Parts shall be pretreated in a 3 stage iron phosphate or equal washer.
- 4) Epoxy primer powder coat to be applied to parts for superior corrosion protection.
- 5) Top coat of Super Durable TGIC powder coat shall be applied over the epoxy primer.
- 6) Finish shall not have any VOC emissions.
- 7) Sample production parts shall have been tested and meet the following criteria:
 - a) Salt spray resistance per ASTM B 117/ ASTM D 1654 to 5,000 hours with no creep from scribe line and rating of 10.
 - b) Humidity resistance per ASTM D2247-02 to 3,000 hours with no loss of adhesion or blistering.
 - c) Color/UV resistance per ASTM G154-04 to 2,000 hours exposure, alternate cycles with results of no chalking, 75% color retention, color variation maximum 3.0 E variation CIE formula (before and after 2,000 hours exposure).
- 8) The manufacturer shall be PCI 4000 S Certified

*****AND / OR*****

a. PRIME COAT FINISH:

- 1) Steel shall be cleaned, pre-treated, and finished at a facility directly supervised by the manufacturer.
- 2) Steel shall be shot blasted to SSPC- SP10 near-white blasting. SSPC-SP2 hand tool cleaning will not be an acceptable alternative.
- 3) Frame shall be prime coated with an off gray Super Durable TGIC powder coat.
- 4) Primer shall not have any VOC emissions.
- 5) Red oxide primer will not be an acceptable alternative.

*****AND / OR*****

a. HOT DIP GALVANIZED FINISH:

- 1) Steel members, fabrications and assemblies shall be galvanized after by the hot dip process in accordance with ASTM A123. The composition of metal in the galvanizing bath shall be no less than 98% zinc.
- 2) The galvanized coating shall be continuous, adherent, free from any detrimental defect.

*****AND / OR*****

a. E-COAT BASE COAT FINISH:



STEEL SHELTER SPECIFICATIONS

Structure as furnished by:

Cedar Forest Products,
P.O. Box 145, West Olive, MI 49460, USA,
800.552.9495

- 1) Entire building under Super Durable Polyester TGIC powder coat shall have an E-Coat Base Coat.
- 2) Steel shall be shot blasted to SSPC-SP10 near-white blast cleaning prior to adding E-Coat. SSPC-SP2 hand tool cleaning will not be an acceptable alternative.
- 3) Top powder coat of Super Durable TGIC powder coat shall be applied.

PART 3 - EXECUTION

3.1 INSTALLERS

- A. Protect building products after arrival at destination from weather, sunlight, and damage.
- B. Building products shall be placed on blocks well off the ground and separated with wood strips so that air can circulate around each member.
- C. Cover top and bottom with moisture-resistant paper.
- D. Non-marring slings and/or padded forks shall be used when handling.
- E. Installers are to use proper building practices recognized by OSHA and to have minimum 5 years experience in installing shelters of similar construction. These trades include but are not limited to: masonry work, steel construction, sheet metal work, carpentry, electrical and paint finishing.
- F. Examination of final work is done by verifying that the erection of the structure was done in conformance to the installation instructions provided by Cedar Forest Products and local building codes.

3.2 ERECTION

- A. FOUNDATIONS:
The shelter shall be placed on Cedar Forest Products designed foundations with materials by others. Design approved by the Engineer of Record identified in Section 1.3 D. FOUNDATION DESIGN.
- B. INSTALLATION:
Install all components according to manufacturer's installation instructions and these specifications.
- C. GENERAL CONTRACTOR:
Interface with other work is to be coordinated by the customer or the customer's agent. Certain designs have electrical or other plumbing requirements that are not supplied by Cedar Forest Products.
- D. TOLERANCES:
Tolerances on steel structural members are set according to AISC construction practices, abided in the factory, and cannot be increased. No field slotting or opening of holes will be allowed. It is therefore essential that contractors conform to the tolerances specified on the installation drawings for anchor bolt or column layout details.
- E. OSHA COMPLIANCE:



STEEL SHELTER SPECIFICATIONS

Structure as furnished by:

Cedar Forest Products,
P.O. Box 145, West Olive, MI 49460, USA,
800.552.9495

OSHA Compliance to Steel Erection Standard 29CRF 1926 Subpart R-Steel Erection.

3.3 REPAIR

- A. Do not attempt any field repairs without first contacting Cedar Forest Products.

3.4 FIELD OR SITE QUALITY CONTROL

- A. Field or Site Tests and Inspections are not required by Cedar Forest Products but may be required by the customer or by the local building inspector.

END OF SECTION






CEDAR FOREST PRODUCTS, CO.

P. O. Box 145
West Olive, MI 49460
800-552-9495

www.cedarforestproducts.com

Covering all your needs
since
1964!

Standard Powder Coat Colors

 <p>Traffic White RAL 9016</p>	 <p>Cream RAL 9001</p>	 <p>Grey White RAL 9002</p>	 <p>Beige RAL 1001</p>
 <p>Brown Gray RAL 7013</p>	 <p>Jet Black RAL 9005</p>	 <p>Terra Brown RAL 8028</p>	 <p>Brown Green RAL 6008</p>
 <p>Beige Brown RAL 8024</p>	 <p>Copper Brown RAL 8004</p>	 <p>Red Brown RAL 8012</p>	 <p>Telegrey RAL 7045</p>
 <p>Ocean Blue RAL 5020</p>	 <p>Brilliant Blue RAL 5007</p>	 <p>Mint Turquoise RAL 6033</p>	 <p>Mint Green RAL 6029</p>
 <p>Tarpaulin Grey RAL 7010</p>	 <p>Silk Grey RAL 7044</p>	 <p>Sepia Brown RAL 8014</p>	 <p>Stone Grey RAL 7030</p>
 <p>Moss Green RAL 6005</p>	 <p>Grey Blue RAL 5008</p>	 <p>Dusty Gray RAL 7037</p>	 <p>Traffic Red RAL 3020</p>

- Standard Steel Colors – Cedar Forest Products offers a wide selection of long-lasting designer colors. Custom colors are available on request.
- Due to printing and manufacturing processes, colors may vary slightly.








CEDAR FOREST PRODUCTS, CO.

P. O. Box 145
West Olive, MI 49460
800-552-9495

www.cedarforestproducts.com


Covering all your needs
since
1964!

Standard Colors








Deep Tone Premium Colors

Additional cost will apply.



Metallic Colors

Additional cost will apply.



SR = Solar Reflectance Value

E = Thermal Emittance Value

SRI = Solar Reflectance Index



About Bliss Products and Services, Inc.

Bliss Products and Services, Inc. has been in the recreation business since 1984. Not only have we survived over thirty years in an ever changing market, but we've undergone tremendous growth that has enabled our organization to expand from servicing a few states to being a formidable presence in the Southeast.

We take pride in this growth, which can be directly attributed to our "low key" and customer focused sales solutions. BPS provides exceptional customer service and quality recreational equipment. Thirty years in the industry has enabled us to develop long term relationships with vendors, clients and our sales force.



Our team has experience in design and development of all types of play environments. Our services include custom design consultations, site evaluations, budgeting, and installation. We are CPSI certified, industry trained, customer oriented, and committed to ensuring that our customers are treated as a part of our team.

You'll find our sales representatives, inside sales support, and install team are enthusiastic, responsive, and ready to work with you at your convenience.

With the wide variety of products offered at Bliss Products and Services, Inc., (BPS) we are able to propose a solution for all of your recreation equipment needs: playground equipment, playground surfacing, shades, shelters, bleachers, dog parks, outdoor fitness, site amenities and athletic equipment.



PLAYGROUND EQUIPMENT

BPS is the exclusive distributor for Play & Park Structures in the Southeast. Play & Park Structures is owned by Playcore, Inc. By joining the Playcore family of companies, BPS is able to ensure our customers always receive an outstanding product, a competitive price and excellent customer service. We also represent : BigToys, UltraPlay, Sportsplay, and Elephant Play



DOG PARKS, SITE AMENITIES, ETC.

By incorporating a dog park within your recreational area, you can create an environment that allows all family members to play, socialize, and get the physical activity so critical to health and well being.

Adding other site amenities, such as trash receptacles and benches, to your site, you can provide comfortability and cleanliness.



SHADES, SHELTERS & MORE

Shade is becoming more and more of an important part of any recreation environment. Fabric shades over a playground, dog park, or over a pool can provide relief from the sun while being active. Metal or wood picnic shelters, paired with picnic tables and grills, are a great addition to serve as a gathering space for the community.



BPS Installation Warranty

Bliss Products and Services, Inc. (BPS) hereby warrants and guarantees the installation work for a period of one year from the date of substantial completion.

BPS will repair or replace to the satisfaction of the Owner any or all work that may prove defective in workmanship or materials within the guarantee period together with any other work which may be damaged or displaced in so doing. This guarantee does not cover equipment that is not maintained properly. It also does not cover ordinary wear and tear, vandalism, or an other unusual abuse or neglect of the property.





CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

5/6/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an **ADDITIONAL INSURED**, the policy(ies) must have **ADDITIONAL INSURED** provisions or be endorsed. If **SUBROGATION IS WAIVED**, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER HDINS, Inc dba Harry Daniel Insurance P.O. 2077 Cartersville, GA 30120 www.hdins.com AYP070759	CONTACT NAME: Meg Stover PHONE (A/C, No, Ext): 770-382-8954 FAX (A/C, No): 770-386-4081 E-MAIL ADDRESS: MStover@hdins.com	
	INSURER(S) AFFORDING COVERAGE NAIC #	
INSURED Bliss Products and Services, Inc. 6831 S. Sweetwater Rd. Lithia Springs GA 30122	INSURER A: Cincinnati Specialty Underwriters 13037	
	INSURER B: Twin City Fire Insurance Co. 29459	
	INSURER C: Sentinel Insurance Co, Ltd 11000	
	INSURER D: Certain Underwriters at Lloyd's, London	
	INSURER E:	
INSURER F:		

COVERAGES

CERTIFICATE NUMBER: 68131339

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Contract & XCU <input checked="" type="checkbox"/> \$5000 Deductible per claim GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			CSU0024940	1/17/2022	1/17/2023	EACH OCCURRENCE \$ 1000000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100000 MED EXP (Any one person) \$ 5000 PERSONAL & ADV INJURY \$ 1000000 GENERAL AGGREGATE \$ 3000000 PRODUCTS - COMP/OP AGG \$ 3000000 \$
C	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY			20UECKN3349	7/29/2021	7/29/2022	COMBINED SINGLE LIMIT (Ea accident) \$ 1000000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
A	<input type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$ 0			CSU0024939	1/17/2022	1/17/2023	EACH OCCURRENCE \$ 5000000 AGGREGATE \$ 5000000 Occur/Aggregate \$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N	N/A	20WECAT3242	7/29/2021	7/29/2022	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1000000 E.L. DISEASE - EA EMPLOYEE \$ 1000000 E.L. DISEASE - POLICY LIMIT \$ 1000000
C	IM-Installation			20SBAZT2793	4/19/2022	4/19/2023	\$100000
D	Professional Liability			HPL22-0066	4/28/2022	4/28/2023	\$1000000 per claim/aggregate

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

--See Attached Remarks Schedule--

Information provided by this certificate (including any addendum/attachment) is strictly limited per State of Georgia statute OCGA 33-24-19.1

CERTIFICATE HOLDER
 Bliss Products & Services, Inc.
 6831 S. Sweetwater Rd.
 Lithia Springs GA 30122
CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

H. L. Daniel

© 1988-2015 ACORD CORPORATION. All rights reserved.

ACORD 25 (2016/03)

The ACORD name and logo are registered marks of ACORD



ADDITIONAL REMARKS SCHEDULE

AGENCY HDINS, Inc dba Harry Daniel Insurance		NAMED INSURED Bliss Products and Services, Inc. 6831 S. Sweetwater Rd. Lithia Springs GA 30122	
POLICY NUMBER		EFFECTIVE DATE:	
CARRIER	NAIC CODE		

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,

FORM NUMBER: 25 **FORM TITLE:** ACORD 25 (03/16)

HOLDER: Bliss Products & Services, Inc.

ADDRESS: 6831 S. Sweetwater Rd. Lithia Springs GA 30122

GENERAL LIABILITY: Additional insured for ongoing and completed operations, on a primary and non-contributory basis, when required by executed written contract per form, CSGA437 12/13.

GENERAL LIABILITY: Waiver of subrogation when required by executed written contract per form, CSGA4087 12/12.

AUTO LIABILITY: Additional insured, on a primary and non-contributory basis, and waiver of subrogation when required by executed written contract per form, HA9916 03/12.

EXCESS LIABILITY: General Liability, Auto Liability and Workers' Compensation policies are all listed on the Schedule of Underlying Insurance. Additional insured and waiver of subrogation per forms, CSCX100 02/13 and CSCX 207 10/20.

WORKERS' COMP: Waiver of subrogation when required by executed written contract per form, WC000313.



July 8, 2021

To whom it may concern:

Bliss Products is an exclusive dealer and certified installer for Cedar Forest Products Co. in the state of Florida. They are authorized to supply and install our wide range of products.

To verify any information or if you have any further questions, please do not hesitate to call.

Thank you,

Ben LaBarge

Ben LaBarge
President
Cedar Forest Products Co.
P.O. Box 145
West Olive, MI 49460
(616) 368-1706
ben@cedarforestproducts.com