

## Calcasieu Parish School Board

### ADVERTISEMENT FOR BIDS

The Calcasieu Parish School Board will receive sealed bids before 11:00 A.M., April 14, 2025, at the **Calcasieu Parish School Board, Attention: Tony Motamedi, Superintendent's Conference Room, 3310 Broad St., Lake Charles, Louisiana 70615** for the following Project:

Large Equipment – Bid #2026-LARGE EQUIPMENT

Each bid must be placed in an envelope, sealed and marked on the outside: "Bid#2026-Large Equipment to be opened at 11:00am, April 14, 2025 at the Calcasieu Parish School Board, Attention: Tony Motamedi, Superintendent's Conference Room, 3310 Broad Street, Lake Charles, LA 70615". Refer to Instructions for Bidders for other requirements on outside of envelope.

Bid may also be submitted by electronic means via website [www.centralbidding.com](http://www.centralbidding.com). Free registration is required in order to submit a bid via the Central Bidding website.

Dr. Jason Vanmetre, Superintendent Calcasieu Parish School Board

Pc: Bourne, Heath, Architect, State Licensing Board for Contractors, Daily Journal of Commerce, F. W. Dodge, File.

**Publish in the Lake Charles American Press Newspaper:  
03/28/25, 04/04/2025.**

**INVITATION TO BID**

**STATE OF LOUISIANA**

Calcasieu Parish School System  
Office of Purchasing



BIDS WILL BE PUBLICLY OPENED:

Date & Time:

4/14/2025  
11:00 AM

=====> SOLICITATION # :

2026 - Large Equipment

OPENING DATE :

4/14/2025

=====> VENDOR NAME AND ADDRESS

Singer H&R  
5716 Jarvis Street  
Harahan, LA 70123

**FILL IN VENDOR NAME AND CONTACT NAME,  
ADDRESS ABOVE, BEFORE SUBMITTING BID.**

**RETURN BID TO**

Purchasing Department  
Calcasieu Parish School System  
3310 Broad Street Room 1300  
Lake Charles, LA 70615

BUYER  
BUYER PHONE

504-291-4255  
(337) 217-4000

REQ. DEPARTMENT

child nutrition/  
Purchasing

OFFICE OF PURCHASING

FISCAL YEAR

SCHEDULED END DATE

ITEM(S) FOR:

Bid # 2026 - Large Equipment

**INSTRUCTIONS TO BIDDERS**

1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS
2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATIONS TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.
3. THIS BID IS TO BE SIGNED MANUALLY IN INK UNLESS SUBMITTED ELECTRONICALLY IN ACCORDANCE WITH CURRENT STATE STATUTES.
4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. LAKE CHARLES, LA OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C. O. D." REQUIREMENTS ARE NOT ACCEPTABLE. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. NO "SHORT PAYMENT" OF INVOICES ARE ALLOWED
5. DESIRED DELIVERY 45 DAYS AFTER RECEIPT OF ORDER OR SOONER

ANY QUESTIONS ABOUT ANY ITEM SHOULD BE DIRECTED TO BUYER AND PURCHASING DEPARTMENT.

CONDITIONS CONTINUED ON NEXT PAGE

VENDOR PHONE NUMBER: 504-291-4255

FAX NUMBER:

TITLE Account Manager

DATE 4/14/2025

PRINTED NAME OF PERSON SIGNING BID

Orlando Cordoba

SIGNATURE (MUST BE SIGNED)

Orlando Cordoba

THE FOLLOWING INFORMATION MUST BE COMPLETED AND RETURNED WITH YOUR BID

1. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION.
2. CERTIFICATION REGARDING LOBBYING FOR CONTRACT, GRANTS, LOANS, AND COOPERATIVE AGREEMENTS EXCEEDING \$1000,000 IN FEDERAL FUNDS.
3. DISCLOSURE OF LOBBYING ACTIVITIES
4. CERTIFICATION OF INDEPENDENT PRICE DETERMINATION
5. BUY AMERICA PROVISION

## BUY AMERICA

The Buy American Act was enacted in 1938 and was to ensure that the federal government support or give preference to domestic companies and domestic workers by buying American made goods, The act was later enacted in 1.982 dropping the "n" of American and changing to the Buy America Act.

PURPOSE: The Buy American Act is intended to protect Americans from foreign competition by requiring the federal government, contractors, subcontractors and manufacturers to buy from sources in the United States instead of from foreign sources. It is important because it helps working men and women in the United State keep their jobs and earn decent, living wages. It also strengthens our domestic steel industry, which is critical to our national security and necessary for our ability to rebuild after a devastating natural disaster or terrorist attack.

If the domestic cost is Unreasonable meaning, the price of the lowest acceptable domestic offer exceeds the lowest foreign offer by more than 6-12%.

In the beginning 49CFR, Part 661 was enacted in 1982 and covered only surface transportation

But the amendment is due to American jobs heading overseas at an alarming rate. More than 2.4 million jobs have been lost to overseas trade since 1998. With that, our economic growth is steady declining.

## BUY AMERICA REQUIREMENTS

### **Applicability to Contracts**

The Buy America requirements apply to recipient agencies participating in the National School Lunch Program and the School Breakfast Program in the contiguous United States to buy food produced in the United States when buying with Federal funds. While the 1987 legislation allowed certain limited exceptions to the "domestic origin" requirement, the new legislation is specific in requiring schools, to the maximum extent practicable, to purchase product of domestic origin.

As defined in the legislation, a domestic food commodity is an agricultural commodity (for example, red meat, chicken, fruit, vegetable, or grain) that is produced in the Limited States. A domestic food product is processed in the United States substantially using domestic agricultural commodities. Substantially means that over 51% of the processed food comes from American produced products. Regulations implementing these requirements (at 7 CFR 210.21 and 220.16) were published on September 20, 1999.

### **FLOW DOWN**

Occasionally, a significant price difference between U.S. and foreign product may tempt a School Food Authority to purchase the cheaper foreign product. However, this price difference could be attributable to price-distorting subsidies of a foreign government. For example, recent imports of cheap, subsidized canned peaches from the European Union have displaced sales of domestic canned peaches. The U.S. Government is considering action to address this practice, including placing canned peaches from the European Union on a list of products subject to 100% tariffs.

### **Mandatory Clause/Language**

A report of the language accompanying the Agriculture Appropriations Act for Fiscal year 2002 requires the Department to report to Congress on its activities directed toward enforcing the Buy American provision,

**Buy America** - The contractor agrees to comply with the maximum extent practicable according to the buy American provisions which include:

**The buy American clause on all procurement documents (product specifications, bid solicitations, requests for proposals, purchase orders, etc.**

**Contractor performance.**

**Requiring supplier to certify the origin of the product.**

**Produce packaging for identification of the country of origin; and.**

**Provide specific information about the percentage of U.S. content in the food product.**

7CFR 210.21 and 220.1-6, which provide that federal funds may not be obligated unless a domestic food product is processed in the United States, unless a waiver has been granted by USDA or the product is subject to a general waiver. General waivers are as listed in Bulletin 1196, Chapter 15; 1121:

The recipients have unusual or ethnic food preferences that can be met only through purchases of products not produced in the United States.

The products are not produced or manufactured in the United States in sufficient and reasonably available quantities of a satisfactory quality.

The cost of the domestic produced food products is significantly higher than the cost of the similar foreign products.

A bidder or offeror must submit to the SFA recipient the appropriate Buy America certification (below) with all bids or offers on SFA-funded contracts, except those subject to a general waiver. Bids or offers that are not accompanied by a completed Buy America certification must be rejected as nonresponsive. This requirement does not apply to lower contractors.

**Certification requirements for procurement of domestic food products,**

Certificate of Compliance with 42 U.S.C. 1760(n)

The bidder or offeror hereby certifies that it will meet the requirements of 42 U.S.C. 1760(n) and the applicable regulations in Bulletin 1196, 1521.

Date: 4/14/2025

SIGNATURE: Orlando Corleto

Company Name: Singer H&R

Title: Account Manager

Certificate of Non-Compliance with 42 U.S.C. 1750(n)

The bidder or offeror hereby certifies that it cannot comply with the requirement of 42 U.S.C. 1760(N) but it may qualify for an exception pursuant to Bulletin 1196.

DATE: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_

COMPANY NAME: \_\_\_\_\_

**BUY AMERICAN PROVISION**

Public Law 105-336"104(d) NSLA 42 USC 1760(n) - 12(n) TCFR 210.21 & 220.16 requires School Food Authorities to purchase domestically grown and processed foods to the maximum extent practicable.

Section 12(n) of the NSLA defines "domestic commodity or product" as one that is produced and processed in the United States substantially using agricultural commodities that are produced in the United States. "Substantially" means that over 51% of the final processed product consists of agricultural commodities that were grown domestically.

We require that suppliers certify the percenta8e of U.5. Content in products supplied to us that do not meet the above definition. If you are unable or unwilling to make such certification, we will not purchase from you.

**Certification Compliance**

**The bidder or offeror hereby certifies that it will meet the requirements of 42 u.s.c. 1760(n) And the applicable regulations in Bulletin tL96, 152I**

The bidder hereby CERTIFY that it will meet the requirements of 105-336-104(d) NSLA 42 USC 1760(n)- 12{n} TCFR 210.21 & 220.16

Date 4/14/2025

Signature Duldo Carleh

Company Name Singer H&R

Title Account Manager

**Certification of Non-Compliance**

**The bidder or offeror hereby certifies that it cannot comply with the requirements of 42 Lt.s.c. 1760(n), but it may qualify for an exception pursuant to Bulletin 1196.**

List items and percent of U.S. content

Date \_\_\_\_\_

Signature \_\_\_\_\_

Company Name \_\_\_\_\_

Title \_\_\_\_\_

# REQUIRED CONTRACT PROVISIONS FOR PROCUREMENT CONTRACTS IN CHILD NUTRITION PROGRAMS

Required Contract Provisions, From Appendix II of 2 CFR Part 200

1. Equal Employment Opportunity. Except as otherwise provided under 41 CFR Part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR part, 1964-1965 Comp., p. 339), as amended by Executive order 11375, "Amending Executive order 11246 Relating to Equal Employment opportunity," and implementing regulations at 41 CFR part 60, "office of Federal contract compliance Programs, Equal Employment Opportunity, Department of Labor" (Appendix II of 2 CFR part 200E).
2. Davis-Bacon Act, as amended (40 U.S.C. 3141-3148). when required by Federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141-3144, and 3146-314g) as supplemented by Department of Labor regulations (29 CFR part 5, "Labor Standards provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency Appendix II of 2 CFR Part 200(D).
3. The vendor shall comply with the Copeland "Anti-Kickback" Act (40 U.S.C.. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or sub recipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency (Appendix II of 2 CFR part 200 (D)).
4. Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708). Where applicable, all contracts awarded by the non-Federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compile the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or underworking conditions which are unsanitary, hazardous or dangerous. These requirements do not apply TO THE purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence (Appendix II of 2 CFR part 200(I))
5. Contracts for more than the simplified acquisition threshold currently set at \$150,000, which is the inflation adjusted amount determined by the civilian Agency Acquisition council and the Defense ' Acquisition Regulations council (councils) as authorized by 41 U.S.C. .1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate (Appendix II OF 2 CFR Part 200(A)).
6. All contracts in excess of \$ 10,000 must address termination for cause and for convenience by the nonfederal entity including the manner by which it will be effected and the basis for settlement (Appendix II of 2 CFR Part 200(8)).
7. Rights to inventions Made under a Contract or Agreement. If the Federal award meets the definition of "funding agreement" under 37 CFR 5401.2 (a) and the recipient or sub recipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or sub recipient must comply with the requirements of 37 CFR part 401,,,"Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, contracts and cooperative Agreements," and any implementing regulations issued by the awarding agency (Appendix II of 2 CFR Part 200(F)).

8. Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended-Contracts and sub grants of amounts in excess of 9150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional office of the Environmental protection Agency (EPA) (Appendix II of 2 CFR Part 200(G)).

9. Debarment and suspension (Executive orders 12549 and 12689)-A contract award (see 2 CFR 180.220) must not be made to parties listed on the government wide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive orders 12549 (3 CFR part 1986 comp., p. 189) and 12689 (3 CFR part 1989 comp., p. 235), „Debarment and suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive ORDER 12549 (Appendix of 2 CFR part 200(H)).

10. Byrd Anti-Lobbying Amendment (31 U.S.C.. 1352)-contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to tier tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with nonfederal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award (Appendix II of 2 CFR part 200(I)).

#### **Required Contract Provisions from 2 CFR part 200**

1. Procurement of recovered materials- A non-Federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the solid waste disposal act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable,' consistent with maintaining satisfactory level of competition, where the purchase price of tire item exceeds \$10,000 or the value of the quantity acquired by. The preceding fiscal year exceeding \$ 10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials in the EPA guidelines.(2 CFR part 200.322) 2. The vendor agrees to take all necessary affirmative steps to assure that minority businesses, women's business enterprises, and labor surplus area firms are used when possible (2 CFR Part 200.321)

#### **Required Contract Provisions from 7 CFR part 210**

1. the vendor shall comply with the buy American Provision for contracts that involve the purchase of food, USDA Regulation (7 CFR part 250 and 7CFR part 210). The vendor is required to utilize, to the maximum extent practicable, domestic commodities and products.

The District participates in the National School Lunch Program and School Breakfast program and is required to use the nonprofit food service funds, to the maximum extent practical, to buy Domestic commodities or products for program meals. A "domestic commodity or product, is defined as one that is either produced in the U.S. or is processed in the U.S. substantially using agricultural "commodities are produced in the U.S. as provided in 7 CFR part 210.21(d).Exceptions to the Buy American provision should be used as a last resort; however, an alternative or exception may be approved upon request. To be considered for the alternative or exception the request must be submitted in writing to a designated official, a minimum of day 14 days in advance of delivery

#### **The request must include the:**

A. Alternative substitute (s) that are domestic and meet the required specifications:

a. Price of the domestic food alternative substitute (s); and b. Availability of the domestic alternative substitute (s) in relation to the quantity ordered.

B. Reason for exception: limited/lack of availability or price (include price); c. Price of the domestic food product; and d Price of the non-domestic product that meets the required specification of the domestic product.



# Certification Regarding Debarment, Suspension, ineligibility and Voluntary Exclusion - Lower Tier Covered Transactions

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 7 CFR Part 301.7, Section 301.7. Subpart c- Responsibilities of Participants. The regulations were published in the November 26, 2003, Federal Register (pages 86534-65566)- Copies of the regulations may be obtained by contacting the Department of Agriculture.

**(BEFORE COMPLETING CERTIFICATION, READ ATTACHED INSTRUCTIONS)**

- (1) The prospective lower tier participant certifies, by submission of this proposal that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.
- (2) Where the prospective lower tier participant is unable to certify any of the statements in this certification, such prospective participant shall reach an explanation to this proposal.

Singer H&R  
Organization Name

Bid #2026 - Large Equipment  
PR/Award Number or Project Name

Orlando Cordoba - Account Manager  
Name and title of Authorized Representative

Orlando Cordoba  
Signature

4/14/2025  
Date

# Non-Discrimination Statement

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotope, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at [How to File a Program Discrimination Complaint](#) and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: [program.intake@usda.gov](mailto:program.intake@usda.gov).

USDA is an equal opportunity provider, employer, and lender.

## INSTRUCTIONS TO BIDDERS FOR COMPLETING CERTIFICATION FORM

**NOTE:** Each responsive bidder must include this CERTIFICATION statement with its bid on each contract equaling or exceeding \$25,000 or any contract for audit services regardless of amount

1. By signing and submitting this form, the prospective lower tier participant is providing the certification set out on the reverse side in accordance with those instructions.
2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
3. The prospective lower tier participant shall provide immediate written notice to the person to whom this proposal is submitted if at any time the prospective lowest tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
4. The terms covered transaction, debarred, suspended, ineligible, and lower tier covered transaction. Participant, person, primary covered transaction, principal, proposal, and voluntarily excluded, as used in this clause, have the meanings set out in the Definitions and Coverage sections of the U. S. Department of Agriculture regulations 7 CFR 3017 implementing Executive Order 12549. (Contact the person to whom this proposal is submitted for assistance in obtaining a copy of those regulations.)
5. The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
6. The prospective lower tier participant further agrees by submitting this form that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion Lower Tier Covered Transaction" without modification in all lower tier covered transactions and for all solicitations for lower tier covered transactions.
7. A participant in a covered transaction may rely upon a certification upon a prospective participant in a lower tier covered transaction has not been debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless the participant knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the No Procurement List.
8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
9. Except for transactions authorized under Paragraph 5 of these instructions, a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction. In addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.



DISCLOSURE OF LOBBYING ACTIVITIES

Office of Chief, Financial Officer, USDA  
DISCLOSURE OF LOBBYING ACTIVITIES  
CONTINUATION SHEET

REPORTING ENTITY \_\_\_\_\_ PAGE \_\_\_\_\_ OF \_\_\_\_\_

**INSTRUCTIONS FOR COMPLETION OF SF-LLL, DISCLOSURE OF LOBBYING ACTIVITIES**

This disclosure form shall be completed by the reporting entity, whether sub awardee or prime Federal recipient, at the initiation or receipt of a covered Federal action, or a material change to a previous filing, pursuant to title 31 U.S.C. section 1352. The filing of a form is required for each payment or agreement to make payment to any lobbying entity for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with a covered Federal action. Complete all items that apply for both the initial filing and material change report. Refer to the implementing guidance published by the Office of Management and Budget for additional information.

1. Identify the type of covered Federal action for which lobbying activity is and/or has been secured to influence the outcome of a covered Federal action.
2. Identify the status of the covered Federal action.
3. Identify the appropriate classification of this report. If this is a follow-up report caused by a material change to the information previously reported, enter the year and quarter in which the change occurred. Enter the date of the last previously submitted report by this reporting entity for this covered Federal action.
4. Enter the full name, address, city, State and zip code of the reporting entity. Include Congressional District, if known. Check the appropriate classification of the reporting entity that designates if it is, or expects to be, a prime or sub award recipient. Identify the tier of the sub awardee, e.g., the first sub awardee of the prime is the 1st tier. Sub awards include but are not limited to subcontracts, sub grants and contract awards under grants.
5. If the organization filing the report in item 4 checks "Sub awardee," then enter the full name, address, city, State and zip code of the prime Federal recipient. Include Congressional District, if known.
6. Enter the name of the federal agency making the award or loan commitment. Include at least one organizational level below agency name, if known. For example, Department of Transportation, United States Coast Guard.
7. Enter the Federal program name or description for the covered Federal action (item 1). If known, enter the full Catalog of Federal Domestic Assistance (CFDA) number for grants, cooperative agreements, loans, and loan commitments.
8. Enter the most appropriate Federal identifying number available for the Federal action identified in item 1 (e.g., Request for Proposal (RFP) number; Invitations for Bid (IFB) number; grant announcement number; the contract, grant, or loan award number; the application/proposal control number assigned by the Federal agency). Included prefixes, e.g., "RFP-DE-90-001."
9. For a covered Federal action where there has been an award or loan commitment by the Federal agency, enter the Federal amount of the award/loan commitment for the prime entity identified in item 4 or 5.
10. (a) Enter the full name, address, city, State and zip code of the lobbying registrant under the Lobbying Disclosure Act of 1995 engaged by the reporting entity identified in item 4 to influence the covered Federal action.  
  
(b) Enter the full names of the individual(s) performing services, and include full address if different from 10(a). Enter Last Name, First Name, and Middle Initial (MI).
11. The certifying official shall sign and date the form, print his/her name, title, and telephone number.

---

According to the Paperwork Reduction Act, as amended, no persons are required to respond to a collection of information unless it displays a valid OMB control Number. The valid OMB control number for this information collection is OMB No. 0348-0046. Public reporting burden for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Office of Management and Budget, Paperwork Reduction Project (0348-0046), Washington, DC 20503

## STANDARD TERMS &amp; CONDITIONS

## INVITATION TO BID

BID NUMBER: 2026 - Large Equip.  
 TIME: 11:00 AM  
 OPEN DATE: 4/14/2025

BIDDER: Singer HDR

PAGE  
2

6. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECIAL ENVELOPE FURNISHED FOR THAT PURPOSE

7. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION

8. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO. 28). ALL BID INFORMATION SHALL BE MADE WITH INK OR TYPEWRITTEN

9. ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.

10. CONFERENCE:  
IN SOME CASES, NON-MANDATORY PRE-BID CONFERENCES MAY BE HELD.

11. BID FORMS.  
ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 28). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND.

B. BID FILLED OUT IN PENCIL; AND

C. BID NOT SUBMITTED ON THE DISTRICT'S STANDARD FORMS.

D. BIDS WITH MORE THAN ONE PRICE PER ITEM

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. FAX OR EMAIL SUBMISSIONS ARE NOT ACCEPTABLE.

12. STANDARDS OF QUALITY.

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

13. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, AND TECHNICAL DATA) SUFFICIENT FOR CALCASIEU PARISH SCHOOL BOARD TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

14. BID OPENING.

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE CALCASIEU PARISH SCHOOL BOARD DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED UNLESS VENDOR HAS PROVIDED A SELF ADDRESSED STAMPED ENVELOPE IN ORIGINAL BID PACKET.

15. AWARDS.

THE CALCASIEU PARISH SCHOOL BOARD RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS THAT ARE IN THE BEST INTEREST OF THE CALCASIEU PARISH SCHOOL BOARD.

16. PRICES.

UNLESS OTHERWISE SPECIFIED BY THE CALCASIEU PARISH SCHOOL BOARD IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID TO OUR DOCK AT 3310 BROAD STREET, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD NOT TO EXCEED ONE CALENDAR YEAR. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

17. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION AS INDICATED BY THE BIDDER.

18. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. AS A POLITICAL SUBDIVISION IN THE STATE OF LOUISIANA IN ACCORDANCE WITH STATUTE, THE CALCASIEU PARISH SCHOOL SYSTEM IS EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

19. NEW PRODUCTS.

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

20. CONTRACT RENEWALS.

UPON AGREEMENT OF THE CALCASIEU PARISH SCHOOL BOARD AND THE VENDOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
BID NUMBER: <i>2026 - Large Equip</i> TIME: 11:00 AM OPEN DATE: <i>4/14/2025</i>	BIDDER: <i>Singer H&amp;R</i>	PAGE 3

21. CONTRACT CANCELLATION.  
 THE CALCASIEU PARISH SCHOOL BOARD HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE AND CONVENIENCE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING:

- (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT;
- (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION;
- (3) MISREPRESENTATION BY THE VENDOR;
- (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE DISTRICT;
- (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW;
- (6) ANY OTHER BREACH OF CONTRACT.

22. DEFAULT OF CONTRACTOR.  
 FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE DISTRICT HAS DETERMINED THE VENDOR TO BE IN DEFAULT, THE DISTRICT RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

23. ORDER OF PRIORITY.  
 IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

24. APPLICABLE LAW.  
 ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA AND FEDERAL LAW APPLICABLE TO USDA/FNS CHILD NUTRITION PROGRAMS.

25. COMPLIANCE WITH CIVIL RIGHTS LAWS.  
 BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, AND VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

26. SPECIAL ACCOMMODATION.  
 ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

27. INDEMNITY.  
 VENDOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE CALCASIEU PARISH SCHOOL BOARD, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE VENDOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE VENDOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE DISTRICT, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

28. SIGNATURE AUTHORITY.  
 IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:

1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR
2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR
3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.

=====

**Bid Delivery Instructions for Calcasieu Parish School System:**

=====

BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT ALWAYS MAKE DELIVERIES TO OUR PHYSICAL LOCATION.

Bids may be delivered by hand or courier service to our physical location as follows:

Purchasing Department  
 Room 1300  
 3310 Broad Street  
 Lake Charles, LA 70615

BIDS MAY ALSO BE SUBMITTED ELECTRONICALLY IN ACCORDANCE WITH ACT 690 OF THE 2008 LOUISIANA LEGISLATURE AT

[WWW.CENTRALBIDDING.COM](http://WWW.CENTRALBIDDING.COM)

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
BID NUMBER: 2026- Charge Equip	TIME: 11:00 AM	BIDDER: Singer H & R	PAGE 4
OPEN DATE: 4/14/2025			

\*\*\*\*\*

**EXTREMELY IMPORTANT**

**BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL ROOM NUMBER LOCATION NOTED ABOVE. BIDS SPECIFICALLY NOT DELIVERED TO ROOM 1300 AT THE ABOVE ADDRESS BY COURIER OR USPS WILL NOT BE CONSIDERED.**

**BID DELIVERY DELAYS:** THE CALCASIEU PARISH SCHOOL SYSTEM IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE BIDDER'S CHOSEN MEANS OF BID DELIVERY. BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE AND TIME SHALL RESULT IN REJECTION OF THE BID.

**PUBLICIZING AWARDS:** IN ACCORDANCE WITH BID PROVISIONS, UNSUCCESSFUL BIDDERS WILL BE NOTIFIED OF THE AWARD PROVIDED THEY SUBMIT WITH THEIR BID A SELF-ADDRESSED STAMPED ENVELOPE REQUESTING THIS INFORMATION.

**TERMS & CONDITIONS:** THIS SOLICITATION CONTAINS ALL TERMS AND CONDITIONS WITH RESPECT TO THE ITEMS HEREIN. ANY VENDOR CONTRACTS, FORMS, TERMS OR OTHER MATERIALS SUBMITTED WITH BID MAY CAUSE BID TO BE REJECTED.

THE PURCHASE ORDER IS THE ONLY BINDING DOCUMENT TO BE ISSUED AGAINST THIS CONTRACT. SIGNING OF VENDOR'S FORMS IS NOT ALLOWED.

**SUBSTITUTES:** ONLY BRANDS AND NUMBERS STATED IN THE AWARD ARE APPROVED FOR DELIVERY UNDER THIS CONTRACT AND ANY SUBSTITUTION MUST RECEIVE "PRIOR" WRITTEN APPROVAL OF THE SUPERVISOR OF PURCHASING, THE BUYER OR THEIR DESIGNEE.

**INVOICES:** INVOICES FOR ITEMS ON PURCHASE ORDERS WILL BE SUBMITTED TO THE CALCASIEU PARISH SCHOOL SYSTEM ACCOUNTS PAYABLE DEPARTMENT. INVOICES MUST INCLUDE THE PURCHASE ORDER NUMBER AND SHALL HAVE REFERENCE TO THE DELIVERY TICKET NUMBER, DELIVERY DATE, QUANTITIES, UNIT PRICES AND DELIVERY POINT. A SEPARATE INVOICE FOR EACH ORDER DELIVERED AND ACCEPTED SHALL BE SUBMITTED BY THE VENDOR IN DUPLICATE DIRECTLY TO THE ACCOUNTS PAYABLE DEPARTMENT. INVOICES SHALL SHOW THE AMOUNT OF ANY CASH DISCOUNT AND SHALL BE SUBMITTED ON THE VENDOR'S OWN INVOICE FORM.

**PAYMENT:** PAYMENTS TO INVOICES WILL BE MADE EITHER ON THE BASIS OF UNIT PRICE AS LISTED IN THIS CONTRACT FOR ITEMS RECEIVED ONLY. BACK ORDERED ITEMS, DAMAGED OR "PENDING" REPLACEMENT ITEMS WILL NOT BE PAID UNTIL ALL ITEMS ARE RECEIVED. THESE PAYMENTS IN NO WAY RELIEVE THE VENDOR OF HIS RESPONSIBILITY TO EFFECT SHIPMENT OF THE BALANCE OF ANY ORDER. PAYMENT WILL BE MADE TO VENDOR AT ADDRESS SHOWN ON THE ORDER. THE CALCASIEU PARISH SCHOOL SYSTEM CANNOT "SHORTY-PAY" ANY INVOICE AS IT WOULD BE IN VIOLATION OF DISTRICT ACCOUNTING POLICIES.

**VENDOR LIST:** THE BIDDER WHO SIGNS THE BID WILL BE DESIGNATED AS PRIME VENDOR ON ANY ASPECT OF THIS SOLICITATION. IF ADDITIONAL VENDOR DISTRIBUTORS ARE AUTHORIZED TO FULFILL IN WHOLE OR PART ANY PORTION OF THIS SOLICITATION, THE BIDDER MUST SUBMIT WITH THE BID A LIST OF THOSE ADDITIONAL AUTHORIZED AGENTS OR DISTRIBUTORS, INCLUDING THE COMPLETE BUSINESS ADDRESS. THE PRIME VENDOR WILL BE RESPONSIBLE FOR THE ACTIONS OF ANY DISTRIBUTOR AND/OR AUTHORIZED AGENTS LISTED.

**CONTRACTUAL PERIOD:** THE CALCASIEU PARISH SCHOOL BOARD INTENDS TO AWARD ALL ITEMS IN THIS SOLICITATION FOR AN INITIAL PERIOD NOT TO EXCEED 12 MONTHS. DELAYS IN AWARDED BEYOND THE ANTICIPATED STARTING DATE MAY RESULT IN A CHANGE IN THE CONTRACT PERIOD. IF THIS SITUATION OCCURS, AN AWARD MAY BE MADE FOR LESS THAN TWELVE (12) MONTHS.

**EXTENSIONS:** AT THE OPTION OF THE CALCASIEU PARISH SCHOOL SYSTEM AND ACCEPTANCE BY THE VENDOR, THIS CONTRACT MAY BE EXTENDED FOR TWO ADDITIONAL TWELVE (12) MONTH PERIODS AT THE SAME PRICE, TERMS AND CONDITIONS. TOTAL CONTRACT TIME MAY NOT EXCEED THIRTY-SIX (36) MONTHS.

**QUANTITIES:** THIS IS AN OPEN-ENDED REQUIREMENTS SOLICITATION. QUANTITIES SHOWN ARE BASED ON PREVIOUS USAGES OR ESTIMATES. WHERE USAGE IS NOT AVAILABLE, A QUANTITY OF ONE (1) MAY INDICATE A LACK OF HISTORY ON THE ITEM. THE SUCCESSFUL BIDDER MUST SUPPLY AT BID PRICES ACTUAL REQUIREMENTS AS ORDERED WHETHER THE TOTAL OF SUCH REQUIREMENTS IS MORE OR LESS THAN THE QUANTITIES SHOWN.

**CDBG/EEOC COMPLIANCE RIDER:** BY SUBMITTING AND SIGNING THIS BID, THE BIDDER CERTIFIES THAT HE AGREES TO ADHERE TO THE MANDATES DICTATED BY SECTION 3 OF THE HOUSING AND URBAN DEVELOPMENT ACT OF 1968 AS AMENDED IN SECTION 109 OF THE HOUSING AND COMMUNITY ACT OF 1974.

**CERTIFICATION OF NO SUSPENSION OR DEBARMENT:** BY SIGNING AND SUBMITTING THIS BID, THE BIDDER CERTIFIES THAT THEIR COMPANY, ANY SUBCONTRACTORS, OR PRINCIPALS ARE NOT SUSPENDED OR DEBARRED BY THE GENERAL SERVICES ADMINISTRATION (GSA) IN ACCORDANCE WITH THE REQUIREMENTS IN OMB CIRCULAR A-133

A LIST OF PARTIES WHO HAVE BEEN SUSPENDED OR DISBARRED CAN BE VIEWED VIA THE INTERNET AT [WWW.SAM.GOV](http://WWW.SAM.GOV)

CPSB CONTACT: [max2.caldarera@cpsb.org](mailto:max2.caldarera@cpsb.org)  
[sandy.kramer@cpsb.org](mailto:sandy.kramer@cpsb.org)

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
-----------------------------	-------------------	--

BID NUMBER: <i>2025 - Large Equipment</i> 11:00 AM <i>4/14/2025</i>	BIDDER: <i>Singer H&amp;R</i>	PAGE 5
------------------------------------------------------------------------	-------------------------------	-----------

**CONTRACT PERFORMANCE EVALUATION:** IN AN EFFORT TO IMPROVE OUR SOLICITATIONS TO MEET THE NEEDS OF THE INDIVIDUALS WE SERVE, THE VENDOR'S PERFORMANCE WILL BE MONITORED. INDIVIDUAL FEEDBACK WILL BE REQUESTED REGARDING CUSTOMER SERVICE, DELIVERY, PRODUCT QUALITY, BILLING, OVERALL EFFECTIVENESS OF THE CONTRACT, AND ANY NEEDED CHANGES. THEIR RESPONSES WILL BE CONSIDERED IN DETERMINING OUR OPTIONS FOR RENEWALS OR REVISIONS AND REBIDDING.

**LICENSING:** BIDDERS MUST BE PROPERLY LICENSED BY THE STATE OF LOUISIANA IN ORDER TO CONDUCT BUSINESS THROUGH THIS CONTRACT. IN AREAS OF SOLICITATION WHERE NO LICENSE IS REQUIRED, BIDDER MUST BE CURRENTLY REGISTERED WITH THE STATE OF LOUISIANA, SECRETARY OF STATE CORPORATIONS DATABASE. FAILURE TO BE CURRENTLY REGISTERED MAY BE REASON FOR BID REJECTION.

**PERMITTING:** BY SIGNING THIS DOCUMENT, THE BIDDER ASSURES THE CALCASIEU PARISH SCHOOL SYSTEM THAT HE HAS OBTAINED ALL REQUIRED PERMITS AND OR CERTIFICATES NECESSARY TO LEGALLY PERFORM BUSINESS TRANSACTIONS WITHIN THE JURISDICTION OF THE PARISH OF CALCASIEU, AND THE STATE OF LOUISIANA

**FORCE MAJEURE:** THE INABILITY OF CPSB TO USE THE GOODS/MATERIALS/SUPPLIES WHICH ARE THE SUBJECT OF THIS BID BECAUSE OF A FORCE MAJEURE EVENT OR OCCURRENCE OF A FORCE MAJEURE EVENT WHICH RENDERS THE USE OF GOODS/MATERIALS/SUPPLIES BY CPSB IMPRACTICAL, SHALL BE CAUSE FOR CPSB TO TERMINATE OR CANCEL THE BID OR BID PROCESS AND/OR WITHDRAW THE ACCEPTANCE OF A BID OR AWARD OF A CONTRACT AT ANY TIME PRIOR TO PAYMENT BY CPSB PURSUANT HERETO.

.....  
 END-Standard Terms & Conditions  
 (The following pages are Product Specifications and Pricing Sheets)  
 .....

ADDITIONAL SPECIFICATIONS FOR BID

See attached for product descriptions and price submission.

Prices shall include all charges (including freight and sales tax) that may be imposed in fulfilling the terms of this contract. CPSB is tax exempt.

For each item offered "as equal" to the brand name specified, each bidder is required to furnish, with his bid, catalog cuts and/or descriptive literature properly labeled with the bid and item number with full illustrations and detailed specifications. In addition, all differences in specifications from brand name must be so marked for the purpose of bid evaluation. FAILURE TO SUBMIT THE DESCRIPTIVE LITERATURE SHALL BE CAUSE FOR REJECTION OF THAT ITEM AND/OR ENTIRE BID.

All items must be inspected by franchise dealer for shipping damage and re-adjusted for maximum playing condition, prior to delivery.

All items must be fully assembled and ready to use, prior to delivery.

All items must be provided with a free cleaning kit and name tag identifying the school assignment.

Awarded bidder must be able to provide one (1) year of free repair service for each respective item. Free repair service shall apply to manufacturer's defects and any free repairs covered under the manufacturer's warranty.

All manufacturer warranties shall be honored, and each bidder must be an

authorized warranty center for each manufacturer.

--	--

VENDOR PRICE SUBMISSION SHEET

INVITATION TO BID

BID NUMBER: *2026-Large Equip* TIME: 11:00 AM  
OPEN DATE: 03/04/2024 @11:00am

BIDDER:

*Singer H&R*

PAGE 6

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED TOTAL
----------	-------------------------------	----------	------	------------	----------------

1	Total for serving lines and equipment to various Locations			\$ 298,267.23	\$ 298,267.23
2				\$	\$

--	--	--	--	--	--

## Large Equipment Specifications

\*brand specified or pre-approved equivalent\*

### EK Key Elementary

#### Serving Line:

ITEM 2 - HD RANGE, 36", 4 OPEN BURNERS (1 REQ'D)

Vulcan Model V4B36C Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 172,000 BTU, 6" adjustable legs, CSA, NSF

1 ea 1 year limited parts & labor warranty, standard

1 ea Natural gas (specify elevation if over 2,000 ft.)

1 ea Model PRREGN-001 1" NPT pressure regulator with reducer (Natural gas)

1 ea 1-1/4" rear gas connection, standard

1 ea Rear gas connection: cap & cover, both ends

1 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard

1 ea Model V36SD Single-deck hi-shelf riser, non-overlapping, 36"

ITEM 3 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-74PG Dimensions: 36(h) x 74(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted \*30" Mounting height\*

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

2 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf \*In rail for controls\*

2 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length \*In countertop for drop-in 3.1 and 3.2\*

1 ea Model 442-2S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-HT Special Height Body, per unit

1 ea Model MOD-HT-30 30" Height Body (elementary)

1 ea Model MOD-2S-5CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea 400 Series

1 ea Model TS462-74 Contemporary Food Shield, 73-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts

1 ea Model TDST-MOD For special height rail

1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

1 ea Model 329-CM Compressor compartment, partial length, with stainless steel hinged louvered grill

ITEM 3.1 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model RHT1-SL Dimensions: 26.36(h) x 29(w) x 21(d)

HotFrost™ Recessed Hot Top slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 2.5 Amps, NEMA 5-15P \*Installed as Standard orientation\*

ITEM 3.2 - HOT / COLD SHELF (1 REQ'D)

Duke Manufacturing Model RHF1-SL Dimensions: 26.36(h) x 29(w) x 21(d)

HotFrost™ Recessed Hot Frost, Hot/Cold switchable slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P  
\*Installed as Standard orientation\*

#### ITEM 4 - SERVING COUNTER, UTILITY (2 REQ'D)

Duke Manufacturing Model TST-60PG Dimensions: 36(h) x 60(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

2 ea Model PH\_PAINT Powder Coat color to be determined

2 ea Model SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted  
\*Mounted at 30" AFF\*

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

2 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf \*In rail for controls\*

2 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length \*for drop-in 4.1\*

2 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

2 ea Model MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

2 ea 400 Series

2 ea Model TS462-60 Contemporary Food Shield, 59-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts

2 ea Model TDST-MOD For special height rail

2 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

4 ea Hinged louvered door on operator side - Price is per door panel

#### ITEM 4.1 - COLD SHELF (2 REQ'D)

Duke Manufacturing Model RFT2-SL Dimensions: 26.36(h) x 55(w) x 21(d)

Recessed Frost Top slimline drop-in unit, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P

#### ITEM 5 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30PG Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand

1 ea Model MOD-12-32 Extend width of top up to 12", for a 44" or less overall top, with stainless steel fixed brackets

1 ea Model CORD-10 10 ft. cord & plug

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP1-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location)

1 ea Model MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2OC Kick Plate, opposite cashier, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

EK Key Serving Line

Item	Brand	Price
	Volcan	16,971.59
	Duke	45,353.34

**LeBlanc Middle School**

**Serving Line:**

**ITEM 1 - FLATWARE & TRAY CART (1 REQ'D)**

Duke Manufacturing Model TTS-32PG Dimensions: 42(h) x 32(w) x 31(d)

Thurmaduke™ Tray Stand Unit, mobile, 32"W x 31"D x 42"H, 16 gauge stainless steel top, tray surface 19" high, 16 gauge stainless steel utensil tower 28" x 10", 20 gauge paint grip steel body & undershelf, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model T71 Silverware dispenser, (7) utensil cylinders in stainless steel holder, 21-5/8"W x 9-3/4"D x 7-1/4"H, with 5" deep perforated white plastic cups

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

**ITEM 2 - SERVING COUNTER, UTILITY (1 REQ'D)**

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model MOD-12-46 Extend width of top up: 12" in lieu of tray slide

1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)

1 ea Model 442-3S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)

1 ea Model ICB CUSTOM Electric inter connect box with outlets breakers and cord, mounted in the base For item 2.1 wells = TBD For item 2a guard lights = 0.25A For item 2.2 hot top = 2.8A Total: TBD

1 ea Model CORD-8 8 ft. cord & plug

1 ea Model CUT-OP2 Rectangular cutout with raw edge: In rail for controls

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For WWG-2. Cutout located as far to operator side as possible

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Sheild, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

#### ITEM 2.1 - HOT FOOD WELL UNIT, DROP-IN, ELECTRIC (1 REQ'D)

Duke Manufacturing Model WWG2 Dimensions: 12.75(h) x 32.25(w) x 24.25(d)

Waterless Hot Food Well Drop-In Unit, ganged, electric, dry operation, with (2) 12" x 20" hot food well, 32-1/4"W x 24-1/4"D x 12-3/4"H, stainless steel well, removable FDA approved silicone rubber liner, fully insulated galvanized exterior housing, touch screen control panel, without drain, 6' cord & plug, UL, cULus

1 ea Model PH\_VOLTAGE Voltage to be determined

#### ITEM 2.2 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model HT1-OS Dimensions: 2.38(h) x 29(w) x 21(d)

HotFrost™ Hot Top overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelve, programmable color touch screen control, stainless steel body and shelves., 120v/60/1-ph, 2.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

#### ITEM 3 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-74PG Dimensions: 36(h) x 74(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-5 14ga stainless steel top, in lieu of standard

1 ea Model MOD-12-74 Extend width of top up to 12", for a 44" or less overall top, with stainless steel fixed brackets

1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)

1 ea Model CORD-8 8 ft. cord & plug

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source For item 3.1 Hot top = 5.0A 600W For item 3a guard lights = 0.25A 30W For item 3.2 hot top = 5.3A 636W \*Single NEMA 5-15P cord\*

2 ea Model CUT-OP2 Rectangular cutout with raw edge: In rail for controls

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For RHT-2-SB

1 ea Model TDST-X-1 For special length not listed (maximum one-piece length of 88"): To next longer standard unit price...ADD (for TST models) \*66" Length\*

1 ea BG Series

1 ea Model BGA2-74-SS-GF-BL BGA Food Shield, 73-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

ITEM 3.1 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model RHT2-SB Dimensions: 26.36(h) x 39(w) x 29(d)

HotFrost™ Recessed Hot Top standard body drop-in unit, 39"W x 24"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.0 Amps, NEMA 5-15P

ITEM 3.2 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model HT2-OS Dimensions: 2.38(h) x 55(w) x 21(d)

HotFrost™ Hot Top overshelve, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.3 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

#### ITEM 4 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-88PG Dimensions: 36(h) x 88(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 88"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-6 14ga stainless steel top, in lieu of standard

1 ea Model MOD-12-88 Extend width of top up: 12" in lieu of tray slide

1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)

1 ea Model E-OP2 Electric outlet, mounted in base: Simplex for drop-in

1 ea Model CORD-8 8 ft. cord & plug: From outlet

1 ea Model TDST-X-1 For special length body: To accommodate HF91 drop-in

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For HF91

#### ITEM 4.1 - HOT / COLD SHELF (1 REQ'D)

Duke Manufacturing Model HF91-2-HFL-HFL Dimensions: 45.25(h) x 92.88(w) x 24(d)

HotFrost™ Hot Frost Shelf Merchandiser, 2-tier hot/cold switchable food display, drop-in unit, 93"W x 24"D, fits (3) 18 x 26" pan per tier, individually controlled tiers, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120-208v/60/1 phase, 26.8 amps, NEMA 14-50P

#### ITEM 5 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30PG Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-20C Tray Slide, opposite cashier, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)

1 ea Model CORD 6 ft. cord & plug

1 ea Model E-OP2 Electric outlet, mounted in base: Duplex 5-15

1 ea Model CUT-OP1 Round cutout with raw edge, in counter top: 2.75" with grommet

LeBlanc Middle Serving Line

Item	Brand	Price
Duke	Duke	77,134.35

### Sulphur High School

#### Serving Line:

ITEM 1A - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) \*\*mounted at 36" AFF\*\*

1 ea Model 442-3S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)

3 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) \*\*for item#1-1, bring wells closer to operator side \*\*

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Shield, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Wire chase in base, stainless steel

1 ea Model HT1-OS HotFrost™ Hot Top overshelf, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves., 120v/60/1-ph, 2.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

1 ea Model TDST-MOD For special height rail

ITEM 1-1 - HOT FOOD WELL UNIT, DROP-IN, ELECTRIC (1 REQ'D)

Duke Manufacturing Model WW-2 Dimensions: 10.3(h) x 30.75(w) x 23.5(d)

Waterless Hot Food Well Drop-In Unit, electric, dry operation, with (2) 12" x 20" hot food well, 30-3/4"W x 23-1/2"D x 10.3"H, stainless steel well, removable FDA approved black silicone rubber liner, fully insulated galvanized exterior housing, touch screen control panel, (3) preset temperatures, Wi-Fi enabled, without drain, 72" control wire, includes spacing rim, UL EPH Classified, cULus

1 ea Model WW-2-120 120v/60/1-ph, 11.1 amps, (2) NEMA 5-15P

#### ITEM 1B - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-18PG Dimensions: 36(h) x 18(w) x 32(d)

Thurmaduke™ Solid Top Unit, utility counter, 18"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 6"H stainless steel legs with adjustable feet (casters prohibited due to tipping), NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model MOD-14-1 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-1CU Tray Slide, customer's side, 18" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) \*\*mounted at 36" AFF\*\*

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model 329-PG-1L Single door, no lock, left hand hinge, paint grip steel, powder coated to match body, magnetic catch, and recessed stainless steel pull

1 ea Model MOD-2S-1CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model 125 PANEL BOX 125 amp panel box pre-wired, single phase 120/208 service required all final connections in the field at KEC expense

#### ITEM 2 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-74PG Dimensions: 36(h) x 74(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model MOD-14-5 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) \*\*mounted at 36" AFF\*\*

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location) \*\*In rail\*\*

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) \*\*for item#2-1, bring drop in closer to operator side \*\*

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model TDST-X-1 For special length not listed (maximum one-piece length of 88"): To next longer standard unit price...ADD (for TST models)

1 ea Model MOD-2S-5CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-74-SS BGA Food Shield, 73-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Model MOD-SPL Special length overshelf, to next longest size, ADD

1 ea Wire chase in base, stainless steel

1 ea Model TDST-MOD For special height rail

1 ea Model HT2-OS HotFrost™ Hot Top overshelf, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.3 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

ITEM 2-1 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model RHT2-SL Dimensions: 26.36(h) x 55(w) x 21(d)

HotFrost™ Recessed Hot Top slimline drop-in unit, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.0 Amps, NEMA 5-15P

### ITEM 3 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) \*\*mounted at 36" AFF\*\*

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) \*\*for recessed hot/frost, bring dropin closer to operator side \*\*

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Shield, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Wire chase in base, stainless steel

1 ea Model DE-RHF1-SL-HFO1-SL Duplexed unit operating on 1 compressor HotFrost™ Recessed Hot Frost, Hot/Cold switchable slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P HotFrost™ Overshelf Hot Frost, Hot/Cold switchable overshelf, 29"W x 21"D, fits (1) 18

x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.8 Amps, NEMA 5-15P. Note: must be installed in a DUKE BG/BGA series food guard

1 ea Model TDST-MOD For special height rail

1 ea Model 329-CM Compressor compartment, partial length, stainless steel removable louvered grill with magnetic catches

#### ITEM 4 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) \*\*mounted at 36" AFF\*\*

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) \*\*for recessed frost, bring drop-in closer to operator side \*\*

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2P-E Kick Plate, end, powder coated steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Shield, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Wire chase in base, stainless steel

1 ea Model TDST-MOD For special height rail

1 ea Model DE-RFT1-SL-FTO1-SL Duplexed unit operating on 1 compressor Recessed Frost Top slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P Frost Top overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

1 ea Model 329-CM Compressor compartment, partial length, stainless steel removable louvered grill with magnetic catches

#### ITEM 5 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-60PG Dimensions: 36(h) x 60(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model MOD-14-4 14ga stainless steel top, in lieu of standard

6 ea Model CUT-OP1 Round cutout with raw edge, in counter top, body panel or a shelf (specify cutout diameter & location) \*\*6 round cylinder cutouts in shelf\*\*

4 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location) \*\*4-12 x 20" cutouts\*\*

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

2 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model TDST-MOD Custom over-head shelf slanted with cutouts, 18" wide 14ga stainless steel shelves, welded 1-5/8" stainless tube post

#### ITEM 6 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30PG Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-2OC Tray Slide, opposite cashier, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) \*\*mounted at 36" AFF\*\*

1 ea Model CORD 6 ft. cord & plug

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP1-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location)

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2OC Kick Plate, opposite cashier, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

ITEM 7 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-32PG Dimensions: 36(h) x 32(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH\_PAINT Powder Coat color to be determined

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

3 ea Model MOD-2R 4" to 6" riser (backsplash) on rear \*\*4" riser on rear and sides\*\*

1 ea Model SOLID-HD-2CU Tray Slide, customer's side, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) \*\*mounted at 36" AFF\*\*

1 ea Model MOD-2S-2OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

2 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

Sulphur High Serving Line:

Item	Brand	Price
	Duke	105,773.45

## CPSB: Various Locations

Item 1:

CONVECTION OVEN, GAS (1 REQ'D)

Vulcan Model VC44GD Dimensions: 70(h) x 40(w) x 42.25(d)

Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, stainless steel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®

1 ea 1 year limited parts & labor warranty, standard

1 ea Natural gas (specify elevation if over 2,000 ft.)

1 ea (2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard

1 ea Gas manifold piping included with stacking kit to provide single point gas connection

2 ea Simultaneous doors, both ovens

2 ea Model DRIPPAN-SSDD Drip Pan (per section), stainless steel

ITEM 2 - CONVECTION STEAMER, GAS (1 REQ'D)

Vulcan Model C24GA10 Dimensions: 72(h) x 24(w) x 35.4(d)

Convection Steamer, Gas, 2 compartments on 24" cabinet base, (10)12" x 20" x 2-1/2" deep total pan capacity, high output stainless steel steam generator with Timed Smart Drain & PowerFlush, staged water fill, professional controls with 60 minute timer, buzzer for each compartment, & constant steam feature, split water line, stainless steel interior, exterior, frame & flanged feet, electric ignition, 125,000 BTU, CSA Flame, CSA Star, UL EPH Classified

1 ea 1 year limited parts & labor warranty, standard

1 ea K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation

1 ea Gas type to be specified

1 ea 120v/60/1-ph with ground, 300w, 2.0 amps, cord & plug, standard

1 ea Model SMF620 SYSTEM SCALEBLOCKER™ Water Treatment, field installed by others at job site

1 ea 2nd year limited water related parts only & labor warranty, standard

ITEM 3 - HD RANGE, 36", 4 OPEN BURNERS (1 REQ'D)

Vulcan Model V4B36S Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 190,000 BTU, 6" adjustable legs, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends

ITEM 4 - HD RANGE, 18", 2 OPEN BURNERS (1 REQ'D)

Vulcan Model V2B18B Dimensions: 36(h) x 18(w) x 36.75(d)

V Series Heavy Duty Range, gas, 18", (2) 35,000 BTU open burners, cast iron grates, storage base with cabinet doors, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 70,000 BTU, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends

Various Equipment

Item	Brand	Price
1	Vulcan	10,141.85
2	Vulcan	25,602.50
3	Vulcan	11,580.00
4	Vulcan	5,710.15



H&R

# Quote

04/14/2025

**To:**  
 Singer H&R- Louisiana  
 Orlando Cordoba  
 5716 Jarvis Street  
 Harahan, LA 70123  
 504-655-5658

**Project:**  
 Calcasieu Parish Schools Large  
 Equipment 25 26  
 Lake Charles, LA

**From:**  
 Singer H&R- Louisiana  
 Orlando Cordoba  
 5716 Jarvis Street  
 Harahan, LA 70123  
 504-291-4255

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at <https://www.singerequipment.com/policies/quote-terms-conditions> (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer Equipment Company, Inc., ("Singer").

Item	Qty	Description	Sell	Sell Total
<b>**EK KEY ELEMENTARY SCHOOL**</b>				
2	1 ea	<b>HD RANGE, 36", 4 OPEN BURNERS</b> Vulcan Model No. V4B36C V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 172,000 BTU, 6" adjustable legs, CSA, NSF	\$16,971.59	\$16,971.59
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Natural gas (specify elevation if over 2,000 ft.)		
	1 ea	PRREGN-001 1" NPT pressure regulator with reducer (Natural gas)		
	1 ea	1-1/4" rear gas connection, standard		
	1 ea	Rear gas connection: cap & cover, both ends		
	1 ea	115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard		
	1 ea	V36SD Single-deck hi-shelf riser, non-overlapping, 36"		
	1 kt	T&S Brass HG-4E-48K Safe-T-Link Gas Connector Kit, 1" connection, 48" hose, stainless steel braiding with extruded coating, (1) Quick-Disconnect, (1) street "EL", ball valve, restraining cable adjustable for 3'to 5', 335,000 BTU / hr minium flow capacity		
3	1 ea	<b>SERVING COUNTER, UTILITY</b>	\$10,396.64	\$10,396.64




Item	Qty	Description	Sell	Sell Total
		Duke Manufacturing Model No. TST-74PG Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF		
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted *30" Mounting height*		
	2 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	2 ea	CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf *In rail for controls*		
	2 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length *In countertop for drop-in 3.1 and 3.2*		
	1 ea	442-2S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	MOD-HT Special Height Body, per unit		
	1 ea	MOD-HT-30 30" Height Body (elementary)		
	1 ea	MOD-2S-5CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	400 Series		
	1 ea	TS462-74 Contemporary Food Shield, 73-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts		
	1 ea	TDST-MOD For special height rail		
	1 ea	CUSTOM Wire Chase in base, stainless steel, removeable cover		
	1 ea	329-CM Compressor compartment, partial length, with stainless steel hinged louvered grill		
3.1	1 ea	<b>HEATED SHELF FOOD WARMER</b> Duke Manufacturing Model No. RH11-SL HotFrost™ Recessed Hot Top slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 2.5 Amps,	\$1,938.86	\$1,938.86

Item	Qty	Description	Sell	Sell Total
		NEMA 5-15P *Installed as Standard orientation*		
3.2	1 ea	<b>HOT / COLD SHELF</b> Duke Manufacturing Model No. RHF1-SL HotFrost™ Recessed Hot Frost, Hot/Cold switchable slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P *Installed as Standard orientation*	\$4,408.16	\$4,408.16
4	2 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-60PG Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$8,091.91	\$16,183.81
				
	2 ea	PH_PAINT Powder Coat color to be determined		
	2 ea	SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted *Mounted at 30" AFF*		
	2 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	2 ea	CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf *In rail for controls*		
	2 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length *for drop-in 4.1*		
	2 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	2 ea	MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	2 ea	400 Series		
	2 ea	TS462-60 Contemporary Food Shield, 59-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts		
	2 ea	TDST-MOD For special height rail		
	2 ea	CUSTOM Wire Chase in base, stainless steel, removeable cover		

Item	Qty	Description	Sell	Sell Total
	4 ea	Hinged louvered door on operator side - Price is per door panel		
4.1	2 ea	<b>COLD SHELF</b> Duke Manufacturing Model No. RFT2-SL Recessed Frost Top slimline drop-in unit, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P	\$4,530.86	\$9,061.72
5	1 ea	<b>CASH REGISTER STAND</b> Duke Manufacturing Model No. TCS-30PG Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF	\$3,364.15	\$3,364.15
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand		
	1 ea	MOD-12-32 Extend width of top up to 12", for a 44" or less overall top, with stainless steel fixed brackets		
	1 ea	CORD-10 10 ft. cord & plug		
	1 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	1 ea	CUT-OP1-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location)		
	1 ea	MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	MOD-2S-2OC Kick Plate, opposite cashier, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
<b>**LEBLANC MIDDLE SCHOOL**</b>				
1	1 ea	<b>FLATWARE &amp; TRAY CART</b> Duke Manufacturing Model No. TTS-32PG Thurmaduke™ Tray Stand Unit, mobile, 32"W x 31"D x 42"H, 16 gauge stainless steel top, tray surface 19" high, 16 gauge stainless steel utensil tower 28" x 10", 20 gauge paint grip steel body & undershelf, 5" dia. gray poly swivel casters & brakes, NSF	\$2,805.05	\$2,805.05
	1 ea	217125 Textured Black powder coat paint finish		
	1 ea	T71 Silverware dispenser, (7) utensil cylinders in stainless steel holder, 21 5/8"W x 9-3/4"D x 7-1/4"H, with 5" deep perforated white plastic cups		
	1 ea	MOD-14-2 14ga stainless steel top, in lieu of standard		
2	1 ea	<b>SERVING COUNTER, UTILITY</b>	\$14,456.55	\$14,456.55

Item	Qty	Description	Sell	Sell Total
		Duke Manufacturing Model No. TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF		
	1 ea	217125 Textured Black powder coat paint finish		
	1 ea	MOD-14-3 14ga stainless steel top, in lieu of standard		
	1 ea	MOD-12-46 Extend width of top up: 12" in lieu of tray slide		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	442-3S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)		
	1 ea	ICB CUSTOM Electric inter connect box with outlets breakers and cord, mounted in the base For item 2.1 wells = TBD For item 2a guard lights = 0.25A For item 2.2 hot top = 2.8A Total: TBD		
	1 ea	CORD-8 8 ft. cord & plug		
	1 ea	CUT-OP2 Rectangular cutout with raw edge: In rail for controls		
	1 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For WWG-2. Cutout located as far to operator side as possible		
	1 ea	BG Series		
	1 ea	BGA2-46-SS BGA Food Sheild, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified		
2.1	1 ea	<b>HOT FOOD WELL UNIT, DROP-IN, ELECTRIC</b> Duke Manufacturing Model No. WWG2 Waterless Hot Food Well Drop-In Unit, ganged, electric, dry operation, with (2) 12" x 20" hot food well, 32-1/4"W x 24-1/4"D x 12-3/4"H, stainless steel well, removable FDA approved silicone rubber liner, fully insulated galvanized exterior housing, touch screen control panel, without drain, 6' cord & plug, UL, cULus	\$1,836.73	\$1,836.73
	1 ea	PH_VOLTAGE Voltage to be determined		
2.2	1 ea	<b>HEATED SHELF FOOD WARMER</b> Duke Manufacturing Model No. HT1-OS HotFrost™ Hot Top overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves., 120v/60/1-ph, 2.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)	\$2,224.65	\$2,224.65

Item	Qty	Description	Sell	Sell Total
3	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-74PG Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$16,496.08	\$16,496.08
	1 ea	217125 Textured Black powder coat paint finish		
	1 ea	MOD-14-5 14ga stainless steel top, in lieu of standard		
	1 ea	MOD-12-74 Extend width of top up to 12", for a 44" or less overall top, with stainless steel fixed brackets		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	CORD-8 8 ft. cord & plug		
	2 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source For item 3.1 Hot top = 5.0A 600W For item 3a guard lights = 0.25A 30W For item 3.2 hot top = 5.3A 636W *Single NEMA 5-15P cord*		
	2 ea	CUT-OP2 Rectangular cutout with raw edge: In rail for controls		
	1 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For RHT-2-SB		
	1 ea	TDST-X-1 For special length not listed (maximum one-piece length of 88"): To next longer standard unit price...ADD (for TST models) *66" Length*		
	1 ea	BG Series		
	1 ea	BGA2-74-SS-GF-BL BGA Food Sheild, 73-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified		
3.1	1 ea	<b>HEATED SHELF FOOD WARMER</b> Duke Manufacturing Model No. RHT2-SB HotFrost™ Recessed Hot Top standard body drop-in unit, 39"W x 24"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.0 Amps, NEMA 5-15P	\$2,742.24	\$2,742.24
3.2	1 ea	<b>HEATED SHELF FOOD WARMER</b> Duke Manufacturing Model No. HT2-OS HotFrost™ Hot Top overshelve, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.3 Amps, NEMA 5-15P	\$3,228.98	\$3,228.98

Item	Qty	Description	Sell	Sell Total
		(must be installed in a DUKE BG/BGA series food guard)		
4	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-88PG Thurmaduke™ Solid Top Unit, mobile utility counter, 88"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$5,195.75	\$5,195.75
				
	1 ea	217125 Textured Black powder coat paint finish		
	1 ea	MOD-14-6 14ga stainless steel top, in lieu of standard		
	1 ea	MOD-12-88 Extend width of top up: 12" in lieu of tray slide		
	1 ea	ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)		
	1 ea	E-OP2 Electric outlet, mounted in base: Simplex for drop-in		
	1 ea	CORD-8 8 ft. cord & plug: From outlet		
	1 ea	TDST-X-1 For special length body: To accommodate HF91 drop-in		
	1 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For HF91		
4.1	1 ea	<b>HOT / COLD SHELF</b> Duke Manufacturing Model No. HF91-2-HFL-HFL HotFrost™ Hot Frost Shelf Merchandiser, 2-tier hot/cold switchable food display, drop-in unit, 93"W x 24"D, fits (3) 18 x 26" pan per tier, individually controlled tiers, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120-208v/60/1 phase, 26.8 amps, NEMA 14-50P	\$25,306.53	\$25,306.53
				
5	1 ea	<b>CASH REGISTER STAND</b> Duke Manufacturing Model No. TCS-30PG Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF	\$2,841.79	\$2,841.79
				
	1 ea	217125 Textured Black powder coat paint finish		
	1 ea	MOD-14-2 14ga stainless steel top, in lieu of standard		
	1 ea	SOLID-HD-2OC Tray Slide, opposite cashier, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)		
	1 ea	CORD 6 ft. cord & plug		
	1 ea	E-OP2 Electric outlet, mounted in base: Duplex 5-15		
	1 ea	CUT-OP1 Round cutout with raw edge, in counter top: 2.75" with grommet		
<b>**SULPHER HIGH SCHOOL**</b>				

Item	Qty	Description	Sell	Sell Total
1A	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$16,589.36	\$16,589.36
				
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	MOD-14-3 14ga stainless steel top, in lieu of standard		
	1 ea	SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**		
	1 ea	442-3S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)		
	3 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	1 ea	CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)		
	1 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) **for item#1-1, bring wells closer to operator side **		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	BG Series		
	1 ea	BGA2-46-SS BGA Food Sheild, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified		
	1 ea	Wire chase in base, stainless steel		
	1 ea	HT1-OS HotFrost™ Hot Top overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves., 120v/60/1-ph, 2.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)		
	1 ea	TDST-MOD For special height rail		
1-1	1 ea	<b>HOT FOOD WELL UNIT, DROP-IN, ELECTRIC</b>	\$3,179.76	\$3,179.76

Item	Qty	Description	Sell	Sell Total
	1 ea	Duke Manufacturing Model No. WW-2 Waterless Hot Food Well Drop-In Unit, electric, dry operation, with (2) 12" x 20" hot food well, 30-3/4"W x 23-1/2"D x 10.3"H, stainless steel well, removable FDA approved black silicone rubber liner, fully insulated galvanized exterior housing, touch screen control panel, (3) preset temperatures, Wi-Fi enabled, without drain, 72" control wire, includes spacing rim, UL EPH Classified, cULus		
	1 ea	WW-2-120 120v/60/1-ph, 11.1 amps, (2) NEMA 5-15P		
1B	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-18PG Thurmaduke™ Solid Top Unit, utility counter, 18"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 6"H stainless steel legs with adjustable feet (casters prohibited due to tipping), NSF	\$6,006.86	\$6,006.86
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	MOD-14-1 14ga stainless steel top, in lieu of standard		
	1 ea	SOLID-HD-1CU Tray Slide, customer's side, 18" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	329-PG-1L Single door, no lock, left hand hinge, paint grip steel, powder coated to match body, magnetic catch, and recessed stainless steel pull		
	1 ea	MOD-2S-1CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	125 PANEL BOX 125 amp panel box pre-wired, single phase 120/208 service required all final connections in the field at KEC expense		
2	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-74PG Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$21,007.10	\$21,007.10
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	MOD-14-5 14ga stainless steel top, in lieu of standard		
	1 ea	SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**		
	2 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction		

Item	Qty	Description	Sell	Sell Total
		box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	1 ea	CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location) **In rail**		
	1 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) **for item#2-1, bring drop in closer to operator side **		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	TDST-X-1 For special length not listed (maximum one-piece length of 88"): To next longer standard unit price...ADD (for TST models)		
	1 ea	MOD-2S-5CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	BG Series		
	1 ea	BGA2-74-SS BGA Food Sheild, 73-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified		
	1 ea	MOD-SPL Special length oversheff, to next longest size, ADD		
	1 ea	Wire chase in base, stainless steel		
	1 ea	TDST-MOD For special height rail		
	1 ea	HT2-OS HotFrost™ Hot Top overshelve, 55"W x 21"D, fits (2) 18 x 26" pan per shelve, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.3 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)		
2-1	1 ea	<b>HEATED SHELF FOOD WARMER</b> Duke Manufacturing Model No. RHT2-SL HotFrost™ Recessed Hot Top slimline drop-in unit, 55"W x 21"D, fits (2) 18 x 26" pan per shelve, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.0 Amps, NEMA 5-15P	\$2,694.49	\$2,694.49
3	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$22,475.37	\$22,475.37
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	MOD-14-3 14ga stainless steel top, in lieu of standard		
	1 ea	SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed		




Item	Qty	Description	Sell	Sell Total
		rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**		
	1 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	1 ea	CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)		
	1 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) **for recessed hot/frost, bring dropin closer to operator side **		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	BG Series		
	1 ea	BGA2-46-SS BGA Food Sheild, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified		
	1 ea	Wire chase in base, stainless steel		
	1 ea	DE-RHF1-SL-HFO1-SL Duplexed unit operating on 1 compressor HotFrost™ Recessed Hot Frost, Hot/Cold switchable slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P HotFrost™ Overshelf Hot Frost, Hot/Cold switchable overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelve, programmable color touch screen control, stainless steel body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.8 Amps, NEMA 5-15P. Note: must be installed in a DUKE BG/BGA series food guard		
	1 ea	TDST-MOD For special height rail		
	1 ea	329-CM Compressor compartment, partial length, stainless steel removable louvered grill with magnetic catches		
4	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-46PG Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$21,155.13	\$21,155.13
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	MOD-14-3 14ga stainless steel top, in lieu of standard		
	1 ea	SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid		




Item	Qty	Description	Sell	Sell Total
		stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**		
	1 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	1 ea	CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)		
	1 ea	CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) **for recessed frost, bring drop-in closer to operator side **		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	MOD-2P-E Kick Plate, end, powder coated steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	BG Series		
	1 ea	BGA2-46-SS BGA Food Sheild, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified		
	1 ea	Wire chase in base, stainless steel		
	1 ea	TDST-MOD For special height rail		
	1 ea	DE-RFT1-SL-FTO1-SL Duplexed unit operating on 1 compressor Recessed Frost Top slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P Frost Top overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)		
	1 ea	329-CM Compressor compartment, partial length, stainless steel removable louvered grill with magnetic catches		


5



1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-60PG Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$5,152.43	\$5,152.43
------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------	------------

Item	Qty	Description	Sell	Sell Total
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	MOD-14-4 14ga stainless steel top, in lieu of standard		
	6 ea	CUT-OP1 Round cutout with raw edge, in counter top, body panel or a shelf (specify cutout diameter & location) **6 round cylinder cutouts in shelf**		
	4 ea	CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location) **4-12 x 20" cutouts**		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	2 ea	MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	TDST-MOD Custom over-head shelf slanted with cutouts, 18" wide 14ga stainless steel shelves, welded 1-5/8" stainless tube post		
6	1 ea	<b>CASH REGISTER STAND</b> Duke Manufacturing Model No. TCS-30PG Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF	\$3,757.21	\$3,757.21
	1 ea	PH_PAINT Powder Coat color to be determined		
	1 ea	CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand		
	1 ea	MOD-14-2 14ga stainless steel top, in lieu of standard		
	1 ea	SOLID-HD-2OC Tray Slide, opposite cashier, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**		
	1 ea	CORD 6 ft. cord & plug		
	1 ea	E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source		
	1 ea	CUT-OP1-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location)		
	1 ea	MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot		
	1 ea	MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	1 ea	MOD-2S-2OC Kick Plate, opposite cashier, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		



Item	Qty	Description	Sell	Sell Total
7	1 ea	<b>SERVING COUNTER, UTILITY</b> Duke Manufacturing Model No. TST-32PG Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF	\$3,755.74	\$3,755.74
				
	1 ea	PH_PAINT Powder Coat cabinet		
	1 ea	MOD-14-2 14ga stainless steel top, in lieu of standard		
	3 ea	MOD-2R 4" to 6" riser (backsplash) on rear **4" riser on rear and sides**		
	1 ea	SOLID-HD-2CU Tray Slide, customer's side, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**		
	1 ea	MOD-2S-2OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
	2 ea	MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling		
<b>**VARIOUS LOCATIONS**</b>				
1	1 ea	<b>CONVECTION OVEN, GAS</b> Vulcan Model No. VC44GD-QS-PLATINUM (Quick Ship) Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, stainless steel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®	\$10,141.85	\$10,141.85
				
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation		
	1 ea	Natural gas (specify elevation if over 2,000 ft.)		
	1 ea	(2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard		
	1 ea	Gas manifold piping included with stacking kit to provide single point gas connection		
	2 ea	Simultaneous doors, both ovens		
	2 ea	DRIPPAN-SSDD Drip Pan (per section), stainless steel		
	1 kt	T&S Brass HG-4D-48K Safe-T-Link Gas Connector Kit, 3/4" connection, 48" hose, stainless steel braiding with extruded coating, (1) Quick-Disconnect, (1) street "EL", ball valve, restraining cable adjustable for 3'to 5', 180,000 BTU / hr minimum flow capacity		
2	1 ea	<b>CONVECTION STEAMER, GAS</b>	\$25,602.50	\$25,602.50

Item	Qty	Description	Sell	Sell Total
		Vulcan Model No. C24GA10 Convection Steamer, Gas, 2 compartments on 24" cabinet base, (10)12" x 20" x 2-1/2" deep total pan capacity, high output stainless steel steam generator with Timed Smart Drain & PowerFlush, staged water fill, professional controls with 60 minute timer, buzzer for each compartment, & constant steam feature, split water line, stainless steel interior, exterior, frame & flanged feet, electric ignition, 125,000 BTU, CSA Flame, CSA Star, UL EPH Classified		
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation		
	1 ea	Gas type to be specified		
	1 ea	120v/60/1-ph with ground, 300w, 2.0 amps, cord & plug, standard		
	1 ea	Everpure EV979782 ScaleStick Water Filtration System, ScaleStick SC10-11, Twin, (1) ScaleStick SC10-11 Twin Head, (1) CG5-10 carbon block cartridge, (1) SS-10 ScaleStick cartridge, inhibits scale, outlet pressure gauge, 6.0 gpm, 5.0 micron, 1/2" inlet, 1/2" outlet (EV979782)		
	1 kt	T&S Brass HG-4D-48K Safe-T-Link Gas Connector Kit, 3/4" connection, 48" hose, stainless steel braiding with extruded coating, (1) Quick-Disconnect, (1) street "EL", ball valve, restraining cable adjustable for 3'to 5', 180,000 BTU / hr minium flow capacity		
3	1 ea	<b>HD RANGE, 36", 4 OPEN BURNERS</b> Vulcan Model No. V4B36S V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 190,000 BTU, 6" adjustable legs, CSA, NSF	\$11,580.00	\$11,580.00
				
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation		
	1 ea	Natural gas (specify elevation if over 2,000 ft.)		
	1 ea	PRREGN-001 1" NPT pressure regulator with reducer (Natural gas)		
	1 ea	1-1/4" rear gas connection, standard		
	1 ea	Rear gas connection: cap & cover, both ends		
	1 kt	T&S Brass HG-4E-48K Safe-T-Link Gas Connector Kit, 1" connection, 48" hose, stainless steel braiding with extruded coating, (1) Quick-Disconnect, (1) street "EL", ball valve, restraining cable adjustable for 3'to 5', 335,000 BTU / hr minium flow capacity		
4	1 ea	<b>HD RANGE, 18", 2 OPEN BURNERS</b>	\$5,710.15	\$5,710.15

Item	Qty	Description	Sell	Sell Total
		Vulcan Model No. V2B18B V Series Heavy Duty Range, gas, 18", (2) 35,000 BTU open burners, cast iron grates, storage base with cabinet doors, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 70,000 BTU, CSA, NSF		
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Natural gas (specify elevation if over 2,000 ft.)		
	1 ea	PRREGN-001 1" NPT pressure regulator with reducer (Natural gas)		
	1 ea	1-1/4" rear gas connection, standard		
	1 ea	Rear gas connection: cap & cover, both ends		
	1 kt	T&S Brass HG-4E-48K Safe-T-Link Gas Connector Kit, 1" connection, 48" hose, stainless steel braiding with extruded coating, (1) Quick- Disconnect, (1) street "EL", ball valve, restraining cable adjustable for 3'to 5', 335,000 BTU / hr minium flow capacity		
			Subtotal	\$298,267.23
			Total	\$298,267.23

Prices are valid for 10 days unless otherwise noted herein, thereafter reconfirm.

In the event of an increase in U.S. published tariffs resulting in an increase of Singer's cost for Goods that are subject to a Proposal or an order by Customer, Singer may, prior to Customer's payment in full for such Goods, increase the price for such Goods by an amount equal to the increase of Singer's cost.

Unless otherwise noted herein, freight charges are NOT included.

#### Warranties

Manufacturer's standard warranties are included. No other warranty is extended or implied unless otherwise noted herein, and ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW.

#### Taxes

Prices do not include sales nor use tax unless otherwise noted herein. All applicable taxes are subject to the current rate at time of final invoicing and are the responsibility of the customer.

#### Payment Terms

Unless otherwise noted herein, standard payment terms are 50% due at signing of quote and acceptance of terms and conditions, and the remaining balance will be due prior to delivery. Prices are quoted based on check or ACH as a form of payment. Credit card payment may incur a service charge on the total order.

See link to the Terms and Conditions, Return/Cancellation Section for the return and cancellation terms applicable to this Quote.

See link to the Terms and Conditions, Delivery Section, for delivery and shipping terms applicable to this Quote.

See link to the Terms and Conditions, Scope of Work Section, for the scope of Singer's work and exclusions therefrom applicable to this Quote.

Please read this quotation carefully as it is based upon our interpretation of the items being requested. Review this quotation for errors, omissions or inaccuracies of any kind. The customer is responsible to verify all measurements, directions of operation, voltages and utility specifications prior to ordering. Any changes to the above may incur a price adjustment.

TO ACCEPT THE QUOTE AND THE TERMS, AND TO CONFIRM OUR CONTRACT, PLEASE EITHER:

- A. Select the "ACCEPT" button at the bottom of the screen which will prompt you to execute an electronic signature, which we accept. *By executing this Quote and the Contract hereby created, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

- B. Print, sign and return this entire document to your Singer Representative or Copy and Paste this entire document into your confirming acceptance email and send the email to your Singer Representative.

As an authorized representative of the undersigned customer, the undersigned hereby confirms and accepts the terms of the Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, which I hereby confirm on behalf of the Customer, I have reviewed and accepted, and thus confirm and the Contract between the undersigned Customer and Singer intending the undersigned Customer to be legally bound by the terms of the Contract hereby formed.

AS THE AUTHORIZED REPRESENTATIVE OF THE CUSTOMER, I FURTHER CONFIRM THAT ANY PRE-PRINTED TERMS THE CUSTOMER MAY INCLUDE ON ANY PURCHASE ORDER OR CONFIRMATION WILL NOT AMEND THIS QUOTE OR THE CONTRACT AND WILL NOT BE BINDING ON SINGER AND ARE EXPRESSLY EXCLUDED.

If you are an individual, YOU HEREBY CONFIRM THAT YOU ARE OF LEGAL AGE TO CONTRACT IN YOUR JURISDICTION (18 OR 19 DEPENDING UPON YOUR STATE), and are signing and returning this Contract as your voluntary act and deed, intending to be legally bound by this Contract, which includes the above Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, both of which I hereby ACCEPT.

*WE ACCEPT ELECTRONIC SIGNATURES. By executing this Quote and the Contract hereby created, as the authorized representative of the Customer, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, on behalf of the Customer, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

Insert name of customer: \_\_\_\_\_

By (signature): \_\_\_\_\_

Name (print): \_\_\_\_\_

Title (print): \_\_\_\_\_

Date: \_\_\_\_\_



**Get Started Today!**

Apply Now for Flexible Financing with Singer Finance Powered by LEAF!

FINANCE

**Fill Out Our Application at [singerequipment.com/finance](http://singerequipment.com/finance)**

Acceptance: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_