

DATE: 2/20/2025

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00147232

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:  
SCHAMPAGNE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES \_\_\_\_\_

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK \_\_\_\_\_

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK \_\_\_\_\_

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: Bayou Lighting + Elec Supply	
SIGNATURE: (Must be signed here)	TITLE: president
PRINT OR TYPE NAME: Mark VanCamp	
ADDRESS: 7501 Westbank Expressway	
CITY, STATE: Marrero, La.	ZIP: 70072
TELEPHONE: (504) 347-0228	FAX: ( )
EMAIL ADDRESS: mark@bayoulighting.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 2640.00

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147232

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<b>PURCHASE LED PANELS AND LAMPS FOR JEFFERSON PARISH DEPARTMENT OF TRANSIT</b>		
1	40.00	EA	0010 MORRIS 71165D 2'X4' MULTI WATT AND CCT LED FLAT PANEL DTF4U2D4 CCT	\$ 45.00	\$ 1,800.00
2	120.00	EA	0020 SATCO S11664 4" 11.5W SELECT CCT LED LAMP OR SATCO S11665 4" 15W SELECT CCT LED LAMP LT814 B2 CCT  DELIVER TO: JEFFERSON PARISH 960 1ST. STREET GRETN, LA 70053	\$ 7.00	\$ 840.00



## Applications

TCP LED DT Series Luminaires are cost-effective, high-efficiency alternatives to traditional T5, T8 and T12 linear fluorescent troffers. Featuring a slim, low-profile design, our LED DT Series Luminaires use backlit technology to deliver full panel diffusion and superior uniformity that meets or exceeds the output from edge-lit panels. Applications include offices, schools, retail locations, healthcare, hospitality and other T-grid and commercial ceilings.

## Construction

- Rectangular white frame
- Lens: frosted white diffuser
- IP20 rated
- IC rated for direct contact with insulation
- Designed for easy drop into T-bar grid ceilings


## Electrical

- UL/cUL damp location rated
- 0-10V dimming driver (standard)
- LED driver with integrated junction box
- System rated for long 50,000 hour life

## Optics

- Backlit technology provides even, uniform lighting
- 120° beam angle
- Frosted diffuser for reduced glare and aesthetic appeal
- Meets or exceeds the look and performance of edge-lit panels

Item Number	
Notes	Type



### Listings

UL/cUL Listed  
IC Rated  
RoHS Compliant  
DLC 5.1 Standard

### Lumen Maintenance

L70 > 54000 hours

### Warranty

Five year limited warranty against defects in manufacturing.

## Catalog Ordering Matrix Example: DTF4UZD46CCT

FAMILY	LENS TYPE	SIZE	VOLTAGE	DIMMING	WATTAGE <sup>1,2,3</sup>	COLOR TEMPERATURE	OPTIONS	FRAME OPTIONS <sup>5</sup>
DT = Direct Troffer	F = Frosted	4 = 2' x 4'	U = 120-277V	ZD = 0-10V Dimming	29 = 3300 Lumens 39 = 4400 Lumens <b>46 = 5100 Lumens</b> (Wattage Selectable to 46/39/29W)	CCT = 3500/4100/5000K Selectable	BLANK = None EB = Battery Backup <sup>4</sup> CP = Chicago Plenum IS = Integrated Microwave Sensor SM = SmartBox with Sensor NLS = Network Lighting PIR Sensor	BLANK = White Frame BLK = Black Frame
			H = 120-347V <sup>6</sup>			CCT <sup>7</sup> = 3000/4100/5000K Selectable		

<sup>1</sup> Approximate lumen output. Actual performance may vary based on CCT, options selected and end user application.

<sup>2</sup> Actual wattage may differ by +/- 5%; when operating between 120-277V +/- 10%.

<sup>3</sup> 29W and 39W are permanently fixed; 46W is adjustable to 29W or 39W.

<sup>4</sup> ILBCP07ATBTS - 7W battery backup, Title 20 compliant. Battery Backup will operate at highest CCT when activated.

<sup>5</sup> Special frame colors are special order only. Please work with supply chain for lead times.

<sup>6</sup> Not all options are available with 120-347V.

<sup>7</sup> Special order item, contact sales rep for lead time.

### Accessories:

Item Number	Description
YHANGER6PK	Y FIT CABLE HANGER 6 PACK (HANGS 3 UNITS)
DTSK4	SURFACE MOUNT KIT FOR 2X4 PANELS
DTFLK4	RECESS MOUNT FLANGE KIT FOR 2X4 PANELS
ISREMOTE	REMOTE FOR INTEGRATED SENSOR
FPDRV1DD	REPLACEMENT DRIVER FOR 2X4 PANEL

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcp.com

For the most up-to-date specs and warranty information, please visit [www.tcp.com](http://www.tcp.com)



5 YEAR WARRANTY

Not all versions of this product are qualified on the DLC GPL. To view our DLC qualified products, please consult the DLC Qualified Products List at [www.designlights.org/aql](http://www.designlights.org/aql).



## LED SelecT8 Color Selectable


Item#	Description	DLC#	Voltage	LED Watts	NBF System Watts	NBF Lumens	NBF LPW	Color Temp	CRI
<b>TYPE A 120-277V</b>									
LT812A50CCT	LED 12W 4' T8 Type A IS 35-40-50K	T80426CCT	120-277V	12	15	1800	121	3500K/4000K/5000K	80

Item#	Description	DLC#	Voltage	LED Watts	Line Voltage Lumens	Line Voltage LPW	Color Temp	CRI
<b>TYPE B DOUBLE / SINGLE END WIRING 120-277V</b>								
LT814B2CCT	LED 14W 4' T8 2E BYPASS 30-35-40-50-65K	T804BD10CCT	120-277V	13.5	1800/1800/1900/1900/1900	133/133/141/141/141	30K/35K/40K/50K/65K	80

Item#	Description	DLC#	Repl. Fluor. Watts	Line Voltage Watts	Line Voltage Lumens	Line Voltage LPW	NBF System Watts	NBF System Lumens*	NBF System LPW	Color Temp	CRI
<b>TYPE AB 120-277V</b>											
LT815ABCCT	4' GL LED T8 Type AB DE CCT	T804ABD02CCT	32	15	1900	126.7	15	1900	126.7	3500K/4000K/5000K	80


### Color Selectable Switch

LT812A50CCT, LT815ABCCT



### Color Selectable Switch




LT814B2CCT




## Type B Wiring Diagrams

### Double Ended Wiring

LT813B2CCT



### Single Ended Wiring



Complete instructions [tcp.com](http://tcp.com) / Commercial Lighting / Business Resource Center

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | [tcp.com](http://tcp.com)



5 YEAR WARRANTY

To view our DLC qualified products, please consult the DLC Qualified Products List at [www.designlights.org/qpl](http://www.designlights.org/qpl).