



## **Bid Number 50 – 00125051**

Furnish and Install One (1) Walk Through,  
Multi-Zone Metal Detector at the  
Jefferson Parish Second Parish Court

**Jefferson Parish Purchasing Department  
200 Derbigny Street  
General Government Building, Suite 4400  
Gretna, LA 70053**

**Buyer Name: Doris Abraham, Buyer 1  
Buyer Email: [dabraham@jeffparish.net](mailto:dabraham@jeffparish.net)  
Buyer Phone: 504-364-2690**

# State of Louisiana



## State Licensing Board for Contractors

This is to Certify that:

HOMELAND SAFETY SYSTEMS INC.  
223 Clearview Lane  
Benton, LA 71006

is duly licensed and entitled to practice the following classifications

SPECIALTY: FIRE ALARMS; SPECIALTY: FIRE SUPPRESSION; SPECIALTY: SECURITY; SPECIALTY:  
TELECOMMUNICATIONS; SPECIALTY: TOWER CONSTRUCTION



Expiration Date: July 19, 2020

License No: 47822

Witness our hand and seal of the Board dated,  
Baton Rouge, LA 20th day of July 2017

Will S. McCoy Director

Lee Mallett Chairman

Andy Damm Treasurer

This License Is Not Transferrable

**Louisiana State Fire Marshal**  
**Life Safety and Property Protection Licensing & Registration Division**  
**Certificate of Firm Registration**

*The below named firm is hereby certified by and registered with the Office of State Fire Marshal pursuant to L.R.S. 40:1664 ET SEQ. of Life Safety & Property Protection systems:*

**License Number:** *F1040*

**Endorsements:** *Fire Alarm (Non-Required), Security*

**Firm Name:** *HOMELAND SAFETY SYSTEMS, INC.*

**Doing Business As:**

**Mailing Address:** *P. O. BOX 5815*

*BOSSIER CITY, LA 71171*

**Physical Location:** *724 W. 61ST STREET*

*SHREVEPORT, LA 71106*

*This license is not transferable and may be revoked or suspended with cause*

*This license was issued on 4/1/2018 and will expire on 4/1/2019*





# JEFFERSON PARISH

## Department of Purchasing

Michael S. Yenni  
Parish President

Renny Simno  
Director

December 17, 2018

### ADDENDUM # 1

**Bid No.: 50-00125051**

**Original Bid Opening Date: 12-19-18**  
**Postponed to: 1-4-19**

**For: Furnish and Install (1) Walk through Metal Detector**

---

**Q1.** Will you accept other manufacturers metal detectors if features are equivalent to the ones listed on the bid?

- (1) Multi-zone (2) Panel version (3) Four display bars (4) Pacing lights
- (5) 60 localization zones (6) Low voltage DC power (7) RS232 communication
- (8) Anti-tamper on/off switch

**A1.** Yes, those above features along with the attached specifications.

**Note:** Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified along with the specifications.

Sincerely,

Doris Abraham

Buyer Name, Buyer I  
Jefferson Parish Purchasing Department

**Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.**

**This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.**

DATE: 12/13/2018

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00125051

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: HOMELAND SAFETY SYSTEMS, INC.

BUYER: DABRAHAM

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

30 Days

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

1

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

1

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 47822

**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME:

HOMELAND SAFETY SYSTEMS, INC.

SIGNATURE:

(Must be signed here)

TITLE:

SECURITY CONSULTANT

PRINT OR TYPE NAME:

KEVIN TOWNSEND

ADDRESS:

724 W. 61<sup>ST</sup> STREET

CITY, STATE:

SHREVEPORT, LA

ZIP:

71106

TELEPHONE:

(318) 221-8062

FAX:

(318) 550-0413

EMAIL ADDRESS:

kevin.townsend@hssems.com

TOTAL PRICE OF ALL BID ITEMS: \$ 4,436.<sup>40</sup>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00125051

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES   | UNIT PRICE QUOTED                 | TOTALS                            |
|-------------|----------|-----|---|-----------------------------------|-----------------------------------|
| 1           | 1.00     | JOB | <p>Furnish and install (1) Walk Through Metal Detector</p> <p>0010-HI-PE Plus Enhanced Walk-Through multizoned metal detector, panel version, complete with four multi-zone display bars programmable as pacing lights and/or 60 localization zones low voltage DC power, RS-232 communication, anti-tamper on/off switch.</p> <p>Item #: HIPE/PZPLUS</p> <p>WE EXTEND THIS BID TO PROVIDE LABOR, MATERIAL, DELIVERY, EQUIPMENT, PROGRAMMING AND ALL OTHER INCIDENTALS NECESSARY TO SUPPLY AND INSTALL THE ABOVE DETECTOR.</p> <p>SECOND PARISH COURT<br/>100 HUEY P. LONG AVENUE<br/>GRETNA, LA 70053</p> <p>FOR A SITE VISIT AND/OR QUESTIONS PLEASE CONTACT:</p> <p>TIM HOSKINS<br/>504-365-3379<br/>THOSKINS@JEFFPARISH.NET</p> | <p><i>4,436.<sup>40</sup></i></p> | <p><i>4,436.<sup>40</sup></i></p> |



Homeland Safety Systems Inc.  
P.O. Box 5815  
Bossier City, LA 71171-5815  
Tel: (318)221-8062 Fax: (318)550-0413

**Proposal**

**Client Information**

Jefferson Parish Second Parish Courthouse  
Doris Abraham  
Jefferson Parish Purchasing  
200 Derbigny Street Suite 4400  
Gretna LA 70053

**Proposal Number** 504  
**Date** 1/3/2019 **Expires** 2/2/2019  
**Salesperson** Kevin Townsend

| Qty | Description   | Unit Price | Total      |
|-----|---|------------|------------|
| 1   | Beige Garrett Walk-Through Metal Detector M#1168411 | \$3,956.40 | \$3,956.40 |
| 1   | Freight, Training, Programming                      | \$480.00   | \$480.00   |

**Sub Total** \$4,436.40  
**Total This Proposal** \$4,436.40

\_\_\_\_\_  
Please print name here


\_\_\_\_\_  
Please sign name here

\_\_\_\_\_  
Date Approved

# Garrett PD 6500i<sup>®</sup>

Enhanced Pinpoint Walk-Through Metal Detector

Made in the USA 



**Multi-brand compatibility**  
Can be added to existing checkpoints without having to replace other brand units. Includes multiple channels and 2,300 selectable operating frequencies.

**Optimum Performance**  
More than 20 standard program settings scientifically engineered to address the needs of airports, courthouses, prisons, schools, facilities, special events, mass transit, loss prevention, and other applications.

**Advanced broadband technology**  
Analyzes targets across a broad range of frequencies for greater accuracy. Provides superior ferrous and non-ferrous detection. Improved discrimination means fewer false alarms and higher throughput.

**More accurate pinpointing**  
With more than four times the detection coils of competitive models, the PD 6500i provides uniform detection and precise pinpointing. Independent zone indicator lights on both side panels identify not only height but also left, center and right locations for one or more objects passing through the archway.

**Dual-sided detection**  
This unique bilateral technology has transmitters and receivers in each side panel to allow scanning from both sides, resulting in uniform detection throughout the archway. It also provides superior noise cancellation resulting in easier setup (i.e. no need to rotate the unit to avoid interference from nearby equipment such as other metal detectors or x-ray machines).

**Superior versatility**  
Menu based settings for feature selection such as alarm indication, count method, and language without the use of a computer. Field programmable to allow system upgrades. Multiple units can be installed as close as 2 inches.

**International security standards**  
PD 6500i meets the world's highest test certifications, including the following international airports:

**Pacing lights**  
Universal "wait" and "proceed" symbols at the detector entrance for traffic controls.

**Advanced networking (optional)**  
Manage walkthroughs individually or as groups and perform statistical analysis via network with CMA interface module. Supervisors can remotely access controls, visual alarms and statistics.

**Directional counter**  
Four settings for counting patrons: forward only, reverse only, subtract in reverse, and bidirectional.

**PD 6500i<sup>™</sup>**  
Walk-Through Metal Detector

U.S. / INTERNATIONAL  
(shown) Gray  PN 1168414 / 1168424\*

OPTIONAL accessory items for the PD 6500i can be seen at [www.garrett.com](http://www.garrett.com).

\* Includes Euro Plug.

|  |   |  |
|--|---|--|
| <p><b>Tamper-proof</b><br/>All settings are secured with a key lock and two levels of access codes. Further security is accomplished with a cabinet lock that prevents unauthorized access to physical cables, connectors and electronics.</p> | <p><b>Easy assembly</b><br/>The PD 6500i's modular design allows for a quick and simple assembly of its four (4) sub assemblies using only eight (8) screws and three (3) internal cable connections.</p> | <p><b>Digital Signal Processor (DSP) based technology</b><br/>DSP provides greater sensitivity, noise immunity, discrimination, detection uniformity, and overall product reliability.</p> |
|--|---|--|

**Regulatory Information:** The PD 6500i meets U.S. and international regulatory requirements for electromagnetic safety. Extensive research has found no information that would indicate Garrett products have adverse effects on pregnancy, medical devices (such as pacemakers) or magnetic recording media. However, directives by physicians and medical device manufacturers regarding metal detectors should be followed.  
1554400 REV M, Nov 2016 © 2016 Garrett Electronics, Inc.


# Garrett PD 6500i™

Enhanced Pinpoint Walk-Through Metal Detector

## Meets the world's highest test certifications

Garrett's PD 6500i is an industry leader with superior pinpoint technology and unmatched discrimination features. This detector has proven its effectiveness at moving high volumes of patrons through such events such as the Olympic Games, World Cup 2010 South Africa, and the Pan-American Games in Mexico.

The PD 6500i has also been trusted to safeguard international airports, hotels, government buildings, and correctional facilities. With its advanced networking and ability to pinpoint targets in 33 detection zones, the PD 6500i is the walk-through of choice for security professionals worldwide.



Beige  
U.S. / INTERNATIONAL  
PN 1168411 / 1168421\*



|                                       |  |
|---------------------------------------|--|
| Standard Programs                     | Over 20 application programs included  |
| Sensitivity                           | Up to 200 distinct sensitivity levels  |
| Zone Indications                      | 33 independent zones   |
| Overhead Control Unit                 | All electronics—LCD, alarm light, LED bar graph, control touch pads—integrated to eliminate wire exposure.   |
| Tamper-Proof Settings                 | Three access levels of security clearance  |
| Self Diagnostic Program               | Complete and automatic   |
| Zone Sensitivity Boost                | Adjustable in six areas  |
| Battery Pack (optional)               | 10-hour or 30-hour backup available  |
| Warranty                              | 24 months, Limited Parts/Labor   |
| Passageway Interior Size              | Width 30" (0.76 m)<br>Height 80" (2.03 m)<br>Depth 23" (0.58 m)  |
| Overall Exterior Size                 | Width 35" (0.90 m)<br>Height 87" (2.21 m)<br>Depth 23" (0.58 m)  |
| Shipping Size                         | Width 35.5" (0.90 m)<br>Height 91.5" (2.32 m)<br>Depth 6.25" (.16 m)   |
| Shipping Weight                       | 165 lbs. (74 kg)   |
| Temperatures                          | Operating: -4° F (-20° C) to +149° F (65° C)<br>Humidity to 95% non-condensing<br>Storage: -40° F (-40° C) to 158° F (70° C)   |
| Power                                 | Fully automatic 100 to 240 VAC, 50 or 60 Hertz, 45 watts; no rewiring, switching or adjustments needed.  |
| Regulatory Information                | Meets international airport standards such as TSA, ECAC, STAC, AENA, CJIAC, DFT. Meets additional standards and requirements such as USMS, NJ-0601.02, NILECJ. Meets Electrical Safety and Compatibility Requirements for CE, FCC, CSA, IEC, ICNIRP, IEEE. |
| Weatherproofing                       | Meets IP 55, IP 65, IEC 529 Standard for moisture, foreign matter protection   |
| Construction                          | Attractive scratch and mar-resistant laminate. Detection Heads and Support: heavy duty aluminum.   |
| Control Outputs                       | Solid state switches (low voltage AC or DC) for operating external alarms and control devices.   |
| Remote Control (optional)             | Desktop Remote Control with Zone Indication and/or via network with CMA Interface Module.  |
| Networking (optional)                 | Manage individual or groups of walkthroughs and perform statistical analysis of throughput.  |
| Alarm Indicators/Random Alarm Feature | 33 zones, volume-adjustable audible tone, bright LED visual and remote alarms. Random alarm feature; adjustable from 0 to 50 percent.  |



## PD 6500i™ Walk-Through Metal Detector

| U.S.A. / International | Description                    | Color |
|------------------------|--------------------------------|-------|
| 1168414 / 1168424*     | PD 6500i 30" IP 55             | Gray  |
| 1168411 / 1168421*     | PD 6500i 30" IP 55             | Beige |
| 1168418 / 1168425*     | PD 6500i 30" IP 65             | Gray  |
| 1168417 / 1168423*     | PD 6500i 30" IP 65             | Beige |
| 1168416 / 1168426*     | PD 6500i EZL† IP 55            | Gray  |
| 1168412 / 1168422*     | PD 6500i EZL† IP 55            | Beige |
| 1168432 / 1168427*     | PD 6500i 32.5"*** IP 55/ IP 65 | Gray  |
| 1168433 / 1168429*     | PD 6500i 32.5"*** IP 55/ IP 65 | Beige |

Other options available.

\* Supplied with Euro plug.

† EZL—Standard 30" clearance with zone lights on both the entry and exit sides, allowing the operator to view the alarmed object from any position.

\*\* 32" ADA-compliant passageway

PD 6500i is an "Approved Product for Homeland Security" under the SAFETY Act.



1.800.234.6151 (USA and Canada)  
1.972.494.6151

1881 W. State Street  
Garland, TX 75042

Email: security@garrett.com

Made in the USA