

BID REJECTION FORM

Bid number: 50-00124002

Vendor Name: Aluminum Athletic Equipment Co

Reasons for


Rejection: Bid rejected for not providing an original signature on the bid
form.

REVIEWED BY:

Buyer Name: Melissa Ovalle

Date: 9/28/18

Chief Buyer: 

Date: 

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

30 DAYS ARO**LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)** _____**THIS SECTION MUST BE COMPLETED BY BIDDER:**FIRM NAME: ALUMINUM ATHLETIC EQUIPMENT COADDRESS: 1000 ENTERPRISE DRIVECITY, STATE: ROYERSFORD, PA.ZIP: 19468TELEPHONE: (800) 523 5471FAX: (610) 825 2378EMAIL ADDRESS: TOMS@AAESPORTS.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED

SIGNATURE: TOM SYRONTOM SYRON

Printed Name

TITLE: V.P. SALES

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>A ONE-TIME PURCHASE OF VARIOUS ATHLETIC EQUIPMENT FOR THE JEFFERSON PARISH DEPARTMENT OF PARKS AND RECREATION, EAST BANK DIVISION</p> <p>*****</p> <p>THIS BID IS FOR ONE - TIME PURCHASE OF</p> <p>THE ITEMS LISTED. FOR ANY ITEMS THAT INCLUDE A MANUFACTURER NAME, ITEMS WITH EXACT SPECIFICATIONS ARE ACCEPTABLE. IF YOU ARE NOT BIDDING AS SPECIFIED, YOUR BID MUST INCLUDE THE MAKE AND MODEL OF THE ITEM THAT YOU ARE BIDDING AND THE JEFFERSON PARISH RECREATION DEPARTMENT MAY REQUEST A SAMPLE TO ENSURE SPECIFICATIONS MATCH. IF AN ITEM IS A REQUIREMENT OF THE FRANCHISE THAT JPRD PARTICIPATES IN, NO SUBSTITUTES ARE ACCEPTABLE.</p> <p>JEFFERSON PARISH WILL ONLY ACCEPT ONE (1) PRICE PER ITEM, EVEN FOR ITEMS THAT LIST MULTIPLE COLORS AND/OR SIZES. TWO (2) OR MORE PRICES FOR ONE ITEM WILL RESULT IN BID REJECTION. (REFERENCE 1ST PARAGRAPH ON PAGE 2)</p> <p>*****</p>		
1	42.00	DZ	<p>1010 - Baseball Martin SOFT-TEE TB10 Level 1 Synthetic Leather cover: limited flight special wound fiber core level 1 Rated: Reduced injury 3.5-4oz</p>		
2	91.00	DZ	<p>1020 - Riddell BB-FCFLEX Baseball RIF Level 5, ages 8-10, Leather cover, Medium firm polyurethane core.</p>		
3	19.00	DZ	<p>1025 - Baseball Official T-Ball MacGregor #56 Vyntan synthetic leather cover, Low bounce, rubber core, Double stitched seams.</p>		
4	145.00	DZ	<p>1030 - Baseball - as described MacGregor 72 - Official Dixie Baseball Meets Dixie Youth Specs. Cushioned cork center, Alum-tanned cow cover, approved-league and tourney play.</p>		
5	30.00	DZ	<p>1040 - Baseball Wilson A 1062 SST</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
6	38.00	DZ	Official Dixie Youth World Series Approved Ball, Grade B full grain leather cover, red cushioned cork center with dual core technology, Gray wool windings. 1060 - Baseball Baden 2BBG Baseball		
7	21.00	DZ	Pro-1 Baseball with NFHS stamp, Premium Grade A cowhide cover, cushioned cork center, 50 percent wool windings and raised seams 1080 - Baseball Easton Softstitch Safety Ball 11 inch Incrediball Nylon covered with authentic stitching BBSS12		
8	64.00	DZ	1100 - Softball Worth PX11RYLBR .47 C.O.R., 375 Comp, Yellow Pro Leather 11 inch, Pro-tack leather Cover, Polyurethane core, Optic Yellow Cover, 88 red stitch. Official Babe Ruth Softball Tournament & World Series Approved.		
9	29.00	DZ	1102 - Baseball- Softball Worth PX12RYLBR .47 C O R, 375 Comp, Yellow Pro Leather 12 inch, Pro-tack leather cover, Polyurethane core, Optic Yellow cover, 88 red stitch, Official Babe Ruth Softball Tournament and World Series, Approved.		
10	11.00	DZ	1110 - Baseball-Softball Dudley WT12FPNFHS Softball 12 inch yellow leather cover, polyurethane core, Cor. 47, 120 Stitch for fastpitch softball		
11	15.00	ST	1131 - Baseball Equipment Rogers Break-A-Way Base Tops, Set of 3. Specify Release Level: Youth - 10 Sets Adult - 5 Sets		
12	17.00	ST	1160 - Baseball- Base Plugs BBPLUGpk		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	15.00	EA	Big League Base Plugs with Brush Top, Set of 3. 1170 - Dig Out Tool RBSDIGOUT CHAMPION DT10	9.95	149.25
14	17.00	ST	1180 - Bases MCBASE55Y Set of 3 throw down Set of 3 official bases, 15 x 15 x 3, 6 spikes/set, nylon cover, foam inner core		
15	12.00	EA	1190 - Home Plate Home Plate - BBHPXXXXY CHAMPION, BH85 Save a leg home plate, Official size, 5 spikes	29.95	359.40
16	15.00	EA	1200 - Home Plate Home Plate 3 inch solid depth CHAMPION BH88 In-ground home plate, official size, all rubber construction surrounding solid wood base.	68.00	1020.00
17	7.00	EA	1210 - Pitcher Plate Flat Pitcher Plate - Youth CHAMPION BH70 4 x 18 Solid white rubber, includes 3 spikes	16.00	112.00
18	7.00	EA	1220 - Baseball-Pitcher's Plate CHAMPION BH71 4-Sided Youth Pitcher's Plate Official Size - 4 inches by 18 inches Solid White Rubber	49.00	343.00
19	10.00	EA	1230 - Pitcher Plate CHAMPION BH80 Flat Pitcher Plate - Full sized Official size 6 x 24, Solid white rubber, includes 3 spikes	19.95	199.50
20	4.00	EA	1240 - 4-Way Pitcher's Plate Full CHAMPION BH81 Sized Girl Teen Four Way pitchers plate official size 6 inch by 24 inch.	68.00	272.00
21	4.00	EA	1250 - Removable Pitcher's Plate and Anchor System CHAMPION, BH83	62.00	248.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
22	2.00	EA	Slides into anchor system cemented into ground 6 inches by 24 inches regulation BSN-BSIGPPSR 1260 - Pitcher's Plate Ground Anchor CHMPION BH83A	22.00	44.00
23	47.00	EA	1270 - Equipment Bag Champion DB1001 Equipment Bag DB1001 Deluxe equipment bag, made from heavy duty vinyl, wrap around handles with velcro closure. 36 x 13 x 16 COLORS AND QUANTITY: Black (24), Red (16), Royal (5) and Navy (2)	37.85	1778.95
24	18.00	EA	1280 - Champion CB 39 Equipment Bag CB39 Duffle Bag, Heavy weight canvas bag with draw string sewn on heavy weight vinyl bottom	21.00	378.00
25	7.00	EA	1290 - Baseball Equipment Bag DB360 Champion DB360 Deluxe Ball Bag Deluxe Ball Bag, Vinyl coated nylon with heavy duty carrying straps, heavy duty zipper. Two side pockets for extra storage, hard PVC bottom for durability, holds 72 baseballs or 36 softballs COLOR: White	25.55	178.85
26	14.00	EA	1320 - Cather's Mitt Rawlings RCM 315 Catchers Mitt Youth 31.5 in size full grain leather catcher's glove. Single break heel and conventional back. Black mitt with tan trim. Closed Web Pattern, fastback. Exterior slot-pocket to protect index finger. Fits LEFT Hand - Qty 11 Fits RIGHT Hand - 3		
27	10.00	EA	1330 - Catcher's Mitt Rawlings PCM 30T Catchers Mitt (Youth/Teen) Target Model, 33in Black shell, one piece closed shell, orange border, zero shock palm pad, single break heel, available in right hand throw models		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
28	5.00	EA	Fits Left Hand - Qty 10 1340 - Baseball Catcher's Mitt Mizuno GXS90F2 34 inch FP Fast Pitch Catcher's Mitt Double Post Open Web, Closed back with strap, deep pocket design with multiple break. Fits LEFT Hand - Qty 4 Fits RIGHT Hand - Qty 1		
29	28.00	EA	1360 - Catcher's Mask and Helmet Schutt 1035940 Catcher's Mask&Helmet Combo ABS shell with hinge attached wire mask, NOCSAE Approved, improved helmet style, Adjustable strap system. One Size Fits 6 1/2 to 7 1/2 COLOR AND QUANTITY: Black - QTY 5 Royal - Qty 10 Red - Qty 1 Purple - QTY 6 Green - QTY 5 Navy - QTY 1		
30	14.00	EA	1370 - Catcher's Mask Mizuno Youth Samurai G4 No. 380192 Hockey style, youth size 6-3/8 - 7 Three layer EVA foam padding, steel framed mask with rust resistant hardware Adjustable jaw pad, meets NOSCAE standards COLOR AND QUANTITY: Royal - QTY 4 Red - QTY 1 Navy - Qty 8 Purple - QTY 1		
31	10.00	EA	1380 - Baseball Catcher's Mask Mizuno Samurai G4 No. 380191 Hockey Style, Adult size 7 1/8 - 7 5/8, Three layer EVA foam padding, steel framed mask with rust resistant hardware Adjustable jaw pad, Meets NOCASE standards. COLOR AND QUANTITY: Royal - Qty 2 Scarlet - QTY 2 Navy - Qty 6		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
32	23.00	PR	<p>1390 - Shin Guards as described Shin Guards - MacGregor B62</p> <p>Single knee, ages 5-8, 8in shin plate of high-impact ABS, total protection area of 20 in, cantilever shock system 2 in a set</p> <p>COLOR AND QUANTITY: Black - Qty 19 Royal - Qty 4</p>		
33	29.00	PR	<p>1400 - Shin Guards All Star LG912PS</p> <p>(10-12) 13 in shin Guard, hinged double kneecaps for increased area of protection, full-wing ankle protectors, 9 in injection molded shin piece, total protection area of 23 in.</p> <p>COLOR AND QUANTITY: Black - Qty 15 Royal - Qty 10 Navy - Qty 1 Scarlet-Qty 3</p>		
34	10.00	PR	<p>1401 - Baseball Catcher's Leg Guards Easton M7 Youth (10-12)</p> <p>12.75" Shin Guards, Triple Knee Cap, Removable / Washable Bio-Dri inner foam liners.</p> <p>COLOR AND QUANTITY: Black - Qty 2 Navy - Qty 1 Green - Qty 4 Royal - Qty 2 Scarlet - Qty 1</p>		
35	5.00	PR	<p>1410 - Shin Guards as described Mizuno Samurai G3 Shin Guards 15.5 inch</p> <p>#380198 15.5 inch shin guards Flexible protective knee cup, moveable toe cap, detachable/moveable K-Pad for better fit at knees, dry-lite lining for moisture wicking management, stainless steel buckles.</p> <p>COLOR AND QUANTITY: Red/Grey - QTY 3 Navy- QTY 2</p>		
36	3.00	PR	<p>1411 - Baseball Shin Guards Mizuno Samurai G3 Shin Guards 14.5 inch</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
37	4.00	EA	<p>#380200 14.5 inch Shin guards Flexible protective knee cup, moveable toe cap, detachable/moveable K-pad for better fit at knees, dry-lite lining for moisture wicking management stainless steel buckles.</p> <p>COLOR AND QUANTITY: Purple/ Black - Qty 1 Navy - QTY 2</p>		
38	13.00	EA	<p>1422 - Baseball Equipment Diamond DCP-CX XS Chest Protector</p> <p>Tots (Ages 8U); 10 inch body length, high density, foam padding, crotch protection, adjustable harness, side attachment</p>		
39	23.00	EA	<p>1430 - Chest Protector as described Champro CP66 Girls Chest Protector</p> <p>15 inch length Youth Ages 8 to 12 Cut to fit a female body Lightweight low rebound triple density foam cushion system shoulder extensions for full protection</p> <p>COLOR AND QUANTITY: Royal - Qty 8 Black - Qty 3 Navy - Qty 1 Scarlet - Qty 1</p>		
40	17.00	EA	<p>1450 - Chest Protector -as described MacGregor 1298345 Chest Protector</p> <p>Youth (Ages 8-10) Lightweight and durable ribbed foam front with canvas back, adjustable elastic harness.</p> <p>COLOR AND QUANTITY: Black - Qty 9 Royal - Qty 12 Red - Qty 1 Navy - Qty 1</p>		
			<p>1460 - Chest Protector MacGregor 1298406</p> <p>Youth Ages (10-13) Ribbed EVA Foam front Satin covered with matiching color, cotton back snap - off tail feature. Allstar CP30 Pro CP28 COLOR AND QUANTITY: Black - Qty 9</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
41	2.00	EA	Royal - Qty 8 1470 - MacGregor MCB70 Chest Protector, 1298437 (Teen) Satin nylon front with cotton canvas back, adjustable leather and elastic pro harness. COLOR AND QUANTITY: Royal - Qty 2		
42	52.00	EA	1510 - Batter's Helmet Schutt Air Maxx T 5.6 BB Fitted Batters Helmet Made of high impac ABS plastic, Air Maxx Tpu Foam padding system mechanically attached for easy cleaning or replacement. Switch hitter double ear sections curvature conforms to the shape of the face to protect cheekbones and the mastoid areas without interfering with peripheral vision. The Schutt AiR-5.6 Fitted Batting Helmet features a new Shell that maximizes 14-hole ventilation while offering the great fit. Sizes XS-XL Pads are designed to better manage moisture with anti microbial protection against bacteria and odor. The helmet meets NOCSAE standard. SIZE, COLOR AND QUANTITY: EXTRA SMALL: Royal - Qty 2 SMALL: Royal - Qty 2 Black - Qty 3 Navy - Qty 5 Green - Qty 4 Purple - Qty 2 MEDIUM: Royal - Qty 4 Purple - Qty 3 Navy - Qty 5 Green - Qty 4 LARGE: Purple - Qty 1 Navy - Qty 5 Royal - Qty 5 Green - Qty 4 X-Large Royal - Qty 3		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
43	10.00	EA	1520 - Rawlings RCFLFG Bat Helmet with attached SB Mask. High Impact ABS Shell with matching color mask attached NOCSAE approved, double ear design special design to aid in deflection and shock attenuation raised and vented ear hole opening to prevent eardrum blowout, pro dri plus fabric covered foam pads, one size fits 6 1/2 to 7 1/2. Color - Royal		
44	63.00	EA	1530 - Batter's Helmet as described Rawlings RCFH Batting Helmet with attached matching baseball mask. High impact ABS shell, with matching color mask ATTACHED, NOCSAE approved, double ear design, Special design to aid in deflection and shock attenuation, raised and vented ear hole opening to prevent eardrum blowout, pro dri plus fabric covered foam pads, one size fits all. COLOR AND QUANTITY: Royal - Qty 14 Scarlet - Qty 10 Black - Qty 12 Navy - Qty 15 Dark Green - Qty 12		
45	30.00	EA	1540 - Batter's Helmet as described Rawlings CFBH Batting Helmet NO MASK High impact ABS shell, for ages 6-8, NO MASK, NOCSAE approved, double ear design, Special design to aid in deflection and shock attenuation, raised and vented ear hole opening to prevent eardrum blowout, pro dri plus fabric covered foam pads, one size fits all. COLOR AND QUANTITY: Scarlet- Qty 10 Royal - Qty 20		
46	12.00	EA	1550 - Easton Z5 Two Tone Helmet with Mask High impact resistant ABS plastic with faceguard attached, with chin strap snap special design to aid in deflection and shock attenuation, large trapezoid ear hole opening to prevent eardrum blowout, dual density foam padding made of one		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
47	22.00	EA	<p>layer of energy absorbing foam and one layer of comfort fit foam covered with a bio-dri liner NOCSAE approved.</p> <p>SCARLET - Junior QTY 12</p> <p>1560 - Softball Helmet as described Schutt Air 4.2 PT with compatible face mask (softball).</p> <p>Schutt Air 4.2 softball helmet with Air Lite HR Softball Guard ATTACHED. 2 sizes with snaps for shinstraps.</p> <p>Sizes and Quantities: JUNIOR: Royal - Qty 8 Jr Purple- Qty 4 Jr Black - Qty 6</p> <p>SENIOR: Royal - Qty 2 Purple - Qty 2</p>		
48	14.00	EA	<p>1570 - Baseball Batting Helmet Schutt Air Maxx T BB Fitted Batting</p> <p>Helmet TBU Cushioning System better impact absorption, better heat management and better hygienics. TPU Cushioning will not take a compression set, will not break down even after thousands of impacts. TPU Cushioning is virtually impervious to mold, mildew, fungus and bacteria. It is resistant to mold, mildew, fungus and bacteria while providing a barrier against MRSA and staph concerns.</p> <p>COLOR, SIZE, AND QUANTITY: ROYA: LARGE QTY 4 MEDIUM QTY 4 NAVY: LARGE QTY 2 RED: MEDIUM QTY 4</p>		
49	5.00	EA	<p>1590 - Baseball Equipment Easton MLF5 Maple Wood Fungo Bat</p> <p>37 inches North American maple construction; .88 inch handle, Lightweight, wide-barrell design, cupped end,</p> <p>1 each - Red 2 each - Royal 2 each- Navy</p>		
50	9.00	EA	<p>1604 - Easton USA Baseball Youth Bat 2 5/8" barrel USA Baseball Approved 12</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
51	10.00	EA	ounce Drop 1-piece aluminum 25 inches 1605 - Easton USA Baseball Youth Bat 2 5/8 inch barrell, USA Baseball Approved, 12 oz. Drop, 1 Piece aluminum 26 inch		
52	16.00	EA	1606 - Easton USA Baseball Youth Bat 2 5/8 inch barrell, USA Baseball Approved, 12 oz. Drop, 1 Piece aluminum 27 inch		
53	15.00	EA	1607 - Easton USA Baseball Youth Bat 2 5/8 inch barrell, USA Baseball Approved, 12 oz. Drop, 1 Piece aluminum 28 inch		
54	14.00	EA	1608 - Easton USA Baseball Youth Bat Easton USA Baseball Youth Bat 2 5/8 inch barrell, USA Baseball Approved, 12 ounce drop, 1-piece aluminum, 29 inch		
55	14.00	EA	1609 - Easton USA Baseball Youth Bat 2 5/8" Barrel USA Baseball approved 12 ounce drop 1-piece aluminum. 30 inches		
56	6.00	EA	1616 - Easton USA Baseball -Senr League Bat (14int.) 7046 Aluminum alloy 2 5/8" barrel 8 ounce drop one piece design thin handle cushioned grip USA Baseball approved. 28 Inches		
57	6.00	EA	1617 - Easton USA Baseball Senr League Bat (14 int.) 7046 Aluminum alloy 2 5/8" barrel 8 ounce drop one piece design thin handle cushioned grip USA Baseball approved. 29 inches		
58	3.00	EA	1623 - Easton BBS16S400 BBCOR-3 Certified		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	3.00	EA	Aluminum alloy, 2 5/8 inch barrel, one piece design, cushioned grip, 31/32 inch handle, weight minus 3 31 inch 1624 - Easton BBS16S400 BBCOR-3 certified		
60	5.00	EA	aluminum alloy 2 5/8" barrel one piece design cushioned grip 31/32" handle, weight minus 3 32 inches 1627 - Mizuno TB16Finch Softball Bat one piece MZ1300 Aluminum alloy cushioned grip 7/8" tapered handle weight 13 ASA, NSA, USA Approved. 24 inches		
61	5.00	EA	1628 - Mizuno TB16Finch Softball Bat one piece MZ1300 Aluminum alloy cushioned grip 7/8" tapered handle weight 13 ASA, NSA, USA Approved 25 inches		
62	6.00	EA	1629 - Mizuno TB16Finch Softball Bat one piece MZ1300 Aluminum alloy cushioned grip 7/8" tapered handle weight 13 ASA, NSA, USA Approved 26 inches		
63	6.00	EA	1630 - Softball Bat Mizuno TB16Finch Softball bat One piece MZ1300 aluminum alloy, cushioned grip, 7/8 inch tapered handle, weight -13 oz., ASA, NSA, USSSA approved 27 Inches		
64	6.00	EA	1631 - Softball Bat Mizuno TB16Finch Softball bat One piece MZ1300 aluminum alloy, cushioned grip, 7/8 inch tapered handle, weight -13 oz., ASA, NSA, USSSA approved 28 Inches		
65	6.00	EA	1632 - Softball Bat Mizuno TB16Finch Softball bat One piece MZ1300 aluminum alloy, cushioned grip, 7/8 inch tapered handle,		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
66	6.00	EA	weight -13 oz., ASA, NSA, USSSA approved 29 inches 1633 - Softball Bat Mizuno FB16Finch Softball bat One piece MZ2200 aluminum alloy, Cushioned grip, 7/8 inch tapered handle, weight -13, ASA, NSA, USSSA approved 30 inch		
67	3.00	EA	1641 - Easton FS400 (-12) Fastpitch Softball Bat 7050 alloy rolled end cap cushion grip 29/32" tapered handle -12 weight ASA, USA, NSA, ISA AND ISF approved. 28 inches		
68	2.00	EA	1680 - JUGS 9" Pitching Machine Balls (dozen) soft molded rubber, will not harm aluminum bat.		
69	4.00	EA	1690 - Baseball Equipment BSN BS-47743 Baseball Pitcher Protector 3.5 feet by 3.5 feet cutout Made of heavy duty 1.5 inch square 17 gauge galvanized steal pipe, unit is 7 feet high by 7 feet L-Shaped, 2.5mm slip-on pillow case style net, twisted knotted polyethylene		
70	2.00	EA	1700 - Baseball Equipment BSN BS-47750 Softball Pitcher Protector Made of heavy duty 1.5 inch square 17 gauge galvanizeed steel pipe, unit is 7 feet high by 7 feet L-Shaped, 2.5mm slip-on pillow case style net, twisted knotted poeethylene, hole cut for softball delivery		
71	1.00	EA	1710 - Baseball Equipment BSN BS-47743NET Baseball Pitch Protector Replacement Net 7 feet high by 7 feet L-Shaped, 2.5mm slip-on pillow case style net, twisted knotted poeethylene, designed to fit BS-47743 frame		
72	1.00	EA	1720 - BSN BS247750NET Softball replacement net 2.5mm replacement net		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
73	28.00	EA	for use with all 7'x7' wide screen 1750 - Athletic Specialties BBTD Deluxe Batting		
74	83.00	EA	Tee; Rubber tee adjusts from 22 inches to 36 inches; base tube reinforced with metal, riser tube tapers to smaller diameter to allow ball to sit higher on the tee 1760 - Baseball Scorebooks Scorebook Base/Softball. BS MSBASBOK 30 game scorebook with 16 players.		
75	16.00	EA	1770 - Baseball Softball Scorebook MCBIGBOK Base/Softball Scorebook 11 person scorebook with 3 subs for each player, 11 inches by 14 inches 25 games		
76	24.00	EA	1780 - Champro 3-Dial Steel Indicator Stainless Steel indicator, records balls, strikes, outs		
77	110.00	EA	1790 - Athletic Specialties SEBL Baseball Belt. 1" Buckle and tongue "narrow tab" with 1 1/2" elastic adult size, adjustable 22" to 48", 1.5" wide, 7" cowhide leather tab. Navy- QTY 60 Scarlet- QTY 50		
78	15.00	DZ	1800 - Richardson PTS-20 Pulse R-Flex Baseball Cap/per Dozen Shape Midpro, fabric pulse, performance Poly-stretch, visor UForm sweatband, staydri performance stretch, 8 row stitching, embroidered one, two, or three-color lettering applied to hat style to be provided by Recreation Dept. Letter, Crown, Vell and eyelet color to be specified when ordered. Navy Cap, Red Bill, White J trimed Red		
79	6.00	EA	1810 - Schutt Ultimate Travel Tee Schutt Ultimate Travel Tee		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
80	4.00	EA	<p>Durable, portable and lightweight Legs fold for easy storage in bag. Made of aluminum. Flexible smaller rubber top tube allows player to hit more of the ball. Height adjustment from 29 inches to 47 inches.</p> <p>1820 - Baseball Equipment Baseball Pants - AALLBDK2</p> <p>No Belt or fly, Double knee, Set-in pocket. Small</p>		
81	4.00	EA	<p>1821 - Baseball Equipment Baseball Pants - AALLBDK2</p> <p>No Belt or fly, Double knee, Set-in pocket. Medium</p>		
82	4.00	EA	<p>1822 - Baseball Equipment Baseball Pants - AALLBDK2</p> <p>No Belt or fly, Double knee, Set-in pocket. Large</p>		
83	4.00	EA	<p>1840 - Steel Fence Bat Holder TC659 Heavy duty, 10 bat holder, 30 inches</p> <p>long, all steel construction, coated in RED vinyl plastic, hooks on fence, weight 5 pounds</p>		
84	11.00	EA	<p>1860 - Baseball Equipment BSN Windscreen 6 ft. by 20 ft; MT6POLYX</p> <p>7 ounce Weight, Woven polyester made up of 3 ounce Polyester with 4 ounce PVX. Weather-resistant with long life and color retention. Inhibits mildew. 4 ply reinforced hems. Half moon air vents. Grommetted on all 4 sides every 12 inches. SOW S6. Green</p> <p>Color- Dark Green</p>		
85	5.00	EA	<p>1870 - BSN Windscreen BSN Windscreen 6 feet by 50 feet</p> <p>MT6POLYX 1170610 7oz. Weight, woven polyester made up of 3oz. Polyester coated with 4oz PVX. Weather-resistant with long life and</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			color retention, Inhibits mildew, 4-ply reinforced hems, half-moon air vents. Grommetted on all 4 sides every 12 inch. SOW S6		
			Color- Dark Green		
86	7.00	EA	1871 - BSN Windscreen 4' x 50' MT6POLYX Color: Dark Green QTY 6		
			PURPLE QTY 1		
87	7.00	EA	1890 - Roll-Dri Seamless Sponge Roller Water		
			Remover. BS-MTRDMSTR		
88	10.00	DZ	1940 - Baseball Equipment Richardson 740 Visors		
			Heavyweight two layer Pro Mesh fabric. Three panel construction, front 2 1/4 in. Pro sweatband with twill face. Pre curved PE visor with 8 rows of stitching. Mesh back strap with velcro closure. Factory installed raised embroidery letter(s) on front. Crown and visor colors, and lettering to be specified when ordered.		
89	64.00	PK	1950 - 4-Part Line Up Card, 15 players,		
			25 per package		
90	70.00	EA	2010 - Basketball -Womens Baden Element 28.5 Women's		
			Composite Leather Basketball NFHS approved; Advanced microfiber composite cover for greater grip. Wide Channel. Designed for indoor use. Size 6. 28.5 inch. Recessed soft-valve system.		
91	85.00	EA	2020 - Official Mikasa 28.5" Biddy Basketball		
			Black and Gold with Commissioners Signature		
			THESE BALLS MUST HAVE THE COMMISSIONERS SIGNATURE		
92	50.00	EA	2030 - Official Mikasa 27.5" Junior Biddy		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
93	4.00	EA	<p>Basketball Black and Gold 27.5in Official Junior Biddy Basketball with Commissioners Signature</p> <p>THESE BALLS MUST HAVE THE COMMISSIONERS SIGNATURE</p> <p>2040 - Baden Contender 28.5" Official Approved Biddy Basketball</p> <p>Model BX346-Biddy Alternating Black and Yellow Panel Performance Composite Cover for greater grip; Recessed valve system; Wide Channel; Designed for indoor use; size 6; 28 and one half inch Approved for use in Biddy Basketball.</p>		
94	25.00	EA	<p>2050 - Baden Element 29.5 Teen's Composite</p> <p>Leather Basketball NFHS approved; Advanced microfiber composite for greater grip; Wide Channel Recessed soft-valve system. Designed for indoor use; size 7; 29.5 inch.</p>		
95	60.00	EA	<p>2051 - Basketball Equipment-as described Lightweight Basketball for 5/6's</p> <p>Voit Lite 80, 27.5 inch, yellow/orange basketball, rubber construction, 20% Lighter than a standard Junior Size Basketball, indoor/outdoor use.</p>		
96	228.00	EA	<p>2060 - Fox 40 Whistle with mouth guard Fox 40 CMG Whistle with Mouth Guard</p> <p>3-chamber whistle, designed to be heard above crowd noise. The FOX 40 Classic Cushion Mouth Grip. Creates 115 decibels of powerful sound to ensure every call will be heard. A Cushioned Mouth Grip (CMG) enhances the original Fox 40 Classic. Innovative thermoplastic material provides superior grip and protection for teeth. Fail-safe design eliminates the pea, creating a high- pitched penetrating, omni directional sound. No moveable parts to jam, break or freeze. Available in Various Colors Pealess whistle with cushioned grip</p> <p>COLOR AND QUANTITY: Black - Qty 176 each Orange - Qty 25 each</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
97	29.00	DZ	Red - Qty 27 each 2080 - Basketball Equipment as described		
98	3.00	EA	BSN Lanyard per dozen 100 percent nylon lanyard with clamp and swivel available in: Gold, Kelly, Royal Red, White, Black or Maroon COLORS AND QUANTITIES: Black - Qty 29	99.00	297.00
99	7.00	EA	2090 - Basketball Equipment Basketball/Volleyball Cart VBCARTY Champion MCVBCARTY Deluxe model folding volleyball cart. Lightweight aluminum frame. Heavy-duty removable black nylon bin bag, holds up to 20 basketballs or 30 volleyballs. Swivel casters for easy movement. 24.5 inch x 24.5 inch x 35 7/8 inch		
100	62.00	EA	2120 - Inflator - Electric Champion EP1500 Champion EP1500 Champion Sports Heavyweight Professional Deluxe Inflator delivers up to 50 PSI, features a whisper quiet diaphragm, and includes gauge, hose and needle.	68.00	476.00
101	45.00	EA	2130 - Basketball Mesh Equipment Bag Heavy-Duty Mesh Equipment Bag, 32 inch by 36 inch bag holds 10 to 12 balls. Includes clipping drawstring for easy closure. One and one fourth inch mesh polyethylene bag. COLORS AND QUANTITY: Black - Qty 16 Green - Qty 10 Yellow - Qty 10 Purple - Qty 6 Blue - Qty 20		
			2140 - Basketball Scorebook Big Red Gamescraft MSBSKBOK Basketball Scorebook Big Red Basketball Scorebooks are 9 1/4 x 12 inches and wire spiral bound at the side. Scores 30 games with space for 15 players. Check-in for quarters played in separate column from fouls. Alternate possession chart, 2 and 3 point scoring Running score includes space for player		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
102	32.00	EA	number Heavy back cover provides rigid writing surface Directions and examples on how to score 2180 - Basketball Net Anti Whip Net MacGregor SNBBNWIPY		
103	20.00	EA	Heavy-Duty Anti-Whip Net Official size, 12 loop, braided nets. 145 gram, 21in long net designed for all no-tie goals. 2190 - Basketball Jersey Reversible, tank style, Micro mesh, Adult Sizes Tricot Mesh Reversible Jersey. 100% poly 70 denier tricot mesh. Double thickness body. Oversized cut with wide shoulder design. Open bottom for printing. 10 Small 10 Medium		
104	11.00	DZ	2200 - Basketball Scrimmage Vest Lightweight Scrimmage Vest - Dozen BS-C47N Lightweight Numbered Scrimmage Vests are designed for intramural and team play. Reinforced neck and armholes. Elastic waistband. Numbered 1 - 12 front and back. Please specify 1 color per dozen. Packaged in dozens. Adult, one size fits all (Fits Adult S-XL). Colors: COLOR AND QUANTITY: Royal - Qty 4 Dozen Yellow/Gold - Qty 1 Dozen Black - Qty 2 Dozen Green- Qty 2 Dozen Red- Qty 2 Dozen		
105	35.00	EA	2210 - Basketball Officials Shirt BSN C58 Officials Shirt 100% polyester in alternating colors - black and white stripes. Styled with zipper and 1-1/4in black cuff on sleeve end. SIZE AND QUANTITY: Small - Qty 2 Medium- Qty 8 Large - Qty 14 XLarge - Qty 11		
106	4.00	EA	2220 - Basketball Officials Shirt XX-LG Size Extra Extra Large		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
107	30.00	EA	<p>Officials Shirt BSN C58 100% polyester in alternating colors - black and white stripes. Styled with zipper and 1-1/4in black cuff on sleeve end.</p> <p>SIZE AND QUANTITY: XX-LG - QTY 3 XXX-LG- QTY 1</p> <p>2240 - Basketball Dry Erase Board CBBK</p> <p>10 in x 16 in dry-erase board with 1/2 court diagram on one side and full-court diagram on the other side. Includes dry-erase pen with eraser head and built-in storage pocket.</p>		
108	37.00	EA	<p>3010 - Football Helmet Aggressive Revo Speed shell profile;</p> <p>Standard Lightweight facemasks (S2BD-SP, S2EG-II-SP, S2BDC-SP, S2BD-LW-V, S2EG-LW-V, S2BDC-LW-V, S2BD-LW-V(SMALL), S2EG(SMALL). Vinyl encapsulated liner system; patented side impact protection with a premium fitted liner and inflatable jaw S-Pads; Side impact protection; Superior balance for youth through junior high players; Liner components are comfortable and easy to maintain; no rust stainless steel hardware; exclusive high-impact ABS Shell; 3 year warranty. Mid High Hookup soft cup chin strap; Fits all S-Bar face masks. Meet NOCSAE Standard RIDDELL EDGE WITH MASK ATTACHED</p> <p>WHITE SHELL(Color Code 000 - ROYAL MASK) 4 each - Small s2bd-lw-v-Small 4 each - Medium s2bd-lw-v</p> <p>SCARLET SHELL (COLOR CODE 2 NAVY MASK) 2 Small sbd-lw-v 3 Medium s2eg-lw-v</p> <p>GB GOLD (PURPLE MASK) 2 Extra Small s2bd-lw-v 3 Small s2eg-1w-v 3 Medium s2bd-lw-v</p> <p>METALIC ROYAL(WHITE MASK) 5 Extra Small s2eg-11-sp 5 Small s2eg-11-sp</p> <p>BLACK (BLACK MASK)</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
109	20.00	EA	<p>2 SMALL S2EG-LW 3 MEDIUM S2EG-LW 1 LARGE S2EG-LW</p> <p>3030 - Football Equipment as described Schutt AIR Standard II Model 7977 Helmet</p> <p>Youth with mask White helmet is made of lightweight ABS resin and features vinyl-nitrke foam and a comfort fit liner. Gray carbon steel faceguard attached:ROPO-SW-YF. SUREFIT slots accomodate inside-fitting chin straps, with a Schutt Youth Soft Cup Chin Strap.</p> <p>Color: SCARLET HELMET WITH WHILTE MASK SIZE: MEDIUM - 10 LARGE - 10</p>		
110	8.00	EA	<p>3040 - Football Schutt Helmet Schutt Recruit Hybrid Plus Youth Helmet</p> <p>with Mask attached No. 7985...molded colored shell. For Youth through Junior High, this helmet features an ABS plastic shell with a Patented Air Liner System wthat conforms closely to the unique contours of each player's head and on impact , distributes the force of the blow evenly throughout the system, then immediately returns to its original shape. This new design is 12 percent lighter and has the all new Surefit Slots, Available with either OPO or NOPO Youth Flex face guard and includes a high hook-up chin strap. Inflator not included Specify Sizes S(6-1/8 to 6 1/2) M(6-1/2 to 7), L(7to7-1/2), XL(7-1/2 to 8).</p> <p>Surfit slots in Shell allow for inside fitting chin strap to help enhance fit, Belved edge to increase player comfort, Non-Wrap-Around Nose Bumper protects bridge of nose and helps prevent forehead chafing, interchangeable Dual Density Foam Front Sizrs adjust for proper fit , Shell cut bank in front for greater peripheral vision 1" soft jaw pads standard, Universal snap-in Jaw Pad (fit on both right and left snap locations) Saw Toothed Dual Density Foam Back Pad, Dual Density Foam Side Pads adjust for proper fit, Single Air Linear designed for optimum fit and comfort air-loc Liner Adjustment Valve</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
111	3.00	EA	<p>Sizes:</p> <p>Helmet: 4 Medium (6-1/2 to 7) 4 Large (7 to 7-1/2)</p> <p>Molded Helmet Color: Gold</p> <p>Mask Color: Purple.</p> <p>Mask Style: Medium-DNA-ROPO-YF Large-DNA-EGOP-YF</p> <p>3060 - Football Sideline Kit - Model 8500 Y - Youth</p> <p>Includes: 12- Armorguard elite loop straps, 12 Vinylguard loop straps, 12- Plastic chin strap buckles, 1-helmet inflator pump w/ needle, 100-S/S snap screws, 100-S/S long T-nuts, 100-S/S medium T-nuts, 100-S/S short T-nuts, 100-Faceguard screws, 100 Black shoulder pad accessory screws, 1-Yard of 1 inch loop tape, 1-T-nut wrench, 1-Pair of pliers, 1-Standard screwdriver, 1-Phillip screwdriver, 1-Helmetmeasuring tape, 1- Glycerin bottle, 12- shoulder pad laces, 12-barrel lace locks, 24-faceguard washers, 12- 1 inch key hole sticks, 12-1 inch T-hooks, 4-10 inch by 20 inch elastic shoulder pad straps.</p>		
112	4.00	EA	<p>3070 - Universal Jaw Pads- Per Dozen- Athletic Specs. JPMB</p> <p>1/2" SOFT PER PAIR (1) 3/4" SOFT PER PAIR (1) 1" SOFT PER PAIR (1) 1-1/4" SOFT PER PAIR (1)</p> <p>Color : White</p>		
113	10.00	EA	<p>3080 - Football Chin Strap High Hook 4-Point High Hook Up Chin Strap -</p> <p>each Soft cup</p> <p>COLOR: WHITE</p>		
114	27.00	EA	<p>3090 - Football Chin Strap 4-Pt Low Hook Soft cup</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
115	5.00	EA	3091 - Football Equipment -as described Jaw Pad to fit Schutt football helmets. Air Maxx TPU Need following sizes: 5/8 in. - 1 7/8 in. - 1 1 in. - 1 1 1/8 in - 1 1 3/8 in - 1		
116	1.00	PK	3100 - Football Equipment - as described Schutt Hybrid Chin Strap Buckle/Snap 50 per package 1/4" Metal snap for chin straps on helmets.		
117	5.00	EA	3120 - Shoulder Pads BIKE BYSH11 YOUTH RATTLER GENERAL PURPOSE FOOTBALL SHOULDER PAD. 20mm foam padding, Dual thickness in shoulder, Steel spring cantilever arch, Standard body length, 1" elastic straps, Storm proof nylon taffeta lining to disperse moisture, Epaulets held down with webbed straps to improve lateral vision. Size XS 60-79 lbs		
118	6.00	EA	3130 - Shoulder Pads BIKE BYSH11 YOUTH RATTLER GENERAL PURPOSE FOOTBALL SHOULDER PAD. 20mm foam padding, Dual thickness in shoulder, Steel spring cantilever arch, Standard body length, 1in elastic straps, Storm proof nylon taffeta lining to disperse moisture, Epaulets held down with webbed straps to improve lateral vision. Size S 80-99 LBS		
119	18.00	EA	3140 - Shoulder Pads BIKE BYSH11 YOUTH RATTLER GENERAL PURPOSE FOOTBALL SHOULDER PAD. 20mm foam padding, Dual thickness in shoulder, Steel spring cantilever arch, Standard body length, 1in elastic straps, Storm proof nylon taffeta lining to disperse moisture, Epaulets held down with webbed straps to improve lateral vision. Size M 100-119 LBS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
120	18.00	EA	<p>3150 - Shoulder Pads BIKE BYSH11 YOUTH RATTLER GENERAL PURPOSE FOOTBALL</p> <p>SHOULDER PAD. 20mm foam padding, Dual thickness in shoulder, Steel spring cantilever arch, Standard body length, 1in elastic straps, Storm proof nylon taffeta lining to disperse moisture, Epaulets held down with webbed straps to improve lateral vision. Size L 120-139 LBS</p>		
121	7.00	EA	<p>3160 - Shoulder Pads BIKE BYSH11 YOUTH RATTLER GENERAL PURPOSE FOOTBALL</p> <p>SHOULDER PAD. 20mm foam padding, Dual thickness in shoulder, Steel spring cantilever arch, Standard body length, 1in elastic straps, Storm proof nylon taffeta lining to disperse moisture, Epaulets held down with webbed straps to improve lateral vision. Size XL 140-159 LBS</p>		
122	5.00	EA	<p>3170 - Shoulder Pads BIKE BYSH11 YOUTH RATTLER FOOTBALL SHOULDER PADS GENERAL</p> <p>PURPOSE FOOTBALL SHOULDER PAD. 20mm foam padding, dual thickness in shoulder, steel spring cantilever arch, standard body length, 1" elastic straps, storm proof nylon taffeta lining to disperse moisture, Epaulets held down with webbed straps to improve lateral vision. AXLE 160-180LBS</p>		
123	86.00	EA	<p>3230 - Football Pants - 100 Percent polyester double knit, 9 oz. Fabric</p> <p>snap-waist with belt, snaps installed for snap-in pads (hip and coccyx) with attached belt</p> <p>COLOR: GREY SMALL-6 MEDIUM-6 LARGE-6</p> <p>Color: Gold X SMALL - 1 SMALL - 4 MEDIUM- 4 LARGE- 4 XLARGE - 2 XXLARGE- 1</p> <p>Color: Scarlet</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			XSMALL- 2 SMALL - 4 MEDIUM- 2 LARGE - 2 XLARGE - 2 Color: White SMALL - 15 MEDIUM- 15 LARGE - 10		
124	112.00	ST	3240 - Football Pad Set 7 Piece Pad Set - Youth Snap-in set includes: 2 Knee, 2 Thigh, 2 Hip with Adjustable Snap, 1 Coccyx		
125	20.00	ST	3260 - Football Equipment - as described Knee Pads 7 inch knee pad, lightweight biolite, Color: White, Set of 2		
126	43.00	EA	3280 - Football Wilson TDJ GST Minor/Youth Minors & Juniors # 1321 Top grain GST tanned cowhide, triple lining, lockstitch construction, sewn in stripes and ACL composite leather laces.		
127	22.00	EA	3290 - Football Wilson K2 Football (Tot) 1322 Top Grain tanned cowhide , triple lining lockstitch construction, double laced.		
128	11.00	EA	3310 - Football Nike Spiral Tech 3.0 Football - Junior Size 7 (Juniors) Composite Spiral-Tech. All weather compostie leather - Ages 11-12.		
129	31.00	EA	3320 - Football Nike Spiral Tech 3.0 Football - Pee Wee Size 6 (Tots & Minors) Bid no subtitutes Composite Spiral-Tech. All weather compostie leather - Ages 6-10		
130	4.00	EA	3330 - Football Equipment as described Soccer style kicking tee 2 inch rubber, right and left styles		
131	4.00	EA	3340 - Kick Off Tee 2in molded rubber 2" molded rubber, straight-on		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
132	4.00	EA	kicking style 3350 - Football Equipment as described Extra Point Tee 2 inch molded rubber		
133	52.00	EA	3400 - Cones 6 Inch Game Yellow BS-MSCONE Flexible 6in PVC cone with weighted base for stability.		
134	187.00	DZ	3430 - Flag-A-Tag Sonic Boom Flag Belt Featuring Flag-A-Tags plastic socket release system, Sonic belts emit an audible pop to signal the play is dead. Built for institutional use, Flag size: 2 inches wide by 17 and one fourth inches long. 42 INCH - Youth ; 52 INCH - Adult Specify size and color Youth -20 Yellow, 20 Red Youth-10 Red, 10 Yellow Youth - 6 Red , 6 Yellow Youth - 16 Red , 17 Yellow Youth - 15 Yellow, 15 Green Youth - 6 Yellow, 6 Red Youth - 10 Yellow, 10 Red Youth - 10 Yellow , 10 Blue		
135	21.00	EA	3450 - Officials Penalty Flag FBREFFLG Officials Penalty Flag Gold, Regulation size 15 inch x 15 inch nylon with weighted center weight color: Gold		
136	25.00	EA	3460 - Football Equipment - as described Spalding Rookie Gear Football - 5-6 Spalding Number 72650E. Indoor/Outdoor synthetic cover. Weighs 25 percent less than standard youth football. Brown.		
137	47.00	EA	4010 - Soccer Ball Size 3 World Class BSN MCS30005 Machine-stitched, water-repellent synthetic cover withstands intense drills and training sessions. 32 panel construction provides a classic look and reliable performance		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
138	33.00	EA	4020 - Soccer Ball Size 4 Euro 32 Meets NFHS standards, 32 panel, PVC cover, Butyl Bladder, 2-ply backing, machine stitched.		
139	16.00	EA	4030 - Soccer Ball Size 5 Brine International, Size 5, NCAA and NFHS approved, Highest quality handsewn polyurethane cover, soft-touch latex bladder, 2 year warranty		
140	8.00	EA	4040 - Soccer Ball Size 4 Size 4, 32 panels, Butyl Bladder, Nylon Wound, Molded Felt Cover		
141	32.00	PR	4050 - Soccer Shin Guards Youth 7 inch Plastic Shin Guards, Youth 7 inch (Pair) Plastic with foam backing and elastic vel-cro strap		
142	10.00	EA	4060 - Soccer Equipment Plastic Shin Guards Adult 9" (Pair) Adult 9" shin guards , plastic with foam backing and elastic/vel-cro strap.		
143	1.00	ST	4090 - Soccer Indoor Portable Goal SCGOAL5A Alumagoal Standard Indoor 6 and one half feet high by 12 feet wide by 5 feet base; Outside diameter is 1 15/16 inches. 17 guage galvanized steel goal frame; goal folds flat without disassembly or net removal; With permanent protective rubber base sleeve to protect floors; Set includes two goals and two nets.		
144	1.00	PR	4100 - Soccer Equipment - as described SCNETS Indoor Soccer Goal Replacement Nets (Pair). Fits MacGregor STSGINDR Indoor Soccer Goal; 6.5 feet high x 12 feet wide x 4 feet base.		
145	9.00	ST	4110 - Soccer Equipment - as described CHAMPION, CFS-4	69.00	621.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Alumagoal Soccer Corner Flags (4 per set)		
			BSN BS-MSSOCFLGY One piece construction; one half inch diameter; 60 inches high; flexible PVC upright; steel spring base with ground stake; Official Red Flag; Set of four		
146	12.00	EA	5010 - Track Measuring Tape 50 feet AAE, SF15 BSN MSTAP50 ft	14.97	179.64
			50ft/15m Measuring tape,closed reel, vinyl coated fiberglass		
147	10.00	EA	5020 - Track Measuring Tape 100 feet AAE, PF30 BSN MSTAP 100ft. Measuring Tape	17.00	170.00
			100/ft.30m, closed reel, vinyl coated fiberglass		
148	32.00	EA	5030 - Track Fiberglass Measuring Tape AAE, PF100 Port-A-Pit MSTAP 330ft. Fiberglass	27.00	864.00
			Measuring Tape 330ft/90m Measuring tape, vinyl coated fiberglass in shatter proof case, open reel with handle, calibrated in feet and meters		
149	41.00	BG	5040 - Track Spikes AAE 1/8"P-100 Pyramid Track Spikes	7.85	321.85
			One eighth inch 100 per bag		
150	8.00	EA	5050 - Track Spike Wrench - Ratchet for use changing pyramid spikes on		
			track shoes		
151	3.00	EA	5060 - Track Spike Wrench T Handle No moving Parts		
			For use changing pyramid spikes on track shoes		
152	12.00	PK	5100 - MacGregor APLBATON Plastic Relay Baton Color:Yellow Pack of 6 AAE BS-Y/6	12.00	144.00
153	18.00	EA	5120 - Track Countdown Timer SC-502 Robic SC-502 Countdown Timer	21.00	378.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124002

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
154	6.00	EA	Set time from one (1) second to 100 minutes, extra loud alarm signal at zero, one touch memory reset, time-out (pause) timing, large digital display BSN BS MSSTP502		
			6020 - Volleyball MacGregor MCV6600XX top grade full grain leather cover, floating butyl bladder. NFHS approved		
155	21.00	EA	6030 - Volleyball - as described Tachikara SV-MN Volley-Lite Volleyball		
			Volley-Lite regulation size/special weight to assist the novice player to achieve skills necessary for the game without fear of heavy ball impact.		
156	11.00	EA	6040 - Volleyball Baden VX450C Exclusive super soft micro-cell,		
			composite cover over a cushioned fabric center, True shape retention and 2-ply ultimate soft touch. NFHS approved for all competition.		
			COLOR AND QUANTITY: Blue - Qty 5 Scarlet/Royal/White - Qty 6		
157	11.00	EA	6050 - Tachikara SV5WM Volleyball Leather volleyball with floating bladder NFHS Stamped.		

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
ALUMINUM ATHLETIC EQUIPMENT CO
INCORPORATED.

AT THE MEETING OF DIRECTORS OF ALUMINUM ATHLETIC EQUIPMENT CO
INCORPORATED, DULY NOTICED AND HELD ON 8/30/2018,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT TOM SYRON, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.


Ast. SECRETARY-TREASURER

8/30/2018

DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid**AFFIDAVIT****STATE OF** PENNSYLVANIA**PARISH/COUNTY OF** MONTGOMERY

BEFORE ME, the undersigned authority, personally came and appeared: _____

TOM SYRON, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized VICE PRESIDENT OF SALES of ALUMINUM ATHLETIC EQUIPMENT CO (Entity), the party who submitted a bid in response to Bid Number 50-00124002, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

TOM SYRON
Signature of Affiant

TOM SYRON, VICE PRESIDENT OF SALES
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 4th DAY OF September, 2018.

Diana C. Mascaro
Notary Public

DIANA C. MASCARO
Printed Name of Notary
NOTARIAL SEAL
DIANA C. MASCARO, Notary Public
Limerick Township, Montgomery County
My Commission Expires August 17, 2020
Notary/Bar Roll Number

My commission expires _____.

**Request for Taxpayer
Identification Number and Certification**

Give Form to the
requester. Do not
send to the IRS.

Print or type See Specific Instructions on page 2.	Name (as shown on your income tax return) ALUMINUM ATHLETIC EQUIPMENT COMPANY	
	Business name/disregarded entity name, if different from above	
	Check appropriate box for federal tax classification: <input type="checkbox"/> Individual/sole proprietor <input checked="" type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ <input type="checkbox"/> Other (see instructions) ▶ _____	
	<input type="checkbox"/> Exempt payee	
	Address (number, street, and apt. or suite no.) 1000 ENTERPRISE DRIVE City, state, and ZIP code ROYERSFORD, PA 19468-1298	
Requester's name and address (optional) JEFFERSON PARISH PO BOX 9 GRETNA LA 70054-0009		
List account number(s) here (optional)		

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on the "Name" line to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number								
				-				
Employer identification number								
2	3	-	2	2	7	0	6	8

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 4.

Sign Here	Signature of U.S. person ▶ <i>E. Merritt Lentz</i>	V.P. OF SALES ▶	Date ▶ 7/26/12
-----------	--	-----------------	----------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

PLEASE USE AAE BID REF. NO. 180560
WHEN ORDERING!



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000124002 - A ONE-TIME PURCHASE OF VARIOUS ATHLETIC
EQUIPMENT FOR THE JEFFERSON PARISH DEPARTMENT OF PARKS
AND RECREATION, EAST BANK DIVISION**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

30-Aug-2018 10:10:51 AM



Bid Number 50 - 00124002

**A ONE-TIME PURCHASE OF VARIOUS ATHLETIC EQUIPMENT FOR THE
JEFFERSON PARISH DEPARTMENT OF PARKS AND RECREATION,
EAST BANK DIVISION**

BID DUE: September 20, 2018, 2:00 PM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Melissa Ovalle
Buyer Email: movalle@jeffparish.net
Buyer Phone: (504) 364-2687**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

July 2018

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- **Proof of insurance in the form of a current certificate evidencing coverages is required with bid submission.** Bidders must read the insurance requirements attachment included in each bid package for specific instructions. Upon contract execution, successful bidder must produce final insurance certificates in accordance with Jefferson Parish insurance requirements.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

Joseph S. Yenni Building – 1221 Elmwood Park Blvd., Ste. 404, Jefferson, LA 70123
Office 504.364.2678
General Government Bldg. – 200 Derbigny St – Suite 4400 - Gretna, LA 70053
Office 504.364.2678
Email: Purchasing@jeffparish.net Website: www.jeffparish.net

DATE: 8/29/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00124002

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MOVALLE@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 9/20/2018 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

AAE

2017 - 2018 Equipment Catalog



TRACK & FIELD



FOOTBALL & RUGBY



SOCCER



LACROSSE



BASEBALL




SOFTBALL



FIELD HOCKEY



FIELD EQUIPMENT



BALLSTOPPER® NETTING

Keeping Quality in Play
for Over 65 Years

AAEsports.com

TRACK & FIELD



PAGES
6 - 25

SOCCER



PAGES
26 - 29

FOOTBALL & RUGBY



PAGES
30 - 39

BASEBALL & SOFTBALL



PAGES
40 - 45

ame

Made in the USA.



LACROSSE



PAGES
46 - 47

FIELD HOCKEY



PAGES
48 - 49

FIELD EQUIPMENT



PAGES
50 - 57

BALLSTOPPER® NETTING



PAGES
58 - 62

Need we say more?

For over 65 years, Aluminum Athletic Equipment Co. (AAE) has emerged as the leading innovator of high-quality athletic and custom sports equipment manufactured right here in the USA.

We meticulously design sports field products that last season after season for track and field, football & rugby, soccer, baseball & softball, field hockey, and lacrosse programs.

AAE offers sports field equipment for performance levels including high school, college & university,

professional teams, club programs, and recreational leagues. Our collaboration with athletic and facility directors, team managers and coaches allows us to innovate new and custom sports equipment products that reflect the evolving needs of athletes and sports team management. Often times, what's new from AAE becomes the standard in sports programs. We invite you to experience the AAE athletic equipment difference... where quality is always in play.



8-1/2' Framed BallStopper® (self-standing)

The all-aluminum, individual framed units allow for endless configurations to run drills and maximize flexibility of system.

See page 60 for details.



Portable Lacrosse Backstop

Don't let powerful shots on goal injure people or cause property damage. This portable unit is easily set up behind the goal to help minimize dangers.

See page 47 for details.



Bleacher Scorer's Table

There can't be any easier way to create an out-of-the-way scorer's table with a perfect field view than setting up this unit. Just clamp it onto any existing bleacher plank and you're ready to go.


See page 54 for details.



Endzone Platform

This custom designed and fabricated endzone platform system accommodates 60 premium ticket holder seats at Lincoln Financial Field, Home of the Philadelphia Eagles. This luxurious, prime seating is looking to be the new trend in NFL stadiums.

See page 56 for details.



Portable Quarterback Station

This self-contained mobile unit provides your quarterbacks instant target practice wherever they want.

See page 38 for details.



Portable Sideline Shelter

A product your players will be sure to love. This semi-permanent, all-weather team shelter will protect your beloved athletes from the elements of inclement weather. And guess what, it'll protect coach too!

See page 54 for details.

New & Custom Products



Cable Design Baseball Backstop Netting

Utilize existing posts/poles to create a custom backstop for your new or existing field.
See page 42 for details.




Scoreboard Netting System

A netting system designed to protect your outfield scoreboard from ball impact. Netting is easily attached, raised and lowered for ease of use.
See page 43 for details.



Futsal Goal

Want to offer an exciting new sport at your school? Then Futsal might be just what you're looking for... whether indoors or outside.
See page 28 for details.



Portable Outfield Fence

Use for temporary fields or baseball/softball fields without any fencing. Then re-purpose it for your next event's crowd control.
See page 45 for details.



Surface & Field Savers

It's important to protect your track and/or field investment and these covers fit the bill. Available in solid and mesh in a variety of colors & sizes... customizable with your school/team logo.
See pages 25 and 43 for details.



Curtain BallStopper®

This innovative, two-post design not only minimizes impact on turf installation by requiring only two ground sleeves, but also makes opening and closing the net as easy as sliding a curtain.
See page 59 for details.






Track & Field

The world's first aluminum rocker hurdle, invented by company founder John Marzucco in 1949 and patented in 1952, is what started it all. But that was just the beginning for AAE. We soon expanded our line of track and field equipment and pride ourselves as the "best in the business" from our high quality, customization and branding to our customer service. We understand track & field events inside and out.

Track Hurdles

AAE Extended
20-Year
Limited Warranty



High School Rocker Hurdle

- **Exclusive!** UV-Stabilized Polycarbonate ("UVSP") Risers - scratch & fade resistant OmniColor® resins, recessed stainless steel hardware, redesigned push-button notches for smoother height adjustment
- Aerospace aluminum frame with dome welded end caps and self-adjusting weights
- Push-button height adjustment to 30"/33"/36"/39"/42"
- Dual cross support bars
- Standard Lexan board including FREE* custom silkscreen
- **Meets all NFHS specifications**

HSAH **\$120**



Hurdle Carts

- Speeds up event time and ideal for storage
- LHC-41 model holds ten 90°/16 rocker hurdles
- Expanded LHC-41/20 model holds twenty 90° or 32 rocker hurdles

HC-41 **\$1,100**
HC-41/20 **\$1,950**

AAE is the only manufacturer with the technology for UVSP Risers - both a material upgrade that is more durable & a form redesign that out-performs any aluminum tubes.

Welded Single Bar High School Rocker Hurdle

- **Exclusive!** UV-Stabilized Polycarbonate ("UVSP") Risers - scratch & fade resistant OmniColor® resins, recessed stainless steel hardware, redesigned push-button notches for smoother height adjustment
- Aerospace aluminum frame with dome welded end caps and self-adjusting weights
- Push-button height adjustment to 30"/33"/36"/39"/42"
- Quad-welded, single bottom bar with reinforced gussets
- Standard Lexan board including FREE* custom silkscreen
- **Meets all NFHS specifications**

HSAH-III **\$160**



Lane Hurdle Dolly

- Economical design for XLAH hurdles only
- Aluminum channel, welded into u-frame
- Four swivel casters with total wheel lock
- Stack up to 10 XLAH or XLAH-II Hurdles

LHD-XLAH **\$425**



Exclusive dome welded end caps come standard on all AAE hurdles. Superior to typical plastic ones that scatter on the track and never get replaced.

High School 90° Hurdle

- **Exclusive!** UV-Stabilized Polycarbonate ("UVSP") Risers - scratch & fade resistant OmniColor® resins, recessed stainless steel hardware, redesigned push-button notches for smoother height adjustment
- Aerospace aluminum frame with dome welded end caps and self-adjusting weights
- Push-button height adjustment to 30"/33"/36"/39"/42" - XLAH-CP heights modified to 24"/27"/30"/33"/36"
- Flat base, stabilizer bar and reinforced post welded into world's strongest 3-way hurdle frame
- Double-web Lexan board including FREE* custom silkscreen
- **Meets all NFHS specifications**

XLAH-HS **\$180**
XLAH-CP **\$180**



All-Purpose Carriers

- All-aluminum deck has a fluted, non-slip surface & holds up to 36 XLAHs securely
- Four 12" heavy-duty pneumatic wheel casters

AC-12A (6' x 12') **\$2,950**
AC-10A (5' x 10') **\$2,400**
AC-8A (4' x 8') **\$2,100**



Self-adjusting weights are intended to keep the hurdle safely in its own lane when spilled while meeting pull-over requirements at all heights.

AAE Extended
20-Year
Limited Warranty



International/College 90° Hurdle

- **Exclusive!** UV-Stabilized Polycarbonate ("UVSP") Risers - scratch & fade resistant OmniColor® resins, recessed stainless steel hardware, redesigned push-button notches for smoother height adjustment
- Aerospace aluminum frame with dome welded end caps
- Push-button height adjustment to 30"/33"/36"/39"/42"
- Flat base, stabilizer bar and reinforced post welded into world's strongest 3-way hurdle frame
- Moveable weights match hurdle height for consistent pull-over resistance
- Double-web Lexan board including FREE* custom silkscreen - standard 42", but also available in 47" for wider lanes
- **Meets all IAAF®, NCAA®, USATF® and NFHS specifications**

XLAH	\$225
XLAH-47 (47" wide board)	\$255


COLOR CHART

WHITE	CAROLINA BLUE	MEDIUM BLUE	NAVY BLUE
PURPLE	LIGHT GREEN	DARK GREEN	BRIGHT ORANGE
RED	MAROON	YELLOW	TEXAS BROWN
BROWN	BLACK	SILVER	GOLD

Colors shown here are as accurate as printing allows and may appear brighter when seen outdoors. * For minimum quantities only - orders less than minimum may incur additional charges.



The flat-bottomed base effectively "anchors" the hurdle to the track, which helps prevent it from moving into neighboring lanes. Runners on either side of a spilled hurdle are protected.



Exclusive GE Lexan® II is an added feature on every 90° hurdle. Reinforced double-web design absorbs and distributes the force of high impacts.

College 90° Hurdle

- **Exclusive!** UV-Stabilized Polycarbonate ("UVSP") Risers - scratch & fade resistant OmniColor® resins, recessed stainless steel hardware, redesigned push-button notches for smoother height adjustment
- Aerospace aluminum frame with dome welded end caps
- Push-button height adjustment to 30"/33"/36"/39"/42"
- Flat base, stabilizer bar and reinforced post welded into world's strongest 3-way hurdle frame
- Fixed weights
- Double-web Lexan board including FREE* custom silkscreen - standard 42", but also available in 47" for wider lanes
- **Meets all NCAA and NFHS specifications**

XLAH-II	\$190
XLAH-II-47 (47" wide board)	\$210

Customizing your AAE hurdles is as easy as 1-2-3 (and it's FREE*):

1. Choose your riser and stripe colors.

All AAE hurdles include riser (AKA tube) and stripe colors of your choice. Simply use the color chart below to select one for each - they don't even have to match. You can select two different tube colors at no additional charge.

2. Pick your silkscreen color.

A one-color silkscreen of your school name or nickname is included with all official AAE hurdles. See color chart below. Once your custom silkscreen is added to our library of over 7,500 silkscreens, it will be available for future imprinting on hurdle boards or other customizable products at no additional charge.

3. Upgrade with custom artwork.

Add your school logo or mascot logo onto the hurdle boards for a nominal one-time setup fee. Two-color and three-color imprinting is also available for an extra fee.



EXCLUSIVE! Retro Riser Kit

- New interior webbing at key interior points that make them even stronger than aluminum
- Smoother raising and lowering of hurdle risers when adjusting to different hurdling heights
- Colorfast material is fade-resistant
- Featuring OmniColor® resins, custom match school or team colors* beyond standard sixteen colors


RRK

\$30/kit



By adding extra metal along key stress areas, every AAE hurdle tube is reinforced where it counts without adding unnecessary bulk or cost.

Specialty Hurdles



Portable Adjustable Steeplechase Hurdles

- All-white (camouflages spike marks) 1" thick Nuron™ layer encases a 3" x 4" structural aluminum extrusion, which receives a primer coat and a hard enamel finish coat
- Adjustable to both 30" and 36" heights, exclusive pivot device makes it possible for just one person to raise and lower crossbar
- Bottom bar locks the braced legs together to stabilize and secure under the hardest use
- Thru bolts permanently attach crossbar rather than lag bolts, which can loosen over time
- Sets of four include: one 5-meter-wide hurdle and three 4-meter-wide hurdles
- Silkscreening available
- All stainless steel, 1/4" frame and 8" semi-pneumatic Rollaway Steeplechase Wheels also available

PSH-4A (set of 4)	\$7,950
PSH-1A (one only)	\$2,295
RW-PSH (rollaway wheels)	\$425



Exclusive pivot design allows each post to be raised and lowered independently.



Crossbar features an all-aluminum and Nuron™ construction - more durable to spike abuse.



Innovative handle design engages and dis-engages rollaway wheels for easy moving and storage.

Adjustable Water Jump Hurdle

- Heavy-wall 4" sq. aluminum posts inserted into ground sleeves
- Aluminum safety barrier included
- All-white crossbar fabricated of 1" thick Nuron™ layer encases a 3" x 4" structural aluminum extrusion - silkscreening available
- Exclusive pivot post makes it possible for just one person to raise and lower the crossbar to the 30" and 36" heights
- Thru bolts attach crossbar to frame
- Ground sleeves and caps included

WJH-2XA	\$3,350
WJH-FS (use only with WJFS)	\$3,700



Portable Adjustable Water Jump Hurdle

- Heavy-wall 4" sq. aluminum arc-welded frame withstands significant stress
- Aluminum safety barrier included
- All-white crossbar fabricated of 1" thick Nuron™ layer encases a 3" x 4" structural aluminum extrusion - silkscreening available
- Exclusive pivot posts can be raised or lowered independently to 30" and 36" heights
- Thru bolts attach crossbar to frame

PWJH-2XA	\$3,350
-----------------	----------------

Outdoor Curbing

- Structural aluminum tubing is pre-bent to reduce stress on track surface
- Installation only requires from 12 to 24 holes in your track surface, while other systems require literally hundreds of holes to be drilled to keep curb sections in place under tension
- Interlocking joints between 20' sections are precision machined for a snug fit requiring no hardware connectors - allows expansion and contraction for stability under all conditions
- Welded aluminum drain pads raise curb 1/2" off the track surface and allow water and debris to run off freely

3AC (silver mill finish) \$11/linear foot
3AC-S (silver anodized finish) \$14/linear foot

Indoor Curbing

- Features needle spikes rather than positioning posts to keep it in place, so there's no need for drilling holes for installation
- More economical choice because drain pads aren't required indoors (see inset photo on right)
- Units come in approximate 10' lengths


4AC (silver mill finish) \$10/linear foot
4AC-S (silver anodized finish) \$13/linear foot



Curbing Cart

- Makes set-up & removal of curbing a breeze
- Heavy welded aluminum frame construction with pneumatic tires

ACC \$800



AAE Track Curbing is elegant in concept, simple to install and built for permanence. There is no other track curbing like it in the world.

The Track Curbing preferred by more schools, colleges and universities.

AAE was the first to introduce aluminum track curbing, way back in 1959. Since then, we've been imitated, but never duplicated. Maybe that's why so many schools and universities look to AAE for curbing that will last a lifetime. Required by NCAA and IAAF, and recommended by the National Federation of High Schools, our aluminum curbing is preferred for several important reasons.

First, curved sections are pre-bent to fit your track, and stay perfectly aligned, unlike synthetic curbing that tends to "snake out". Drain pads lift the curb 1/2" off the track surface for immediate drainage of water and debris, even in the heaviest rains. Our exclusive center-post mounting system greatly reduces installation labor. Plus, you can accommodate special activities by easily moving any curb section to suit your purposes.



Rotating Track Gates


- Reduces traffic on the inside three lanes and lessens wear-and-tear on track surface
- Made with structural aluminum beams welded to a round vertical post that slips into an aluminum ground sleeve
- Specially designed base has four notches that affix the gate in an open or closed position, so it will not swivel
- RTGL model adds a locking feature with a combination lock, so that only authorized personnel may rotate gates
- Gate extensions, which restrict additional lanes, are also available

RTGL-4 (with locks, set of 4) \$4,650
RTGL (with lock, one only) \$1,200
RTG-4 (without locks, set of 4) \$4,050
RTG (without lock, one only) \$1,050



Our RTGL model features a convenient locking mechanism, which prevents unauthorized individuals from rotating gates.


Pole Vault & High Jump Standards



**AAE
Extended
10-Year
Limited
Warranty**



**AAE
Extended
15-Year
Limited
Warranty**



**AAE
Extended
10-Year
Limited
Warranty**

Premier Pole Vault Standards

- Aerospace aluminum frame won't bend - even when fully extended
- NCAA/IAAF designed for 7' to 21' vaults
- HSX adjusts from 7' to 19'
- Low-profile base with hi-performance rubber wheels for effortless adjustments
- Includes two aluminum runway frames (ARF-52) to help ensure proper standard location
- Heavy duty telescoping upright easily adjusts to clearly marked English and metric units
- High visibility yellow offset arm with multi-height pins for all levels

PVS-HSX (7' to 19')	\$2,350/pr.
PVS-NCAA (7' to 21')	\$2,450/pr.
PVS-IAAF (7' to 21')	\$2,450/pr.
ARF-52 (fits all models)	\$375/pr.

AAE supplies anchoring hardware for securing standards to concrete pads - required by rule. For natural or synthetic turf installations, anchoring hardware is supplied at no charge.

Mega High Jump Standard

- Custom built aluminum outer tube permits inner tube/pad assembly to travel freely
- All heights marked English and metric scale
- Crossbar pad easily adjusts from 3' to 9'
- Sturdy, low-profile base
- Rollaway wheels simplify moving and storage

MJS (3' to 9') \$1,250/pr.



Pole Vault Standard Pads

- Attaches to standard for 72" of added safety
- Premium foam encased in double-coated vinyl
- High visibility yellow
- Heavy-duty, synthetic buckle straps in five locations keep it in place

PVS-PAD \$595/pr.

Regulation High Jump Standard

- Low-profile base supports a 2" box-end aluminum upright
- Marked in English units from 4' to 7' 6" and adjustable to even lower levels
- Meets requirements for competition at all levels, international to lowest scholastic level
- Rollaway wheels make moving easy

RJS (4' to 7' 6") \$650/pr.

Pole Vault & High Jump Crossbars


- Fiberglass shafts with synthetic shock-absorbing plugs on ends for longer life
- Exclusive vinyl end-covers provide anchor points to hold bar secure even in stiff winds

XG5 (14' 10")	\$94
XG4 (13' 1-1/2")	\$92
XG4/5 (set of four - 2 XG4 & 2 XG5)	\$300/set



Pole Vault Pads & Accessories

AAE is the only company that includes Super Side Pads with every Pole Vault Landing Pad purchase!



SPV-32XXL-DF Model Shown



Every AAE Pole Vault Landing Pad features: "White Caution Zone" to assist vaulters of all levels with visually identifying their landing positions prior to impact; "Color ID" - modular units are only ready for use when color competition top is visible (otherwise units are gray); all seams on vinyl-coated mesh tops are welded & quad-stitched for maximum strength; all skirts are 18 oz. double knife-coated vinyl; box-tacked buckling system with military-spec velcro; heavy duty canvas handles; military-spec hardware components; heavy 22 oz. double knife-coated vinyl encasement bottoms.

AAE
Extended
10-Year
Limited
Warranty

SPV-30XL

- 3 Base Units (each 30" x 7' 2" x 13')
- 2 Front Units (each 30" - 18" x 6' 6" x 8' 3")
- 2 Front Units (each 18" x 4' 6" x 9' 7")
- 1 Skirted Breather Cover (21' 6" x 24')
- 2 PVB-32XL Side Pads
- Overall size: 30" x 21' 6" x 24'
- Optional Weather Covers (standard gray)

SPV-30XL \$16,750
SPV-30XL-DF (double front) call for pricing
SWC-30XL Weather Cover \$1,450

SPV-32XL

- 3 Base Units (each 30" x 7' 2" x 13')
- 2 Front Units (each 30" - 18" x 6' 6" x 8' 3")
- 2 Front Units (each 18" x 4' 6" x 9' 7")
- 1 Skirted Top Pad (2" x 21' 6" x 24')
- 2 PVB-32XL Side Pads
- Overall size: 32" x 21' 6" x 24'
- Optional Weather Covers (standard gray)

SPV-32XL \$17,950
SPV-32XL-DF (double front) call for pricing
SWC-32XL Weather Cover \$1,450

SPV-32XXL

- 3 Base Units (each 30" x 7' 2" x 13')
- 2 Front Units (each 30" - 18" x 6' 6" x 8' 3")
- 2 Front Units (each 18" x 4' 6" x 9' 7")
- 2 Front Units (each 18" x 3' x 8' 10")
- 1 Skirted Top Pad (2" x 21' 6" x 27')
- 2 PVB-32XL Side Pads
- Overall size: 32" x 21' 6" x 27'
- Optional Weather Covers (standard gray)

SPV-32XXL \$19,950
SPV-32XXL-DF (double front) call for pricing
SWC-32XXL Weather Cover \$1,650



Altius Vaulting Poles

- Quickly becoming a favorite among vaulters due to performance and affordability
- Fiberglass shaft - provides smooth, consistent bend at lengths 10' to 14' 9" (specify weight)
- Carbon shaft - lighter carry weight & faster runway speeds at lengths 12' 4" to 16' 5" (specify weight)

A (fiberglass models 100-149) \$289 - \$440
AC (carbon models 124-165) \$375 - \$615

visit AAEsports.com or call for more details on poles, pole trees and other accessories



PVP-216-24 Model Shown

Pole Vault Platforms

- Provides a permanent year-round storage area that elevates pad from mud and moisture
- Easily moveable sections make setup and breakdown a simple task - 12 for PVP216-24 model and 14 for PVP216-27 model

PVP216-24 (21' 6" x 24') \$8,900
PVP216-27 (21' 6" x 27') \$9,900



Vault Box Safety Collars

- Additional safety measure around vault box
- Designed, manufactured, and tested to conform to ASTM F2949-12 & F1292-09 standards as required by the NCAA and NFHS
- Sold exclusively for AAE Pole Vault Pads

VBC-S (use with AAE X/XL/XXL pads only) \$650
VBC-L (use with AAE SX pads only) \$650

High Jump Pads & Accessories



IAP-28 Model Shown



AAE High Jump Landing Pads are designed with athlete safety in mind and feature: "Color ID" - modular units are only ready for use when color competition is visible (otherwise units are gray); vinyl-coated mesh tops attach to full 18 oz. double knife-coated vinyl skirts; box-tacked buckling system with military-spec velcro; heavy duty canvas handles; military-spec hardware components; heavy 22 oz. double knife-coated vinyl encasement bottoms.

AAE
Extended
10-Year
Limited
Warranty

AP-26/IAP-28

- 1 Center Unit (26" x 6' x 10')
- 2 Side Units (each 26" x 6' x 10' w/cutout)
- 1 Skirted Breather Cover (10' x 18') for IAP-26
- 1 Skirted Top Pad (2" x 10' x 18') for IAP-28
- Overall size: 26"/28" x 10' x 18'
- Optional Weather Covers (standard gray)

AP-26	\$6,295
AP-28	\$6,695
WC-26 Weather Cover	\$795
WC-28 Weather Cover	\$795

SHJ-26XL/SHJ-28XL

- 2 Center Units (each 26" x 6' x 12')
- 2 Side Units (each 26" x 6' x 11')
- 1 Skirted Breather Cover (12' x 24') for 26XL
- 1 Skirted Top Pad (2" x 12' x 24') for 28XL
- Overall size: 26"/28" x 12' x 24'
- Optional Weather Covers (standard gray)

SHJ-26XL	\$8,450
SHJ-28XL	\$9,250
SWC-26XL Weather Cover	\$1,095
SWC-28XL Weather Cover	\$1,095

SAP-25/SAP-27

- 3 Base Units (each 25" x 5' 6" x 8')
- 1 Skirted Breather Cover (8' x 16' 6") for SAP-25
- 1 Skirted Top Pad (2" x 8' x 16' 6") for SAP-27
- Overall size: 25"/27" x 8' x 16' 6"
- Optional Weather Covers (standard gray)

SAP-25	\$4,450
SAP-27	\$4,850
SWC-25 Weather Cover	\$695
SWC-27 Weather Cover	\$695




HJP10-18X Model Shown

High Jump Platforms

- Elevates and protects your high jump landing pad from the elements
- Four (4) easily moveable sections make setup and breakdown a simple task

HJP8-166 (8' x 16'6")	\$2,950
HJP10-18X (10' x 18' w/cutout)	\$3,200
HJP12-24X (12' x 24' w/cutout)	\$4,900



High Jump Base Pads

- Protect athletes from hitting standard base
- Fabricated of 4" thick foam contained
- Double knife-coated vinyl cover
- Designed for use with AAE High Jump Standards

HJBP	\$495/pr.
------	-----------



All-Purpose Carriers

- Reduces wear and tear on valuable equipment
- AC-S models feature removable side rails

AC-12A (6' x 12')	\$2,950
AC-10A (5' x 10')	\$2,400
AC-8A (4' x 8')	\$2,100
AC-10AS (5' x 10' with side rails)	\$3,100
AC-8AS (4' x 8' with side rails)	\$2,700


For questions and discount pricing, call 800.523.5471



Discus Cages

- All-aluminum 4" dia. posts feature offset design to prevent discus ricochet
- Weather-treated nylon main safety net, 340 psi strength, can be set up and taken down with a simple pulley system
- Optional backup net available to keep onlookers at a safer distance from main safety net
- HS model: (6) posts are used to hoist main safety net 14' x 54'; backup net 7' x 61'
- College model: (8) posts are used to hoist main safety net 20' x 63'; backup net 8' x 92'
- International model: (7) posts are used to hoist main safety net 14' x 63'; backup net 7' x 70'

HSDC (HS)	\$3,650
BN-HSDC (backup net)	\$725
CDC (NCAA)	\$4,500
BN-CDC (backup net)	\$825
IDC (IAAF)	\$3,900
BN-IDC (backup net)	\$800



Discus Cages Swivel Gate Extensions

- Offers more protection for any previously purchased AAE Discus Cage by securing gate frame and attaching additional net
- Structural aluminum frame easily attached to existing end posts with specially designed swivel adapter

HSDC-SGE (set of two)	\$1,950
HSDC-SGE/1 (one only)	\$1,250
CDC-SGE (set of two)	\$2,450
CDC-SGE/1 (one only)	\$1,550



Hammer-Discus Cages



- CHDC model cages meet NCAA rule specifications and IHDC model cages meet IAAF rule specifications, NCAA Recommended Height (RH) model cages meet both NCAA and IAAF
- Aluminum posts have 36" cantilevered offset to secure main safety net, on inside of cage, reducing chance of implements striking framework
- Gate's frame structure features 3/8" thick rubber surface on the complete inside face helping reduce damage to the framework
- Exclusive double-ply net made with 2-1/2" square #820 knotless nylon featuring 800 psi strength used on both the main net and gate nets
- Optional backup net available to be installed outside cage to keep people away from potential "danger zone" near main safety net
- Swinging gates give flexibility of narrowing throwing area for hammer event and meets NCAA rule specifications- accommodates right-handed or left-handed throwers
- Hammer Gate Wheel Locks anchor left, right or both gates in position to avoid accidental movement
- Special "cable-frame" design on outer vertical gate edge to eliminate the framework in the area most frequently struck

NCAA Recommended Height (RH) models only:

- Reflects a recommendation by the 2010-2011 NCAA Rules Committee to achieve a recommended minimum height of 8 meters (26'-3"), which our RH models exceeds with a main net at 9.14 meters high (30') and swivel gates at 10.05 meters high (33'); legal for NCAA/IAAF throws events

CHDC (NCAA)	\$21,500
BN-CHDC (backup net)	\$1,635
CHDC-DUAL (NCAA - dual pad)	\$23,500
BN-CHDC-DUAL (backup net)	\$1,780
CHDC-RH (NCAA/IAAF - single pad)	\$28,350
BN-CHDC-RH (backup net)	\$1,635
CHDC-DUAL-RH (NCAA/IAAF - dual pad)	\$31,495
BN-CHDC-DUAL-RH (backup net)	\$1,780
IHDC (IAAF)	\$23,150
BN-IHDC (backup net)	\$1,635
IHDC-DUAL (IAAF - dual pad)	\$25,550
BN-IHDC-DUAL (backup net)	\$1,780
HDC-GL (gate lock)	\$595

Portable Cages



Completely welded base support (no caps) with internal weight stability.



Reinforced support bracing keeps the portable frame rigid under normal use.

Portable Discus Cages

- All-aluminum 4" diameter posts 14'/17' high with 3' offset meets stringent NFHS & NCAA rules and regulations
- Precisely angled brackets, combined with exact length support braces, allow for a repeatable cage assembly - adds stability and eliminates human error
- Offset eye-bolts secure bottom of net to base
- Main net and backup nets are included

HSDC-P (HS)	\$8,850
CDC-P (NCAA)	\$12,150

Premier Outdoor Throwing Platform

- Versatile outdoor platform designed to be used in conjunction with our Portable Discus Cage for discus events only
- Two identical panels, with recessed handles for lifting, strap together during use
- Each panel features a three-layer construction: a structural aluminum inner core; a 1" thick plywood surface with DuraThrow™ coating; and a synthetic rubber top for minimal friction

POP	\$5,500
------------	----------------

Portable Indoor Weight Cage

- Designed to maintain a constant protective height of 12' (custom heights also available)
- Constructed of completely welded 4" sq. heavy-wall aluminum frames
- Heavy-gauge, double-ply HTPP knotless netting attaches to a seamless welded bar weave
- Includes RW-PIC-35 Outrigger-style Wheels that keep cage raised permanently (1-1/2" off ground) to facilitate everyday moving, includes set of five wheels
- Optional hinged gates available to adjust cage for left or right-handed throwers; Meets 2011-2012 NCAA Rule
- Cage can also be used for the Shot Put Event

PIC-35 (cage & wheels only)	\$13,650
PIC-35-PKG (cage, gates & wheels)	\$17,350
PIC-35-GATES (gates only)	\$5,795/pr.
RW-PIC-35 (wheel upgrade, set of 5)	\$995



Custom fabricated cage (4' added height and 7' 6" added depth) shown at Kansas State University. Call for details and pricing.



Premier Indoor Throwing Platform

- Versatile, top-quality platform for indoor shot put or weight throwing events
- Two identical panels that are strapped together during use
- Each panel features a three-layer construction: a structural aluminum inner core; a 1" thick plywood surface with DuraThrow™ coating; and a

synthetic rubber top for minimal friction

- 1/4" thick rubber pads on bottom of each panel protects flooring and prevents movement
- Four recessed handles on each panel for lifting

PIP (includes one STBC)	\$4,450
--------------------------------	----------------



ShotStopper System - 28" High

- Designed as a protective barrier for the shot event, allowing spectators to corral in stadium fashion
- Panels easily cross over for use behind goals in field hockey venues
- Standard panels measure 2"D x 28"H x 14'L
- All-aluminum, welded design has been optimized for both stability and durability
- Panels share aluminum bases with welded hinge pins
- Padding can be customized with silkscreen at additional cost

SS-70/28 (5 panels)	\$4,095
SS-42/28 (3 panels)	\$2,950



Chalk Stand

- Conveniently store sports chalk near the throwing fields during practice and competition
- Fabricated of 1-3/4" dia. x .125" wall x 54" overall height aluminum post with 1/4" thick welded mounting plate
- Weighted steel base features tilt and roll wheels for maximum mobility
- Acrylic bin - 16" diameter with 6" diameter hand hole - slowly pivots on the aluminum cradle to best angle for individual athletes to reach in
- Hinged wind blocker stays put whether open or closed - customize with your school logo

CS-B	\$795
------	-------



Shot Return Systems

- Creates designated area for participants to retrieve their shot implement rather than walking out into a danger zone
- Constructed of 4" sq. vertical aluminum supports with welded mounting brackets/bases
- Custom return channel tapers from a 30" height down to ground level then brings the shot back up via a 9' slowing ramp
- Pick-up area has rubber-backed stop plate


SRS-50 (50' HS model)	\$1,800
SRS-70 (70' NCAA model)	\$2,100



Laser Throw Sector Finder

- Pinpoint and record implement landings with ultimate precision
- Laser Alignment Base Unit features an aluminum base with leveling pads; welded to precisely 34.92 deg.
- Two laser units with levels in canvas storage bags
- Laser Alignment Markers have reflective tape to increase laser visibility in sunlight
- Carrying Case fits all LTSF kit components in its eggcrate-style foam lining to protect equipment

LTSF	\$595
------	-------



ShotStopper

- Manufactured from pre-bent 2" x 5" structural aluminum tubes
- Bonded 1/4" synthetic surface to cushion and protect implements

SS-60 (three 20' sections)	\$1,450
SS-40 (two 20' sections)	\$1,100



AJC Model Shown

Aluminum Implement Carts

- Rugged, lightweight welded aluminum frame
- Unique poly-top cushions implements and keeps them securely in place
- Front swivel semi-pneumatic wheel casters


AMC (javelin/shot/discus)	\$1,025
AJC (javelin only)	\$1,025
ADC (discus only)	\$1,025
ASC (shot only)	\$1,025



AMC Model Shown

Throwing Equipment


PRODUCT	DESCRIPTION	MODEL	PRICE
	Brass Shot ■ Brass turned on CNC lathe	4KB (women's 4 kg.) 12B (high school men's 12 lb.) 16B (college men's 16 lb.)	\$132 \$144 \$154
	Stainless Steel Shot ■ Stainless steel turned on CNC lathe	4KSS-95 (women's 4 kg.) 12SS-103 (high school men's 12 lb.) 16SS-110 (college men's 16 lb.)	\$135 \$145 \$185
	Cast Iron Shot ■ Solid cast iron, rough cast surface ■ Made to exact weight and specification	4KI (women's 4 kg.) 12I (high school men's 12 lb.) 16I (college men's 16 lb.)	\$40 \$45 \$52
	Steelcase Shot ■ Machine-turned solid steel shell filled with lead to exact weight and specifications	4KS-100 (women's 4 kg.-100 dia.) 4KS-104 (women's 4 kg.-104 dia.) 4KS-108 (women's 4 kg.-108 dia.) 12S-108 (h.s. men's 12 lb.-108 dia.) 12S-115 (h.s. men's 12 lb.-115 dia.) 12S-117 (h.s. men's 12 lb.-117 dia.) 16S-120 (college men's 16 lb.-120 dia.) 16S-125 (college men's 16 lb.-125 dia.) 16S-128 (college men's 16 lb.-128 dia.)	\$70 \$60 \$61 \$84 \$66 \$86 \$99 \$88 \$77
	Hard Shell Plastic Shot ■ Use for practice or indoor competitions since polypropylene holds its shape, even after landing on hard, artificial surfaces	4KP (women's 4 kg.) 12P (high school men's 12 lb.) 16P (college men's 16 lb.)	\$82 \$96 \$112
	Soft Shell Indoor Shot ■ Specially formulated vinyl with 100 times the flex strength of PVC ■ Provides scuff-proof, soft landings on indoor floors - sticks where it lands ■ Shell filled with small lead pellets to exact specified weight	4KP-SN (women's 4 kg.) 12P-SN (high school men's 12 lb.) 16P-SN (college men's 16 lb.)	\$77 \$87 \$115
	Harper's Angels Pink Plastic Discus ■ AAE will donate \$25 to JDRF for each discus sold ■ High impact ABS pink plastic/solid steel rim - 70% rim weight	PWD-HA (women's 1 kg.) PHD-HA (high school men's 1.616 kg.)	\$75 \$80
	Gold Discus ■ Hollow, reinforced ABS white plastic sides ■ Brass rim is 86% of weight for advanced performance	GWD (women's 1 kg.) GHD (high school men's 1.616 kg.) GCD (college men's 2 kg.)	\$180 \$195 \$295
	Blue Star Steel Discus ■ Hollow, reinforced ABS blue plastic sides ■ Stainless steel rims offer sure grip and are 83% of weight for maximum performance	SWD (women's 1 kg.) SHD (high school men's 1.616 kg.) SCD (college men's 2 kg.)	\$115 \$125 \$135
	Hi-Spin Wood Discus ■ Made of hardwood laminated in tight circular pattern with hollow core center design ■ 80% of weight located in sandblasted steel rims	HWD (women's 1 kg.) HHD (high school men's 1.616 kg.) HCD (college men's 2 kg.)	\$95 \$100 \$105
	Wood Discus ■ High strength wood, laminated in circular pattern and solid steel rim	WWD (women's 1 kg.) WHD (high school men's 1.616 kg.) WCD (college men's 2 kg.)	\$52 \$59 \$64
	Plastic Discus ■ High impact ABS plastic ■ Solid steel rim - 70% rim weight	PWD (women's 1 kg.) PHD (high school men's 1.616 kg.) PCD (college men's 2 kg.)	\$65 \$71 \$80
	Rubber Discus ■ Molded of durable solid rubber to regulation size and weight	RWD (women's 1 kg.) RHD (high school men's 1.616 kg.) RCD (college men's 2 kg.)	\$18 \$20 \$22
	Vinyl Discus Carriers ■ Double-stitched, heavy duty knife-coated vinyl carrier ■ Holds two regulation-sized discii ■ Shoulder strap and/or handle for versatile use	VDC (handle only) VDC-S (handle/shoulder straps)	\$25 \$28



Toe Boards

- Synthetic or cast aluminum models both meet all rule specifications
- Available for level or recessed throwing areas
- Custom silkscreen available upon request


STB (level pad)	\$335
ATB (level pad)	\$475
ATBC (depressed pad)	\$475



Aluminum Throwing Circles

- Pre-formed to exact diameters for construction of concrete throwing pads
- Discus circles are 8' 2-1/2" diameter and Shot/Hammer circles are 7' diameter
- Vertical angle becomes the actual wall of the 3/4" recessed throwing circle
- Both models available in 1" x 1" and 2" x 2"

DC (discus, 1" x 1")	\$275
DC-2 (discus, 2" x 2")	\$395
SC (shot/hammer, 1" x 1")	\$260
SC-2 (shot/hammer, 2" x 2")	\$385



Indoor Shot Put Platform


- Durable plywood circle for indoor practice
- Rimmed with a 3/4" aluminum channel
- Padded underneath to protect floors
- Folds up on a hinge for convenient storage
- Ideal for use with our ATBC or STBC Toe Boards (not included)

ISP-4 (platform only)	\$1,350
-----------------------	---------

Synthetic Javelin Stopboard

- Fabricated of 1/2" thick x 2" wide white HDPE, which is chip resistant
- Includes a stainless steel hinge that allows for easy storage


SJS-H	\$425
-------	-------



Throwing Form Systems

- Nominal 10' x 10' x 6" completely welded aluminum concrete form system
- 2" x 2" x 1/4" thick aluminum angle circles
- DFS is 8' 2-1/2" dia. and SHFS is 7' diameter
- Assembles in two (2) halves with Concrete-Flo™ design system grid pattern
- 3/4" offset concrete screed line for discus event
- Drain tubes included to flush water into crushed stone sub-base



DFS (discus)	\$2,250
SHFS (shot/hammer)	\$2,450



Flush Mount Throwing Circles

- Solid 3/4" sq. aluminum bar creates a throwing circle on a concrete pad
- Attaches to concrete with stainless steel hardware via concrete anchors
- 8' 2-1/2" diameter for discus event
- 7' diameter for shot and hammer events

DC-FM (discus)	\$350
SC-FM (shot/hammer)	\$330



Webbed Circles

- Easier installation for contractors - assemble, level, anchor and then pour the concrete pad around it
- 2" x 2" x 1/4" thick aluminum angle circles
- Discus circles are 8' 2-1/2" diameter and Shot/Hammer circles are 7' diameter
- Welded in two halves with angle bracing
- Simple assembly using three bolts and nuts

WDC (discus)	\$800
WSHC (shot)	\$800



Synthetic Hammer-Discus Conversion Ring

- Reduces an existing 8' 2-1/2" discus circle to official 7' diameter for the hammer event
- Made of 3/4" thick x 7" wide white HDPE, will not rot like wood conversion rings
- Quarters interlock by tongue-and-groove design

HDR-S	\$795
-------	-------

Aluminum Javelin Stopboard


- Fabricated of 1/4" thick x 2" wide durable aluminum for minimal maintenance
- Includes a stainless steel hinge that allows for easy storage

AJS-H	\$595
-------	-------

Take-Off Boards & Vault Boxes




ITB-12X




ITB-12



CTB-12X




CTB-12



8" Take-Off Board Systems

- Most popular system for high schools and most colleges not requiring a foul board
- Stainless steel tray houses 8" wide board
- Competition board made of 3/4" all-white reversible Nuron™ jumping surface bolted to structural Aluminum Core
- Factory applied 1/2" thick painted white track surface for CTB-8X (contractor must field apply for CTB-8)
- Both models provide three (3) jumping surfaces for a triple extended life

CTB-8X (with synthetic surface)	\$595
CTB-8 (without synthetic surface)	\$540
NRB-8 (Nuron replacement board)	\$95



16" Take-Off Board Systems

- Designed for lower level competition where a more visible jumping surface is desired
- Stainless steel tray houses 16" wide board
- Competition board made of 3/4" all-white reversible Nuron™ jumping surface bolted to structural Aluminum Core
- Factory applied 1/2" thick painted white track surface for HTB-16X (can be applied to HTB-16 if desired)

HTB-16X (with synthetic surface)	\$840
HTB-16 (without synthetic surface)	\$770
NRB-16 (Nuron replacement board)	\$165

12" Take-Off Board Systems

- Designed for IAAF (ITB) and NCAA (CTB) programs participating at the highest level and provide multiple variations/options in usage
- Stainless steel tray houses 8" wide board
- Competition board made of 3/4" all-white reversible Nuron™ jumping surface bolted to structural Aluminum Core with factory applied 1/2" track surface (painted white) on reverse side of 12X models only
- Blanking Cover with 1/2" black track surface pre-applied on 12X models - all other models must have contractor apply track surface
- White Nuron™ Foul Board with Plasticene and Trowel included with ITB models only
- Synthetic Foul Strip painted yellow included on all models for optional usage
- Leveling mechanism (L models) available to permit further adjustments after installation

ITB-12X (with track surface)	\$995
ITB-12 (without track surface)	\$865
CTB-12X (with track surface)	\$1,150
CTB-12 (without track surface)	\$865
CTB-12X/L (with track surface/leveling)	\$1,450
CTB-12/L (without track surface/leveling)	\$1,250
NRB-8 (Nuron replacement board)	\$95



Vault Box & Covers

- Stainless steel box precisely constructed to official specifications
- Optional stainless steel cover has hinge fittings, which lock into position over cover
- Reinforced cover also available for high traffic areas
- Synthetic surface can be applied to cover
- Optional 3/8" vertical lip can be added to retain contractor's applied surface on cover
- No rusting, warping or splitting

SSVB (box)	\$675
SSVC (cover)	\$575
SSVC-X (reinforced cover)	\$675
SSVC/L (cover/lip)	\$675
SSVC-X/L (reinforced cover/lip)	\$750



Pit Covers & Accessories

Aluminum Pit Cover

- Keep sand dry, clean and in the pit, and add a dimension of safety
- Structural aluminum planks are welded into individual panels
- Recessed top for on-site application of synthetic track surface or synthetic turf
- Panels are custom made to fit your pit and rest on the formed concrete ledge
- Concrete borders without a pre-formed ledge, can use our APC-LEDGE to create a bearing surface to support our APC panels
- Insertion removal tools (four included) allow only authorized personnel to adjust panels
- Optional auxiliary support beams available for high/heavy traffic areas

APC \$34/sq. ft.
APC-LEDGE \$12/linear ft.



Vinyl Pit Covers

- VMPC is vinyl mesh, designed to keep your pit free of debris and other hazards, while permitting water to drain thru
- VSPC is made of a solid vinyl that will keep everything, even water, out of your pit
- Available with velcro pockets (see inset photo) for insertion of plastic sand bags or with weighted chain
- Custom manufactured to your pit dimensions

VMPC (vinyl mesh) \$2.50/sq. ft.
VSPC (solid vinyl) \$2.50/sq. ft.
VSPC-W (solid vinyl, weighted chain) \$2.75/sq. ft.

Portable Indoor Long/Triple Jump Pit

- Perfect alternative to using a sand pit to practice the long jump and triple jump events
- Overall dimensions 6'W x 15'L x 10"H, Rear Wedge Pad 4'H
- Features top breather mesh fabric sewn to 18 oz. double knife-coated vinyl with 22oz. vinyl underlay
- 10" thick urethane foam helps absorb impact and rear wedge foam provides additional safety during jumps

PILTJP \$3,250

Portable Runway Surfaces

- Protects running tracks and synthetic turf from needle spikes by creating a temporary walkway-perfect for high traffic areas
- Fabricated of an unique rubber-polyurethane compound, which stands up to all weather conditions

PRS-8 (8 mm - 5/16") \$2.85/sq.ft.
PRS-10 (10 mm - 3/8") \$3.50/sq.ft.
PRS-12 (12 mm - 1/2") \$3.95/sq.ft.



Pit Forms & Accessories

Pit Form Systems

- Eliminates the expense of concrete - just assemble our form system, level it out, back-fill it, add the sand and you're done
- Manufactured with 12-gauge galvanized steel with reinforced aluminum beams
- Galvanized finishing cap accepts a poured synthetic surface
- Assembles in 8 sections for the H.S. model and 10 sections for NCAA
- Optional Sand Storage Compartment (PFS-SSC) is built into our form system and features a fabricated ledge that divides the main pit from the storage compartment, where sand can be stored to allow the APC covers to sit flush
- Sand Catcher models available as an alternative to our Sand Storage Compartment option, substituting removable, structural aluminum lids around perimeter for sand control

PFS-HS (HS, 3m x 7m)	\$10,850
PFS-NCAA (NCAA, 3m x 9m)	\$11,950
PFS-SSC (sand storage compartment)	\$1,650
PFS-HS-SC (HS w/ sand catcher)	\$14,750
PFS-NCAA-SC (NCAA w/ sand catcher)	\$15,750
PFS-HS-PRS (HS, rubber surface)	\$850
PFS-NCAA-PRS (NCAA, rubber surface)	\$1,150




PFS-HS-SC Model Shown with Optional PRS



Internal joint connections and structural spacers increase durability and support.



Sand Storage Compartment (PFS-SSC) keeps extra sand on-site. Included lid is supported by a bulkhead for no-sag fit.




Optional perforated rubber surface (PRS) inserts along 3 sides of perimeter to trap sand for easy refill.



BEFORE



AFTER



Water Jump Form System

- Minimizes the labor and variables involved with forming and pouring a concrete water jump pit (overall size is 3.66m x 3.66m)
- Consists of three (3) pre-assembled sections with concrete screed angle border inside
- Concrete-Flo™ design system adjoined by reinforced galvanized brackets and aluminum supports with stainless steel hardware



Internal gate valve allows for quick and easy drainage of the water jump pit.

- Front form section includes water-tight sealed drainage system for emptying water after events and remains open during winter months
- Drainage system consists of 4" schedule 40 drainage pipe with accessible shut-off valve and lockable access panel

WJFS \$8,450




Water jump hurdle (WJH-FS) shown features a mounting plate used in conjunction with our Water Jump Form System.


Water Jump Cover

- Simple to set-up and tear-down because it's made in easy-to-carry sections
- 4" sq. structural aluminum beams tapered for smooth fit and added strength
- Aluminum panels feature a recessed top for synthetic track surface application
- Specially engineered side notches accept our Insertion Removal Tool for simple lifting and moving of panels (4 IRTs included)

WJC \$6,950



AAE Extended
15-Year
Limited Warranty



Mach 1

- Top-quality stainless steel unibody rail engineered for extra stability
- Friction-free UHMW glider allows for instant and effortless foot pedal adjustment
- Unique spike pattern grips track better to give sprinters full benefit of a rock-solid start

MACH-1

\$290

Other model starting blocks available. Call for details.

Mach 2

- Top-quality stainless steel unibody rail engineered for extra stability
- Friction-free UHMW glider allows instant and effortless foot pedal adjustment
- Pedals adjust to 4 different angles - up to 20 different settings for each pedal
- Unique spike pattern grips track better to give sprinters full benefit of a rock-solid start

MACH-2

\$395



Block Cart

- Easily move blocks to different starting positions
- Stores up to 10 starting blocks (AAE or others)
- Sturdy welded aluminum frame construction
- Front swivel semi-pneumatic wheel casters
- Heavy duty handle

ABC

\$1,150



Lane Markers

- Thick, low-density polyethylene (20" sq. base, 22" high) with silkscreened black numerals
- Light enough to move easily, yet heavy enough to resist wind
- Nest together for compact storage

LM-8 (set of 8)
LM (one only)

\$925
\$120




Locking Block Cart

- Specially designed hinged stainless steel angle locks in place (see inset above)
- Secures 10 MACH-1 or MACH-2 blocks
- Sturdy welded aluminum frame construction
- Heavy duty handle locks in upright position when not in use

ABC-L

\$1,375



Bell Lap Counters

- Keeps runners aware of "laps-to-go"
- Numerals change with the flip of a lever
- Quality brass bell for "last-lap" signal
- Choice of rollaway base or ground sleeve

BC-B (rollaway base)
BC-S (ground sleeve)

\$775
\$695



Aluminum & Synthetic Batons

Aluminum or unbreakable plastic tubing with safety-rolled edges

- Official weight and size
- Available in variety of colors
- Customize for events

BA (aluminum) \$6.50/ea.
ABA (alum. award) \$168/dz.
BS (synthetic) \$4.50/ea.
ABS (syn. award) \$144/dz.



Starter's Platform

- Structural aluminum frame with a stabilized support rail
- Elevates starter above field for clear visibility to officials and spectators
- Pneumatic wheels are mounted on stainless steel axles and remain on when in use

SP

\$1,208

...To Finish



Judges' Stand can be moved easily from finish line to finish line with the included engaging pneumatic tires, which can be dis-engaged during use.

Premier 5-Step Judges' Stand

- Sturdy and portable option that comfortably accommodates up to 25 officials
- Four double-depth structural aluminum plank steps with an extra large top platform
- Galvanized steel understructure
- Heavy aluminum security rail and crossbracing
- Center-mounted, engaging pneumatic tires with stainless steel axles and handles

TJS-5XL

\$3,595

Official Finish Posts

- Aluminum uprights are 2" x 5" x 1/8" wall with rounded corners for safety
- Powder-coated white for high visibility
- Available with ground sleeve or rollaway base

IFP-B (rollaway base)

\$720

IFP-S (ground sleeve)

\$650



Camera Support Post

- Aluminum structural tubing upright and base with factory-weighted base for added stability
- Welded offset arm features a dual camera mounting bracket
- 4" diameter wheels make relocation a snap
- Use in conjunction with the Lynx timing systems (see page 24 for more info)

CSP-B

\$1,500



AS-8 Model Shown

Award Stands

- Fabricated with aluminum tubing welded into modules that easily bolt together
- Each module has 24" sq. non-slip, rubber top
- Large numbers silkscreened on aluminum placards display the place
- AS-7 and AS-8 models include aluminum frame rear entry steps (see inset photo)

- Custom powder-coating and silkscreening also available for additional charge

AS-3 (3-step)

\$1,500

AS-5 (5-step)

\$2,750

AS-6 (6-step)


\$3,700

AS-7 (7-step)

\$4,325

AS-8 (8-step)

\$5,050


















Championship Award Stand

- Structural aluminum 4' x 10' understructure
- Synthetic 3/8" top surface
- 1/8" sheet aluminum border, powder-coated in color of choice, for school name and/or logo display


AS-C

\$4,200

In memory of our dear friend, Dave Bryan, AAE will donate \$500 to ALS for every AS-C sold

PRODUCT	DESCRIPTION	MODEL	PRICE
	Jumpmaster <ul style="list-style-type: none">Pinpoint magnifying scope eliminates human error and makes tape measures obsoleteDigital metric counter or manual English scale	JMS-1 (digital) JMS-2 (manual)	\$2,150 \$1,700
	Performance Indicators <ul style="list-style-type: none">Displays individual athlete performances for field eventsAluminum frame rotates on round post for easy viewing	PI-B (rollaway base - five digit) PI-B-4 (rollaway base - four digit) PI-WC (weather cover)	\$825 \$765 \$145
	Wind Indicator <ul style="list-style-type: none">Displays wind direction (plus and minus) and speed for officials, spectators and athletesConvenient rollaway base, easy-change digits	WID-3 (3 digits) WID-WC (weather cover)	\$720 \$145
	Crossbar Location Indicator <ul style="list-style-type: none">Identifies the vaulter's desired position for crossbarAll-aluminum frame is mounted to rollaway base	CLI	\$575
	EXCLUSIVE! Open Reel Stainless Steel Tapes <ul style="list-style-type: none">Stainless steel measuring tape has very good visibility and features Flex Top protective sleeve on all tape linesBoth Metric and English (shown in 1/16's) markingsMade in Germany	ORSS-30/100 (30m, 100') ORSS-60/200 (60m, 200') ORSS-100/330 (100m, 330')	\$225 \$275 \$350
	Digital Measuring Wheels <ul style="list-style-type: none">Layout XC courses or confirm a track's accuracyTelescoping aluminum handle and easy rolling 4' wheel	TM-4 (feet and inches) TM-3M (metric)	\$132 \$121
	LYNX Systems <ul style="list-style-type: none">Call for various models and pricing	Lynx Gold System Lynx Silver System Lynx Bronze System (shown)	CALL CALL CALL
	Accusplit Pro Survivor Stopwatch <ul style="list-style-type: none">24-hour timing range, cumulative-split stopwatch1.5-year battery life and water resistant up to 30 metersFive-year, no-proof-of-purchase warranty	A601X	\$26
	Accusplit Eagle Stopwatch <ul style="list-style-type: none">10-hour timing range with dual-split (cumulative and lap)30-event memory, pacer, countdown timer, average-split compute, and fastest/slowest lap	AE625M35	\$49
	Accusplit AX602 Stopwatch <ul style="list-style-type: none">1/100th second, 100 memory, dual split stopwatchthree line LCD display shows current split time, lap time, and running cumulative time/Stroke rate calculator modeTime-of-Day/Date/Alarm mode/Water resistant to 3 ATM	AX602	\$49
	CEI-495 Stopwatch <ul style="list-style-type: none">Lap and cum. splits/100 dual split recallable memoryContinuous event timing/Large 3 row display/10 hours timing range/Stroke/frequency/Time and calendarWater resistant/Available in black or yellow	CEI-495	\$50
	Robic Twelve Memory Chrono <ul style="list-style-type: none">Ultra-precise, multi-mode stopwatch with advanced timekeeping functions yet easy to use1/100 sec resolution/199 lap counter/12 lap/split memory24 hour chronograph/Water resistant to 30 meters	SC-505W (available in blue, red, green, orange, yellow, black & purple)	\$30
	Robic 50 Memory Chrono & Countdown <ul style="list-style-type: none">Combines the two most desired timing functions: a dual split stopwatch with an advanced countdown timer.Record up to 1000 finish times with memory recall of the previous 50	SC-606W	\$40
	Robic 180 Dual Memory Target Timer <ul style="list-style-type: none">Monitors complete training program by comparing actual performance to your desired target goals180 dual memory recall among a host of fitness and training measurement functions	SC-877	\$50
	SEIKO Stopwatch/Printer <ul style="list-style-type: none">Stopwatch Features:<ul style="list-style-type: none">Measurable up to 10 hours with 1/100 of a secondSplit/lap time measurement/Store and recall of up to 300 split/lap timesMemory recall during operation/Large-sized three row display/Time and automatic calendarPrinter Features:<ul style="list-style-type: none">Prints 13 digits per line - large and clearPrinting speed of 1.5 lines per second/Printout selection of split only or lap times/Automatic printout of date & time	S149	\$435

Surface Savers



TFS-ARMOR Model Shown with Optional Custom Graphic

NEW! Surface Savers

- Protects your track and/or turf from wear & tear
- Perfect for saving your track from spectators in and around field events
- Great for protecting natural turf in front of and around batting cage and high-wear areas
- Heavy duty, 14 oz. ArmorMesh cover retains durability, even from cleats, and allows water to drain (available in colors shown below)
- Premium 15 oz. Blanket-Style non-woven, polypropylene material that retains durability, even from cleats (heather-gray only with binding in colors below)
- Weighted around perimeter (see inset photo) - no sandbags or stakes necessary
- Custom graphics printed directly onto the material via the TuffPrint™ process: ultra-durable imaging using premium inks of unlimited color selection and gradient shading

TFS-ARMOR
TFS-BLANKET

\$2.50/sq.ft.
\$2.75/sq.ft.

TFS-BLANKET Model Shown with
Optional Custom Graphic




COLOR CHART




Portable Runway Surface & Cart

- Traditionally used to create better runways for long jump and triple jump competitors
- Protects running tracks and synthetic turf from needle spikes - perfect for high traffic areas
- Fabricated of an unique rubber-polyurethane compound that stands up to all weather conditions
- Available in 10mm (3/8") or 12mm (1/2") thicknesses
- Custom cut to your specified length at these standard widths: 36", 42" or 48"
- Vinyl-coated steel cart with casters & removable handle available to easily load and store heavy rolls of PRS

PRS-8 (8mm - 5/16")	\$2.85/sq.ft.
PRS-10 (10mm - 3/8")	\$3.50/sq.ft.
PRS-12 (12mm - 1/2")	\$3.95/sq.ft.
PRS-CART	\$375



PRS-10 Model Shown




PRS-CART Model Shown



Soccer

As early as 1968, existing customers began approaching AAE for better quality soccer goals than what was currently on the market. And it didn't take long for us to offer a full line of soccer field equipment from permanent and portable soccer goals to corner flags and nets. We even designed the first Rollaway Combination Football Soccer Goal for Georgetown University's rooftop field.

Soccer Goals & Accessories



◀ EUROPA Semi-Permanent International Soccer Goals

- Many teams "state side" increasingly prefer this top-quality international "Box" style football goal that features three (3) rear vertical pole stays with seamless "U" shape groundbar
- Official size (24' wide, 8' high, 6' top and 6' bottom depths)
- Engineered from hi-tech aluminum alloys for maximum durability
- Goal mouth and groundbar fabricated of 4" diameter slotted heavy-wall aluminum extrusion
- Completely welded crossbar incorporated into a one-piece design for stability (no horizontal joints)
- Uprights insert into ground sleeves with welded groundbar hinge attachment
- Three piece groundbar with net clip slot seamlessly attaches net and hinges up and is secured to uprights for any grass/turf maintenance
- Specially designed, heavy-duty UHMW insert at corner joint of main frame provides tight seal that prevents shifting over time
- Slotted extrusions designed to accept MNC Molded Net Clips for quick net attachment and removal - soccer nets sold separately
- Goal face features white powder-coated finish for minimal maintenance

SGR-SP/I


\$4,995/pr.

EUROPA Portable International Soccer Goals ▶

- Gaining popularity in the U.S., this international style soccer goal features small loop stays with seamless "U" shape groundbar
- Official size (24' wide, 8' high, 3' top and 8' bottom depths)
- Engineered from hi-tech aluminum alloys for maximum durability
- Goal mouth and groundbar fabricated of 4" diameter slotted heavy-wall aluminum extrusion
- Completely welded, one piece "L" shape upright and groundbar
- Crossbar and groundbar incorporate one-piece design for stability
- Specially designed, heavy-duty UHMW insert at corner joint of main frame provides tight seal that prevents shifting over time
- Slotted extrusions designed to accept MNC Molded Net Clips for quick net attachment and removal - soccer nets sold separately
- Entire goal features white powder-coated finish for minimal maintenance
- Specially designed Pivot Bar Wheels (included) can remain attached to goal during use and easily engage for moving of goal

SGR-P/I

\$5,950/pr.



Corner Flags

- Red nylon fabric mounted to 1" dia. standard (1-1/2" dia. for ICF-4 models) white PVC 60" high post
- Sold in sets of four

CF-4 (solid steel peg)	\$95/set
CFS-4 (solid steel peg w/spring)	\$105/set
ICF-4 (international ground sleeve)	\$375/set



Soccer Goal Pads

- Designed to fit most any soccer goal upright
- Premium foam encased in double-knife coated vinyl
- Military-grade vinyl adjustable straps attach with heavy-duty plastic buckles

SG-PAD

\$420/pr.



Molded Net Clips

- Simplifies daily net attachment and removal
- Custom molded nylon net clips insert directly into our slotted aluminum extrusions
- Each bag outfits one pair of Semi-Permanent Goals or a single Portable Goal

MNC-60 (60 pieces)

\$33/bag

For questions and discount pricing, call 800.523.5471




Portable Soccer Goals

- Official size (24' wide, 8' high, 3' top and 8' bottom depths) and engineered from hi-tech aluminum alloys for maximum durability
- Large loop stays and groundbar made of 2" sq. slotted heavy-wall aluminum extrusion with rounded safety corners
- Crossbar and groundbar each incorporate a one-piece design (no horizontal joints) for stability
- Goal mouth fabricated of 4" diameter slotted heavy-wall aluminum extrusion, which features a white powder-coated finish for minimal maintenance
- Soccer nets and grounding sand bags sold separately

- Specially designed PVC insert at the corner joint of the main frame provides a tight seal that prevents shifting over time (see inset photo on Club Soccer Goals on next page)
- Slotted extrusions designed to accept MNC Molded Net Clips for quick net attachment and removal - soccer nets sold separately
- Optional Rollaway Wheels (shown above) are 10" pneumatic tires mounted on 3/4" diameter stainless steel axle with all stainless hardware

SGR-P
RW-SG (set of 4)

\$4,650/pr.
\$395




NEW! Futsal Goal

- Official size measures 2M x 3M, with a 1.25M deep rear ground bar
- Front frame is welded in one-piece design, as well as entire ground bar (side and rear), and contoured stays are each one-piece design, all helping stabilize goal
- Goal mouth and ground bars constructed of 2"sq. slotted heavy-duty aluminum extrusion
- Contoured stays are welded of 2" sq. aluminum extrusion with rounded safety corners
- Entire goal features standard white powder-coated finish
- Include MNC net clips for simple net attachment and/or removal
- Includes tilt-n-roll wheel (see inset photo) feature to make moving goals easier
- White futsal net included - also sold separately

SG-FUTSAL-1 (goal)
FN-2.3/2Mx3M (net)

\$1,295/ea.
\$140/ea.

Soccer Goals & Accessories



**AAE
Extended
10-Year
Limited
Warranty**

Club Soccer Goals

- Offer all of the same features as our official size soccer goals, only scaled down for youth and club teams
- For the youngest athletes, SGR-P/12 model measures 12' wide, 6' 6" high, 2' top and 5' 6" bottom depths; SGR-P/18.5 model measures 18' 6" wide, 6' 6" high, 2' top and 5' 6" bottom depths; SGR-P/21 measures 21' wide, 7' high, 3' top and 7' bottom depths, which meets all USSF small-sided game regulations for U10 and under
- Main frame for each size is fabricated of 4" diameter round, slotted heavy-wall aluminum extrusion which accept our MNC Molded Net Clips that make net attachment and removal quick and easy
- Goal mouth has a white powder-coated finish for minimal maintenance
- Specially designed PVC insert at the corner joint of the main frame provides a tight seal that prevents shifting over time
- Large loop stays and a groundbar made of 2" sq. slotted heavy-wall aluminum extrusion with rounded safety corners
- Optional Rollaway Wheels available to make moving the goals easier
- Soccer nets and grounding sand bags sold separately

SGR-P/12 (round - 6' 6" x 12')

SGR-P/18.5 (round - 6' 6" x 18' 6")

SGR-P/21 (round - 7' x 21')

\$3,100/pr.

\$3,350/pr.


\$4,150/pr.

Semi-Permanent Soccer Goals

- Perfect for programs leaving goals up year round
- Official size (24' wide, 8' high, 3' top and 8' bottom depths) and engineered from hi-tech aluminum alloys for maximum durability
- Uprights insert into included aluminum ground sleeves and feature 2" round small loop stays
- Goal mouth fabricated of 4" diameter slotted heavy-wall aluminum extrusion, which features a white powder-coated finish for minimal maintenance
- Standard Molded Net Clips attach via slotted extrusions for quick net attachment and removal - soccer nets sold separately

SGR-SP

\$4,100/pr.



Soccer Nets

- High visibility white, polyethylene braided into 5" sq. mesh - other solid colors also available
- Now available in checkered or striped team colors

SN-3/24 (3mm - 8' x 24')

SN-3/12 (3mm - 6' 6" x 12')

SN-3/18.5 (3mm - 6' 6" x 18' 6")

SN-3/21 (3mm - 7' x 21')

SN-4/24 (4mm - 8' x 24')

SN-6/24 (6mm - 8' x 24')

\$190/pr.

\$210/pr.

\$255/pr.

\$265/pr.

\$260/pr.

\$375/pr.



Soccer Anchor Boxes

- Galvanized steel box - hinged aluminum lid can be topped with your artificial turf
- Stainless steel anchor bar with permanently attached/lockable chain
- Can be used with any style soccer groundbar

SGAB-MF-FBC

\$975/pr.



Groundbar Anchor Bracket

- All stainless steel clamp with inside rubber tips to protect powder-coated gooseneck
- Includes vinyl-coated anchor chain for easy on-field adjustment
- Fits ANY size soccer goal back

SGAB-GP

\$425/pr.



Soccer Anchor Weights

- Portable weight system to anchor portable soccer goals
- Vinyl coated "Caution Yellow", 40 lb. steel weights with integrated hooks to secure groundbar
- Ergonomic handle design

SGW-40

\$475/pr.



Vinyl Sandbag

- 18 oz. vinyl panels measuring 18" x 18" with heavy gauge zipper
- Heavy duty canvas handles attached via Box-X stitch method

VSZ-Y (yellow)

VSZ-Y/4 (yellow/set of 4)

VSZ-W (white)

VSZ-W/4 (white/set of 4)

\$46

\$170

\$46

\$170

For questions and discount pricing, call 800.523.5471

Football & Rugby

In 1965, AAE introduced its own football and rugby goal posts to local schools and universities. Our reputation for designing quality custom equipment is what ultimately spawned our manufacturing of the first portable football goals for the Philadelphia Eagles' summer camps in 1968. And even today, from hinged goal posts to custom end-zone platforms, AAE football equipment can be found in numerous NFL stadiums.



Hinged Football Goals

Hinged Offset Football Goals

Ideal for stadiums used for multiple sports and/or events

Allows maintenance crews to assemble and disassemble goals at ground level - easier and faster to install or remove than other offset goals

Unique hinged base plate permits removal and installation of the goals by following these easy steps:

Simply remove anchoring bolts

Pivot goal forward to lower to ground level

Remove each upright and crossbar

Disengage pin from 3/4" thick steel hinged base plate to detach centerpost

5-foot offset centerpost is fabricated of 5-1/2" diameter steel

Inclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar

Uprights are 20' high (30' for pro model), 4" diameter structural aluminum tubing


Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"

High school and college models feature a white enamel powder-coated finish on the entire goal for minimal maintenance

Pro models are finished with a three-step painting process with a baked enamel Day-Glo® Maroon Yellow finish for even higher visibility

All hardware is galvanized steel


HS	\$9,250/pr.
NCAA	\$9,250/pr.
PRO	\$11,450/pr.
HS/8 (8' offset)	\$9,800/pr.
NCAA/8 (8' offset)	\$9,800/pr.



HSG-PRO Model Shown
Lincoln Financial Field
Home of the Philadelphia Eagles



Unique hinged base plate design makes erecting and dismantling the goal an easier job.



Welded bracket permits a winch and cable to mechanically raise and lower the entire goal.



EXCLUSIVE! The RazeR

- The RazeR is used with AAE hinged style football goal posts to automate the raising and lowering in under 30 seconds
- Constructed of a welded reinforced steel frame
- Powder-coated in a durable safety orange
- Pneumatic wheels make unit completely portable - roll out only when needed
- Includes electric winch with remote and battery holder (battery not included)
- Facilitates replacing torn upright flags and removal of goals

RAZER

\$2,250



Foundation Box & Cover

- Gives offset goals a "finished look" and creates an easy access point to remove goals
- Heavy-duty 12-gauge galvanized steel formed frame with offset angles for turf attachment
- Covers fabricated of 11-gauge aluminum with welded structural reinforcements
- Includes two box frames, two pairs of half covers and two full covers

FBC-GA/ASG (ASG goals)

\$1,450/pr.

FBC-GA/HSG (HSG goals)

\$1,650/pr.

For questions and discount pricing, call 800.523.5471




Offset Football Goals

Offset Football Goals

- Six-foot offset centerpost is fabricated of 5-1/2" diameter zinc-coated and primed steel
- Welded 3/4" thick steel plate for ground anchoring
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights (30' for pro model) are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover provides easy access for goal removal
- Custom centerpost powder-coating available for additional cost

ASG-HS	\$8,100/pr.
ASG-NCAA	\$8,100/pr.
ASG-PRO	\$8,450/pr.


AAE
Extended
25-Year
Limited
Warranty



ASG-NCAA Model Shown



Want perfectly aligned uprights every time? No need for "gimmicky" adjustable upright features with your AAE goals.




Exclusive "C Channel" design increases strength and durability.



Specially engineered sub-surface plate eliminates ground sleeves

Offset Football Goals

AAE
Extended
25-Year
Limited
Warranty



ASG-HS/8 Model Shown with Optional Powder-coated Centerpost

8 Ft. Offset Football Goals

- Greater offset accommodates other sports goals underneath the crossbar
- Eight-foot offset centerpost is fabricated of 5-1/2" diameter zinc-coated and primed steel
- Welded 3/4" thick steel plate at bottom of centerpost for ground anchoring
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights (30' for pro model) are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for high school, while the college and pro models are 18' 6"
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover kits make accessing the goal foundation plates for removal a simple task
- Custom centerpost powder-coating available for additional cost

ASG-HS/8	\$8,650/pr.
ASG-NCAA/8	\$8,650/pr.
ASG-PRO/8	\$9,000/pr.



Goal Post Pads

- Designed to fit most any goal post
- Provide additional safety on the field
- Premium foam - 4" and 6" thick x 78" high - encased in double-knife coated vinyl
- Velcro flap allows for simple installation
- Available in blue, red, green, yellow, navy blue, orange, black and maroon (see below)

A velcro flap that runs the entire length of the pad guarantees a secure fit.

- Other colors are also available - call for details
- Silkscreen your school initials or nickname for an additional charge

GP4R (4" thick)	\$650/pr.
GP6R (6" thick)	\$795/pr.

COLOR CHART

	BLUE		GREEN		NAVY BLUE		BLACK
	RED		YELLOW		ORANGE		MAROON

Other colors also available - call for details.
Colors shown here are as accurate as printing allows.
Colors appear brighter on products when seen outdoors.


For questions and discount pricing, call 800.523.5471



Spring-loaded pin makes for a quick transition in a matter of seconds.



Hinged baseplate allows for easy raising and lowering of goal.



AAE
Extended
25-Year
Limited
Warranty

Hinged 180° Rotational 8' Offset Football Goal Posts

- Goal post rotates 180° in opposite direction to remove football crossbar from interfering with soccer game play - only used when football and soccer share the same end line
- Hinged baseplate design allows for easy raising and lowering of assembled goal post
- Standard 8' offset gooseneck to accommodate our soccer goal's groundbar
- Eight-foot offset centerpost (gooseneck) is fabricated of 5-1/2" diameter zinc-coated and primed steel; 6' Offset/Custom upright heights available upon request
- Welded 3/4" thick steel plate with ribs for ground anchoring
- Exclusive "C-Channel" provides 4' additional welded support for attaching 5-1/2" diameter heavy-wall aluminum crossbar
- 20' high uprights are made of 4" diameter structural aluminum tubing
- Specially engineered sub-surface plate allows easy installation and adjustments - no ground sleeves
- Uprights spaced 23' 4" apart for High School, while the NCAA model is 18' 6" apart
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance

HSG-HS/8-180

\$10,750/pr.

HSG-NCAA/8-180


\$10,750/pr.

Expandable Offset Football Goals


- Perfect for facilities that hold both high school and college games
- Innovative crossbar design that, in a matter of minutes, adjusts the uprights to either the official high school or official NCAA width
- Unique Safety Guide is a slot/groove design made of UHMW, preventing upright rotation while bolts are removed for adjustments
- Six-foot offset centerpost is fabricated of 5-1/2" diameter steel
- Exclusive "C-Channel" attaches to the 5-1/2" diameter heavy-wall aluminum crossbar
- All hardware is galvanized steel
- Entire goal features a white or yellow powder-coated finish for minimal maintenance
- Optional FBC Foundation Box & Cover provides easy access for goal removal

ESG
ESG/8 (8' offset)

\$10,350/pr.
\$10,900/pr.



ESG/8 Model Shown



AAE's Safety Guide prevents uprights from rotating during adjustment stages.

Specialty Football Goals




SFG-PRO Model Shown
Atlantic Health Jets Training Center

Suspended Football Goal Post

- Furnish your indoor facility with our quality designed suspended football goal post
- Similar to our offset style goal posts minus the gooseneck
- Features a stainless steel internal tube with welded structural eyelet
- Goals are manufactured with 4" diameter aluminum tubing for uprights and 5-9/16" diameter heavy-wall aluminum crossbar with welded inserts
- Choose from three (3) models: HS model features 23'-4" upright spacing with 20' uprights; NCAA model features 18'-6" upright spacing with 20' uprights; and PRO model features 18'-6" between uprights and 35' uprights
- Durable powder-coated finish is standard and available in high visibility White, Yellow and Day-Glo® Saturn Yellow

SFG-HS	\$3,195/ea.
SFG-NCAA	\$2,995/ea.
SFG-PRO	\$3,595/ea.



U.S. Patent No. 6,375,585

Accu-Kick Adjustable Practice Football Goal

- Used by several NFL teams to help their kickers score better under pressure by narrowing target practice, honing visualization techniques and building confidence
- Uprights slide along the horizontal crossbar to adjust anywhere from 18' 6" to 6' - reduce or extend by pulling each upright to desired setting by using scale printed on underside of crossbar
- Uprights are painted white on one side and yellow on the opposite side to allow a 180° rotation for an instant on-field color change (important for college level kickers)
- Constructed of heavy-wall aluminum and stainless steel, making it durable under all weather conditions
- Two 24' high uprights are made of 4" diameter aluminum tubing
- Uprights attached at the base to a sliding stainless steel sleeve that independently runs along the 4" square aluminum crossbar
- Stainless steel handle provided to manually adjust uprights
- Four 12" pneumatic tires mounted on stainless steel axles, so it can be easily moved by two people

AK-APFG	\$6,250
----------------	----------------




Portable Football Goals

Rollaway "H" Goals


- AAE originated the "portable" football goal in 1968 to meet the needs of both NFL® teams and NCAA universities in providing the greatest flexibility for practice facilities
- Fabricated with 4" diameter heavy-wall aluminum tubing connected with structurally reinforced aluminum
- Uprights spaced 18' 6" apart at 35' height for PRO model and 20' height for NCAA model, and 14' uprights spaced 23' 4" to meet NFHS width specs
- Tighter RHG-PRO/9 model features 9' portable practice target, which NFL teams including the San Diego Chargers and Miami Dolphins prefer
- Four 12" pneumatic tires with stainless steel axles are provided for ease in moving the goal
- Unpainted, mill finish is standard on entire goal for minimal maintenance
- Custom powder-coated finishes available

RHG-HS	\$3,895/ea.
RHG-NCAA	\$3,895/ea.
RHG-PRO	\$4,995/ea.
RHG-PRO/9 (9' width)	\$3,450/ea.

White or yellow powder-coated uprights & crossbar upgrade available for \$550/ea.




RHG-NCAA Model Shown w/ Optional Powder-coated Uprights



RHG-PRO/9 model shown above with optional powder-coated uprights at San Diego Chargers' practice facility.



AAE
Extended
20-Year
Limited
Warranty



AAE
Extended
20-Year
Limited
Warranty



AAE
Extended
20-Year
Limited
Warranty

"H" Football Goals

- Used for both football and rugby, manufactured with 4" diameter structural aluminum tubing with welded inserts for crossbar attachment
- High school uprights spaced 23' 4"/20' overall height and collegiate uprights spaced 18' 6" apart with overall height of 30' to meet current NCAA specifications
- Aluminum ground sleeves and caps included
- Durable mill finish is standard - available in white or yellow painted finish upon request

AHG-HS	\$3,000/pr.
AHG-NCAA	\$3,200/pr.

Official Rugby Goal

- Similar to our "H" football goals, but designed to meet official rugby regulations
- Uprights spaced 18' 4-1/2" apart with overall height of 30' for college or club level and 44' for international competition
- Uprights are 4" dia. aluminum tubing with welded inserts for crossbar attachment
- Aluminum ground sleeves and caps included
- Durable white powder-coated finish is standard

AHG-RUGBY	\$3,500/pr.
AHG-RUGBY-I	\$4,695/pr.

Official Hinged Rugby Goal

- Improved design from our official rugby goal with a hinged base plate, which makes installing and removing goal a simpler task
- Hinged base plate sits above ground level (see inset photo) - only ground sleeves are installed below ground
- White powder-coated (standard) 4" dia. structural aluminum tubing with welded inserts for crossbar and upright attachment
- Uprights spaced 5.60 meters (18' 4-1/2") apart with overall height of 9.14 meters (30') for high school, college or club levels and 13.41 meters (44') for international competition

AHG-RUGBY/H	\$6,295/pr.
AHG-RUGBY-I/H	\$7,995/pr.

Combination Goals

Combination Goals

- Designed for synthetic or natural turf multi-purpose fields, where field space is limited
- Comes complete with a set of small loop stays for net support (nets sold separately), aluminum ground sleeves and caps
- Mill finish is standard on entire goal for minimal maintenance
- White goal mouth and/or painted uprights available upon request for an additional cost

HS models only:

- 4" diameter aluminum "one-piece" uprights, bent to accommodate 24' for soccer and 23' 4" for football
- Soccer portion of the uprights and crossbar are fabricated of 4" diameter slotted, structural aluminum extrusion designed to accept our MNC Molded Net Clips, which easily attach soccer nets
- CSF-HS has the additional feature of a 4" flat aluminum facing welded to the soccer portion of each goal

NCAA models only:

- Fabricated with two-piece uprights and a welded truss beam design for the crossbar in order to meet the required 18' 6" width for football and 24' width for soccer
- CSF-NCAA with flat facing is also available




CAG-HS Model Shown with Optional Powder-coating

CAG-HS
CAG-NCAA
CSF-HS
CSF-NCAA


\$4,650/pr.
\$5,350/pr.
\$5,200/pr.
\$5,900/pr.



Simply remove the net and stays and the CAG becomes an official football goal within minutes.



RCG-HS Model Shown with Optional Powder-coating



By detaching the net, the RCG instantly becomes an official football goal.

White/yellow combo powder-coated uprights/crossbar upgrade (shown above) available for \$950.

Rollaway Combination Goals

- Originally designed for Georgetown University's rooftop athletic field, many other schools appreciate its compact design for synthetic or natural turf and multi-purpose fields where space is limited
- 4" diameter structural aluminum tubing
- Uprights and crossbar made of a custom slotted, structural aluminum extrusion designed to accept our MNC Molded Net Clips, which easily attach soccer nets (sold separately)
- All side stays and groundbars are made of a heavy-wall 4" diameter aluminum extrusions
- Two sets of dual 12" pneumatic tires with stainless axles are included with each goal
- Mill finish is standard - white goal mouth and/or painted uprights available upon request

HS model only:


- "One-piece" uprights, bent to accommodate 24' for soccer and 23' 4" for football

NCAA model only:

- Features two-piece upright construction and a welded truss beam crossbar design to meet the required 24' for soccer and 18' 6" for football

RCG-HS
RCG-NCAA

\$9,600/pr.
\$10,300/pr.



NEW! Portable Quarterback Station

- Allow your quarterbacks to practice wherever you want with this mobile unit
- All-aluminum, welded frame is lightweight and easily moved on its built in cart
- Knotless, nylon netting features three catch pockets and moveable vinyl targets

PQBS


\$3,395



Specially designed hitch attachment with wheels & handle.



Removable wheels included for easy transport.



90° Practice Hurdle

- **EXCLUSIVE!** UV-Stabilized Polycarbonate ("UVSP") Risers - scratch & fade resistant OmniColor® resins, recessed stainless steel hardware, redesigned push-button notches for smoother height adjustment
- Aerospace aluminum frame with dome welded end caps and self-adjusting weights
- Push-button height adjustment modified to 24"/27"/30"/33"/36" (39" height not available)
- Flat base, stabilizer bar and reinforced post welded into world's strongest 3-way hurdle frame
- Double-web Lexan board including FREE* custom silkscreen

XLAH-CP

\$180

Football BallStopper® System


- Keeps field goal and extra point kicks inside the field, protecting bystanders, cars and yards from stray footballs
- Available in 35' or 40' (8" dia. x .188" wall) height sets that outfit two endzones (4 posts/2 nets)
- Structurally engineered four-post design installs into provided aluminum ground sleeves
- Knotless HTPP nets (3-1/2" sq. x 50' wide x 35'/40' high) are treated for outdoor use
- Rope and pulley system featuring a tie-down cleat, makes it easy to raise or lower the net for each game or as required
- Mill finish is standard on posts (custom powder-coating also available at extra cost)

FBS-35 (35' post height)

\$10,250/set

FBS-40 (40' post height)

\$11,550/set



Tie-down cleat prevents the hoisting rope from becoming a tripping hazard.

Field Essentials




Shown In-Ground with Contractor Applied Turf on Cover

Utility Boxes & Covers

- Perfect solution to enclose on-field communication devices and outlets
- Galvanized box construction deters the elements and provides a seamless finish for any track or field
- Reinforced aluminum cover designed to accept any track/synthetic surface
- Three standard sizes, but also available in custom sizes upon request

UBC-GA/101830 (18" x 30")	\$725/ea.
UBC-GA/103636 (36" square)	\$950/ea.
UBC-GA/104242 (42" square)	\$1,050/ea.



Divided Utility Box & Cover

- Special divided layout separates electric from other utilities
- Dual-lid design provides individual access to each side
- Included PVC insert allows lids to be closed, yet electrical cords to remain plugged in underneath
- Box construction (galvanized or aluminum) deters the elements and provides seamless finish for any track or field (see inset photo)
- Reinforced aluminum cover designed to accept any track/synthetic surface
- Standard size 10"D x 18"W x 30"L - custom sizes available upon request

UBC-GA/101830-D (galvanized)	\$975/ea.
UBC-AL/101830-D (aluminum)	\$975/ea.



Football Landing Mats

- Fabricated of premium 12" thick foam encased in double knife-coated vinyl (6' W and 10' L)
- Heavy duty handles and buckle straps are box-tacked to encasement body, so there is no hardware to break or lose
- Available in red, blue, navy blue, green, black, orange, maroon or yellow


FLM	\$1,100/ea.
-----	-------------



Yard Line Markers

- Display yardage (G, 10, 20, 30, 40, 50) with foldable 18" sq. "A-frame" & 16" vinyl base
- 1" thick sturdy foam encased in double knife-coated vinyl cover
- Available in white, black, blue, red, green, orange or yellow/numerals silkscreened in choice of color


YLM (set of 11)	\$650
-----------------	-------



Goal Line Markers

- Ideal for field marking, as well as for drills
- Molded from orange flexible PVC
- 4" sq. and 18" high with weighted safety base
- Pylons are sold in sets of four

GLM (set of 4)	\$50
----------------	------



Wind Directional Flags

- Included with all AAE football goals, but also available separately
- Two-ply, red nylon fabric (4"W x 42"L)

WDF	\$14/ea.
WDF-4 (set of 4)	\$54

Baseball & Softball

AAE decided to branch out in the early 1990s with its own batting tunnels, backstop netting, outfield wall padding and baseball foul poles. We're building the equipment teams need to make the great American pastime even better. With field equipment like team benches and bleachers, your fans and players will be comfortable all the way through the bottom of the 9th.

Batting Tunnels & Foul Poles



**AAE
Extended
8-Year
Limited
Warranty**

BT-121470-DUAL Model Shown

Dual & Triple Batting Tunnels

- Increase your batting practice area two-fold, or even three-fold, within a smaller footprint of your valuable field space
- Engineered to withstand the rigors of both practice and the elements
- No tedious tie-down cables extending beyond the posts with our system
- Offset main uprights are fabricated of 4" diameter aluminum tubing, which install into aluminum ground sleeves

- Swivel pulleys with eyebolts are mounted at top to raise and lower the protective netting
- Available in the two standard sizes or call for details on custom manufacturing to your specs

BT-141455-DUAL (14'H x 14'W x 55'L)

\$8,750

BT-121470-DUAL (12'H x 14'W x 70'L)

\$8,750



BT-121470 Model Shown

Single Batting Tunnels

- Engineered to withstand the rigors of both practice and the elements
- No tedious tie-down cables extending beyond the posts with our system
- Offset main uprights are fabricated of 4" diameter aluminum tubing, which install into aluminum ground sleeves
- Swivel pulleys with eyebolts are mounted at top to raise and lower the protective netting
- Available in the two standard sizes or call for details on custom manufacturing to your specs

BT-141455 (14'H x 14'W x 55'L)

\$3,675

BT-121470 (12'H x 14'W x 70'L)

\$3,895

BT-CUSTOM

visit AAEsports.com or call for pricing

All-Aluminum Foul Poles

- Main post fabricated of either 4" diameter structural aluminum tube for 22' above ground model or larger 6" diameter tube for 30' above ground model
- Winged model features offset screen fabricated of a 1-1/2" aluminum lockrimp mesh, encased on the entire perimeter by a slotted, welded aluminum frame for maximum rigidity
- Optional Hinged Baseplate Kit (shown right) available for multi-purpose fields that require frequent sport changeover to expedite installation/removal - all stainless steel kit includes: (1) ground sleeve post; (1) welded plate with hinges; (1) post sleeve with mounting plate and all necessary hardware for one foul pole
- Both models feature a yellow powder-coated finish for high visibility and minimal maintenance
- Other colors and custom sizes also available
- Aluminum ground sleeves included

**AAE
Extended
12-Year
Limited
Warranty**



SAFP-22 (straight - 22' high)

\$950/pr.

SAFP-30 (straight - 30' high)

\$1,800/pr.

AFP-22 (winged - 22' high)

\$1,875/pr.

AFP-30 (winged - 30' high)

\$3,750/pr.

HD-FP-22 (22' high, hinged kit)

\$995/ea.

HD-FP-30 (30' high, hinged kit)

\$1,295/ea.

For questions and discount pricing, call 800.523.5471



Backstop Netting

Baseball Backstop Systems

- Ultimate solution for a baseball field that needs the flexibility to remove a backstop, but can also be used permanently
- Semi-permanent design allows netting to be easily lowered/removed at the end of your season, in the event of high winds or when not in use
- Pulley system to lower and raise nets - 1-3/4" sq. net stops baseballs & softballs
- Uprights range from 6" to 8" in diameter in straight and offset (installed outside field of play) post models - system heights range from 20'-40'
- Mill finish standard on posts (custom powder-coating also available for an additional cost)

BBS-20	\$85/linear foot
BBS-25	\$100/linear foot
BBS-30	\$130/linear foot
BBS-35	\$145/linear foot
BBS-40	\$160/linear foot



BBS-35 Model Shown



BBS-30 Model Shown



BBS-30 Model Shown



BBS-30-CD_12 Model Shown




BBS-CD_CUSTOM Model Shown at University of Pennsylvania

Baseball Backstop - Cable Design

- Whether you are looking to utilize existing posts/poles or searching for an entire system, AAE can supply the necessary materials to accomplish a cable tensioned backstop
- Heavy-duty 1-3/4" sq. knotted nylon net (2.5mm twine size), UV stabilized, stops baseballs & softballs, custom fit with a 1/4" MFP rope border
- Systems feature vinyl-coated galvanized steel cables with heavy-duty galvanized steel tensioning hardware
- AAE will specify the proper posts (size/diameter/material/wall thickness), specific hardware as well as engineered concrete footings and have all detailed spec drawings professionally stamped for your project's location

BBS-CD

starting at \$25,000



BBS-30-CD_12 model shown during installation.

Field Essentials



SNS-MBS Model Shown

NEW! Scoreboard Netting System

- Designed to protect your outfield scoreboard from ball impact without obstructing view of scoreboard with posts
- Specially fabricated mounting brackets clamp to scoreboard I-beam supports (customized to your dimensions)
- Integrates into new or existing Multi-Sport BallStopper® System (SNS-MBS) or install as stand-alone system (SNS)
- Pulley system to lower and raise nets (netting not included)

SNS (stand-alone)
SNS-MBS (MBS integration)

visit AAEsports.com or call for pricing
visit AAEsports.com or call for pricing



Custom mounting
bracket anchors
netting on SNS-MBS
model.



SNS Model Shown

NEW! Field Savers


- Great for covering areas that are most important to stay dry in an economical way
- Protect your pitching mound (20' dia.), home plate (26' or 30' dia.) and bases (10' x 10')
- Heavy duty, 18 oz. reinforced vinyl cover (see color chart below)
- Weighted around perimeter - no sandbags or stakes necessary
- Custom graphics printed directly onto the material via the TuffPrint™ process: ultra-durable imaging using premium inks of unlimited color selection and gradient shading

FS-MOUND (20' diameter)	\$595
FS-HOME/26 (26' diameter)	\$875
FS-HOME/30 (30' diameter)	\$1,025
FS-BASE/1 (one only)	\$255
FS-BASE/3 (set of three)	\$695



FS-MOUND Model Shown

COLOR CHART



Home Plate Waffle
Bottom

BH86 \$82



Home Plate
w/ Anchor

BH87 \$105



Home Plate -
Cherry Hardwood
Bottom

BH88 \$105



Anchor Bases

M500 \$215



Pro Model 4-Way
Pitcher's Rubber
(also available in youth sizes)

BH81 \$94



Pro Step Down
Pitcher's Rubber
(also available in youth sizes)

BH82 \$84

* Other model plates & bases available. Call for pricing.

For questions and discount pricing, call 800.523.5471



Fence Backstop Padding

- Attach padding to your fence to reduce bounce-back and protect your catcher
- Available in 2" or 3" thick Soft IFD 100 foam encased in 18 oz. PVC coated vinyl
- Choice of brass grommets (see top inset photo) 12" apart on all 4 sides with zip ties or 3/4" backerboard with 3" washers for fence attachment (see bottom inset photo)
- Available in variety of colors (see color chart below)




FBP-GR/2 (grommets/2" foam)
FBP-GR/3 (grommets/3" foam)
FBP-BB/2 (backerboard/2" foam)
FBP-BB/3 (backerboard/3" foam)

\$9.50/sq. ft.
\$11.50/sq. ft.
\$12.25/sq. ft.
\$13.75/sq. ft.



Backstop Wall Pads

- Pad your stadium or field walls to protect your players from injury when they're catching fly balls
- Available in 2" or 3" thick Soft IFD 100 foam
- Same 18 oz. PVC coated covering as our Fence Backstop Padding, but with an added 3/4" exterior grade plywood backing
- Choice of brass grommets 12" apart on all 4 sides or 2" Velcro for combining padding for longer lengths
- Attaches to wall via a 2" aluminum bracket (inset photo)
- Available in variety of colors (see color chart below)



WP

starting at \$25/linear foot

COLOR CHART



ROW-4 Model Shown

Removable Outfield Walls


- Perfect safety addition for multi-use fields that cannot have a permanent fence installed for baseball or softball
- Welded aluminum frames are manufactured in standard 10' sections, 4' or 5' high
- Padding is comprised of a 3" thick dual layered foam, encased in an 18 oz. double knife-coated vinyl (color of choice)

ROW-4 (4' high)
ROW-5 (5' high)

\$132/linear foot
\$163/linear foot

Portable Outfield Walls

- Padded removable 10' sections offer a higher level of safety to your playing field with no in-ground installation required
- Rear-weighted self-standing, portable bases (stake holes for high wind areas) are steel with welded stainless steel inserts - vinyl coated "Caution Yellow"
- Padding is comprised of a 3" thick dual layered foam, encased in an 18 oz. double knife-coated vinyl (color of choice)




Heavy-duty welded aluminum frames with rounded corners install into portable bases.

POW (4' high)

\$163/linear foot

Fences & Accessories



NEW! Portable Outfield Fence

- All-aluminum 4' high standard 10' sections are ideal to create a portable outfield barrier with no in-ground installation required
- Rear-weighted self-standing, portable bases (stake holes for high wind areas) are steel with welded stainless steel inserts - vinyl coated "Caution Yellow"
- Configure in various formats (see top inset photo) to re-purpose for other events
- Optional Premium SafeFoam® Padding (see middle inset photo), 3/4" thick standard 8' length yellow vinyl-coated skin, helps protect players and create a more visible boundary
- Optional cart stores up to 30 sections (see bottom inset photo), which equates to 300 linear feet



POF-4
SFP-2
POF-CART

\$68/linear foot
\$34/ea.
\$2,895/ea.



Windscreens

- Perfect solution for dugouts, sports fields and courts located in areas that experience a lot of wind
- Fabricated of ultra-strong 6-ply polyester - 4-ply reinforced binding at hem and 2-ply on main windscreen (see color chart on page 44)
- All hems are 1-1/2" wide and sewn with 4-ply black polyester thread
- UV-treated for maximum sunlight protection
- Brass Tooth Grommets are spaced 18" apart (custom spacing available) on all sides and secure with 120lbs. tensile strength cable ties
- Comes in standard 5', 6' and 9' heights, finished to the length you need
- Boxed Air Vents or Wind Flaps can be added for extreme wind conditions
- Custom graphics printed directly onto the material via the TuffPrint™ process: ultra-durable imaging using premium inks of unlimited color selection and gradient shading (see inset photo)

WNDSCRN

\$1.80/sq.ft.



FenceCrown®

- Cap off the top of outfield chainlink fence and provide a smoother contact area and a visual aid for outfielders
- Available in two colors, black or yellow
- Available in two coil sizes, 100' or 250'
- Secure with 19" wire ties (WT-100/19) sold separately

FC-100 (100' coil)	\$150
FC-250 (250' coil)	\$260
WT-100/19 (100 pieces/bag)	\$28/bag



Fence Rail & Post Pads


- Perfect finishing touch to any baseball or softball field's outfield chain link fence
- Our FP Series - Fence Pads are available to pad your top fence rail and vertical fence post to offer a higher level of safety to your playing field
- Padding is comprised of a 3" thick polyurethane foam, encased in an 18 oz. double knife-coated vinyl (color of choice)
- Military spec hardware for pad attachment to frame

FP-R/3 (3' rail)	\$155/ea.	FP-P/3 (3' post)	\$155/ea.
FP-R/5 (5' rail)	\$225/ea.	FP-P/5 (5' post)	\$225/ea.
FP-R/7 (7' rail)	\$315/ea.	FP-P/7 (7' post)	\$315/ea.
FP-R/8 (8' rail)	\$360/ea.	FP-P/8 (8' post)	\$360/ea.

Lacrosse

The sport of lacrosse is growing fast around the nation. What is the newest trend in lacrosse? Our portable press boxes (also known as DONKEYs.) They are equipped with built in storage and even a penalty bench... for your "more aggressive" players. However, we are here for all your lacrosse needs whether it is lacrosse goals, lacrosse nets or lacrosse backstop nets.


Lacrosse Goals, Nets & Balls



NEW! Portable Lacrosse Backstop

- Lacrosse balls shot on goal are a strong force that can hurt someone or cause property damage - so this system should help minimize these occurrences
- Slotted ground bar with net clips eliminates any balls from going under the net and provides stability to the system
- Fabricated of 2" square aluminum posts inserted into fabricated aluminum self-standing bases
- Angled bases create a 45 degree hexagonal layout to cut down on the trajectory of shots to help maximize stoppage, as well as providing even further stability to the system
- Synthetic UV-treated netting (1-1/2" sq. x 10' high x 30' long) has a 1/4" MFP rope border
- Optional vinyl sandbags (see page 61) provide additional stability
- Mill finish standard on posts and bases
- Custom powder-coating available for additional cost

PLB \$950



Lacrosse Goals & Nets

- Don't settle for cheap imitation goals... ours combines the assets of both aluminum and steel - offering one of the most durable lacrosse goals available
- 6' x 6' regulation goal mouth (4' x 4' for indoor model) is welded into one piece and fabricated from 1.90" diameter structural aluminum extrusion
- Net Attachment System provides continuous positive net attachment along groundbars and goal mouth - no unsightly use of wrap-around tape or velcro
- Ground frame is made from two structurally-reinforced, steel flat bars that bolt together in the rear with a trapezoidal steel plate
- Vinyl-coated black base provides rust protection and all hardware is stainless steel
- Standard goal mouth is powder-coated orange; a white powder-coated goal mouth is available upon request at no additional charge
- Official 6' x 6' white knotless nylon net (both 4mm or 6mm) - Indoor 4' x 4' net (4mm only) - all feature white nylon border for greater strength and durability

LG	\$1,900/pr.
LG-I (4' x 4' indoor)	\$1,595/pr.
LNP/4 (standard, 4mm, white)	\$240/pr.
LNP/6 (premium, 6mm, white)	\$300/pr.
LNP-I/4 (indoor, 4mm, white)	\$280/pr.



Lacrosse Target Goal

- Scaled down version of our Lacrosse Goal developed to help increase shooter accuracy
- Nominal dimensions 2'H x 2'W x 3'D
- Set up one, or many, for drills in practice
- Weighs only 30 lbs., so can be easily moved

LTG \$575



Rollaway Goal Wheels

- Perfect for goals moved on a daily basis - just tilt and roll
- 10" pneumatic tires mounted on 3/4" diameter stainless steel axle with all stainless hardware
- Stainless pull-pin allows wheel to be easily inserted or removed for storage

RW-LG (set of 4) \$395



Official Lacrosse Balls


- Made of durable rubber
- Meet NFHS and NCAA outdoor play specifications

OLB-W/12 (white)	\$29/dz.
OLB-Y/12 (yellow)	\$29/dz.
OLB-O/12 (orange)	\$29/dz.
OLB-B/12 (blue)	\$29/dz.
OLB-G/12 (fluorescent green)	\$46/dz.
OLB-P/12 (purple, not shown)	\$46/dz.

Field Hockey

With popularity of our football goal posts, soccer goals and lacrosse goals swelling, field hockey goals were added to complete our goal line in the mid 70s. But we had to improve the design – so ours were the first offered with a bottom board cushioning system that substantially increased the life of our field hockey goals over competitors’ models. And we didn’t stop there because today you can even customize your bottomboards to compliment your school’s branding.

Field Hockey Goals & Accessories



FHG Model Shown with Custom Bottomboards

AAE
Extended
10-Year
Limited
Warranty



FHG-FIH-PC Model Shown in Red with Custom Wraps on Backboards /Sideboards

HS/NCAA Field Hockey Goals

- Features our 2" square slotted structural aluminum extrusion with rounded outside safety corners
- Net Attachment System provides continuous positive net attachment and eliminates the unsightly use of wrap-around tape or velcro
- Front goal mouth (powder-coated white) and rear frame are heli-arc welded into a one-piece construction and bolted together with welded sidebars for maximum strength and stability
- 18" high synthetic black bottomboards offer high impact resistance - won't crack or splinter
- Boards bolt to a welded, reinforced aluminum framework with all stainless steel hardware
- Custom decals or wraps available for additional cost
- Pre-drilled to accept optional RW-FHG Rollaway Wheels

FHG
RW-FHG (set of 4)

\$3,350/pr.
\$395

International Field Hockey Goals

- Reinforced offset side stays w/ gussets & welded dual net attachment rings meet all International Field Hockey goal regulations
- Net Attachment System provides continuous positive net attachment and eliminates the unsightly use of wrap-around tape or velcro
- Front goal mouth (powder-coated white) and rear frame are heli-arc welded into a one-piece construction and bolted together with welded sidebars for maximum strength and stability
- Features 2" square structural aluminum extrusion with rounded outside safety corners - standard mill finish on goal frame
- Optional powder-coating of entire frame in color of your choice available
- 18" high synthetic black bottomboards bolt to a welded, reinforced aluminum framework with all stainless steel hardware
- Custom decals or wraps available for additional cost
- Pre-drilled to accept optional RW-FHG Rollaway Wheels with optional back bar for ease of moving - call for details

FHG-FIH
FHG-FIH-PC (powder-coating entire frame)
RW-FHG (set of 4)

\$4,400/pr.
\$1,200/pr.
\$395



Replacement Bottomboards available

Bottomboard Cushioning System

- Eliminates wear and tear from repetitive driving shots while also extending the life of custom decals
- Shock absorbing 2" polyethylene encased in 18 oz. black vinyl cover with velcro flap for quick attachment and removal
- Six 4' long interchangeable pads, which are easy to carry and store, are included

BCS (set of 6)

\$880



Field Hockey Nets

- Made for both HS/NCAA and international style goals, 2.5 mm twisted poly and woven into 1-1/2" sq. mesh
- Official size - 7' high, 12' wide, 4' deep
- Outdoor protective black coating applied for greater wear and durability

FHN-1
FHN-FIH/G (green, int'l)
FHN-FIH/B (black, int'l)

\$210/pr.
\$500/pr.
\$650/pr.



Practice Field Hockey Goal


- Mini version of our field hockey goal w/ inside dimensions: 3'H x 6'W x 2'D
- 3/8" thick rubber surface is applied to rear ground bar to keep high impact area from wearing
- Tilt and Roll feature with dual heavy-duty rubber wheels

FHG-PG

\$755/ea.

Field Equipment

Stadiums and fields host more than just athletes. Make sure you have the peripheral equipment you need for a successful athletic program. Our video/band towers, portable bleachers, scorer's tables, team benches, and team shelters are indispensable... and our DONKEY® elevated sports platform and portable press box products make sure coaches and media have the best seats in the house.



Portable Press Boxes

DONKEY®: Ultimate Media Packages

Whether you choose a DONKEY® with or without storage, you can take it to a whole new level with one of our Ultimate Media Packages, which includes:

- DONKEY-1 Portable 4' High Elevated Press Box without Storage OR DONKEY-2 Portable 4' High Elevated Press Box with Lockable Storage, either offering 8' viewing height
- Bird's Nest Video Tower - provides an unobstructed 12' viewing height (optional 15' for added cost) of the field for filming/coaching plus a 4' long referee's bench underneath
- Hitch Attachment - allows DONKEY and tower to be connected to a utility vehicle and towed for simple relocation
- Penalty Bench - an aluminum seat that extends across the front of the DONKEY
- Weather Screens - provides superior foul weather protection on back and sides of units
- Aluminum Front Banner/Table - shows team spirit with a multi-color decal of your school name and/or logo and both are powder-coated in the color of your choice (see color chart)
- Aluminum Canopies - give a sleek, finished look to both DONKEY and Bird's Nest Video Tower and is powder-coated in the color of your choice (see color chart)

DONKEY-1/UMP (without storage) \$28,995
DONKEY-2/UMP (with storage) \$31,995



DONKEY-2/UMP Model Shown



Optional lockable storage area of the DONKEY-2 provides easy access to field equipment.

COLOR CHART

GRAY	WHITE	BLACK	YELLOW
BLUE	RED	GREEN	ORANGE
NAVY	BROWN	PURPLE	MAROON



DONKEY®: Non-Storage Model

- Serves as a scoring center/video station/officiating center/broadcast booth depending on the sport or activity - fully portable from field to field
- Anodized aluminum bench slides forward and back for easy access to the generously sized, 18" deep scorer's table
- Durable aluminum frame is manufactured with structural, mill finish featuring fluted flooring and ladder steps with safety handle
- Nominal dimensions 11'H x 7'W x 11'L with inside clearance of 6' 2"
- Sleek, powder-coated aluminum canopy, table and customizable banner (see color chart) are now standard
- Lockable flat-free/foam-filled wheels (two fixed, two swivel) for when the unit is in use

DONKEY-1 (8' viewing height) \$15,450



Side-By-Side DONKEY-2 Models Shown with Optional Bird's Nest Video Tower and Wheel Protector Pads

DONKEY®: Storage Model

- Portable, elevated press box that offers great flexibility to your entire athletic program
- Same as DONKEY-1 in every way, except it also includes an enclosed, lockable storage compartment (see inset above) for extra on-field storage (over 160 cubic feet)
- Nominal dimensions 11'H x 7'W x 11'L with inside clearance of 6' 2"
- Sleek, powder-coated aluminum canopy, table and customizable banner (see color chart) are now standard
- Lockable flat-free/foam-filled wheels (two fixed, two swivel) for when the unit is in use

DONKEY-2 (8' viewing height) \$18,750

For questions and discount pricing, call 800.523.5471

DONKEY®: 2' High Elevated

- Most economical model for perfect scorer's stations for nearly all sports
- Durable, low profile aluminum frame is modified to 6'W x 11'L x 8' 6"H
- Anodized aluminum bench slides forward and back for easy access to the generously sized, 18" deep scorer's table
- Aluminum canopy provides protection from the elements, gives a sleek, finished look and is powder-coated in the color of your choice
- Powder-coated aluminum front banner comes standard; AAE will customize with customer provided graphics
- Non-slip, fluted flooring and one ladder step
- Lockable flat-free/foam-filled wheels (two fixed, two swivel) for when the unit is in use



AAE
Extended
15-Year
Limited
Warranty

DONKEY-3 Model Shown w/
Optional Full Vinyl Wrap Banner

DONKEY-3 (6' viewing height)

\$10,995



AAE
Extended
15-Year
Limited
Warranty

Rear view of DONKEY-4 featuring optional Powder-coated Aluminum Back Banner (DONKEY-BB-A) for additional branding.



UST-7.5/P-FB Model Shown
with Optional Powder-coating & Front Banner



UST-7.5/SP Model Shown

Unibody Scorer's Tables

- Single structured scoring area with 7' 6" long bench and 20" deep tabletop for writing pads/laptops
- Semi-permanent model includes stainless steel hardware for mounting
- Portable model is a tilt-n-roll design featuring detachable 10" pneumatic tires
- Aluminum plank 12" wide seats and 10" wide backrests are anodized to protect uniforms and clothing from marks
- Welded 1-1/4" x 2" rectangular aluminum supports with UHMW glide feature for movable bench
- Optional powder-coated tabletop and frame and/or aluminum front banner available

AAE
Extended
15-Year
Limited
Warranty

UST-7.5/SP (semi-permanent)	\$1,650
UST-7.5/P (portable)	\$2,195
UST-7.5-FB (front banner)	\$555
UST-7.5-PC (powder-coating)	\$375

DONKEY®: 3' High Elevated

- Durable, low profile aluminum frame is modified to 6'W x 11'L x 9' 6"H
- Anodized aluminum bench slides forward and back for easy access to the generously sized, 18" deep scorer's table
- Aluminum canopy provides protection from the elements, gives a sleek, finished look and is powder-coated in the color of your choice
- Aluminum front banner shows team spirit with a multi-color decal of your school name and/or logo and is powder-coated in the color of your choice
- Non-slip, fluted flooring and three-step ladder
- Lockable flat-free/foam-filled wheels (two fixed, two swivel) for when the unit is in use

DONKEY-4 (7' viewing height)

\$13,195



Exclusive! DONKEY Dream Design

- If you can dream it, AAE can make it! Take any model DONKEY and tweak it to fit your exact needs
- Custom DONKEY-4 shown above with modified platform size, elevated seating, dual scorer's tables, separate rear access ladder, contoured seats and custom banner decals
- Contact our product design team to make your DONKEY dream a reality

Scoring Solutions & Accessories




NEW! Platform Canopy Structure

- Whether you mount it to existing bleachers or a field-level concrete pad, this unit will create the perfect shaded structure
- Provide us with your field measurements and we'll custom fabricate to accommodate your facility requirements
- All-aluminum 2" x 3" rectangular welded frame structure with 1/4" thick mounting plates to be attached via included 3/8" stainless steel hardware (onsite drilling required)
- Powder-coated aluminum canopy (see color chart on page 51) is fabricated of 1/8" thick aluminum with welded border
- Canopy features built-in attachment strips along three sides for optional weather screens (see below) for further protection from the elements
- Add an optional 18" deep table top to maximize platform space and create a unibody structure; eliminating the need for folding table
- Skip the folding chairs and add optional Captain's Chairs (see below) to create a semi-permanent seating area; typically 24" space for each chair

PCS-CUSTOM
PCS-TABLE

starting at \$3,500
\$595









Aluminum mounting bracket secured in four locations to existing platform.



Navy Blue powder-coated aluminum scorer's tabletop.



PRODUCT	MODEL	PRICE
 Bird's Nest Video Tower Provides additional height for an unobstructed 12' or 15' viewing height of the field.	DONKEY-BN/12 (12' viewing) DONKEY-BN/15 (15' viewing)	\$9,495 \$11,995
 Weather Screens Three-sided enclosure with clear vinyl windows for 360° view.	DONKEY-WS PCS-WS (custom)	\$1,695 \$2,095
 Plexi-Glass Enclosures Various models to help cut down on outside noise for announcers and further impede the elements.	DONKEY-PFP (front panel) DONKEY-TPG (3-sided) DONKEY-TPG-X (3-sided, full)	\$2,650 \$5,295 \$5,895
 Wheel Protector Pads Thick foam padding that provides extra protection by concealing wheel units on three sides and top.	DONKEY-WPP	\$995/pr.
 Aluminum Back Banner Powder-coated aluminum banner that rivets to back frame to display school or sponsors' logo.	DONKEY-BB-A	\$795
 Hitch Attachment Galvanized steel hinged arm with 2" coupler connects your DONKEY to any utility vehicle for easy relocation.	DONKEY-HA	\$495

PRODUCT	MODEL	PRICE
 Penalty Bench Built-in penalty bench for lacrosse that sits along front wheel frame.	DONKEY-PB	\$435
 Seat Cushions Double knife-coated vinyl cushions in various colors sized to fit our DONKEY seats and backrests.	DONKEY-BC (back cushion) DONKEY-SC (seat cushion)	\$395 \$395
 Custom Seating Elevated seating adds a second row, while contoured seats offer additional comfort.	DONKEY-ES (elevated seating) DONKEY-CS (contoured seat)	\$2,985 \$115/ea.
 Captain's Chair Contoured seat with height adjustable independent aluminum swivel base.	DONKEY-CC (captain's chair)	\$395/ea.
 Speaker Packages All models include wire run through frame cover supports on both sides to underneath scorers table for center connectivity.	DONKEY-SP/WS (w/o speakers) DONKEY-SP/SS (standard) DONKEY-SP-PS (premium)	\$935 \$1,295 \$1,935
 Video Camera Unipod Maximize platform space with this attachment featuring telescopic height adjustment.	VCU-RM (rail mount) VCU-BM (base mount)	\$425 \$515

For questions and discount pricing, call 800.523.5471

NEW! Bleacher Scorer's Table

- Turn existing bleachers into an instant sideline scoring center
- All-aluminum construction with custom powder-coated table top in color of your choice
- Overall Size: 8'W x 3'H x 18"D
- Welded aluminum base features black vinyl knobs that clamp down on existing bleacher planking
- Optional contoured seats not only reserve space for official scorers, but also gives the scoring area a finished look

BST-8 (8' length)
CS (contoured seat)


\$1,595
\$85/ea.

Specially welded base tightens with knobs around existing bleachers for secure fit.



BST-8 Model Shown with Optional Contoured Seats

AAE
Extended
15-Year
Limited
Warranty



AAE Extended
10-Year
Limited Warranty



Optional Trainer's Table



Storage area



Anchor Solution #1



Anchor Solution #2

Players' Sideline Shelter

- Semi-permanent, all-weather unit provides all-around protection from the elements to players on the sideline
- All-aluminum construction with nearly 600 weld points - only heavy gauge aluminum and polycarbonate materials for maximum durability
- Overall Size: 8'H x 16'W x 7'D
- Tinted 1/4" thick plexi-glass on sides/back of shelter does not obstruct view
- Elevated anodized aluminum shelf (24"D) has hinged cover with pneumatic device that opens to internal storage compartment (see inset photo), which accommodates approximately 45 sq.ft. of storage space for athletes' gear
- Anodized aluminum 12" seat and 10" backrest
- Powder-coated aluminum canopy in team color comes standard

- Optional Trainer's Table (TT) measuring 32"H x 66"W x 24"D with 18 oz. double knife-coated vinyl encased 2" thick foam pad that attaches to underside of shelter and is retractable (can be added to any unit)
- Ultimate Sideline Package of four (4) Players' Sideline Shelters provides shelter for both home team and visitors
- Engineered to withstand a sustained 75MPH wind load when anchored properly (see photos above):

Anchor Solution #1: Anchor to concrete pad abutting playing field.

Anchor Solution #2: Anchor to concrete piers (4) below artificial turf.

PSS-15 (15')

PSS-USP (ultimate sideline package)

PSS-TT (trainer's table only)

\$19,500

\$69,500

\$1,595

Field & Event Accessories



PMT-15 Model Shown



PBT-15 Model Shown

AAE
Extended
15-Year
Limited
Warranty



MPT Model Shown with
Optional Canopy & Lectern

Portable Multi-Purpose & Band Towers

- Portable, yet sturdy, solutions for shooting game/practice/band video or for elevating coaches to observe/drill teams
- Heavy-duty 16" diameter flat-free pneumatic swivel wheel casters (4) with brakes easily move across any surface and/or in any direction
- All-aluminum maintenance-free roof (PMT models) overhangs 6" on all sides and can be custom powder-coated in your team's color
- Band tower without canopy (PBT models) is a more economical alternative if no roof is required
- Detachable aluminum ladder leads up to a hinged door, creating a safer access point
- Three models available with the following video heights to fit your video and filming needs: 8'-6", 12'-6" and 15'-0"

PBT-8 (8'-6" viewing height, without canopy)	\$7,450
PMT-8 (8'-6" viewing height)	\$9,950
PBT-12 (12' viewing height, without canopy)	\$11,850
PMT-12 (12' viewing height)	\$14,350
PBT-15 (15' viewing height, without canopy)	\$16,250
PMT-15 (15' viewing height)	\$18,750



Caravan Alumina Canopies

- Made completely of durable, weather-proof aluminum
- Designed for simple set up
- Custom silkscreening available for an extra fee
- Convenient carry bag included

CAC-1010 (10' x 10')	\$875
CAC-1015 (10' x 15')	\$1,100
CAC-1020 (10' x 20')	\$1,400



Crowd Control Fencing

- Sturdier, more flexible temporary fencing option than existing barriers on the market
- Panels (4'H x 8'W) fabricated of 2" sq. aluminum extrusions and two extra supports with welded aluminum wire mesh
- Aluminum posts (sold separately) have open hinge design, eliminating need for hardware and making it easy to create corners or diagonal paths
- Mill finish standard for both panels and posts

CCF (fence panel)	\$670/ea
CCP (post)	\$85/ea.

Multi-Purpose Tower

- Perfect for coaches, camera operators and even band conductors
- Sturdily constructed of a rust-proof, heavy-duty galvanized steel frame designed to be anchored on a concrete pad adjacent to your field or between multiple fields
- Lower and upper decks are fabricated of aluminum planking, offering over 36 sq. ft. of space on each level
- Galvanized steel frames and mesh side panels offer superior stability
- Detachable aluminum ladder leads up to a hinged door - safer access point
- Optional all-aluminum maintenance-free roof overhangs 6" on all sides and can be custom powder-coated in your team's color
- Overall height without a canopy is 10' 8" and with a canopy it's 16' 3"
- Other options sold separately: video camera unipod; lectern with drawer

MPT (without canopy)	\$18,750
MPT-C (canopy only)	\$1,450
VCU-RM (unipod only)	\$425
MPT-L (lectern only)	\$415



AAE
Extended
10-Year
Limited
Warranty

All-Purpose Carriers

- All-aluminum deck has a fluted, non-slip surface to help hold items securely
- Four 12" heavy-duty pneumatic wheel casters
- AC-S models feature removable aluminum side rails for added flexibility

AC-12A (6' x 12')	\$2,950
AC-10A (5' x 10')	\$2,400
AC-8A (4' x 8')	\$2,100
AC-12AS (6' x 12' with side rails)	\$3,700
AC-10AS (5' x 10' with side rails)	\$3,100
AC-8AS (4' x 8' with side rails)	\$2,700
AC-HA (hitch attachment)	\$495



Endzone Platform


- Custom designed and fabricated platform system
- Accommodates 60 exclusive VIP seats in the south endzone at Lincoln Financial Field - Home of the Philadelphia Eagles
- Luxurious on-field seating is growing trend in professional stadium renovations
- Custom aluminum platform measures 2' high x 9' deep x 150' long
- 3" square aluminum understructure with added cross brace supports
- Custom fabricated 4-step stairs with railing at one end, with custom handicap accessible ramp with railing at other end
- Specially designed camera platform with independent suspension eliminates chance of shaky video coverage caused by people walking on endzone platform

EZP

visit AAEsports.com or call for pricing




Individual platform components were manufactured in AAE's shop and delivered for on-site install



Independently suspended camera platform stabilizes video equipment to avoid potential tremors from people walking on endzone platform




Platform shown with third-party captain's chairs ready for install



All-aluminum access ramp with handrails behind seating



Stairs from first level stadium seating down onto endzone platform



East view of platform with attached AAE removable wall padding

Seating




PB-315/ICC Model Shown with Optional Powder-coating

Portable Bleachers

- Lighter and more portable because total height is under 30", so cumbersome features (i.e. double footboards, fencing, aisles) are not required
- Welded tier frames and steel crossbracing to increase rigidity
- All steel components are galvanized after fabrication and all assembly hardware is stainless steel; optional Rollaway Wheels available
- Anodized aluminum plank seats (sealed with aluminum caps) protect clothing, while footboards are mill finish (powder-coating available for additional cost)
- All planking (2" x 12") is fastened with aluminum clips, stainless steel bolts and nuts; ribbed texture on all planking for better traction
- Meets current ICC regulations

PB-315/ICC (3 rows/15' long/30 seats)	\$2,075
PB-321/ICC (3 rows/21' long/42 seats)	\$2,750
PB-415/ICC (4 rows/15' long/40 seats)	\$2,750
PB-421/ICC (4 rows/21' long/56 seats)	\$3,300
RW-PB (rollaway wheels)	\$395/pr.



PTB-21B/PRO Model Shown

Pro Team Benches

- Scaled and designed specifically for football players and other athletes requiring a more spacious seating area
- Seats are 12" wide with 10" wide backrests fabricated of anodized aluminum planks sealed with aluminum caps (powder-coating available for additional cost)
- Additional galvanized steel bars support and stabilize heavier loads
- Available in lengths of 7' 6", 15' or 21'
- Custom silkscreen in the color of your choice is also available at additional cost
- Optional Pro Team Bench Cart (see inset photo) available for easy relocation of benches

PTB-7.5B/PRO (7'6" with backrest)	\$995
PTB-15B/PRO (15' with backrest)	\$1,165
PTB-21B/PRO (21' with backrest)	\$1,600
PTB-C/PRO (cart only)	\$575



Portable Team Benches with Shelf

- Designed for gear storage with an extended 20" deep shelf off the backrest - convert into a scorer's table by simply turning it around
- Aluminum plank 12" wide seats and 10" wide backrests are anodized to protect uniforms and clothing
- Optional silkscreen on backrest with your school name/nickname in color of your choice

PTB-7.5B/S (7'6" with backrest/shelf)	\$995
PTB-15B/S (15' with backrest/shelf)	\$1,550
PTB-21B/S (21' with backrest/shelf)	\$1,975



Double-duty - use shelf for gear storage or turn the entire bench around to use shelf as a scorer's table.



Portable Team Benches

- Bench supports are formed from rectangular steel bars, welded and then galvanized after fabrication
- Plank ends are sealed with aluminum caps and attached to supports with aluminum clips, stainless steel bolts and nuts
- Backrest models can be silkscreened with your school name/nickname in color of your choice

PTB-7.5 (7'6" without backrest)	\$380
PTB-15 (15' without backrest)	\$485
PTB-21 (21' without backrest)	\$600
PTB-7.5B (7'6" with backrest)	\$660
PTB-15B (15' with backrest)	\$875
PTB-21B (21' with backrest)	\$1,100




Permanent/Semi-Permanent Benches

- Permanent model is set in place when concrete is poured around the support posts
- Semi-Permanent model has welded plate that attach to concrete pad with provided expansion shields

TB-7.5-P (7'6" without backrest/perm)	\$385
TB-7.5-SP (7'6" without backrest/semi-perm)	\$385
TB-7.5B-P (7'6" with backrest/perm)	\$660
TB-7.5B-SP (7'6" with backrest/semi-perm)	\$660
TB-15-P (15' without backrest/perm)	\$485
TB-15-SP (15' without backrest/semi-perm)	\$485
TB-15B-P (15' with backrest/perm)	\$875
TB-15B-SP (15' with backrest/semi-perm)	\$875
TB-21-P (21' without backrest/perm)	\$600
TB-21-SP (21' without backrest/semi-perm)	\$600
TB-21B-P (21' with backrest/perm)	\$1,100
TB-21B-SP (21' with backrest/semi-perm)	\$1,100

Ball Stopper® Netting

The late 1980s saw an increase in multi-purpose sports fields – especially the inside track area used for everything from football and soccer to lacrosse and field hockey. This congestion of crossover practices created a ball containment problem that AAE solved with our Ball Stopper sports netting. Unique safety aspects of this backstop netting help protect other athletes, bystanders and property from the danger of stray balls.



In-Ground BallStopper® Systems



CBS Custom Model Shown

NEW! Curtain BallStopper®

- Innovative design features only two posts (installed outside field of play) with cabled net curtain (can slide open and closed along top and bottom cables) for complete endzone protection
- Features 8" sq. heavy-duty steel posts installed into ground sleeves, powder-coated black finish
- Concrete footing foundation sizes to be specified by engineer based on custom net height and length
- Custom designed systems - 14'-6" H x 180' L shown above (dips to 12'H middle)

CBS

starting at \$8,500



HBS-1 Model Shown with Standard Anodized Black Finish

Ground Sleeve BallStopper®

- 10' high semi-permanent design allows netting to be easily lowered in the event of high winds or when not in use
- Fabricated of 2-3/8" dia. heavy-wall aluminum posts installed into ground sleeves
- 1-1/2" sq. Synthetic UV-treated HTPP knotless netting has a permanently attached vinyl coated galvanized steel cable on top and a MFP rope border around entire net
- Black anodized finish standard on posts (custom powder-coating available at extra cost)

HBS-1

\$31/linear foot


Multi-Sport BallStopper® (straight post)

- 1-1/2" sq. knotless net stops all size sport balls, except golf balls
- Pulley system to lower and raise nets (black standard - other colors available)
- Synthetic treated netting has permanently attached coated galvanized steel cable across top, which reduces "net sag"
- Mill finish standard (custom powder-coating also available for an additional cost)
- Standard 4" diameter straight aluminum posts (6" - 8" diameter for 25' and higher models) install into provided ground sleeves

Multi-Sport BallStopper® (offset post)


- MBS-O models offers same features as the above straight post models, except with 3' offset are installed out of field of play
- Recommended for use in conjunction with existing fence

MBS-10 (straight - 10')	\$36/linear foot
MBS-12 (straight - 12')	\$41/linear foot
MBS-15 (straight - 15')	\$52/linear foot
MBS-20 (straight - 20')	\$61/linear foot
MBS-25 (straight - 25')	\$71/linear foot
MBS-30 (straight - 30')	\$83/linear foot
MBS-35 (straight - 35')	\$100/linear foot
MBS-40 (straight - 40')	\$115/linear foot
MBS-O-20 (offset - 20')	\$68/linear foot
MBS-O-25 (offset - 25')	\$84/linear foot
MBS-O-30 (offset - 30')	\$110/linear foot



MBS-25 Model Shown

Vertical cable retainer clamp (standard on all MBS models), located midway on end post, ensures that the netting protects for the full width of the system.



MBS-O Model Shown with Optional Powder-coated Finish



Tensioned bottom & end pole cables finish the system neatly.




Portable BallStopper® Systems

AAE
Extended
8-Year
Limited
Warranty



NEW! 8-1/2' Framed BallStopper® (self-standing)

- Sturdiest option for any style field from grass to artificial turf
- Accordion design base system allows for maximum stability in wind without the need for sandbags or other weights
- Individual framed units allow for endless configurations to run drills and maximize flexibility of system
- Synthetic UV-treated netting (1-1/2" sq.) within framed 8.5' high x 15' wide sections
- Light welded aluminum frame (2" o.d. x .145" wall) allows for ease of setup and/or moving, while ground bar stops ball from going under net
- Black vinyl-coated frame clip adjoins frame posts
- No hardware components, virtually maintenance free



Heavy duty steel base
with welded stainless
steel inserts - vinyl-
coated in safety yellow



Net attachment weave
welded around entire
frame for seamless net
installation

HBS-3

\$1,395/section

Net Frame Storage Cart

- Specially designed for off-season storage of up to 20 HBS-3 panels or 300 linear feet
- All-aluminum frame features 8' 6" uprights with "T" caps to secure sections on both sides from falling out
- Four lockable 16" pneumatic, foam-filled casters will provide years of maintenance-free use
- Padded base prevents scuffing or slipping

NFSC-8.5

\$3,285



Unloaded



Loaded

Portable BallStopper® Systems



10' BallStopper® (self-standing)

- Perfect for artificial turf fields - no concrete or digging required
- Sections can be configured in different layouts
- Ground bar stops ball from going under net
- Fabricated of 2" square aluminum posts inserted into fabricated aluminum bases
- Synthetic UV-treated netting (1-1/2" sq. x 10' high) has coated galvanized steel cable across top
- Stainless steel snaps permit netting to be lowered easily after use or as required
- Optional vinyl sandbags (specify yellow or white) provide additional stability
- Mill finish standard on uprights and bases
- Custom powder-coating available

HBS-2

\$51/linear foot

15' BallStopper® (self-standing)

- Perfect for artificial turf fields - no concrete or digging required
- Sections can be configured in different layouts
- 4" round aluminum posts inserted into fabricated 6'-6" wide aluminum bases
- Slotted ground bar with net clips eliminates any balls from going under the net
- Synthetic UV-treated netting (1-1/2" sq. x 15' high) has a vinyl-coated galvanized steel cable pre-attached to top of net
- Pulley system with 316 stainless steel snaps permit netting to be lowered easily after use or as required (high winds)
- Mill finish standard on uprights and bases
- Custom powder-coating available

MBS-15-P

\$95/linear foot



Vinyl Sandbags

- Fabricated with 18 oz. vinyl panels measuring 18" x 18" with heavy gauge zipper
- Heavy duty canvas handles attached via Box-X stitch method
- Yellow is standard - also available in white

VSZ

\$46/ea.

Base Weights

- Adds further stability to portable products in a more seamless fashion
- Aluminum construction guarantees no rusting
- Optional 3" or 5" wide welded channel to fit BallStopper® and Batting Tunnel portable bases

BW-80 (base weight - 80 lbs.)

\$395/ea.





SBS Model Shown

AAE
Extended
8-Year
Limited
Warranty



MBS-20/IF Model Shown



Soccer BallStopper® Systems







- Prevents ball interference between simultaneous soccer games or practices, while also providing perimeter boundaries to safeguard against property damage or bystander injury
- Same benefits as MBS models, but at a reduced cost because larger knotless netting (3-1/2" sq.) is designed for use with soccer balls only
- Available in both straight and offset post models

SBS-20 (straight - 20')	\$56/linear foot
SBS-25 (straight - 25')	\$66/linear foot
SBS-30 (straight - 30')	\$78/linear foot
SBS-35 (straight - 35')	\$95/linear foot
SBS-40 (straight - 40')	\$110/linear foot
SBS-O-20 (offset - 20')	\$61/linear foot
SBS-O-25 (offset - 25')	\$78/linear foot
SBS-O-30 (offset - 30')	\$100/linear foot

Multi-Sport (fence post)

- Heightens chain link fence, which reduces cost of net
- Utilize existing concrete footings (MBS/F) or integrate into new fence footings (MBS/IF) and save on cost of pouring separate footings for BallStopper® AND fence - creating a more streamlined appearance
- MBS-20/F model has standard 20' posts that bolt directly to fence posts with custom couplings and galvanized steel hardware
- MBS/IF models available in variety of heights, since footings will be engineered to accommodate post height on a fresh install
- Pulley system to lower and raise (see inset photo) UV-treated nylon 1-1/2" sq. knotless net, which has permanently attached coated galvanized steel cable across top to limit "net sag"
- Mill finish standard (custom powder-coating also available at additional cost)

MBS-20/F	\$65/linear foot
MBS-20/IF	\$60/linear foot
MBS-25/IF	\$85/linear foot
MBS-30/IF	\$95/linear foot
MBS-35/IF	\$115/linear foot

PRODUCT	DESCRIPTION	MODEL	PRICE
 NEW! BallStopper® Gate Net System	<ul style="list-style-type: none"> Gain easier access thru your BallStopper System rather than walking around entire perimeter Using your existing net, this custom-sized door frame is fabricated to match your BallStopper post specs 	BGNS	\$1,295
 Upright Storage Cart	<ul style="list-style-type: none"> Provides safe and organized storage for your BallStopper uprights when removed for the off-season Welded aluminum frame maintains stability under heavy loads Optional hitch attachment can be connected to a gator or other utility vehicle for simple relocation or storage 	USC-10 (10' posts - 52 max.) USC-20 (20' posts - 18 max.) USC-30 (30' posts - 15 max.) USC-HA (hitch attachment)	\$3,050 \$4,495 \$5,995 \$495
 Break-away Mechanism	<ul style="list-style-type: none"> For high wind areas, break-away mechanisms allow net to break away from posts thereby preventing damage to entire BallStopper System Add corresponding rings to every net attachment point 	BAM-10 (10' high system) BAM-20 (20' high system) BAM-30 (30' high system) BAM-40 (40' high system)	\$16/ea. \$23/ea. \$32/ea. \$40/ea.
 Net Drums	<ul style="list-style-type: none"> Mega Drum (32" dia. x 4' H) w/ wheels stores 2,000 square feet of netting Jumbo Drum (41" dia. x 57" H) stores 4,000 square feet of netting Colossal Drum (70" dia. x 70" H) stores 10,000 square feet of netting Only available in yellow 	MND-P/Y JND-P/Y CND-P/Y	\$455 \$995 \$2,500
 BallStopper® Post Pads	<ul style="list-style-type: none"> Premium foam is 78" high x 2" thick and available to fit any diameter post, standard sizes are 2.5", 4", 6", 8" I.D. Double-knife coated vinyl encasements with Velcro for easy install Sold individually in black, blue, brown, green, maroon, navy blue, orange, purple, red, yellow & white 	BPP-2.5 (2.5" I.D.) BPP-4 (4" I.D.) BPP-6 (6" I.D.) BPP-8 (8" I.D.)	\$265 \$285 \$315 \$345
 Tamper-Proof Ground Sleeve Plugs	<ul style="list-style-type: none"> Synthetic plugs fabricated of HDPE seal ground sleeves when posts are removed Available in 2.50", 4.35", 6.35" and 8.33" diameters Tamper-proof design allows only authorized personnel to remove with our Ground Sleeve Plug Removal Tool 	GSP-2.5 (2.5" dia.) GSP-4.35 (4.35" dia.) GSP-6.35 (6.35" dia.) GSP-8.33 (8.33" dia.) GSPRT (Removal Tool)	\$19 \$27 \$37 \$65 \$37

Brand Identity

Extensive equipment customization options are key to augment your brand.

Chances are you have been hearing more and more about "brand identity" in recent years, but here at AAE we have been manufacturing products to tie in with brand identity for over 50 years. It began with our standard eight hurdle tube colors along with matching logos on the boards and has expanded to a multitude of AAE products offered in a broader color spectrum with custom decals or silkscreens.

While schools and universities throughout the country have become focused on creating (or recreating) their public image, AAE has been keeping the pace. Now that team uniforms are no longer the sole vehicle to communicate a sports program's identity, AAE is ready to colorize and logotize whatever equipment you need.

AAE is proud to partner with customers in their quest for the ultimate equipment customization. Several of our product lines continue to be popular brand identity agents: hurdles; batons; DONKEY® press boxes; sideline shelters; award stands; team benches; field hockey bottomboards; football goal post pads; lacrosse goals; high jump and pole vault landing pads; multi-purpose towers; removable outfield walls; track and field surface savers; ShotStoppers; Uni-Body Scorer's Tables and windscreens. And we're always willing to add more to that list.

Contact AAE to discuss the details of your school's brand identity in conjunction with your equipment needs.



Custom logo silkscreened onto board of Rocker Hurdle with maroon riser tubes



Printed vinyl decal for navy blue powder-coated DONKEY Banner

8-Step Award Stand featuring red powder-coated front panels and custom printed vinyl decal logo



Field Hockey Goal Bottomboards get customized with printed vinyl decal logo and lettering




Custom printed vinyl decals for side-by-side orange powder-coated Players' Sideline Shelters



Full color printed logo & gold metallic vinyl lettering on Goal Post Pad



Two-color powder-coated Award Baton with custom silkscreen



Graphics printed directly onto Windscreen provides extreme flexibility with image quality & coloring

Custom printed full vinyl wrap for DONKEY Banner



Logo printed directly onto Track Surface Saver



Two-color logo silkscreened onto 8' x 12' panel of a Pole Vault Top Pad

CONDITIONS OF SALE

Order Procedure

Orders are accepted via AAEsports.com, phone, fax, mail or email. AAE accepts VISA, MasterCard, American Express and PayPal.

Acceptance

All orders are subject to acceptance by AAE. Please note there is a service charge of \$10 for all orders less than \$25.

Prices

All prices in this catalog are List Prices F.O.B. Royersford, PA, or shipping point unless otherwise quoted; however, it is AAE's standard policy to provide formal discounted quotes that include delivery. Prices are subject to change without notice, and do not include assembly or installation.

Loss or Damage in Transit

Prior to accepting a delivery, the buyer is responsible for examining all cartons for any damage, (visible or concealed), loss, or shortage. Any discrepancies must be noted on the trucker's delivery receipt prior to accepting the shipment. AAE would be happy to offer assistance in handling any freight claim.

Return of Goods

Written authorization must be given by AAE in order to return any merchandise. A 15% re-stocking charge, in addition to incoming freight, will be incurred.

Product Design

AAE reserves the right to make any changes or improvements in the design of our products at any time without prior notice.

WARNING

AAE attempts to incorporate safety features in the design and construction of all our equipment. However, there are risks involved in engaging in any athletic activity or competition and with the use of any athletic equipment. Some risks cannot be eliminated even with the use of safety equipment, such as safety nets and other protective devices. Risks of injury, including possibly serious injury, permanent paralysis or even death, will still be present from some athletic activities, even if all available safety equipment is used.

AAE does not guarantee freedom from injury or that the use of any of its safety or protective equipment will prevent injuries.

AAE assumes no responsibility for proper supervision, proper training, athletic conditioning, individual performances, external conditions, vandalism, negligent maintenance, failure to follow directions, failure to refer to manuals, negligent or intentional actions of third persons and other things over which AAE has no control.

AAE cautions all users:

- (1) to use athletic equipment only under the supervision of qualified instructors;
- (2) to use athletic equipment only for its intended purpose or purposes (refer to manual enclosed with the equipment, if applicable);
- (3) to make certain that all parts of athletic equipment are present and have been properly installed (see manual, if applicable); and
- (4) to inspect each item of athletic equipment before each use and to refrain from using the equipment if it has been damaged in any way.

Toll Free: 1-800-523-5471 • Fax: (610) 825-2378 • Online: AAEsports.com

Copyright © 2017 Aluminum Athletic Equipment Co. The AAE logo, DONKEY® and BallStopper® are registered trademarks of Aluminum Athletic Equipment Co. OmniColor® is a registered trademark of Syncrolite, L.P. Day-Glo® is a registered trademark of Day-Glo Color Corp. NCAA® is a registered trademark of The National Collegiate Athletic Association. IAATF® is a registered trademark of International Association of Athletics Federations. USATF is a registered trademark of USA Track & Field, Inc. NFL® is a registered trademark of the National Football League.



ALUMINUM ATHLETIC EQUIPMENT


1000 Enterprise Drive
Royersford, PA 19468-1298
(610) 825-6565 • FAX (610) 825-2378

PSRT STD
U.S. Postage
PAID
Bellmawr, NJ
Permit No. 1485

(800) 523-5471 • AAEsports.com



TRACK & FIELD



FOOTBALL & RUGBY



SOCCER



LACROSSE




BASEBALL & SOFTBALL



FIELD HOCKEY



FIELD EQUIPMENT



BALLSTOPPER® NETTING



ACCESSORIES