



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000123452 TWO YEAR CONTRACT FOR WATER METERS AND
COMPONENTS FOR ALL WATER DISTRICTS FOR THE PARISH OF
JEFFERSON.**

Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

28-Jun-2018 04:13:36 PM



Bid Number 50 - 123452

Two year contract for water meters and components for all Water Districts for the Parish of Jefferson.

July 12, 2018 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Donna Reamey
Dreamey@Jeffparish.net
504-364-2684**

Commercial Water Meters and Assemblies

Contract

Items Included in this Contract:

1. Compound Meters (Floating Ball Technology) (Sizes 2", 3", 4", 6", 8" & 10")
2. Turbine Meters (Floating Ball Technology) (Sizes 2", 3", 4", 6", 8" & 10")
3. Fire Service Meter (Floating Ball Technology) (Size 4", 6", 8" & 10")
4. Residential Meter (Floating Ball Technology) (Size 2")
5. Replacement Measuring Chambers for all types and size meters in Groups 1, 2, 3 & 4 above.

Contract Terms:

These specifications are prepared for a two (2) year supply of 2 inch and larger sizes of Water Meters and Components for all Water Districts for the Parish of Jefferson.

Warranty:

Products shall be warranted that they are manufactured in accordance with the applicable material specifications and are free from defects in workmanship and materials. Any defective items sold under this contract shall be replaced at no cost to the purchaser.

General Specifications:

These specifications are prepared for a two (2) year supply of 2 inch and larger sizes of Water Meters and components for all Water Districts for the Parish of Jefferson.

Jefferson Parish reserves the right to purchase any quantity of units more or less than specified and/or as needed during the two (2) year period of the contract.

The bidder is not to pre-ship any quantity until authorized by purchase order.

The quantities shown on the proposal guide are approximate quantities to be acquired by Jefferson Parish over a two (2) year period. Actual usage will be on an "as needed" basis.

All warranty statements and technical literature must be submitted with the bid. Failure to honor such request will result in the bid being considered non-responsive.

Specifications for Bid # 50-123452

Bid delivery shall include all freight and delivery costs to Jefferson Parish warehouse locations on the East and West Banks of Jefferson Parish.

Technical Specifications:

All meters shall be compatible to the **Itron ERT 100 W** automated meter reading system. All meter registers must be Itron ERT ready with the "Itron Inline Connector" included on the register. Meter registers must use an encoder technology with digital odometer. Pulse technology will not be accepted. Registers should be magnetic-driven, easily read with unobstructed number wheels. LCD displays are accepted unless otherwise specified. Itron Inline Connectors shall be 25 feet in length.

The encoder register shall send data in ASCII format (American Standard Code for Information Interchange) to the endpoint. The encoder register shall transmit the complete odometer reading, with a minimum of 8 digits and all 8 positions. An 8-digit register identification number that has been factory set and never duplicated shall also be sent to the reading device. A locating chip or other suitable device shall be affixed in such a way that when the 100W Endpoint interrogates the encoder register, the microprocessor shall determine the true position of each odometer digit, encode the reading and send it to the Endpoint.

Meter register resolution shall be 8 dial type.

Meter manufacturers must guarantee the complete sealed register for a period of not less than one(1) year for satisfactory operating performance and against fogging. If the sealed register fogs and/or does not operate satisfactorily, as determined by the Department of Water, the meter manufacturer shall replace the unit at no cost to the Jefferson Parish Water Department during the warranty period.

Each meter shall meet new meter accuracy standards during the first year of operation. The meter manufacturer must further guarantee all internal working meter parts for a period of not less than one (1) year. During this period, measuring chambers shall meet the repaired meter accuracy standards of AWWA Manual M-6. Chambers which do not meet the aforementioned accuracy warranty shall be replaced by the manufacturer at no cost to the Jefferson Parish Water Department.

Group 1. Commercial Compound Meters (Floating Ball Technology) (Sizes 2", 3", 4", 6", 8" & 10"):

CONFORMANCE TO STANDARDS

The meter package shall meet or exceed all requirements of ANSI/AWWA Standard C701 and C702 for Class II compound and turbine meter assemblies. Each meter assembly shall be performance tested to ensure compliance. The meter package shall meet or exceed all requirements of NSF/ANSI Standard 61, Annex F and G.

MAINCASES

The meter main case shall be of epoxy coated ductile iron composition. The epoxy coating shall be provided as standard fusion-bonded and adhere to NSF for non-lead regulation compliance.

PERFORMANCE

The meter assembly shall have performance capability of continuous operation up to the rated maximum flows as listed below without affecting long-term accuracy or causing any undue component wear. The meter assembly shall also provide a 25% flow capacity in excess of the maximum flows listed for intermittent flow demands. Maximum head loss through the meter / strainer assembly shall not exceed those listed in the following table per meter size.

OPERATING CHARACTERISTICS

Meter Size	Low Flow (95% Min.)	Typical Operating Range	Intermittent Flow (98.5% – 101.5%)	Pressure Loss (Not to Exceed)
2"	0.25 GPM	0.50 to 160 GPM	200 GPM	4.3 PSI @ 160 GPM
3"	0.50 GPM	1.0 to 400 GPM	500 GPM	3.2 PSI @ 400 GPM
4"	0.75 GPM	1.5 to 800 GPM	1000 GPM	6.4 PSI @ 800 GPM
6"	1.5 GPM	3.0 to 1600 GPM	2000 GPM	5.5 PSI @ 1600 GPM
8"	2.5 GPM	4.0 to 2700 GPM	3400 GPM	4.0 PSI @ 2700 GPM
10"	3.5 GPM	5.0 to 4000 GPM	5000 GPM	4.5 PSI @ 4000 GPM

Flow ratings shall be 160 GPM for 2" meters, 400 GPM for 3" meters, 800 GPM for 4" meters, 1600 GPM for 6" meters, 2700 GPM for 8" meters and 4000 GPM for 10" meters.

MEASURING CHAMBER

The measuring chamber shall consist of a measuring element, removable housing, and all-electronic register. The measuring element shall be mounted on a horizontal, stationary stainless steel shaft with sleeve bearings and be essentially weightless in water. The measuring element comes integrated with the advanced Floating Ball Technology design. The measuring chamber shall be capable of operating within the above listed accuracy limits without calibration when transferred from one main case to another of the same size. The measuring shall be so configured to capture all flows as specified above, without the requirement of an automatic valve.

DIRECT MAGNETIC DRIVE SYSTEM

The direct magnetic drive shall occur between the motion of the measuring element blade position and the electronic register. Any and all additional intermediate, magnetic or mechanical, drive couplings are not acceptable.

ELECTRONIC REGISTER

The meter's register is all-electronic and does not contain any mechanical gearing to display flow and accurate totalization. The electronic register includes the following partial list of features:

- AMR resolution units fully programmable
- Pulse output frequency fully programmable
- Integral data logging capability
- Integral resettable accuracy testing feature
- Large, easy-to-read LCD display
- 10-year battery life guarantee

MAXIMUM OPERATING PRESSURE

The meter assembly shall operate properly without leakage, damage, or malfunction up to a maximum working pressure of 200 pounds per square inch (psig).

STRAINERS

The meter strainer shall be integral and cast as part of the meter's main case. The strainer's screen shall have a minimum net open area of at least two (2) times the pipe opening and be a V-shaped configuration for the purpose of maintaining a full unobstructed flow pattern. The strainer body shall be a coated ductile iron fusion-bonded epoxy identical to that of the meter's main case. All fasteners shall be stainless steel capable of maintaining the following static pressure ratings and physical dimensions:

Specifications for Bid # 50-123452

Meter Size	Maximum Working Pressure	Centerline to Strainer Base	Overall Length (Not to Exceed)
2"	200 PSIG	2-1/16 INCHES	15-1/4 INCHES
3"	200 PSIG	4-1/8 INCHES	17 INCHES
4"	200 PSIG	4-3/4 INCHES	20 INCHES
6"	200 PSIG	5-3/4 INCHES	24 INCHES
8"	200 PSIG	6-3/4 INCHES	30-1/8 INCHES
10"	200 PSIG	8-1/2 INCHES	41-1/8 INCHES

Note: there can be no change in these measurements as new meters must fit in the same space as the existing installations.

STRAIGHTENING VANES

A straightening vane assembly is mandatory and shall be positioned directly upstream of the measuring element. The straightening vane assembly shall be an integral component of the measuring chamber.

CONNECTIONS

The meter assembly shall have flanges of the Class 125 round type, flat faced and shall conform to ANSI B16.1 for specified diameter, drilling and thickness.

CERTIFICATIONS AND MARKINGS

All sizes of meter packages shall display the sizes, model, manufacturer name, and direction of flow. Such display shall be cast on the side of the meter main case.

Group 2. Commercial Turbine Meters (Floating Ball Technology) (Sizes 2", 3", 4", 6", 8" & 10"):

CONFORMANCE TO STANDARDS

The meter package shall meet or exceed all requirements of ANSI/AWWA Standard C701 for Class II turbine meter assemblies. Each meter assembly shall be performance tested to ensure compliance. The meter package shall meet or exceed all requirements of NSF/ANSI Standard 61, Annex F and G.

MAINCASES

The meter main case shall be of epoxy coated ductile iron composition. The epoxy coating shall be provided as standard fusion-bonded and adhere to NSF for non-lead regulation compliance.

Specifications for Bid # 50-123452

PERFORMANCE

The meter assembly shall have performance capability of continuous operation up to the rated maximum flows as listed below without affecting long-term accuracy or causing any undue component wear. The meter assembly shall also provide a 25% flow capacity in excess of the maximum flows listed for intermittent flow demands. Maximum head loss through the meter/strainer assembly shall not exceed those listed in the following table per meter size.

Operating Characteristics

Meter Size	Low Flow (95% Min.)	Typical Operating Range	Intermittent Flow	Pressure Loss (Not to Exceed)
2"	1.0 GPM	1.5 to 250 GPM	250 GPM	7.0 PSI @ 200 GPM
3"	1.5 GPM	2.5 to 650 GPM	650 GPM	5.1 PSI @ 500 GPM
4"	2.0 GPM	3.0 to 1250 GPM	1250 GPM	8.7 PSI @ 1000 GPM
6"	2.5 GPM	4.0 to 2500 GPM	2500 GPM	8.2 PSI @ 2000 GPM
8"	4.0 GPM	5.0 to 3500 GPM	4700 GPM	5.1 PSI @ 3500 GPM
10"	5.0 GPM	6.0 to 5500 GPM	7000 GPM	7.2 PSI @ 5500 GPM

Flow ratings shall be 250 GPM 2" meters, 650 GPM for 3" meters, 1250 GPM for 4" meters, 2500 GPM for 6" meters, 3500 GPM for 8" meters, and 5500 GPM for 10" meters.

MEASURING CHAMBER

The measuring chamber shall consist of a measuring element, removable housing, and all-electronic register. The measuring element shall be mounted on a horizontal, stationary stainless steel shaft with sleeve bearings and be essentially weightless in water. The measuring element shall be integrated with the advanced Floating Ball Technology design. The measuring chamber shall be capable of operating within the above listed accuracy limits without calibration when transferred from one main case to another of the same size. The measuring shall be so configured to capture all flows as specified above.

DIRECT MAGNETIC DRIVE SYSTEM

The direct magnetic drive shall occur between the motion of the measuring element blade position and the electronic register. Any and all additional intermediate, magnetic or mechanical drive couplings are not acceptable.

Specifications for Bid # 50-123452

ELECTRONIC REGISTER

Meter register resolution shall be 8 digit type or higher (if available). All digits on the register will be reported when the meter is read through the communications interface. Digits shall read in gallons.

The meter's register is all-electronic and does not contain any mechanical gearing to display flow and accurate totalization. The electronic register includes the following partial list of features:

- AMR resolution units fully programmable
- Pulse output frequency fully programmable
- Integral data logging capability
- Integral resettable accuracy testing feature
- Large, easy-to-read LCD display
- 10-year battery life guarantee

MAXIMUM OPERATING PRESSURE

The meter assembly shall operate properly without leakage, damage, or malfunction up to a maximum working pressure of 200 pounds per square inch (psig).

STRAINERS

The meter strainer shall be integral and cast as part of the meter's main case. The strainer's screen shall have a minimum net open area of at least two (2) times the pipe opening and be a V-shaped configuration for the purpose of maintaining a full unobstructed flow pattern. The strainer body shall be a coated ductile iron fusion-bonded epoxy identical to that of the meter's main case. All fasteners shall be stainless steel capable of maintaining the following static pressure ratings and physical dimensions:

Meter Size	Maximum Working Pressure	Centerline to Strainer Base	Overall Length (Not to Exceed)
2"	200 PSIG	2-5/16 INCHES	17 INCHES
3"	200 PSIG	4-1/8 INCHES	19 INCHES
4"	200 PSIG	4-3/4 INCHES	23 INCHES
6"	200 PSIG	5-3/4 INCHES	27 INCHES
8"	200 PSIG	6-3/4 INCHES	30-1/8 INCHES
10"	200 PSIG	8-1/2 INCHES	41-1/8 INCHES

Note: there can be no change in these measurements as new meters must fit in the same space as the existing installations.

STRAIGHTENING VANES

A straightening vane assembly is mandatory and shall be positioned directly upstream of the measuring element. The straightening vane assembly shall be an integral component of the measuring chamber.

CONNECTIONS

The meter assemblies shall have flanges of the Class 125 round type, flat faced and shall conform to ANSI B16.1 for specified diameter, drilling and thickness.

CERTIFICATIONS AND MARKINGS

All sizes of meter packages shall display the sizes, model, manufacturer name, and direction of flow. Such display shall be cast on the side of the meter main case.

Group 3. Fire Service Meter (Floating Ball Technology) (Sizes 4", 6", 8" & 10"):

SCOPE

These specifications set forth the minimum acceptable design criteria and performance requirements for cold water meters – Fire Service type consisting of Class II turbine type meter and ductile iron strainer assembly. This meter assembly is intended where an extremely wide flow range is required and where measurement of both domestic and fire service water usage is desired.

CONFORMANCE TO STANDARDS

The meter package shall meet or exceed all requirements of AWWA Standard C703 for Class II. The measuring shall be so configured to capture all flows as specified without the requirement of an automatic valve. Each meter assembly shall be performance tested to ensure compliance.

Each meter package shall meet or exceed all requirements of NSF/ANSI Standard 61, Annex F and G. The meter shall be UL (Underwriters Laboratories) Listed and FM (Factory Mutual) approved for use on fire protection and domestic water applications.

MAINCASES

The meter main case shall be of epoxy coated ductile iron composition. The epoxy coating shall be provided as standard fusion-bonded and adhere to NSF for non-lead regulation compliance.

PERFORMANCE

The meter assembly shall have performance capability of continuous operation up to the rated maximum flows as listed below without affecting long-term accuracy or causing any undue component wear. The meter assembly shall also provide a 25% flow capacity in excess of the maximum flows listed for intermittent flow demands. Maximum head loss through the meter/strainer assembly shall not exceed those listed in the following table per meter size.

Operating Characteristics

Meter Size	Low Flow (95% Min.)	Typical Operating Range	Intermittent Flow	Pressure Loss (Not to Exceed)
4"	.75 GPM	1.0 to 1000 GPM	1250 GPM	6.4 PSI @ 1000 GPM
6"	1.5 GPM	3.0 to 2000 GPM	2500 GPM	6.7 PSI @ 2000 GPM
8"	2.5 GPM	4.0 to 3500 GPM	4700 GPM	5.0 PSI @ 3500 GPM
10"	3.5 GPM	5.0 to 5500 GPM	7000 GPM	7.0 PSI @ 5500 GPM

Flow ratings shall be 1250 GPM for 4" meters, 2500 GPM for 6" meters, 3500 GPM for 8" meters, and 5500 GPM for 10" meters.

MEASURING CHAMBER

The measuring chamber shall consist of a measuring element, removable housing, and all-electronic register. The measuring element shall be mounted on a horizontal, stationary stainless steel shaft with sleeve bearings and be essentially weightless in water. The measuring element shall be integrated with the advanced Floating Ball Technology design. The measuring chamber shall be capable of operating within the above listed accuracy limits without calibration when transferred from one main case to another of the same size. The measuring shall be so configured to capture all flows as specified above without requirement of an automatic valve.

DIRECT MAGNETIC DRIVE SYSTEM

The direct magnetic drive shall occur between the motion of the measuring element blade position and the electronic register. Any and all additional intermediate, magnetic or mechanical drive couplings are not acceptable.

Specifications for Bid # 50-123452

ELECTRONIC REGISTER

The meter register is all-electronic and does not contain any mechanical gearing to display flow and accurate totalization. The electronic register includes the following:

- AMR resolution units fully programmable
- Pulse output frequency fully programmable
- Integral data logging capability
- Integral resettable accuracy testing feature
- Large, easy-to-read LCD display
- 10-year battery life

The resolution shall be 8 digit type or higher (if available). All digits on the register will be reported when the meter is read through the communications interface. Digits shall read in gallons.

MAXIMUM OPERATING PRESSURE

The meter assembly shall operate properly without leakage, damage, or malfunction up to a maximum working pressure of 175 pounds per square inch (psig).

STRAINERS

Each meter assembly shall have a separate UL (Underwriters Laboratories) Listed and FM (Factory Mutual) approved external fire service strainer as part of the meter package. The strainers screen shall have a minimum net open area of at least four (4) times the pipe opening and be V-shaped stainless steel screen for the purpose of obtaining a full unobstructed flow pattern. The strainer body shall be coated iron with stainless steel fasteners capable of maintaining the following static pressure ratings and physical dimensions:

Meter Size	Maximum Working Pressure	Centerline to Strainer Base	Compact Overall Length (Not to Exceed)	Standard Overall Length (Not to Exceed)
4"	175 PSIG	4-3/4 INCHES	33 INCHES	51-7/8 INCHES
6"	175 PSIG	5-3/4 INCHES	45 INCHES	67-5/8 INCHES
8"	175 PSIG	6-3/4 INCHES	53 INCHES	77 INCHES
10"	175 PSIG	8-1/2 INCHES	68 INCHES	90 INCHES

STRAIGHTENING VANES

A straightening vane assembly is mandatory and shall be positioned directly upstream of the measuring element. The straightening vane assembly shall be an integral component of the measuring chamber.

CONNECTIONS

The meter assemblies shall have flanges of the Class 125 round type, flat faced and shall conform to ANSI B16.1 for specified diameter, drilling and thickness.

CERTIFICATIONS AND MARKINGS

All sizes of meter packages shall be UL (Underwriters Laboratory) Listed and FM (Factory Mutual) approved as being accepted for use on fire service lines and domestic water use. For such applications, the meter shall have a UL/FM listed and approved strainer immediately upstream of the inlet flange. The meter shall have an identification tag affixed indicating such acceptance and the strainer shall also bear such acceptance symbols and markings on the casting.

Group 4. Residential Turbine Meters (Floating Ball Technology) (Sizes 2"):

CONFORMANCE TO STANDARDS

The meter package shall meet or exceed all requirements of AWWA Standard C701 for Class II turbine meter assemblies and exceeds AWWA C700 Residential Standard. Each meter assembly shall be performance tested to ensure compliance. The meter package shall meet or exceed all requirements of NSF/ANSI Standard 61, Annex F and G.

MAINCASES

The meter main case shall be of epoxy coated ductile iron composition. The epoxy coating shall be provided as standard fusion-bonded and adhere to NSF for non-lead regulation compliance.

PERFORMANCE

The meter assembly shall have performance capability of continuous operation up to the rated maximum flows as listed below without affecting long-term accuracy or causing any undue component wear. Maximum head loss through the meter/strainer assembly shall not exceed those listed in the following table per meter size.

Operating Characteristics

Meter Size	Low Flow (95% Min.)	Operating Range (98.5% - 101.5%)	Pressure Loss (Not to Exceed)
2" w/	1.0 GPM	2.5 to 200 GPM	7.0 PSI @ 200 GPM
2" w/o strainer	1.0 GPM	2.5 to 200 GPM	4.4 PSI @ 200 GPM

Flow ratings shall be 200 GPM for 2" meters.

MEASURING CHAMBER

The measuring chamber shall consist of a measuring element, removable housing, and all-electronic register. The measuring element shall be mounted on a horizontal, stationary stainless steel shaft with sleeve bearings and be essentially weightless in water. The measuring element shall be integrated with the advanced Floating Ball Technology design. The measuring chamber shall be capable of operating within the above listed accuracy limits without calibration when transferred from one main case to another of the same size. The measuring shall be so configured to capture all flows as specified above.

DIRECT MAGNETIC DRIVE SYSTEM

The direct magnetic drive shall occur between the motion of the measuring element blade position and the electronic register. Any and all additional intermediate, magnetic or mechanical drive couplings are not acceptable.

ELECTRONIC REGISTER

Meter register resolution shall be 8 digit type or higher (if available). All digits on the register will be reported when the meter is read through the communications interface. Digits shall read in gallons.

The meter's register is all-electronic and does not contain any mechanical gearing to display flow and accurate totalization. The electronic register includes the following partial list of features:

- AMR resolution units fully programmable
- Large, easy-to-read LCD display
- 10-year battery life guarantee

MAXIMUM OPERATING PRESSURE

The meter assembly shall operate properly without leakage, damage, or malfunction up to a maximum working pressure of 200 pounds per square inch (psig).

Specifications for Bid # 50-123452

STRAINERS

The meter strainer shall be integral and cast as part of the meter's main case. The strainer's screen shall have a minimum net open area of at least two (2) times the pipe opening and be a V-shaped configuration for the purpose of maintaining a full unobstructed flow pattern. The strainer body shall be a coated ductile iron fusion-bonded epoxy identical to that of the meter's main case. All fasteners shall be stainless steel capable of maintaining the following static pressure ratings and physical dimensions:

Meter Size	Maximum Working Pressure	Centerline to Strainer Base	Overall Length (Not to Exceed)
2" w/ strainer	200 PSIG	2-5/16 INCHES	17 INCHES
2" w/o strainer	200 PSIG	2-5/16 INCHES	10 INCHES

Note: there can be no change in these measurements as new meters must fit in the same space as the existing installations.

STRAIGHTENING VANES

A straightening vane assembly is mandatory and shall be positioned directly upstream of the measuring element. The straightening vane assembly shall be an integral component of the measuring chamber.

CONNECTIONS

The 2" meter assemblies shall be of the 2 bolt oval flange configuration.

CERTIFICATIONS AND MARKINGS

All sizes of meter packages shall display the sizes, model, manufacturer name, and direction of flow. Such display shall be cast on the side of the meter main case.

Group 5. Replacement Measuring Chambers for all types and size meters in Groups 1, 2, 3 & 4 above.

MEASURING CHAMBER

The measuring chamber shall consist of a measuring element, removable housing, and all-electronic register. The measuring element shall be mounted on a horizontal, stationary stainless steel shaft with sleeve bearings and be essentially weightless in water. The measuring element comes integrated with the advanced Floating Ball Technology design. The measuring chamber shall be capable of operating within the above listed accuracy limits without calibration when transferred from one main case to another of the same size. The measuring shall be so configured to capture all flows as specified above, without the requirement of an automatic valve.

DIRECT MAGNETIC DRIVE SYSTEM

The direct magnetic drive shall occur between the motion of the measuring element blade position and the electronic register. Any and all additional intermediate, magnetic or mechanical, drive couplings are not acceptable.

ELECTRONIC REGISTER

The meter's register is all-electronic and does not contain any mechanical gearing to display flow and accurate totalization. The electronic register includes the following partial list of features:

- AMR resolution units fully programmable
- Pulse output frequency fully programmable
- Integral data logging capability
- Integral resettable accuracy testing feature
- Large, easy-to-read LCD display
- 10-year battery life guarantee

DATE: 6/27/2018
BID NO.: 50-00123452

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DREAMEY@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 7/12/2018 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

10,12,13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 6/27/2018

Page: 5

BID NO.: 50-00123452

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ☒

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

4-6 weeks

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Coburn's Supply

ADDRESS: 1849 Commercial Drive

CITY, STATE: Harvey, LA ZIP: 70058

TELEPHONE: (225) 369-3395 FAX: (504) 348-1095

EMAIL ADDRESS: mself@coburns.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 420,034.00

AUTHORIZED
SIGNATURE: Michael Self

Michael Self

Printed Name

TITLE: Municipal Outside Sales

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123452

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO YEAR CONTRACT FOR WATER METERS AND COMPONENTS FOR ALL WATER DISTRICTS FOR THE PARISH OF JEFFERSON.		
1	10.00	EA	0080 COMPOUND METER (FLOATING BALL TECHNOLOGY) 2 INCH	1,541.00	15,410.00
2	5.00	EA	0090 COMPOUND METER (FLOATING BALL TECHNOLOGY) 3 INCH	1,740.00	8,700.00
3	35.00	EA	0100 COMPOUND METER (FLOATING BALL TECHNOLOGY) 4 INCH	2,884.00	100,940.00
4	10.00	EA	0110 COMPOUND METER (FLOATING BALL TECHNOLOGY) 6 INCH	4,319.00	43,190.00
5	10.00	EA	0120 COMPOUND METER (FLOATING BALL TECHNOLOGY) 8 INCH	6,151.00	61,510.00
6	10.00	EA	0130 COMPOUND METER (FLOATING BALL TECHNOLOGY) 10 INCH	NO BID	NO BID
7	10.00	EA	0210 TURBINE METER (FLOATING BALL TECHNOLOGY) 2 INCH	727.00	7,270.00
8	5.00	EA	0220 TURBINE METER (FLOATING BALL TECHNOLOGY) 3 INCH	909.00	4,545.00
9	10.00	EA	0230 TURBINE METER (FLOATING BALL TECHNOLOGY) 4 INCH	1,315.00	13,150.00
10	10.00	EA	0240 TURBINE METER (FLOATING BALL TECHNOLOGY) 6 INCH	3,075.00	30,750.00
11	10.00	EA	0250 TURBINE METER (FLOATING BALL TECHNOLOGY) 8 INCH	4,195.00	41,950.00
12	10.00	EA	0260 TURBINE METER (FLOATING BALL TECHNOLOGY) 10 INCH	5,781.00	57,810.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123452

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	1.00	EA	0270 - FIRE SERVICE METER (FLOATING BALL TECHLOLOGY)4 INCH	4,997.00	4,997.00
14	1.00	EA	0280 - FIRE SERVICE METER(FLOATING BALL TECHLOLOGY)6 INCH	6,987.00	6,987.00
15	1.00	EA	0290 - FIRE SERVICE METER(FLOATING BALL TECHLOLOGY)8 INCH	9,091.00	9,091.00
16	1.00	EA	0310 - FIRE SERVICE METER(FLOATING BALL TECHLOLOGY)10 INCH	13,007.00	13,007.00
17	1.00	EA	0320 - RESIDENTIAL TURBINE METER (FLOATING BALL TECHLOLOGY)2 INCH	727.00	727.00
18	1.00	EA	0330 - REPLACEMENT MEASURING CHAMBER FOR COMPOUND METER(FLOATING BALL TECHLOLOGY)2 INCH	NO BID	NO BID
19	1.00	EA	0340 - REPLACEMENT MEASURING CHAMBER FOR COMPOUND METER (FLOATING BALL TECHLOLOGY)3 INCH	NO BID	NO BID
20	1.00	EA	0350 - REPLACEMENT MEASURING CHAMBER FOR COMPOUND METER(FLOATING BALL TECHLOLOGY) 4 INCH	NO BID	NO BID
21	1.00	EA	0360 - REPLACEMENT MEASURING CHAMBER FOR COMPOUND METER(FLOATING BALL TECHLOLOGY) 6 INCH	NO BID	NO BID
22	1.00	EA	0370 - REPLACEMENT MEASURING CHAMBER FOR COMPOUND METER(FLOATING BALL TECHLOLOGY) 8 INCH	NO BID	NO BID
23	1.00	EA	0380 - REPLACEMENT MEASURING CHAMBER FOR COMPOUND METER(FLOATING BALL TECHLOLOGY)10 INCH	NO BID	NO BID

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123452

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
24	1.00	EA	0390 - REPLACEMENT MEASURING CHAMBER FOR TURBINE METER(FLOATING BALL TECHLOLOGY)2 INCH	NO BID	NO BID
25	1.00	EA	0410 - REPLACEMENT MEASURING CHAMBER FOR TURBINE METER(FLOATING BALL TECHLOLOGY)3 INCH	NO BID	NO BID
26	1.00	EA	0420 - REPLACEMENT MEASURING CHAMBER FOR TURBINE METER(FLOATING BALL TECHLOLOGY)4 INCH	NO BID	NO BID
27	1.00	EA	0430 - REPLACEMENT MEASURING CHAMBER FOR TURBINE METER(FLOATING BALL TECHLOLOGY)6 INCH	NO BID	NO BID
28	1.00	EA	0440 - REPLACEMENT MEASURING CHAMBER FOR TURBINE METER(FLOATING BALL TECHLOLOGY)8 INCH	NO BID	NO BID
29	1.00	EA	0450 - REPLACEMENT MEASURING CHAMBER FOR TURBINE METER(FLOATING BALL TECHLOLOGY)10 INCH	NO BID	NO BID
30	1.00	EA	0460 - REPLACEMENT MEASURING CHAMBER FOR FIRE SERVICE METER (FLOATING BALL TECHLOLOGY)4 INCH	NO BID	NO BID
31	1.00	EA	0460 - REPLACEMENT MEASURING CHAMBER FOR FIRE SERVICE METER (FLOATING BALL TECHLOLOGY)8 INCH	NO BID	NO BID
32	1.00	EA	0470 - REPLACEMENT MEASURING CHAMBER FOR FIRE SERVICE METER (FLOATING BALL TECHLOLOGY)6 INCH	NO BID	NO BID
33	1.00	EA	0490 - REPLACEMENT MEASURING CHAMBER FOR FIRE SERVICE METER (FLOATING BALL TECHLOLOGY)10 INCH	NO BID	NO BID
34	1.00	EA	0510 - REPLACEMENT MEASURING CHAMBER FOR RESIDENTIAL TURBINE METER (FLOATING	NO BID	NO BID

DATE: 6/27/2018

Page 9

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123452

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BALL TECHNOLOGY) 2 INCH		


COBURN SUPPLY COMPANY, INC.
CORPORATE RESOLUTION

BE IT RESOLVED by the Board of Directors of Coburn Supply Company Inc. (Corporation), in a special meeting duly assembled, that Michael Self (Agent) be and he is hereby authorized, empowered, and directed to act for and on behalf of this Corporation in all negotiations, bidding, concerns, and transactions and sign any and all documents which, in Agent's sole discretion, he deems necessary for this Corporation to transact and conduct business with Jefferson Parish, Louisiana Government (Government) relative to this Corporation submitting a bid to the Government for the purchase by the Government from this Corporation of water meters and components for all Water Districts for the Government, for a period of two (2) years, in connection with Government Bid Number 50-123452.

CERTIFICATE

I, James J. Adams, Secretary of Coburn Supply Company, Inc., do hereby certify that the above and foregoing is a true and correct copy of a Resolution unanimously adopted at a special meeting of the Board of Directors of Coburn Supply Company, Inc., at which meeting at least a majority of the Board of Directors were present and voted thereon, that said Resolution has been spread upon the minute books of Coburn Supply Company, Inc.; and same is now in full force and effect.

WITNESS MY SIGNATURE on June 29, 2018, in Beaumont, Texas.


James J. Adams, Secretary of
Coburn Supply Company, Inc.

Corporate Seal

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Livingston

BEFORE ME, the undersigned authority, personally came and appeared: Michael Self
_____, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Representative of Coburn's Supply (Entity),
the party who submitted a bid in response to Bid Number 5000123452, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required
attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including
the date and amount of each contribution, made to current or
former elected officials of the Parish of Jefferson by Entity,
Affiant, and/or officers, directors and owners, including
employees, owning 25% or more of the Entity during the two-year
period immediately preceding the date of this affidavit or the
current term of the elected official, whichever is greater. Further,
Entity, Affiant, and/or Entity Owners have not made any
contributions to or in support of current or former members of the
Jefferson Parish Council or the Jefferson Parish President through
or in the name of another person or legal entity, either directly or
indirectly.

Choice B ☒ there are NO campaign contributions made which would require
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ☒ There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Michael Self
Signature of Affiant

Michael Self
Printed Name of Affiant


SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 29th DAY OF June, 2018.

Jay Hissong
Notary Public

Jay Hissong
Printed Name of Notary

141531
Notary/Bar Roll Number

My commission expires at death.



ACORD™

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

06/28/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER J. S. Edwards & Sherlock Insurance Agency, LLP P. O. 22237 Beaumont, TX 77720	CONTACT NAME: Ginny Johnson	
	PHONE (A/C, No, Ext): 409 832-7736	FAX (A/C, No): 409-833-1721
	E-MAIL ADDRESS: ginny@edwardsandsherlock.com	
INSURED Coburn Supply Co Inc P O Box 2177 Beaumont, TX 77704	INSURER(S) AFFORDING COVERAGE	
	INSURER A : Liberty Insurance Corporation	NAIC # 42404
	INSURER B : Liberty Mutual Fire Insurance Company	23035
	INSURER C :	
	INSURER D :	
	INSURER E :	
	INSURER F :	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY			TB7691460237037	11/01/2017	11/01/2018	EACH OCCURRENCE
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY						\$1,000,000
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence)
							\$100,000
							MED EXP (Any one person)
							\$5,000
							PERSONAL & ADV INJURY
							\$1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE
	<input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC						\$2,000,000
							PRODUCTS - COMP/OP AGG
							\$2,000,000
							\$
B	AUTOMOBILE LIABILITY			AS2691460237027	11/01/2017	11/01/2018	COMBINED SINGLE LIMIT (Ea accident)
	<input checked="" type="checkbox"/> ANY AUTO						\$1,000,000
	<input type="checkbox"/> ALL OWNED AUTOS		<input type="checkbox"/> SCHEDULED AUTOS				
	<input checked="" type="checkbox"/> HIRED AUTOS		<input checked="" type="checkbox"/> NON-OWNED AUTOS				
							BODILY INJURY (Per person)
							\$
						BODILY INJURY (Per accident)	
						\$	
							PROPERTY DAMAGE (Per accident)
							\$
							\$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB		<input checked="" type="checkbox"/> OCCUR	TH7691460237057	11/01/2017	11/01/2018	EACH OCCURRENCE
	<input type="checkbox"/> EXCESS LIAB		<input type="checkbox"/> CLAIMS-MADE				\$15,000,000
	<input type="checkbox"/> DED <input checked="" type="checkbox"/> RETENTION \$10000						AGGREGATE
							\$15,000,000
							\$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			WA769D460237017	11/01/2017	11/01/2018	<input checked="" type="checkbox"/> WC STATUTORY LIMITS <input type="checkbox"/> OTH-ER
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	N/A				E.L. EACH ACCIDENT
	If yes, describe under DESCRIPTION OF OPERATIONS below						\$1,000,000
							E.L. DISEASE - EA EMPLOYEE
							\$1,000,000
							E.L. DISEASE - POLICY LIMIT
							\$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish Purchasing Department 200 Derbigny Street, Suite 4400 Gretna, LA 70053	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 

© 1988-2010 ACORD CORPORATION. All rights reserved.

STANDARD INSURANCE REQUIREMENTS – PUBLICLY ADVERTISED BIDS

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the advertised bid. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders **must** submit **with** bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability, Workmen's Compensation Insurance and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office with the concurrence of the Director of Risk Management.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Proof of insurance is required **with** bid submission. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.
- Upon contract execution, successful bidder must produce final insurance certificates per standard Jefferson Parish insurance requirements. Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.